

# Index

---

- A**  
acanthosis nigricans 100  
acarbose 203  
acidosis, effect on potassium levels 185  
acromegaly 75–6, 79  
  hypertension 165  
  investigation 76, 77  
  management 76–8  
activated charcoal, use in thyrotoxic crisis 41  
acute coronary syndromes, hypokalaemia 188  
acute myocardial infarction, sick euthyroid syndrome 16, 19, 20  
Addison's disease 50, 160  
  antibodies 110  
  autoimmune polyglandular syndromes 55  
  replacement therapy 205–9  
adipose tissue, increase in thyroid eye disease 46–7  
adrenal carcinoma 59–60  
  hypertension 167  
adrenal crisis  
  management 52  
  risk factors for 53  
adrenal function, assessment in premature ovarian failure 111  
adrenal glands  
  adenoma, Conn's syndrome 167  
  congenital hyperplasia 68–73  
  incidental nodules 59, 177  
    differential diagnosis 59–60  
    investigation 60–1  
    management 61–2  
  nodules, as cause of Cushing's syndrome 67  
  reduced androgen production 117  
  tumours, as cause of  
    gynaecomastia 136, 138  
adrenal insufficiency 49–50, 53–4  
  differential diagnosis 51, 53  
  genetic syndromes 50, 52  
  replacement therapy 205–9  
  symptoms 52  
adrenalectomy, in congenital adrenal hyperplasia 72  
adrenaline  
  effect on potassium levels 185  
  secretion in congenital adrenal hyperplasia 72  
  secretion by  
    phaeochromocytoma 167  
adrenarche 131  
adrenergic postprandial syndrome (APS) 200–1  
adrenocorticotrophic hormone (ACTH)  
  levels in adrenal insufficiency 52–3  
  levels in congenital adrenal hyperplasia 69  
adrenocorticotrophic hormone (ACTH) deficiency  
  clinical features 91  
  glucocorticoid replacement 207  
agranulocytosis, as side effect of thionamide drugs 2, 8–9, 210, 211, 212  
AIDS/HIV  
  gynaecomastia 140  
  hypogonadism 126  
AIRE gene 55, 56  
albumin, serum levels 18  
alcohol consumption, in hypertension 164, 168  
alcoholism  
  hypocalcaemia 159, 160  
  hyponatraemia 180  
aldosterone 50, 174, 179  
  *see also* hyperaldosteronism  
aldosterone antagonists 177  
  *see also* spironolactone  
aldosterone levels, relationship to hypertension 177  
aldosterone-producing adenoma (APA) 174, 175, 177  
aldosterone to renin ratio (ARR) 167, 175–7, 178  
alfacalcidol 221, 222  
alkalosis, effect on potassium levels 185  
Allgrove's (triple A) syndrome 52  
alpha-blockade, in phaeochromocytoma 171  
alprostadil, intraurethral 121  
amenorrhoea  
  primary 95–8  
  prolactinoma 80, 81  
  secondary 99–103  
amiloride 180, 187, 217, 218  
  use in Liddle's syndrome 187  
  use in lithium-induced diabetes insipidus 217, 218  
aminoglutethimide therapy, Cushing's disease 66  
aminoglycoside antibiotics, renal impairment 188–9  
amiodarone 21–2  
  effects on thyroid function 23–4, 25–6  
  surveillance of patients 22  
  use after cardiac surgery 24  
  use in thyrotoxic crisis 40  
amiodarone-induced thyrotoxicosis, management 24, 25  
anabolic steroids, use in delayed puberty 134  
anagen 113  
anaplastic thyroid cancer 13  
anastrozole  
  use in ovulation induction 107  
  value in gynaecomastia 140  
androgen dependence, hair differentiation 113  
androgen levels in PCOS 100  
androgen receptor gene, (CAG)<sub>n</sub> repeat polymorphism 149  
androgen replacement therapy  
  available preparations 129  
  in delayed puberty 134  
  in erectile dysfunction 123–4  
  in hypoadrenalism 209  
  in hypopituitarism 92  
  in Klinefelter's syndrome 149, 150  
  in male hypogonadism 127–8  
  in women 129, 224, 225, 227  
  in premature ovarian failure 111  
  in prolactinoma 130  
androgens, high levels, differential diagnosis 116



- angiotensin-converting enzyme (ACE) inhibitors  
interference with ARR 177  
in treatment of hypertension 164
- angiotensin receptor blockers 164
- anorexia nervosa 97–8
- anovulatory infertility, causes 104
- anti-androgen drugs 117–18  
use in congenital adrenal hyperplasia 72
- anti-Fp antibodies 44
- anti-G2s antibodies 44
- antiarrhythmic drugs  
new agents 24  
*see also* amiodarone
- antibodies  
in Addison's disease 50, 52  
in autoimmune polyglandular syndromes 56
- antidiuretic hormone (ADH, arginine vasopressin) 179, 194–5  
AVP receptor blockers 184  
nocturnal secretion 198  
SIADH 181, 183, 184
- antineutrophil cytoplasmic antibodies (ANCA) 211, 212–13
- antipsychotic drugs, as cause of hyperprolactinaemia 82–3
- antithyroid peroxidase (anti-TPO) 35, 38
- apathetic thyrotoxicosis 39
- apathy, in hypopituitarism 92
- APECED (autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy) 55, 56
- apomorphine, use in erectile dysfunction 121
- aquaporins 195, 216  
AQP2 gene mutations 196
- arginine vasopressin (AVP) 179, 194–5, 197  
AVP receptor blockers 184  
nocturnal secretion 198  
*see also* antidiuretic hormone
- aromatase inhibitors  
in congenital adrenal hyperplasia 72  
use in delayed puberty 134  
use in Klinefelter's syndrome 150  
use in ovulation induction 107
- AroQol questionnaire 78
- arrhythmias, in hypokalaemia 186
- Asherman's syndrome 100
- asthma, nebulized magnesium sulphate 193
- atenolol, in treatment of hypertension 164
- athletes, female athlete triad 97
- atrial fibrillation  
in hyperthyroidism 7  
management 24, 25
- atrial natriuretic peptide levels, in Addison's disease 206
- autoimmune disease  
association with miscarriage 30, 33  
role of microchimerism 37
- autoimmune polyendocrinopathy syndrome 158, 162
- autoimmune polyglandular syndromes 54–5, 57–8  
investigation 56  
monitoring and follow-up 57
- autoimmune thyroid disease 7  
autoimmune polyglandular syndromes 55  
genetic factors 3  
post-partum thyroid disturbance 35–8  
*see also* Graves' disease
- autoimmunity, role in premature ovarian failure 109–10
- AVP receptor blockers 184
- azathioprine, use in thyroid eye disease 46
- azoospermia, semen fructose levels 126
- B**
- ballet dancers, menstrual disorders 97
- Bartter-like syndrome, after gentamicin treatment 188–9
- Bartter's syndrome 187
- basal metabolic rate (BMR) during pregnancy 33–4
- basophil pituitary adenoma 66
- bazedoxifene 225
- bepidil 24
- beta-blockers  
interference with ARR 176  
use in hypertension 164  
use in pheochromocytoma 171  
use in post-partum thyroid disturbance 35  
use in thyrotoxic crisis 40
- bicalutamide 118
- big prolactin 83–4
- bilateral adrenal hyperplasia (BAH) 174, 175, 177
- biopsy  
goitre 7  
testicular 126, 149, 150
- bipolar illness 214–15  
*see also* lithium
- bisphosphonates, use in hyperparathyroidism 156
- block and replace regimens, thyrotoxicosis 2–3
- blood pressure  
diurnal variation 168  
*see also* hypertension
- body mass, as trigger to puberty 97
- bone age assessment 133
- bone mineral density (BMD)  
effect of growth hormone replacement 94  
effect of hyperthyroidism 7–8
- botulinum toxin, use in thyroid eye disease 46
- breast cancer  
androgens as risk factor 129  
male 140  
risk from HRT 224, 225  
risk in Klinefelter's syndrome 150  
risk in PCOS 101
- breastfeeding, and amiodarone 22
- bromocriptine, in treatment of prolactinoma 82
- bulimia nervosa 98
- buserelin 117
- C**
- C-reactive protein, levels in subclinical hypothyroidism 30
- cabergoline  
use in acromegaly 78  
use in non-functioning pituitary adenoma 87  
use in prolactinoma 82, 84
- calcitriol 221, 222
- calcium 158  
plasma level measurement 153  
*see also* hypercalcaemia; hypocalcaemia
- calcium channel blockers  
interference with ARR 177  
use in hypertension 164  
use in pheochromocytoma 171
- calcium-sensing receptor 156
- calcium-sensing receptor gene abnormalities 161
- calcium supplementation 160, 221, 222–3  
in premature ovarian failure 111

## Index

- cancer  
of adrenal glands 59–60  
risk in acromegaly 76  
risk in Klinefelter's syndrome 150  
of thyroid 7  
and amiodarone 23  
fine needle aspiration  
cytology (FNAC) 11–12  
management 13, 15  
papillary 12, 14  
post-partum thyroid  
disturbance as risk factor 37  
*see also* breast cancer;  
endometrial cancer
- candidiasis, in APECED 55
- canrenone 177
- captopril isotope renogram 165
- captopril suppression test 175
- carbamazepine, use in diabetes insipidus 197
- carbimazole (CBZ) 2, 4  
in amiodarone-induced thyrotoxicosis 24  
fatal adverse reactions 211  
neutropenia 210, 213  
use during pregnancy 33  
use in thyroid eye disease 47  
use in thyrotoxic crisis 40
- cardiac abnormalities, in Turner's syndrome 143
- cardiac arrest, use of vasopressin 197
- cardiac failure  
during pregnancy 33  
 $T_3$  as prognostic factor 19
- cardiovascular disease risk  
in acromegaly 76  
in hypokalaemia 188  
in Klinefelter's syndrome 147, 150  
in PCOS 101  
in primary hyperparathyroidism 156
- Carney complex 67, 75
- L-carnitine, use in thyrotoxic crisis 42
- Carpenter's syndrome 55
- carpopedal spasm 159
- catagen 113
- catecholamines  
effect on potassium levels 185  
plasma levels 170  
secretion in congenital adrenal hyperplasia 72  
urinary 60
- cavernous sinus, pressure effects  
from pituitary adenoma 86
- cavernous sinus sampling 66
- cetorelix 107, 117
- chemotherapy, protection of ovaries 111
- chlorpropamide, use in diabetes insipidus 197
- cholecalciferol (vitamin  $D_3$ ) 219, 221
- cholestyramine, use in thyrotoxic crisis 41
- chondrocalcinosis 154
- chromogranin 170  
levels in pheochromocytoma 62
- Chvostek's sign 160
- ciclosporin  
interaction with amiodarone 22  
use in thyroid eye disease 46
- cimetidine, use in hirsutism 118
- cinacalcet 156
- cisapride, stimulation of cortisol production 62
- clomiphene citrate 105, 106  
value in gynaecomastia 140
- clomiphene stimulation test, in male hypogonadism 126
- clonidine  
interference with ARR 176  
in treatment of menopausal symptoms 224
- clonidine suppression test 170
- coeliac disease  
in autoimmune polyglandular syndromes 55, 57  
as cause of short stature 133  
in Turner's syndrome 143
- colestipol, use in thyrotoxic crisis 41
- colon cancer, risk in acromegaly 76, 79
- colour Doppler sonography, in diagnosis of thyroid disorders 5, 23
- combined oral contraceptive, in management of PCOS 101–2, 107, 117
- combined thyroid hormone replacement 228–9, 230, 231
- complications of surgery  
for pituitary adenomas 85–6  
thyroidectomy 9
- computed tomography  
in acromegaly 76  
incidental adrenal tumours 59, 60
- congenital adrenal hyperplasia (CAH) 68–9, 70, 72–3  
biochemical changes 69  
21-hydroxylase deficiency 69–70  
hypertension 167  
non-classic 21-hydroxylase deficiency 70–2
- congenital adrenal hypoplasia 53
- congenital pituitary failure 91
- conivaptan 183
- Conn's syndrome 59, 60, 167, 168, 174–5, 178  
investigation 175–7  
management 177
- constitutional delayed puberty, management 134
- contraception  
perimenopausal 224  
in premature ovarian failure 110, 111
- convulsions, in hypocalcaemia 159
- corrected total calcium 158
- corticosteroids *see* steroids
- corticotrophin-releasing hormone (CRH), levels in congenital adrenal hyperplasia 69
- corticotrophin-releasing hormone test 64, 65–6
- cortisol 50, 207  
levels in Conn's syndrome 175
- cortisol production, measurement 60
- cortisone, potency 206
- counselling, in Klinefelter's syndrome 149
- cranial diabetes insipidus 195, 197, 199
- CTLA-4* gene 55
- Cushing's syndrome 59, 60, 62, 67  
clinical features 64  
differential diagnosis 64  
hypertension 165  
investigation 63–4, 64–6  
treatment 66
- cyclophosphamide, use in thyroid eye disease 46
- CYP3A4 enzyme 23
- CYP11A* gene defects 70
- CYP11B1* gene defects 70
- CYP11B2* gene polymorphisms 178
- CYP17* gene polymorphisms 70
- cyproterone 225  
use in hirsutism 117
- CYP6* gene 47



## Index

- cytokines  
  effect on deiodinase enzymes 19  
  role in vitamin D production 219
- cytotoxic T lymphocyte antigen-4 (CTLA-4) 3
- D**
- dantrolene, use in thyrotoxic crisis 42
- DAX-1* gene 50, 53
- DDAVP (1-desamino-8-D-arginine vasopressin) 197, 199
- defibrillators, implantable 25
- dehydroepiandrosterone 50, 53  
  elevated levels 114
- dehydroepiandrosterone therapy  
  in Addison's disease 209  
  in post-menopausal women 129, 227
- deiodinase (DI) enzymes 18, 19  
  effect of amiodarone 23
- delayed puberty 131, 135  
  causes 132  
  investigation 132–4  
  management 134
- demeclocycline, use in hyponatraemia 183
- deoxycorticosterone (DOC) 167  
  in congenital adrenal hyperplasia 70
- depilatory creams 116
- depression, association with post-partum thyroid disease 37
- desmopressin, in management of hypopituitarism 92
- desmopressin test 66
- developmental delay, in Klinefelter's syndrome 147
- dexamethasone  
  potency 206  
  use in hirsutism 117  
  use in non-classic congenital adrenal hyperplasia 72  
  use in thyrotoxic crisis 40
- dexamethasone suppression test (DST) 64
- dextrose  
  use in acute hypoglycaemia 203  
  use in adrenal crisis 52
- diabetes  
  erectile dysfunction 120  
  in Klinefelter's syndrome 149  
  type 1  
    association with menstrual and fertility disorders 98  
    Carpenter's syndrome 55  
  type 2  
    in PCOS 101, 102  
    potassium channel disorders 188  
    in Turner's syndrome 145
- diabetes insipidus 195–6, 199  
  after surgery for pituitary adenoma 86  
  as complication of head injury 93, 195, 197–8  
  investigation 196–7, 198  
  lithium-induced 216–17  
  treatment 92, 197
- dialysis, use in thyrotoxic crisis 42
- diazoxide, use in insulinoma 201
- DIDMOAD (Wolfram's syndrome) 195
- digoxin, interaction with amiodarone 22
- dihydrotachysterol 221, 222
- dihydrotestosterone 129
- dipsogenic polydipsia 196
- DIPTA (3,5-diiodothyropropanoic acid) 19
- diuretic therapy  
  hypokalaemia 189  
  hyponatraemia 183
- diuretics, interference with ARR 177
- diurnal variation in blood pressure 168
- domperidone, response in prolactinoma 81–2
- dopamine, secretion by pheochromocytoma 167, 170, 171
- dopamine agonists  
  effect on headache in pituitary adenoma 85  
  use in acromegaly 76, 78  
  use in hypopituitarism 92  
  use in non-functioning pituitary adenoma 87  
  use in prolactinoma 81, 82, 84
- dopamine antagonists test, prolactinoma 81–2
- doxazocin, use in pheochromocytoma 171
- DQB1* gene 56
- dronedarone 24
- drospirenone 118
- drug-induced gynaecomastia 138
- drug interactions, with amiodarone 22
- dumping syndrome 203
- duration of treatment, thyrotoxicosis 2
- dydrogesterone 225
- dyslipidaemia, in subclinical hypothyroidism 29–30
- dystrophia myotonica 127
- E**
- early gestational thyrotoxicosis 33
- eating disorders  
  association with amenorrhoea 97–8  
  electrolyte abnormalities 186
- ECG  
  changes in hypokalaemia 186  
  changes in hypomagnesaemia 192
- ectopic ACTH secretion 64, 65
- eflornithine (Vaniqa) 116
- elderly people  
  hyponatraemia 180  
  nocturia 198  
  thyroid hormone replacement therapy 229, 231
- embolism, risk in hyperthyroidism 7
- endocrine-related hypertension 164–5
- differential diagnosis 166
- endometrial cancer  
  risk from HRT 224  
  risk in PCOS 101
- endothelial dysfunction, role in erectile dysfunction 122
- EPHESUS (Eplerenone Neurohormonal Efficacy and Survival Study) 177
- epilation techniques 116
- eplerenone 177
- erectile dysfunction 119  
  causes 120  
  investigation 120, 124  
  management 120–4  
  in prolactinoma 81
- erection, mechanism 119, 121
- ergocalciferol (vitamin D<sub>2</sub>) 219, 221, 222
- ethanol ablation of thyroid nodules 9
- ethinyloestradiol, use in delayed puberty 134, 145
- etomidate therapy, Cushing's disease 66
- exercise  
  as cause of hyperkalaemia 185  
  hormonal response in congenital adrenal hyperplasia 72

## Index

- exophthalmos *see* thyroid eye disease  
eyes, side effects of amiodarone 22
- F
- factitious hypoglycaemia 201  
familial benign hypocalciuric hypercalcaemia 161  
familial glucocorticoid deficiency 52  
familial hyperaldosteronism (FH) syndromes 177–8  
familial periodic paralysis 186  
fasting hypoglycaemia 200, 201  
female athlete triad 97  
feminising adrenal tumours 60  
Ferriman-Gallwey score 113–14  
fertile eunuch syndrome 126  
fertility  
  in congenital adrenal hyperplasia 73  
  effect of subclinical hypothyroidism 28  
  in premature ovarian failure 111  
  reduction in prolactinoma 81  
  *see also* infertility  
finasteride 117, 118  
fine needle aspiration cytology (FNAC), thyroid nodules 11–12, 15  
diagnostic categories 13  
fludrocortisone  
  potency 206  
  replacement therapy in Addison's disease 205–6, 208, 209  
  use in adrenal crisis 52  
fludrocortisone suppression test 175  
fluid restriction, in hyponatraemia 183  
fluid resuscitation, in adrenal crisis 52  
flutamide, use in hirsutism 117  
follicle-stimulating hormone (FSH)  
  in diagnosis of menopause 224  
  levels in Klinefelter's syndrome 148, 149  
  levels in male hypogonadism 125  
  levels in premature ovarian failure 111  
  use in male hypogonadism 128  
  use in ovulation induction 105–6  
follicular thyroid cancer, management 13  
follow-up, after treatment of thyrotoxicosis 10, 42
- Framingham Offspring Study, aldosterone levels and hypertension 177  
free androgen index (FAI) 114, 125  
fructose, semen levels 126  
functional adrenal imaging 60–1
- G
- galactorrhoea 81  
gamma interferon, role in vitamin D production 219  
gamma knife  
  for non-functioning pituitary adenoma 87  
  use in acromegaly 76  
ganirelix 107, 117  
gastric bypass surgery, hypoglycaemia 203  
GATA3 gene mutation 160  
genetic counselling, in Klinefelter's syndrome 149, 150  
genetic factors  
  in Grave's disease 3, 5  
  in premature ovarian failure 109  
genital abnormalities, congenital adrenal hyperplasia 69, 70  
genotyping, value in autoimmune polyglandular syndromes 56, 57  
gestational diabetes insipidus 196, 197  
Gitelman's syndrome 180, 187  
glitazones *see* thiazolidinediones  
glucagon-like peptide (GLP)-1, as cause of hypoglycaemia 201, 203  
glucocorticoid-remediable aldosteronism 168  
glucocorticoid replacement therapy  
  in Addison's disease 206–8, 209  
  in hypopituitarism 91–2  
glucocorticoids *see* steroids  
glucose intolerance  
  in PCOS 101  
  in Turner's syndrome 145  
glucose tolerance test, in diagnosis of acromegaly 76, 79  
goitre  
  differential diagnosis 6–7  
  estimation of size 9  
  investigation 7, 8  
  in lithium therapy 217  
  radioactive iodine treatment 9, 10  
  surgical treatment 9–10  
  thionamide treatment 8–9
- gonadarche 132  
gonadotropin deficiency, clinical features 91  
gonadotropin levels  
  in acromegaly 76  
  in Klinefelter's syndrome 148, 149  
  in male hypogonadism 125–6  
  in premature ovarian failure 111  
gonadotropin-releasing hormone (GnRH) agonist test 134  
gonadotropin-releasing hormone (GnRH) agonists and antagonists, use in hirsutism 117  
gonadotropin-releasing hormone (GnRH) test  
  in delayed puberty 134  
  in male hypogonadism 126  
gonadotropin-releasing hormone (GnRH) therapy, pulsatile 106–7  
gonadotropin therapy, ovulation induction 105–7  
goserelin 117  
grapefruit juice, effect in amiodarone therapy 23  
Graves' disease 1–2, 6, 37  
  antineutrophil cytoplasmic antibodies 213  
  colour Doppler sonography 5  
  genetics 3  
  investigations 5  
  neutropenia 210  
  post-partum incidence 35  
  during pregnancy 33  
  risk factors 3, 5  
  thionamide drug treatment 2–3, 4  
  thyroid eye disease 43–7  
  thyrotoxic crisis 39–42  
growth hormone deficiency, clinical features 91  
growth hormone levels, in acromegaly 76, 78  
growth hormone stimulation tests 134  
growth hormone therapy 94  
  in hypopituitarism 92  
  in Turner's syndrome 145, 146  
gynaecomastia 136  
  differential diagnosis 136–8  
  drug-induced 138  
  investigation 139–40  
  in Klinefelter's syndrome 149  
  risk of malignancy 140  
  treatment 140, 141



## Index

- H**  
haemochromatosis 127  
haemodialysis, use in thyrotoxic crisis 42  
haemophilia, use of vasopressin 197  
hair growth, phases 113  
Hashimoto's thyroiditis 6  
HDR syndrome 160  
head injury  
  diabetes insipidus 195, 197–8, 199  
  hypopituitarism as complication 93, 94  
headache, in pituitary adenoma 85  
heart disease, use of PDE-5 inhibitors 122  
heart failure, hyponatraemia 183–4  
hepatotoxicity, thionamide drugs 211–12  
high androgen states, differential diagnosis 116  
high-dose dexamethasone suppression test 64  
hirsutism 113–14  
  drug treatments 117–18  
  investigation 114, 115  
  local and topical treatments 115–16  
HIV/AIDS  
  gynaecomastia 140  
  hypogonadism 140  
homocysteine, raised levels in polycystic ovarian syndrome 72  
hook effect, prolactin assays 81  
hormone replacement therapy (HRT) 224–5, 227  
  scheme for initiation 226  
Horner's syndrome 7  
HSD3B1 gene defects 70  
human chorionic gonadotropin (hCG)  
  response in Klinefelter's syndrome 149  
  similarity to TSH 31, 32  
  use in male hypogonadism 128  
  use in ovulation induction 105, 106  
human chorionic gonadotropin stimulation test  
  in delayed puberty 134  
  in male hypogonadism 126  
human leucocyte antigen (HLA) complex 3  
  associations with APS II 55  
  HLA-DR3, as marker for Grave's disease 3  
hydrochlorothiazide, action in diabetes insipidus 198  
hydrocortisone  
  potency 206  
  replacement therapy in Addison's disease 53–4, 206, 207–8, 209  
  use in adrenal crisis 52  
  use in congenital adrenal hyperplasia 70  
1 $\alpha$ -hydroxylase 219, 220  
17 $\beta$ -hydroxylase deficiency 70  
21-hydroxylase deficiency 68, 69–70  
  neonatal screening 72  
  non-classic 70–2, 73  
17-hydroxyprogesterone, in congenital adrenal hyperplasia 69  
3 $\beta$ -hydroxysteroid dehydrogenase deficiency 70  
11 $\beta$ -hydroxysteroid dehydrogenase deficiency 70, 168  
hyperaldosteronism 59, 60, 167, 168, 174–5, 178  
  familial hyperaldosteronism (FH) syndromes 177–8  
  investigation 175–7  
  management 177  
hypercalcaemia  
  causes 154  
  differential diagnosis 155  
  investigation 153–4  
  in lithium therapy 217  
hyperemesis gravidarum 32–3, 34  
hyperglycaemia, in phaeochromocytoma 170  
hypergonadotrophic hypogonadism  
  differential diagnosis 127  
  Klinefelter's syndrome 147–50  
hyperkalaemia  
  in adrenal crisis 52  
  after exercise 185  
hyperparathyroidism, primary 154–7  
  in lithium therapy 217  
hyperprolactinaemia 80, 105  
  differential diagnosis 81  
  drug-induced 82–3  
  *see also* prolactinoma  
hypertension 163  
  adrenal tumours 60  
  association with PCOS 101  
  endocrine causes 164–6  
  Conn's syndrome 174–8  
  mineralocorticoid hypertension 167–8  
  phaeochromocytoma 167, 169–73  
  investigation 164, 165, 168  
  secondary, causes 164  
  treatment 164  
  in Turner's syndrome 143  
hyperthyroidism  
  during pregnancy 32–3, 34  
  Graves' disease 1–5  
  multinodular goitre 6, 7–10  
  *see also* thyrotoxicosis  
hypertonic saline 183  
  in investigation of diabetes insipidus 197  
hypertrichosis 113  
hypocalcaemia  
  after thyroidectomy 219, 222–3  
  causes 158–9  
  clinical features 159–60  
  investigation and management 160–2  
hypoglycaemia 200, 203  
  investigation 200–1, 202  
  management 201  
  in polycystic ovarian syndrome 201, 203  
hypogonadism  
  in acromegaly 76  
  male 125–30  
  gynaecomastia 137, 138  
  Klinefelter's syndrome 147–50  
hypogonadotropic hypogonadism 50, 126–8  
hypokalaemia 175, 185, 188–9  
  causes 186–8  
  symptoms 186  
  treatment 188  
hypomagnesaemia 158–9, 160, 190  
  causes 191  
  clinical features 192  
  management 191, 193  
hyponatraemia  
  causes 180, 181, 183  
  clinical features 180  
  in eating disorders 186  
  in heart failure 183–4  
  management 182, 183, 184  
  in marathon participants 184  
hypoparathyroidism 158, 160, 162  
  after thyroidectomy 9, 219, 223  
  vitamin D supplementation 222

## Index

- hypopituitarism 94  
causes 90  
clinical features 91  
in Cushing's syndrome 67  
after head injury 93  
investigations 91, 92  
management 91–2, 93  
risk factors for 91  
risk in prolactinoma 82  
secondary adrenal failure 49–50
- hypothalamus, pressure effects  
from pituitary adenoma 86
- hypothyroidism  
in acromegaly 76  
amiodarone-induced 23  
hypertension 165  
hyponatraemia 183  
in lithium therapy 217, 218  
in post-partum thyroid  
disturbance 35–6, 37, 38  
during pregnancy 33, 37  
subclinical 27–30  
thyroid hormone replacement  
228–31  
in Turner's syndrome 145
- I
- <sup>131</sup>I treatment 10  
in amiodarone-induced  
thyrotoxicosis 23, 24  
in thyroid cancer 13  
after thyrotoxic crisis 42  
in thyrotoxicosis 3, 5, 8, 9  
worsening of thyrotoxicosis 40, 42
- ibutilide 24
- idiopathic hirsutism 114
- illness  
adjustment of steroid therapy  
206  
management in adrenal  
insufficiency 53–4
- IMAGe syndrome 52
- imaging  
in acromegaly 76  
of adrenal tumours 60–1  
in Conn's syndrome 177  
in Cushing's syndrome 66  
in hyperparathyroidism 156  
of insulinoma 201  
of pheochromocytoma 167,  
170–1  
in prolactinoma 82  
in renal artery stenosis 165  
of thyroid eye disease 44, 47
- immunosuppression, use in thyroid  
eye disease 46
- impotence *see* erectile dysfunction
- incidentalomas, adrenal 59–62
- <sup>111</sup>Indium-labelled octreotide, use  
in imaging in acromegaly  
76
- inferior petrosal sinus sampling  
(IPSS) 66, 67
- infertility  
causes 104  
hCG therapy in male  
hypogonadism 128  
in Klinefelter's syndrome 149,  
150  
management in PCOS 105–8  
in Turner's syndrome 142, 145,  
146  
*see also* fertility
- inflammatory bowel disease, in  
Turner's syndrome 143
- influenza immunization, in  
acromegaly 79
- inositol monophosphate, inhibition  
by lithium 217
- insulin, effect on potassium levels  
185
- insulin levels, in subclinical  
hypothyroidism 30
- insulin-like growth factor (IGF)-I  
in acromegaly 76, 78, 79  
in delayed puberty 133
- insulin-like growth factor (IGF)-II,  
as marker for malignant  
adrenal masses 62
- insulin resistance  
in adrenal disorders 72  
association with hirsutism  
118  
in PCOS 100, 102  
relationship to magnesium status  
193  
in Turner's syndrome 145
- insulin sensitivity, role of  
testosterone 130
- insulinoma 201
- intracavernosal injection, in  
treatment of erectile  
dysfunction 121
- intracytoplasmic sperm injection  
(ICSI) 149, 150
- intrauterine diagnosis, congenital  
adrenal hyperplasia 70
- iodine  
as constituent of amiodarone  
23  
use in thyrotoxic crisis 40
- ionized calcium 158
- iopanoic acid, use in thyrotoxic  
crisis 41
- ipodate, use in thyrotoxic crisis  
41
- IQ, effect of maternal  
hypothyroidism 29
- iron supplements, value in delayed  
puberty 134
- K
- Kallman's syndrome 126, 130, 137
- Kearns-Sayre syndrome 52
- ketoconazole 117  
use in Cushing's disease 66
- ketones, in fasting hypoglycaemia 201
- kidneys  
abnormalities in Turner's  
syndrome 143  
effects of lithium 215–17  
potassium regulation 185  
tubular disorders 187–8  
sodium regulation 180
- Klinefelter's syndrome 125  
breast cancer risk 140  
clinical features 147  
investigation and management  
148–50
- L
- lanreotide  
in treatment of acromegaly  
78  
use in insulinoma 201
- laparoscopic ovarian drilling (LOD)  
107
- laparoscopic surgery, for adrenal  
nodules 61–2
- laser coagulation, thyroid lesions 15
- laser treatment of hirsutism 116
- Laurence-Moon-Bardet-Biedl  
syndrome 126
- learning difficulties, in Klinefelter's  
syndrome 147
- leptin 34, 98
- letrozole, use in ovulation  
induction 107
- leuprolide 117
- levonorgestrel 225
- Leydig cell tumours 136
- LH/FSH ratio in PCOS 100
- Liddle's syndrome 168, 187
- lifestyle modification, in  
management of PCOS 101,  
102, 103
- light sensitivity, effect of  
amiodarone 22



- linear accelerator, use in acromegaly 76
- lithium
- mechanism of action 217
  - side effects and toxic effects 215
    - effects on thyroid 217, 218
    - hypercalcaemia 217
    - nephrogenic diabetes insipidus 196, 198, 216–17
    - renal toxicity 215–16
  - use in hyponatraemia 183
  - use in thyrotoxic crisis 40, 42
- lithium therapy, care pathway 216
- liver, side effects of amiodarone 22
- liver disease
- gynaecomastia 136
  - vitamin D supplementation 222
- liver enzyme abnormalities, thionamide drugs as cause 211
- long Synacthen test 53
- loop diuretics 180
- low-density lipoprotein (LDL) cholesterol, effect of subclinical hypothyroidism 29–30
- lung cancer, risk in Klinefelter's syndrome 150
- luteinising hormone (LH) levels in Klinefelter's syndrome 148, 149
- levels in male hypogonadism 125–6
- lymphoedema, in Turner's syndrome 142
- lymphoma, risk in Klinefelter's syndrome 150
- lymphoma of thyroid 13
- M**
- McCune-Albright syndrome 67, 75
- macroprolactin 83
- magnesium 190
- competition with lithium 215
  - see also* hypomagnesaemia
  - magnesium balance 191, 192
- magnesium sulphate
- use in asthma 193
  - use in pre-eclampsia 193
- magnesium supplementation 160, 191, 193, 222–3
- magnetic resonance imaging
- in acromegaly 76
  - in Cushing's syndrome 66
  - phaeochromocytoma 60, 170–1
  - in prolactinoma 82
  - in thyroid eye disease 44, 47
- malabsorption, vitamin D supplementation 222
- male hypogonadism 125
- hypergonadotrophic hypogonadism 127
  - hypogonadotrophic hypogonadism 126–8
  - investigation 125–6
- malignancy
- risk in phaeochromocytoma 171
  - see also* cancer
- marathon participants, hyponatraemia 184
- Massachusetts Male Aging Study (MMAS) 119
- mastectomy, for gynaecomastia 140
- MCT8 mutations 19
- medroxyprogesterone 225
- medullary carcinoma of thyroid 13
- menopause 223–4
- see also* hormone replacement therapy (HRT)
- menstrual cycle, effect of subclinical hypothyroidism 28
- metabolic syndrome
- association with SAGH 62
  - in PCOS 102, 107
  - relationship to magnesium status 193
- metaiodobenzylguanidine 60, 171
- metanephrines, urinary 60, 170
- metastases, adrenal 59
- metformin
- in management of PCOS 102, 107, 117
  - use in ovulation induction 105, 106
  - in treatment of congenital adrenal hyperplasia 72
- methimazole (MMI) 2, 4, 8
- in amiodarone-induced thyrotoxicosis 24
  - side effects 210
- methyl dopa, interference with ARR 176
- methylphenidate, use in hypopituitarism 92
- methylprednisolone
- potency 206
  - use in thyroid eye disease 46, 47
- methyltestosterone therapy, in post-menopausal women 129
- metoclopramide, response in prolactinoma 81–2
- <sup>11</sup>C metomidate 61
- metoprolol, use in phaeochromocytoma 171
- metyrapone test 66
- metyrapone therapy, Cushing's disease 66
- MIBG (metaiodobenzylguanidine) 60, 171
- microchimerism, role in autoimmune disease after pregnancy 37
- microprolactinoma 80
- treatment 82
  - see also* prolactinoma
- mineralocorticoid hypertension 167–8
- mineralocorticoid receptor mutation 167
- mineralocorticoid replacement, Addison's disease 205–6, 208–9
- mineralocorticoid status, investigation 53
- minimally invasive surgery, thyroid lesions 10
- minimally invasive video-assisted thyroidectomy (MIVAT) 10
- miscarriage, association with autoimmune disease 30, 33
- mitotane therapy, Cushing's disease 66
- mood disturbance in hypothyroidism 229
- MORE (Multiple Outcomes of Raloxifene Evaluation) trial 225
- mosaicism
- in Klinefelter's syndrome 147, 149
  - in Turner's syndrome 142, 143, 145
- multinodular goitre, radioactive iodine treatment 9
- multiple endocrine neoplasia (MEN)
- hyperparathyroidism 154
  - phaeochromocytoma 167, 170
  - type I 67, 75
- mumps orchitis 127
- muscle activity, effect on potassium levels 185
- muscle symptoms, in thyrotoxic crisis 39
- muscle weakness, in hypokalaemia 186
- myelolipoma 60

## Index

- N**  
N-terminal pro-B-type natriuretic peptide, in hyperparathyroidism 156  
neonatal hyperthyroidism 33  
nephrogenic diabetes insipidus 196, 197  
  lithium-induced 216–17  
nesidioblastosis 203  
Nestorone 225  
neurodegenerative disease, association with transthyretin 18  
neurofibromatosis, pheochromocytoma 170  
neuropathy, as side effect of amiodarone 22  
neutropaenia, as side effect of thionamide drugs 2, 8–9, 210, 211, 212, 213  
NHANES (National Health and Nutrition Examination Survey) II, hypothyroidism 27  
nilutamide 118  
nipples, in Turner's syndrome 142  
nocturia 198  
non-arteritic anterior ischaemic optic neuropathy (NAION) 122–3  
non-classic 21-hydroxylase deficiency 70–2, 73  
non-functioning pituitary adenomas 85  
  management 85–8  
  pressure effects 86  
non-steroidal anti-inflammatory drugs  
  interference with ARR 176  
  value in lithium-induced diabetes insipidus 217  
noradrenaline  
  effect on potassium levels 185  
  secretion in congenital adrenal hyperplasia 72  
  secretion by pheochromocytoma 167, 170  
norethisterone 225  
norgestrel 225  
NOSPECS classification, thyroid eye disease 44  
NP-59 (<sup>125</sup>I-6-beta-iodomethylnorcholesterol) scanning 60–1, 177  
Nurses' Health Study  
  Grave's disease 3, 5  
  magnesium status 193  
nutritional supplements, value in delayed puberty 134
- O**  
obesity, as risk factor for Graves' disease 5  
obstructive symptoms, goitre 7  
octreotide  
  use in acromegaly 78  
  use in insulinoma 201  
  use in thyroid eye disease 47  
oestrogen, use in delayed puberty 134, 145  
oestrogen deficiency, symptoms 224  
oestrogen levels in PCOS 100, 101  
oestrogen replacement  
  HRT 224–5, 226  
  in hypopituitarism 92  
  in premature ovarian failure 111, 112  
  17-OHP, in congenital adrenal hyperplasia 71, 72  
ondansetron, use in hyperemesis gravidarum 32  
oocytes, differentiation from stem cells 111  
oral glucose tolerance test, in diagnosis of acromegaly 76, 79  
orbital decompression 46  
orlistat, use in PCOS 105  
osmotic demyelination syndrome 183  
osteoporosis 222  
  dietary risk factors 188  
  in hypogonadism 125  
  prevention in premature ovarian failure 111  
  risk in hyperthyroidism 7–8  
ovarian androgen production, inhibition 117  
ovarian cancer, risk in PCOS 101  
ovarian failure  
  in Turner's syndrome 142  
  *see also* premature ovarian failure  
ovarian hyperthecosis 114  
ovarian tissue, cryopreservation 111  
ovarian transplantation, in Turner's syndrome 145  
ovarian wedge technique 107  
ovulation induction in PCOS 105–7
- P**  
p53 mutations 62  
P450<sub>scc</sub> deficiency 70  
PADAM (partial androgen deficiency in ageing men) 127, 128, 130  
papaverine, intracavernosal injection 121  
papillary thyroid cancer 12  
  management 13  
  multifocal 15  
  prognosis 14  
paracalcitol 221  
paragangliomas 171–2  
parathyroid glands  
  changes in lithium therapy 217, 218  
  damage during thyroidectomy 162  
  primary hyperparathyroidism 154–7  
parathyroid hormone, controlled release therapy 162  
parathyroid hormone levels, role of vitamin D status 222  
parathyroidectomy 156  
paroxetine, in treatment of menopausal symptoms 224  
peak systolic velocity (PSV), in erectile dysfunction 120  
pegvisomant, in treatment of acromegaly 78  
Pemberton's manoeuvre 7  
penile duplex ultrasonography 120  
penile implants 121  
peptic ulceration, in primary hyperparathyroidism 154  
peptides, secretion by pheochromocytoma 167  
perchlorate, in amiodarone-induced thyrotoxicosis 24  
peritoneal dialysis, use in thyrotoxic crisis 42  
peroxisome proliferator-activated receptor (PPAR)- $\gamma$  agonists, in treatment of Cushing's disease 67  
pesticides, effect on thyroid hormone levels 29  
pH, effect on potassium levels 185  
pheochromocytoma 60, 62, 167, 168, 169–70  
  clinical features 170  
  investigation and treatment 170–1, 172–3  
phenoxybenzamine, use in pheochromocytoma 171



- phosphodiesterase-5 (PDE-5) inhibitors 120–1  
comparison of agents 122  
and non-arteritic anterior ischaemic optic neuropathy (NAION) 122–3
- pituitary adenomas 66  
non-functioning 85–8  
prolactinoma 80–4  
silent corticotroph adenomas (SCAs) 66–7  
somatotroph adenomas 75, 76
- pituitary apoplexy 85, 87, 91
- pituitary failure *see* hypopituitarism
- plasma exchange, use in thyrotoxic crisis 42
- plasmapheresis, use in thyrotoxic crisis 42
- pneumococcal vaccination, in acromegaly 79
- polychlorinated biphenyls, effect on thyroid hormone levels 29
- polycystic ovarian syndrome (PCOS) 100–3  
as cause of subfertility 104–8  
in congenital adrenal hyperplasia 73  
hirsutism 114, 117, 118  
hypoglycaemia 201, 203
- polydipsia 196  
*see also* diabetes insipidus
- polyuria *see* diabetes insipidus
- portal hypertension 197
- positron emission tomography  
adrenal masses 62  
phaeochromocytoma 171
- post-menopausal women  
androgen therapy 129, 225, 227  
*see also* hormone replacement therapy
- post-partum thyroid disturbance 33, 35–8
- potassium balance 185–6  
*see also* hypokalaemia
- potassium canrenoate 177
- potassium channel disorders 188
- potassium iodide, use in thyrotoxic crisis 40
- potassium levels, in Conn's syndrome 167
- potassium supplementation 188
- PPAR- $\gamma$  gene 102
- Prader-Willi syndrome 126
- prazosin, use in  
phaeochromocytoma 171
- pre-eclampsia, use of magnesium sulphate 193
- pre-natal treatment, congenital adrenal hyperplasia 70
- prednisolone  
potency 206  
use in hirsutism 117  
use in non-classic congenital adrenal hyperplasia 72  
use in thyroid eye disease 46, 47
- pregnancy  
and amiodarone 22  
autoimmune polyglandular syndromes 57–8  
basal metabolic rate 33–4  
congenital adrenal hyperplasia, management 72  
diabetes insipidus 196, 197  
exacerbation of hypertension 167  
hyperemesis gravidarum 32–3, 34  
and hypocalcaemia 162  
hypothyroidism 28–9  
and prolactinoma 82  
screening for thyroid disease 37  
thyroid function 31–2  
thyrotoxicosis 33, 34
- premature death, risk in Klinefelter's syndrome 149–50
- premature ovarian failure (POF) 108–9, 112  
causes 109–10  
investigation and management 110, 111
- pressure effects, non-functioning pituitary adenomas 86
- priapism, as side effect of alprostadil 121
- primary amenorrhoea 95  
assessment 96–8  
causes 96  
premature ovarian failure 109, 112
- primary hyperaldosteronism 59, 60, 167, 168, 174, 175, 178  
investigation 175–7
- primary hyperparathyroidism  
clinical features 154  
differential diagnosis 155  
investigation and management 156–7  
in lithium therapy 217
- primary hypoparathyroidism 158, 160
- primary polydipsia 196
- progesterone, in management of PCOS 102
- progesterin challenge test 111
- progestogen-only HRT 224
- progestogens, in HRT 224, 225, 226
- prolactin isoforms 83–4
- prolactin levels  
in acromegaly 76  
in hypopituitarism 91  
in male hypogonadism 126
- prolactin receptor antagonists 84
- prolactinoma 80–1, 126  
androgen replacement therapy 130  
investigation 81–2  
management 82, 83, 84
- prolonged dexamethasone suppression test (DST) 64
- prolonged glucose tolerance test 201, 203
- propranolol, use in thyrotoxic crisis 40
- propylthiouracil (PTU) 2, 4, 9  
side effects 211, 212–13  
use in thyrotoxic crisis 40  
*see also* thionamide drugs
- prostate cancer, risk in Klinefelter's syndrome 150
- proton beam radiotherapy, use in acromegaly 76
- pseudohyponatraemia 180–1
- puberty 131–2  
age at onset 134  
delayed 131, 135  
causes 132  
investigation 132–4  
management 134  
gynaecomastia 136, 140  
induction in Turner's syndrome 145, 146
- pulmonary fibrosis 22
- Q**  
quality of life, in acromegaly 78
- R**  
R139X mutation 55  
R257X mutation 55  
radioactive iodine treatment 10  
after thyrotoxic crisis 42  
in amiodarone-induced thyrotoxicosis 23, 24  
multinodular goitre 9  
in thyroid cancer 13  
thyrotoxicosis 3, 5, 8

## Index

- worsening of thyrotoxicosis 40, 42  
radiofrequency ablation surgery 25  
radiographic contrast media, use in thyrotoxic crisis 41  
radiosurgery, for non-functioning pituitary adenoma 87  
radiotherapy  
  for acromegaly 78  
  for Cushing's disease 66  
  for non-functioning pituitary adenomas 86–7  
  for prolactinoma 82  
  for thyroid eye disease 46  
RALES (Randomised Aldactone Evaluation Study) 177  
raloxifene  
  MORE trial 225  
  value in gynaecomastia 140  
reactive hypoglycaemia 200–1  
recurrence rate, prolactinoma 82  
recurrent laryngeal nerve palsy 7  
5 $\alpha$ -reductase deficiency 127  
Reifenstein's syndrome 127  
renal abnormalities  
  lithium as cause 215–17  
  in Turner's syndrome 143  
renal artery stenosis 164–5  
renal disease  
  effect on vitamin D metabolism 219  
  gynaecomastia 136  
renin levels, in Addison's disease 206  
respiratory disorders, in acromegaly 79  
retinoic acid, in treatment of Cushing's disease 67  
retrosternal goitre 7  
retrovirus-derived human genome elements 56  
rosiglitazone, in management of PCOS 102, 105  
roux-en-Y gastric bypass, hypoglycaemia 203  
RU-486 67
- S**  
SAME (syndrome of apparent mineralocorticoid excess) 168, 188  
Sando-K 188  
Schmidt's syndrome 55  
screening  
  for 21-hydroxylase deficiency 72  
  for phaeochromocytoma 170, 171  
  for thyroid disease during pregnancy 37  
SDH gene mutations, paragangliomas 171–2  
secondary amenorrhoea 99  
  assessment 100, 101  
  causes 100  
  polycystic ovarian syndrome 100–3  
  premature ovarian failure 109, 112  
secondary hyperaldosteronism 174  
secondary hyperparathyroidism 154  
secondary hypertension 164  
  endocrine causes 164–6  
  Conn's syndrome 174–8  
  mineralocorticoid hypertension 167–8  
  phaeochromocytoma 167, 169–73  
selective androgen receptor modulators 129  
selective oestrogen receptor modulators 225  
semen analysis, in male hypogonadism 126  
Sertoli cell only syndrome 127  
sex hormone-binding globulin (SHBG)  
  levels in hirsutism 114  
  levels in Klinefelter's syndrome 149  
  levels in PCOS 100  
sex hormone replacement in hypopituitarism 92  
sex steroid deficiency, risk of adrenal crisis 53  
SF-1 mutations 53  
shaving 116  
short stature, in Turner's syndrome 142  
short Synacthen test (SST) 52  
  in acromegaly 76  
  in congenital adrenal hyperplasia 71, 72  
SIADH (syndrome of inappropriate ADH secretion) 181, 183, 184  
sibutramine 105  
sick euthyroid syndrome 16, 19, 20  
  patterns of abnormality 17  
side chain cleavage (SCC) enzyme antibodies 56  
side effects  
  of amiodarone 22  
  of HRT 225  
  of lithium 215  
  of radioactive iodine treatment 9  
  of somatostatin analogues 78  
  of thionamide drugs 2, 8–9, 210–13  
sildenafil 120–1, 122  
  interaction with amiodarone 22  
silent corticotroph adenomas (SCAs) 66–7  
simvastatin, interaction with amiodarone 22  
single photon emission computed tomography (SPECT), adrenal tumours 61  
skin rashes, as side effect of thionamide drugs 2  
skin reactions, thionamide drugs 210  
skull X-rays, value in acromegaly 76  
Slow K 188  
smoking, risk of thyroid disease 3, 36–7, 46  
sodium balance 179–80  
  *see also* hyponatraemia  
sodium chloride, suppression of aldosterone 175  
sodium iodide, use in thyrotoxic crisis 40  
SOM230 79  
somatostatin, and thyroid eye disease 47  
somatostatin analogues  
  use in acromegaly 78  
  use in non-functioning pituitary adenoma 87  
somatostatin receptors, somatotroph adenomas 76  
sperm cryopreservation in Klinefelter's syndrome 149, 150  
spironolactone  
  use in Conn's syndrome 177, 178  
  use in hirsutism 117, 118  
stearoyl CoA desaturase 47  
stem cells, differentiation into oocytes 111  
steroid-secreting cells, autoantibodies 110  
steroid suppression, in hirsutism 114, 117  
steroidogenic acute regulatory protein deficiency 72



## Index

- steroids  
relative potencies 206  
side effects 206–7  
synthesis in adrenal glands 50  
use in amiodarone-induced thyrotoxicosis 24, 26  
use in hyperemesis gravidarum 32  
use in non-classic congenital adrenal hyperplasia 72  
use in thyroid eye disease 46, 47  
use in thyrotoxic crisis 40
- stress response, abnormal in hypopituitarism 91
- stroke, risk from HRT 224, 225
- subclinical autonomous glucocorticoid hypersecretion (SAGH) 62
- subclinical hypothyroidism 27–30
- subfertility, management in PCOS 105–8
- succinate dehydrogenase complex gene mutations 167, 170
- surgery  
in acromegaly 76–8  
in Conn's syndrome 177  
for gynaecomastia 140  
in hyperparathyroidism 156  
for insulinoma 201  
management of adrenal insufficiency 53–4  
minimally invasive, thyroid lesions 10, 15  
for non-functioning pituitary adenomas 85–6  
for pheochromocytoma 171  
precipitation of thyrotoxic crisis 39  
in prolactinoma 82  
for thyroid eye disease 46
- Sustanon 127
- Synacthen tests 52, 53  
in hirsutism 114
- syndrome of apparent mineralocorticoid excess (SAME) 168, 188
- systemic lupus erythematosus, association with miscarriage 30
- T
- T<sub>3</sub> *see* triiodothyronine
- T<sub>4</sub> *see* thyroxine
- tachyphylaxis, PDE-5 inhibitors 121
- tadalafil 120–1, 122
- tamoxifen, value in gynaecomastia 140
- tarsorrhaphy 46
- telogen 113
- terlipressin, stimulation of cortisol production 62
- testicular biopsy 126  
in Klinefelter's syndrome 149, 150
- testicular feminisation 127
- testicular tumours, gynaecomastia 136
- testicular volume, in Klinefelter's syndrome 148
- testolactone, value in gynaecomastia 140
- testosterone  
as cause of gynaecomastia 138  
deficiency in Klinefelter's syndrome 148–9  
levels in hypogonadism 125
- testosterone therapy  
available preparations 129  
in delayed puberty 134  
in erectile dysfunction 123–4  
in hypopituitarism 92  
in male hypogonadism 127–8  
in women 224, 225  
*see also* androgen replacement therapy
- theophylline, interaction with amiodarone 22
- thiazide diuretics 180  
and erectile dysfunction 124  
in lithium-induced diabetes insipidus 217  
use in hypertension 164
- thiazolidinediones, use in PCOS 102, 105, 107, 117
- thionamide drugs 2, 4, 8–9, 10  
side effects 210–13  
use in amiodarone-induced thyrotoxicosis 24  
use during pregnancy 33  
use in thyroid eye disease 47  
use in thyrotoxic crisis 40
- thyroglobulin 3  
monitoring in thyroid cancer 13, 15
- thyroid, sick euthyroid syndrome 16–20
- thyroid artery embolization 9
- thyroid cancer 7  
and amiodarone 23  
fine needle aspiration cytology (FNAC) 11–12  
management 13, 15  
papillary 12, 14  
post-partum thyroid disturbance as risk factor 37  
thyroid dysfunction, relationship to thyroid eye disease 46  
thyroid eye disease (TED) 43  
clinical features 44  
pathogenesis 43–4, 45  
treatment 44, 46–7
- thyroid function  
in acromegaly 76  
changes during pregnancy 31–2  
effects of amiodarone 23–4, 25–6  
in premature ovarian failure 111  
prognostic value in critical disease 16, 19  
in Turner's syndrome 143, 145
- thyroid hormone, transportation in plasma 17–18
- thyroid hormone receptors 19
- thyroid hormone resistance 19
- thyroid hormone replacement 228–31
- thyroid nodules 11, 15  
differential diagnosis 14  
investigation 11–12  
*see also* thyroid cancer
- thyroid stimulating hormone (TSH)  
changes during pregnancy 31–2  
deficiency, clinical features 91  
levels in adrenal crisis 53  
suppression in thyroid cancer 13, 15  
TSH receptor 3  
TSH receptor antibodies, thyroid eye disease 44, 46
- thyroid storm 39–40  
differential diagnosis 40  
management 40–2
- thyroid tests, interpretation 20
- thyroid tissue  
autotransplantation 9
- thyroidectomy 9  
minimally invasive video-assisted (MIVAT) 10  
parathyroid gland damage 162, 219  
for thyroid cancer 13
- thyrotoxic crisis 39–40  
differential diagnosis 40  
management 40–2

## Index

- thyrotoxicosis 1–2  
  amiodarone-induced (AIT)  
    23–4  
    management 24, 25  
  colour Doppler sonography 5  
  during pregnancy 33, 37  
  familial periodic paralysis 186  
  genetics of Grave's disease 3  
  gynaecomastia 136  
  hypertension 165  
  investigations 5  
  in post-partum thyroid  
    disturbance 35  
  risk factors for Graves' disease  
    3, 5  
  thionamide drug treatment  
    2–3, 4  
    side effects 210–13  
  treatment of subclinical disease  
    7–8
- thyrotropin-releasing hormone  
(TRH) test  
  in acromegaly 76  
  in prolactinoma 81
- thyroxine  
  changes during pregnancy 31  
  combination with anti-thyroid  
    drugs 2–3  
  effect of amiodarone 23  
  metabolism 18–19  
  replacement therapy 228–31  
    dose requirements during  
      pregnancy 29, 30  
    in hypopituitarism 91–2  
    overdose 39–40, 41  
    in post-partum thyroid  
      disturbance 35–6, 38  
    in thyroid cancer 13
- thyroxine-binding globulin (TGB) 17  
  changes during pregnancy 31
- thyroxine-binding pre-albumin  
(transthyretin) 17–18
- tibolone 129, 224
- tolvaptan 183
- toxic thyroid adenoma 6, 39
- trans-sphenoidal surgery  
  in acromegaly 76, 78  
  in Cushing's disease 66  
  for non-functioning pituitary  
    adenomas 85–6
- transcutaneous testosterone  
  preparations 129
- transthyretin (TTR) 17–18
- traumatic brain injury (TBI)  
  diabetes insipidus 195, 197–8,  
    199  
  hypopituitarism as complication  
    93, 94
- triamcinolone, potency 206
- triamterene 180, 187
- triiodothyronine (T<sub>3</sub>) 18  
  changes during pregnancy 31  
  effect of amiodarone 23  
  as prognostic factor in cardiac  
    failure 19  
  replacement therapy 228–9, 230,  
    231  
  T<sub>3</sub> response elements 19
- trilostane therapy, Cushing's disease  
  66
- trimegestone 225
- triple A (Allgrove's) syndrome 52
- triple therapy, for erectile  
  dysfunction 121
- Trousseau's sign 159–60
- tryptophan hydrolase antibodies 56
- tuberculosis, adrenal cortex  
  destruction 50, 53
- Turner's syndrome  
  clinical features 142–3  
  management 144, 145–6
- U**
- ultrasound scans, incidental adrenal  
  tumours 59, 60
- urine, screening tests for  
  phaeochromocytoma 60, 170
- urine free cortisol 64
- V**
- vacuum tumescence devices 121
- vaginal oestrogen therapy 224
- valproate, association with PCOS  
  102
- vanillylmandelic acid (VMA),  
  urinary 60, 170
- ildenafil 120–1, 122
- vasculitis, as side effect of  
  thionamide drugs 212–13
- vasopressin *see* arginine vasopressin
- venlafaxine, in treatment of  
  menopausal symptoms 224
- venous thromboembolism, risk  
  from HRT 224
- verapamil, use in insulinoma 201
- virilising adrenal tumours 59, 60
- visual field defects, pituitary  
  adenomas 86
- visual function, recovery after  
  treatment of pituitary  
  adenoma 87, 88
- vitamin A supplements, value in  
  delayed puberty 134
- vitamin D deficiency 158, 159  
  causes 220
- vitamin D levels, health aspects 222
- vitamin D metabolism 219, 220
- vitamin D receptor 3
- vitamin D supplementation 221–2
- vocal cord paralysis, risk after  
  thyroidectomy 9
- von Hippel-Lindau disease,  
  phaeochromocytoma 167,  
  170
- von Willebrand's disease 197
- W**
- warfarin, interaction with  
  amiodarone 22
- water balance 194
- water deprivation test 196–7, 199,  
  217
- weight loss  
  in Grave's disease 1  
  value in PCOS 105
- Wernicke's encephalopathy, in  
  thyrotoxic crisis 39
- Wolff-Chaikoff effect 23, 40
- Wolfram's syndrome (DIDMOAD)  
  195
- Women's Health Initiative (WHI)  
  225
- WT-1 53
- X**
- X-linked adrenal hypoplasia  
  congenital 50
- X-linked adrenoleukodystrophy 50
- X-linked hypoparathyroidism 160
- Y**
- Y85C mutation 55
- Z**
- zona pellucida, autoantibodies  
  109, 112