

REFERENCES

- Abele, L.G. and Felgenhauer, B.E. (1982). Decapoda. In *Synopsis and classification of living organisms*. Vol 2, pp 296-326. S.P. Parker (ed.) New York: McGraw-Hill Book Co.
- Adams, C.G. (1981). An outline of Tertiary paleogeography. In *Chance, change and challenge: the evolving earth*: 221-235. Greenwood, P.H. and Cocks, R.L.M. (Eds). UK: Cambridge University Press.
- Alcock, A. (1896). Materials for a carcinological fauna of India. No. 2. Brachyura Oxystomata. *Journal of the Asiatic Society of Bengal*. 65(2): 134-296.
- Ansell, A.D. (1973). Changes in oxygen consumption, heart rate and ventilation accompanying starvation in the decapod crustacean *Cancer pagurus*, *Netherlands Journal of Sea Research*, 7: 455-475.
- Arudpragasam, K.D. and Naylor, E. (1966) Patterns of gill ventilation in some decapod Crustacea, *Journal of Zoology (London)*. 150: 401-411.
- Atkinson, R.J.A. and Taylor, A.C. (1988). Physiological ecology of burrowing decapods, *Zoological Society of London, Symposium Proceedings*. 59: 201-226.
- Balss J. (1957). Decapoda. Systematik. *Klassen und Ordnungen des Tierreichs* 5.(1).7.(12): 1505-1672.
- Barnard, K.H. (1950). Descriptive catalogue of South African Decapod Crustacea (Crabs and Shrimps). *Annals of the South African Museum*. 38: 345-359.
- Barshaw, D.E. and Able, K.W. (1990). Deep burial as a refuge for lady crabs *Ovalipes ocellatus*: comparisons with blue crabs *Callinectes sapidus*, *Marine Ecology Progress Series*. 66: 75-79.
- Becker, K. and Wahl, M. (1996). Behaviour patterns as natural antifouling mechanisms of tropical marine crabs. *Journal of Experimental Marine Biology and Ecology*. 203(2): 245-258.
- Bellwood, D.R. and Perez, O.S. (1989) Sexual differences in the absolute growth pattern of the Indo-Pacific sandy shore crab, *Matuta lunaris* (Forskål). *Journal of Zoology*. 218 (4): 603-608.
- Blake, R.W. (1985). Crab carapace hydrodynamics, *Journal of Zoology, London*. 207: 407-423.
- Blow, W.C. and Manning, R.B. (1996). Preliminary descriptions of 25 new decapod crustaceans from the Middle Eocene of the Carolinas, USA. *Tulane Studies in Geology and Paleontology* 29: 1-26.

- Boas, F.E.V. (1880). Studier over Decapodernes Slaegtskabs-forhold. *Kongelige danske Videnskabernes Selskabs Skrifter* (6)1:26-210.
- Borradaile, M.A. (1907). On the classification of the Decapod Crustaceans. *Annals and Magazine of Natural History* 19:457-486.
- Bourne, G.C. (1922). The Raninidae: a study in carcinology. *Zoological Journal of the Linnean Society, London* 35:25-79.
- Bowman, T.E and Abele, L.G. (1982). Classification of the Recent Crustacea. In: *The biology of Crustacea: Systematics, the fossil record, and biogeography*. Vol. 1: 1-27. Bliss D.E. (ed.). New York: Academic Press.
- Bridges, C.R. (1979). Adaptations of *Corystes cassivelaunus* to an arenicolous mode of life. In: *Cyclic phenomena in marine plants and animals*, pp 317-324. Naylor, E. and Hartnoll, R.G. (eds). Oxford: Pergamon press.
- Brooks, D.R. and McLennan, D. (1991). *Phylogeny, Ecology, and Behavior: A Research Program in Comparative Biology*. Chicago: University of Chicago Press.
- Caine, E.A. (1974) Feeding in *Ovalipes guadalupeensis* (Saussure) (Decapoda; Brachyura: Portunidae), and morphological adaptations to a burrowing existence, *Biological Bulletin*, 147: 550-559.
- Coates, A.G. (1973). Cretaceous Tethyan coral-rudist biogeography related to the evolution of the Atlantic Ocean. In: *Organisms and Continents through Time*. Hughes, N.F. (ed.) *Special Papers in Palaeontology*. 12: 169-174.
- Cumberlidge, N. and Uglow, R.F. (1978). Heart and scaphognathite activity during the digging behaviour of the shore crab, *Carcinus maenas*. In: *Physiology and behaviour of marine organisms*, pp 23-30. McLusky, D.S. and Berry, A.J. (eds). Oxford: Pergamon Press.
- Dai, A-Y and Yang, S-L. (1991). *Crabs of the China Seas*: pp 101-109. Beijing: China Ocean Press. 682 pp.
- Dana, J.D. (1853). Crustacea. In: *U.S. Exploring Expedition during the years 1838, 1839, 1840, 1841, 1842 under the command of Charles Wilkes, USN* Vol. 13: 390-400. Philadelphia: C. Sherman.
- Davidson, G.W. and Taylor, H.H. (1995). Ventilatory and vascular routes in a sand-burying swimming crab, *Ovalipes catharus* (White, 1843) (Brachyura: Portunidae). *Journal of Crustacean Biology*. 15(4): 605-624.
- Davie, P. and Short, J.W. (1989). Deepwater brachyura (Crustacea: Decapoda) from southern Queensland, Australia with descriptions of four new species. *Memoirs of the Queensland Museum*. 27(2): 157-187.

- Davis, M.L. and Cornwell, D.A. (1991). *Introduction to Environmental Engineering*. New York: McGraw-Hill. 822 p.
- Dejours, P. (1981). *Principles of comparative respiratory physiology*. 2nd ed. Amsterdam: Elsevier Press. 265 pp.
- Desmarest, A.G. (1823). Crustacés Malacostracés. In: *Dictionnaire des Sciences naturelles*: 138-425. Paris: F.G. Levrault et Le Normant.
- Dunham, D.W. and Gilchrist, S.L. (1988). Behavior. In: *Biology of the land crabs*, pp. 97-138. Burggren, W.E. and McMahon, B.R. (eds). Cambridge: Cambridge University Press.
- Efford, I.E. (1965). Aggregation in the sand crab *Emerita analoga* (Stimpson), *Journal of Animal Ecology*. 34: 63-75.
- Factor, J.R. (1978). Morphology of the mouthparts of larval lobsters, *Homarus americanus* (Decapoda: Nephropidae), with special emphasis on their setae. *Biological Bulletin*. 154: 383-408.
- Farmer, A.S. (1974). The functional morphology of the mouthparts and pereopods of *Nephrops norvegicus* (L.) (Decapoda: Nephropidae). *Journal of Natural History*. 8:121-142.
- Feldmann R.M. and Wilson, M.T. (1988). Eocene decapod crustaceans from Antarctica. *Geol. Soc. Am. Mem.* 169: 465-487.
- Feldmann, R.M. (1993). Additions to the fossil decapod crustacean fauna of New Zealand. *N.Z. J. Geol. Geophys.* 36: 201-211.
- Förster, R. (1968). *Paranecrocarcinus libanoticus* n. sp. (Decapoda) und die Entwicklung der Calappidae in der Kreide. *Mitt. Bayer. Staatssamml. Palaönt. hist. Geol.* 8: 167-195.
- Frey, R.W. (1973). Concepts in the study of biogenic sedimentary structures. *Journal of Sedimentary Petrology*. 43: 6-19.
- Galil, B.S. (1993). Crustacea Decapoda: A revision of the genus *Mursia* Desmarest, 1823 (Calappidae). In *Résultats des Campagnes MUSORSTOM. Vol. 10*. Crosnier A (Ed.) *Mémoires du Muséum national d'Histoire naturelle*. 156: 347-379.
- Galil, B.S. (1997). Crustacea Decapoda: A revision of the Indo-Pacific species of the genus *Calappa* Weber, 1795 (Calappidae). In *Résultats des Campagnes MUSORSTOM, 18. Mémoires du Muséum national d'Histoire naturelle*. 176: 271-335.
- Galil, B.S. and Clark, P.F. (1994). A revision of the genus *Matuta* Weber, 1795 (Crustacea: Brachyura: Calappidae). *Zoologische Verhandelingen* 294:1-55.

- Galil, B.S. and Clark, P.F. (1996). A revision of *Cryptosoma* Brulle, 1837 and *Cycloes* de Haan, 1837 (Crustacea: Brachyura: Calappidae). *Zoological Journal of the Linnean Society, London*. 117: 175-204.
- Garstang, W. (1896). Contributions to marine bionomics, 1. The habits and respiratory mechanism of *Corystes cassivelaunus*. *Journal of the Marine Biological Association, U.K.* 4: 223-232.
- Garstang, W. (1897a). Contributions to marine bionomics, 2. The function of antero-lateral denticulations of the carapace in sand-burrowing crabs. *Journal of the Marine Biological Association, U.K.* 4: 396-401.
- Garstang, W. (1897b). On some modification of structure subservient to respiration in decapod Crustacea which burrow in sand; with some remarks on the utility of specific characters in the genus *Calappa*, and the description of a new species of *Albunea*. *Quarterly Journal of Microscopic Science*. 40: 211-232.
- Glaessner, M.F. (1969). Decapoda. In: *Treatise on Invertebrate Paleontology. Part R, Arthropoda 4, Vol. 2*: 494-495. Moore, R.C. (ed.) US: University of Kansas and the Geological Society of America Inc.
- Gould, S.J. and Vrba, E.S. (1982). Exaptation – a missing term in the science of form. *Paleobiology*. 8: 4-15.
- Gross, M.G. (1993). *Oceanography*. 6th Edition. New Jersey: Prentice Hall.
- Guinot, D. (1966a). *Les crabes comestibles de l'Indo-Pacifique*. Paris: Editions de la Foundation Singer-Polignac. 145 pp.
- Guinot, D. (1966b). Les affinités des genres *Aethra*, *Osachila*, *Hepatus*, *Hepatella* et *Actaeomorpha*. *Bulletin du Muséum National d'Histoire Naturelle* 38(6):744-762.
- Guinot, D. (1968). Recherches préliminaires sur le groupements naturels chez les Crustacés Décapodes Brachyours. V. Établissement d'un caractère évolutif: l'articulation ischio-mérale des chélicères. *Bulletin du Muséum National d'Histoire Naturelle* 40(1):149-166.
- Guinot, D. (1977). Propositions pour une nouvelle classification des Crustacés Décapodes Brachyours. *Compte rendu hebdomadaire des Séances de l'Académie des Sciences, Paris*. 285:1049-1052.
- Guinot, D. (1978a). Analyse morphogénétique d'une lignée de Crabes: la lignée "parthénoxystomienne" et position systématique du genre *Drachiella* Guinot (Crustacea, Decapoda, Brachyura). *Archives de Zoologie Expérimentale et Générale* 119(1):7-20.

- Guinot D. (1978b). Principes d'une classification évolutive des Crustacés Décapodes Brachyours. *Bulletin Biologique de la France et de la Belgique n.s.* 112(3): 211-292.
- Guinot, D. (1979). Données nouvelles sur la morphologie, la phylogénèse et la taxonomie des Crustacés Décapodes Brachyours. *Mémoires du Muséum National d'Histoire Naturelle. Série A, Zoologie* 112:1-354.
- Guinot, D., Doumenc, D. and Chintiroglou, C.C. (1995). A review of the carrying behaviour in brachyuran crabs, with additional information on the symbioses with sea anemones. *Raffles Bulletin of Zoology*. 43(2): 377-416.
- Guinot-Dumortier, D. and Dumortier, B. (1959). La stridulation chez les crabes. *Crustaceana*. 1(2): 117-155.
- Guinot-Dumortier, D. and Dumortier, B. (1960). Description d'un appareil stridulatoire dans le genre *Cycloes* de Haan (Crustacea, Brachyura, Oxystomata, Calappidae). *Bull. Mus. natn. Hist. natur. 2e sér.* 32: 558-561.
- Haan, W. de (1833-50). Crustacea. In *Fauna Japonica, sive descriptio animalium, quae in itinere per Japoniam...* Siebold de, P.F. (Ed.) 1837 fasc. 3 (67-70); 1841 fasc. V (111-135. Pls. 33-37,39-42,47. A. Arne (Lugdunum Batavorum).
- Haefner, P.A. (1981). Morphometry, reproductive biology, and diet of *Acanthocarpus alexandri* Stimpson, 1871 (Decapoda, Brachyura) in the Middle Atlantic Bight. *Journal of Crustacean Biology*. 1(3): 348-357.
- Hale, H.M. (1926). Habits of the smooth pebble crab (*Philyra laevis* Bell). *South Australian Naturalist*. 7: 67-69.
- Hartnoll, R.G. (1968). Morphology of the genital ducts in female crabs. *Zoological Journal of the Linnean Society, London* 47: 279-300.
- Hartnoll, R.G. (1971). The occurrence, methods and significance of swimming in the Brachyura. *Animal Behaviour*. 19: 34-50.
- Hartnoll, R.G. (1972). The biology of the burrowing crab, *Corystes cassivelaunus*. *Bijdragen tot de Dierkunde*. 42: 139-155.
- Hartnoll, R.G. (1982). Growth. In: *Biology of Crustacea*. Pp 111-196. Abele L.G. (ed.). New York: Academic Press.
- Hashmi, S.S. (1969). The brachyuran larvae of West Pakistan hatched in the laboratory. Part I. Oxystomata, Calappidae (Decapoda: Crustacea). *Pakistan Journal of Scientific and Industrial Research*. 12: 90-94.
- Henderson, J.R. (1893). A contribution to Indian carcinology. *Transactions of the Linnean Society, London (Zoology)*. (2) 5: 325-458.

- Hill, B.J. (1975). Abundance, breeding and growth of the crab *Scylla serrata* (Forsk.) in two South African estuaries. *Marine Biology*. 32: 119-126.
- Hill, B.J., Williams, M.J. and Dutton, P. (1982). Distribution of juvenile, subadult and adult *Scylla serrata* (Crustacea: Portunidae) on tidal flats in Australia. *Marine Biology*. 69: 117-120.
- Holthuis, L.B. (1979). H. Milne Edwards's "Histoire Naturelle des Crustacés" (1834-1840) and its dates of publication. *Zoologische Mededelingen, Leiden* 53(27): 285-296.
- Holthuis, L.B. (1993). The non-Japanese new species established by W. de Haan in the Crustacea Volume of Fauna Japonica (1833-1850). In: *Ph. F. von Siebold and Natural History of Japan Crustacea*. Yamaguchi, T. (ed.), Kumamoto: The Carcinological Society of Japan, 599-642.
- Hughes, R.N. and Elner, R.W. (1989). Foraging behaviour of a tropical crab: *Calappa ocellata* Holthuis feeding upon the mussel *Brachidontes domingensis*. *Journal of Experimental Marine Biology and Ecology*. 133: 93-101.
- Hughes, G.M., Knights, B. and Scammel, C.A. (1969). The distribution of pO₂ and hydrostatic pressure changes within the branchial chambers in relation to gill ventilation of the shore crab, *Carcinus maenas* (L.). *Journal of Experimental Biology*. 51: 203-220.
- Ihle, J.E.W. (1918). Die decapoda brachyura der Siboga Expedition. III. Oxystomata: Calappidae, Leucosiidae, Raninidae. *Siboga Expeditie Monographie*. 396: 159-322.
- Jamieson, B.G.M. (1991). Ultrastructure and phylogeny of crustacean spermatozoa. *Memoirs of the Queensland Museum*. 31: 109-142.
- Johnston, D. (1995). Food acquisition, ingestion and digestion in the Slipper Lobster, *Thenus orientalis* Lund (Decapoda: Scyllaridae). Unpublished Ph.D. Thesis, James Cook University, Australia. 250pp.
- Jones, D. and Morgan, G.J. (1994). *A field guide to crustaceans of Australian waters*, 216pp. Australia: Reed/Western Australian Museum.
- Karasawa, H. (1993). Cenozoic decapod Crustacea from Southwest Japan. *Bulletin of the Mizunami Fossil Museum*. 20: 1-47, pl. 7 and 8.
- Klassen, G.J. (1995). Phylogeny and biogeography of the Ostraciinae (Tetraodontiformes: Ostraciidae). *Bulletin of Marine Science*. 57: 393-441.
- Lucas, J.S. (1980). Spider crabs of the family Hymenosomatidae (Crustacea: Brachyura) with particular reference to Australian species: Systematics and biology. *Records of the Australian Museum*. 33: 148-247.

- Mantellato, F.L.M. and Petracco, M. (1997). Natural diet of the crab *Hepatus pudibundus* (Brachyura: Calappidae) in Fortaleza Bay, Ubatuba (SP), Brazil. *Journal of Crustacean Biology*. 17(3): 440-446.
- McLaughlin, P.A. (1980). *Comparative morphology of Recent Crustacea*. San Francisco: WH Freeman and Co., 173 pp.
- McLay, C.L. and Osborne, T.A. (1985). Burrowing behaviour of the paddle crab *Ovalipes catharus* (White, 1843) (Brachyura: Portunidae). *New Zealand Journal of Marine and Freshwater Research*. 19: 125-130.
- Melrose, M.J. (1975). The marine fauna of New Zealand: Family Hymenosomatidae (Crustacea, Decapoda, Brachyura). *New Zealand Oceanographic Institute memoir*. 34: 123 p.
- Miers, E.J. (1886). Report on the Brachyura collected by HMS Challenger during the years 1873-1876. *Report on the Scientific Results of the voyage of HMS Challenger (Zoology)*. 49 (17): 280-300.
- Milne Edwards, H. (1837). *Histoire Naturelle des Crustacés*. 2: 97-119. Paris: Librairie Encyclopedique de Roret. 532 pp.
- Ng, P.K.L., Chen H-L. and Chan T-Y. (1999). Taxonomic notes on three Indo-West Pacific species of Calappa (Decapoda: Brachyura: Calappidae). *Raffles Bulletin of Zoology*. 47(2): 607-616.
- Ng, P.K.L. and Tan L.W.H. (1984). The 'shell peeling' structure of the box crab, *Calappa philargius* (Linn.) and other crabs in relation to mollusc shell architecture. *Journal of the Singapore National Academy of Science*. 13: 1-5.
- Ng, P.K.L. and Tan, L.W.H. (1985). 'Right handedness' in heterochelous calappoid and xanthoid crabs - suggestion for a functional advantage. *Crustaceana*. 49(1): 98-100.
- Nixon, K.C. and Carpenter, J.M. (1993). On outgroups. *Cladistics*. 9: 413-426.
- Nye, P.A. (1974). Burrowing and burying by the crab *Macrophthalmus hirtipes*. *New Zealand Journal of Marine and Freshwater Research*. 8(2): 243-254.
- Ortmann, A. (1892). Die Decapoden-Krebse des Strassburger Museums. V. Die Abtheilung Hippidea, Dromiidea und Oxystemata. *Zoologische Jahrbucher Systematik* 6: 532-588.
- Ortmann, A. (1896). Das system der Decapoden-Krebse. *Zoologische Jahrbucher Systematik* 9:409-453.
- Ortmann, A. (1901). Crustacea. In. Gerstaecker A, Ortmann AE. eds. *Die Klassen und Ordnungen der Arthropoden. Vol. 5, pt. 2: Malacostraca*. Leipzig, 1319pp.

- Pearse, A.S., Humm, H.J. and Wharton, G.W. (1942). Ecology of sand beaches at Beaufort, N.C. *Ecological Monographs*. 12: 135-190.
- Pérez, C. (1928a). Sur l'appareil d'accrochage de l'abdomen au thorax chez les Décapodes Brachyures. *Compte rendu hebdomadaire des Séances de l'Académie des Sciences, Paris*. 186:461-463.
- Pérez, C. (1928b). Évolution de l'appareil d'accrochage de l'abdomen au thorax dans la série des Décapodes Brachyures. *Compte rendu hebdomadaire des Séances de l'Académie des Sciences, Paris*. 186:648-650.
- Perez, O.S. (1986). Studies on the biology of the Indo-Pacific sandy shore crab, *Matuta lunaris* Forskal (Brachyura: Calappidae). Unpublished M.Sc. Thesis, James Cook University, Australia. 209 pp.
- Perez, O.S. (1990). Reproductive biology of the Indo-Pacific sandy shore crab, *Matuta lunaris* (Forskål) (Brachyura: Calappidae). *Marine Ecology Progress Series*. 59: 83-89.
- Perez, O.S. and Bellwood, D.R. (1988) Ontogenetic changes in the natural diet of the sandy shore crab, *Matuta lunaris* (Forskål) (Brachyura: Calappidae). *Australian Journal of Marine and Freshwater Research*. 39: 193-199.
- Perez, O.S. and Bellwood, D.R. (1989). Observations on the mating behaviour of the sandy shore crab, *Matuta lunaris*, with notes on the reproductive behaviour of the Matutinae. *Crustaceana*. 57 (1): 1-8.
- Pillay, N.N. and Nair, N.B. (1976). Observations on the breeding biology of some crabs from the southwest coast of India. *Journal of the Marine Biological Association of India*. 15: 754-770.
- Powers, L.W. and Bliss, D.E. (1983). Terrestrial adaptations. In: *The biology of Crustacea, Vol. 8 Environmental Adaptations*, pp 271-333. Vernberg, F.J. and Vernberg, W.B. (eds). New York: Academic Press.
- Quayle, W.J. and Collins, J.S.H. (1981). New Eocene crabs from the Hampshire Basin. *Palaeontology*. 24(4): 733-758.
- Rajabai, K.G. (1959). Development of *Calappa lophos* (Herbst) and *Matuta lunaris* Forskal (Crustacea: Brachyura). *Journal of the Zoological Society of India*. 11: 65-72.
- Rathbun, M.J. (1926). The fossil stalk-eyed Crustacea of the Pacific slope of North America. *Bulletin of the United States National Museum*. 138: 1-155.
- Rathbun, M.J. (1937). The oxystomatous and allied crabs of America, *Bulletin of the United States National Museum*. 166: 1-278.

- Rice, A.L. (1980). Crab zoeal morphology and its bearing on the classification of the Brachyura. *Transactions of the Zoological Society, London*. 35: 271-424.
- Romimohtarto, K. (1972). Five species of *Matuta* (Calappidae, Brachyura, Decapoda) from Indonesia. *Marine Research in Indonesia*. 12: 3-23.
- Rosen, B.R. and Smith, A.B. (1988). Tectonics from fossils? Analysis of reef-coral and sea-urchin distributions from late Cretaceous to Recent, using a new method. In: *Gondwana and Tethys*: 275-306. Audley-Charles, M.G. and Hallam, A. (eds). Geological Society Special Publication. 37.
- Rosenblatt, R.H. and Waples, R.S. (1986). A genetic comparison of allopatric populations of shore fish species from the eastern and central Pacific Ocean: dispersal or vicariance? *Copeia* 1986: 275-284.
- Ross, A. and Sclaro, R.J. (1964). A new crab from the Eocene of Florida. *Quarterly Journal of the Florida Academy of Science*. 27: 97-106.
- Sakai, T. (1965). *The Crabs of Sagami Bay*, 206 pp. Tokyo: Maruzen Co. Ltd.
- Sakai, T. (1976). *Crabs of Japan and the adjacent Seas*. Vol. 1, 379 pp. Tokyo: Kudansha, Ltd.
- Schaefer, W. (1954). Form und Funktion der Brachyuren-Schere. *Abhandl. Senckenberg Naturforsch. Ges.* 489: 65.
- Schembri, P.J. (1979a). An unusual respiratory rhythm in the crab *Ebalia tuberosa* (Pennant) (Crustacea: Decapoda: Leucosiidae). In: *Cyclic phenomena in marine plants and animals*, pp. 327-335. Naylor, E. and Hartnoll, R.G. (eds). Oxford: Pergamon Press.
- Schembri, P.J. (1979b). Oxygen consumption and the respiratory responses to declining oxygen tension in the crab *Ebalia tuberosa* (Pennant) (Crustacea: Decapoda: Leucosiidae), *Journal of Experimental Marine Biology and Ecology*. 41: 133-142.
- Schembri, P.J. (1981a) The functional morphology of the branchial chambers and associated structures of *Ebalia tuberosa* (Crustacea: Decapoda: Leucosiidae), with special reference to ventilation of the egg-mass. *Journal of Zoology (London)*. 195: 423-436.
- Schembri, P.J. (1981b) Substratum preferences, burrowing and righting in *Ebalia tuberosa* (Pennant) (Crustacea: Decapoda: Leucosiidae). *Marine Behaviour and Physiology*. 8: 149-161.
- Schram, F.R. (1986) *Crustacea*. 606 pp. New York: Oxford.
- Schreiber, A. and Cases, E. (1984). Edible crustacea of the central Philippines (Decapoda: Reptantia). *Philippine Scientist*. 21:11-50.

- Schweitzer, C.E. and Feldmann, R.M. (2000). New species of calappid crabs from western North America and reconsideration of the Calappidae *sensu lato*. *Journal of Paleontology*. 74(2): 230-246.
- Seiler, R. (1976) Fortbewegung und Nahrungserwerb bei *Matuta lunaris* Forskal (Calappidae, Oxystomata, Decapoda, Crustacea), *Zoologische Anzeiger*. 196: 161-166.
- Seridji, R. (1993). Descriptions of some planktonic larvae of the Calappidae (Crustacea: Decapoda; Brachyura). *Journal of Plankton Research* 15:437-453.
- Shoup, J.B. (1968). Shell opening by crabs of the genus *Calappa*. *Science* 160: 887-888.
- Skinner, D.G. and Hill, B.J. (1986). Catch rate and emergence of male and female spanner crabs (*Ranina ranina*) in Australia. *Marine Biology*. 91: 461-465.
- Smith, A.G., Hurley, A.M. and Briden, J.C. (1981). *Phanerozoic paleocontinental world maps*. Cambridge, UK: Cambridge University Press.
- Spears, T., Abele L.G. and Kim W. (1992). The monophyly of brachyuran crabs: a phylogenetic study based on 18s rRNA. *Systematic Biology*. 41: 446-461.
- Steene, R.S. (1998) *Coral Seas*, 271 pp. Australia: Crawford House Publishing Pty. Ltd
- Stevcic, Z. (1983). Revision of the Calappidae. *Memoirs of the Australian Museum* 18: 165-171.
- Stimpson, W. (1870-71). Preliminary report on the Crustacea dredged in the Gulf Stream in the Straits of Florida, by L.F de Pourtales, assist. U.S. Coast Survey. Part I. Brachyura.. *Bull. Mus. comp. Zool. Harv.* 2: 150-156.
- Sumpton, W.D. and Smith, G.S. (1990). Effect of temperature on the emergence, activity and feeding of male and female sand crabs (*Portunus pelagicus*), *Australian Journal of Marine and Freshwater Research*. 41: 545-550.
- Tagatz, M.E. (1968). Biology of the blue crab, *Callinectes sapidus* Rathbun, in the St. John's River, Florida. *Fisheries Bulletin*. 67: 17-33.
- Taishaku, H. and Konishi, K. (1995) Zoeas of *Calappa* species with special reference to larval characters of the family Calappidae (Crustacea, Brachyura). *Zoological Science*. 12(5): 649-654.
- Tavares, M. (1993). Crustacea Decapoda: Les Cyclodorippidae et Cymonomidae de l'Indo-Ouest-Pacifique à l'exclusion du genre *Cymonomus*. In Résultats des Campagnes MUSORSTOM, 10. *Mémoires du Muséum national d'Histoire naturelle*. 156: 253-313.

- Taylor, A.C. (1984) Branchial ventilation in the burrowing crab, *Atelecyclus rotundatus*, *Journal of the Marine Biological Association, U.K.* 64: 7-20.
- Taylor, A.C., Morris, S. and Bridges, C.R. (1985). Oxygen and carbon dioxide transporting properties of the blood of three sublittoral species of burrowing crabs, *Journal of Comparative Physiology.* 155: 733-742.
- Terada, M. (1983). Preliminary notes on the zoea of brachyuran Crustacea from the Sea of Eshunada, Shizuoka Prefecture (Japan). *Zoological Magazine, Tokyo.* 92: 10-13.
- Thomassin, B.A. (1974). Soft bottom carcinological fauna sensu lato on Tulear coral reef complexes (S.W. Madagascar): Distribution, importance, roles played in trophic food-chains and in bottom deposits. *Proceedings of the 2nd International Coral Reef Symposium.* 1: 297-320.
- Trueman, E.R. and Ansell, A.D. (1969). The mechanisms of burrowing into soft substrata by marine animals, *Oceanography and Marine Biology, Annual Review.* 7: 315-366.
- Tyndale-Biscoe, M. and George, R.W. (1962). The Oxystomata and Gymnopleura (Crustacea, Brachyura) of Western Australia with descriptions of two new species from Western Australia and one from India. *Journal of the Royal Society of Western Australia.* 45: 65-96.
- Vannini, M. (1980). Researches on the coast of Somalia. The shore and the dune of Sar Uanle. 27. Burrows and digging behaviour in *Ocypode* and other crabs (Crustacea Brachyura), *Monitore zoologico italiano (Italian Journal of Zoology) N.S.*, Supplement 13, No. 2: 11-44.
- Vermeij, G.J. (1977). Patterns in crab claw size: the geography of crushing. *Systematic Zoology.* 26: 138-151.
- Vermeij, G.J. (1982). Gastropod shell form, breakage, and repair in relation to predation by the crab *Calappa*. *Malacologia.* 23: 1-12.
- Veron, J.E.N. (1995). *Corals in Space and Time.* Sydney, Australia: University of New South Wales Press.
- Vogel, S. (1994). *Life in Moving Fluids.* 2nd ed. Princeton, N.J.: Princeton University Press. 465 p.
- Warner, G.F. (1977). *The biology of crabs*, 202 pp. London: Elek Science.
- Weber, F. (1795) *Nomenclator Entomologicus Secundum Entomologiam Systematicam.* III. *Fabrici adjectis...* p. 92. Bohn: Chilonii and Hamburgi.

- Williams, A.B. and Child, C.A. (1988). Comparison of some genera and species of box crabs (Brachyura: Calappidae), Southwestern North Atlantic, with description of a new genus and species. *Fisheries Bulletin*. 87: 105-121.
- Williams, A.B. (1974). The swimming crabs of the genus *Callinectes* (Decapoda: Portunidae). *Fisheries Bulletin*. 72: 685-798,
- Yamaguchi, T. (1993). The contributions of Von Siebold and H. Bürger to the Natural History of Japanese Crustacea. In: *Ph.F. von Siebold and Natural History of Japan Crustacea*. pp. 15-44. Yamaguchi T. (ed.). Kumamoto: The Carcinological Society of Japan.