

REFERENCES

- Adshead-Bell, N. S. & Bell, T. H., 1999. The progressive development of a macroscopic upright fold pair during five near-orthogonal foliation-producing events: Complex microstructures versus a simple macrostructure. *Tectonophysics*, **306**, 121-147.
- Aerden, D. A. M., 2004. Correlating deformation in Variscan NW-Iberia using porphyroblasts; implications for the Ibero-Armorican Arc. *Journal of Structural Geology*, **26**(1), 177-196.
- Ando, C. J., Czuchra, B. L., Klemperer, S. L., Brown, L. D., Cheadle, M. J., Cook, F. A., Oliver, J. E., Kaufman, S., Walsh, T., Thompson, J. B., Lyons, J. B. & Rosenfeld, J. L., 1984. Crustal profile of Mountain belt: COCORP deep seismic reflection profiling in New England Appalachians and Implications for architecture of convergent mountain chains. *American Association of Petroleum Geologists*, **68**, 819-837.
- Atherton, M. P., 1968. The variation in Garnet, Biotite, and Chlorite Composition in Medium Grade Pelitic Rocks from the Dalradian, Scotland, with Particular Reference to the Zonation in Garnet. *Contributions to Mineralogy and Petrology*, **18**, 347-361.
- Ayres, M. & Vance, D., 1997. A comparative study of diffusion profiles in Himalayan and Dalradian garnets: constraints on diffusion data and the relative duration of metamorphic events. *Contributions to Mineralogy and Petrology*, **128**, 66-80.
- Banno, S., 1978. A model to explain the Mn enrichment in the rim of zoned garnet. *Geochemical Journal*, **12**, 253-257.

- Barreiro, B. & Aleinikoff, J. N., 1985. Sm-Nd and U-Pb isotopic relationships in the Kinsman Quartz Monzonite, New Hampshire. *Geological Society of America, Abstracts with Programs*, **17**, 3.
- Beaumont, C. & Quinlan, G., 1994. A geodynamic framework for interpreting crustal-scale seismic-reflectivity patterns in compressional orogens. *Geophysical Journal International*, **116**, 754-783.
- Bell, T. H., 1981. Foliation development - the contribution, geometry and significance of progressive, bulk, inhomogeneous shortening. *Tectonophysics*, **75**, 273-296
- Bell, T. H., 1983. Thrusting and duplex formation at Mount Isa, Queensland, Australia. *Nature*, **304**, 493-497.
- Bell, T. H., Forde, A. & Wang, J., 1995. A new indicator of movement direction during orogenesis: measurement technique and application to the Alps. *Terra Nova*, **7**, 500-508.
- Bell, T. H., Ham, A. P. & Hickey, K. A., 2003. Early formed regional antiforms and synforms that fold younger matrix schistosity; their effect on sites of mineral growth. *Tectonophysics*, **367**(3-4), 253-278.
- Bell, T. H., Ham, A. P. & Kim, H. S., 2004. Partitioning of deformation along an orogen and its effects on porphyroblast growth during orogenesis. *Journal of Structural Geology*, **26**, 825-845.
- Bell, T. H. & Hayward, N., 1991. Episodic metamorphic reactions during orogenesis: the control of deformation partitioning on reaction sites and reaction duration. *Journal of Metamorphic Geology*, **9**, 619-640.
- Bell, T. H. & Hickey, K. A., 1997. Distribution of pre-folding linear indicators of movement direction around the Spring Hill Synform, Vermont: significance for

- mechanism of folding in this portion of the Appalachians. *Tectonophysics*, **274**, 275-294.
- Bell, T. H., Hickey, K. A. & Upton, G. J. G., 1998. Distinguishing and correlating multiple phases of metamorphism across a multiply deformed region using the axes of spiral, staircase and sigmoidal inclusion trails in garnet. *Journal of Metamorphic Geology*, **16**, 767-794.
- Bell, T. H. & Johnson, S. E., 1989. Porphyroblast inclusion trails: the key to orogenesis. *Journal of Metamorphic Geology*, **7**, 279-310
- Bell, T. H. & Welch, P. W., 2002. Prolonged Acadian orogenesis: revelations from FIA-controlled monazite dating of foliations in porphyroblasts and matrix. *American Journal of Science*, **302**, 549-581.
- Billings, M. P., 1937. Regional metamorphism of the Littleton-Moosilauke area, New Hampshire. *Bulletin of the Geological Society of America*, **48**(4), 463-566.
- Billings, M. P., 1992. The "Piermont Allochthon" in the Littleton-Moosilauke area of west-central New Hampshire: Alternative explanation. *Geological Society of America Bulletin*, **103**, 1539-1541.
- Bradley, D. C., Tucker, R. D., Lux, D. R., Harris, A. G. & McGregor, C. D., 2000. Migration of the Acadian Orogen and Foreland Basin Across the Northern Appalachians of Maine and Adjacent Areas. *U.S. Geological Survey Professional Paper 1624*.
- Brown, M. & Solar, G. S., 1999. The mechanism of ascent and emplacement of granite magma during transpression: a syntectonic paradigm. *Tectonophysics*, **312**, 1-33.
- Carlson, W. D., 1989. The significance of intergranular diffusion to the mechanism and kinetics of porphyroblast crystallization. *Contributions to Mineralogy and Petrology*, **103**, 1-24.

- Chakraborty, S. & Ganguly, J., 1992. Cation diffusion in aluminosilicate garnets; experimental determination in spessartine-almandine diffusion couples, evaluation of effective binary, diffusion coefficients, and applications. *Contributions to Mineralogy and Petrology*, **111**, 74-86.
- Chernoff, C. B. & Carlson, W. D., 1997. Disequilibrium for Ca during growth of pelitic garnet. *Journal of Metamorphic Geology*, **15**, 421-438.
- Connelly, J. & Petrini, K., 2002. An automated strategy for calculation of phase diagram sections and retrieval of rock properties as a function of physical conditions. *Journal of Metamorphic Geology*, **20**, 697-708.
- Dorais, M. J., 2003. The petrogenesis and emplacement of the New Hampshire Plutonic Suite. *American Journal of Science*, **303**, 447-487.
- England, P. C. & Thompson, A. B., 1984. Pressure-Temperature-time paths of regional metamorphism I Heat transfer during the evolution of regions of thickened continental crust. *Journal of Petrology*, **25**, 894-928
- Eusden, J. D., Guzofski, C. A., Robinson, A. C. & Tucker, R. D., 2000. Timing of the Acadian Orogeny in Northern New Hampshire. *Journal of Geology*, **108**, 219-232.
- Evans, T. P., 2004. A method for calculating effective bulk composition modification due to crystal fractionation in garnet-bearing schist: implications for isopleth thermobarometry. *Journal of Metamorphic Geology*, **22**(6), 547-557.
- Florence, F. P., Spear, F. S. & Kohn, M. J., 1993. P-T paths from northwestern New Hampshire; metamorphic evidence for stacking in a thrust/nappe complex. *American Journal of Science*, **293**, 939-979.
- Frost, B. R. & Tracy, R. J., 1991. P-T paths from zoned garnets: Some minimum criteria. *American Journal of Science*, **291**, 917-939.

- Hadley, J. B., 1942. Stratigraphy, structure and petrology of the Mt Cube area, New Hampshire. *Geological Society of America Bulletin*, **63**, 113-176.
- Hirsch, D. M., Prior, D. J. & Carlson, W. D., 2003. An overgrowth model to explain multiple, dispersed high-Mn regions in the cores of garnet porphyroblasts. *American Mineralogist*, **88**(1), 131-141.
- Hodges, K. V. & McKenna, L. W., 1987. Realistic propagation of uncertainties in geological thermobarometry. *American Mineralogist*, **72**, 671-680.
- Holland, T. & Powell, R., 1985. An internally consistent thermodynamic dataset with uncertainties and correlations; 2, Data and results. *Journal of Metamorphic Geology*, **3**(4), 343-370.
- Holland, T. & Powell, R., 1990. An enlarged and updated internally consistent thermodynamic dataset with uncertainties and correlations; the system K₂O-Na₂O-CaO-MgO-MnO-FeO-Fe₂O₃-Al₂O₃-TiO₂-SiO₂-C-H₂-O₂. *Journal of Metamorphic Geology*, **8**(1), 89-124.
- Holland, T. & Powell, R., 1998. An internally consistent thermodynamic data set for phases of petrological interest. *Journal of Metamorphic Geology*, **16**(3), 309-343.
- Hollister, L. S., 1966. Garnet zoning: an interpretation based on the Rayleigh fractionation model. *Science*, **154**, 1647-1651.
- Kohn, M. J., Orange, D. L., Spear, F. S., Rumble, D. I. & Harrison, T. M., 1992. Pressure, temperature, and structural evolution of west-central New Hampshire; hot thrusts over cold basement. *Journal of Petrology*, **33**, 521-556.
- Kohn, M. J. & Spear, F. S., 1991. Error propagation for barometers; 2, Application to rocks. *American Mineralogist*, **76**, 138-147.

- Kretz, R., 1973. Kinetics of the crystallization of garnet at two localities near Yellowknife. *Canadian Mineralogist*, **12**, 1-20.
- Lyons, J. B., Bothner, W. A., Moench, R. H. & Thompson, J. B., 1997. Bedrock Geological Map of New Hampshire. *U.S. Geological Survey*.
- Marmo, B. A., Clarke, G. L. & Powell, R., 2002. Fractionation of bulk rock composition due to porphyroblast growth; effects on eclogite facies mineral equilibria, Pam Peninsula, New Caledonia. *Journal of Metamorphic Geology*, **20**(no. 1), 151-165.
- Moench, R. H., 1989. Metamorphic Stratigraphy of the Connecticut Valley area, Littleton to Piermont, New Hampshire. In: *IGC Field Trip T162, A Transect through the New England Appalachians, 28th International Geological Congress: Washington, D.C., American Geophysical Union, Field Guidebook T162* (eds Lyons, J. B. & Bothner, W. A.), pp. 45-43.
- Moench, R. H., 1990. The Piermont allochthon, northern Connecticut Valley area, New England - Preliminary description and resource implications. In: *Summary results of the Glen Falls CUSMAP project, New York, Vermont and New Hampshire. U.S. Geological Survey Bulletin 1887, J1-J23* (ed Slack, J. S.), U.S. Geological Survey.
- Moench, R. H., 1992. The "Piermont allochthon" in the Littleton-Moosilauke area of west-central New Hampshire: reply. *Geological Society of America Bulletin*, **103**, 1541-1545.
- Powell, R. & Holland, T., 1993. On the formulation of simple mixing models for complex phases *American Mineralogist*, **78**(11-12), 1174-1180.
- Powell, R. & Holland, T., 1994. Optimal geothermometry and geobarometry. *American Mineralogist*, **79**, 120-133.

- Powell, R., Holland, T. & Worley, B., 1998. Calculating phase diagrams involving solid solutions via non-linear equations, with examples using THERMOCALC. *Journal of Metamorphic Geology*, **16**, 577-588.
- Powell, R. & Holland, T. J. B., 1988. An internally consistent dataset with uncertainties and correlations; 3, Applications to geobarometry, worked examples and a computer program. *Journal of Metamorphic Geology*, **6**, 173-204
- Rodgers, J., 1981. The Merrimack Synclinorium in northeastern Connecticut. *American Journal of Science*, **281**, 176-186.
- Rumble, D., 1969. Stratigraphic, structural and petrological studies in the Mt Cube area, New Hampshire-Vermont. *Unpub. PhD Thesis, Harvard University*.
- Spear, F. S., 1988a. The Gibbs method and Duhem's theorem; the quantitative relationships among P, T, chemical potential, phase composition and reaction progress in igneous and metamorphic systems. *Contributions to Mineralogy and Petrology*, **99**(2), 249-256.
- Spear, F. S., 1988b. Metamorphic fractional crystallization and internal metasomatism by diffusional homogenization of zoned garnets. *Contributions to Mineralogy and Petrology*, **99**, 507-517.
- Spear, F. S., Kohn, M. J., Cheney, J. T. & Florence, F., 2002. Metamorphic, thermal, and tectonic evolution of central New England. *Journal of Petrology*, **43**(no. 11), 2097-2120.
- Spear, F. S., Kohn, M. J., Florence, F. P. & Menard, T., 1990. A model for garnet and plagioclase growth in pelitic schists; implications for thermobarometry and P-T path determinations. *Journal of Metamorphic Geology*, **8**, 683-696.

- Spear, F. S., Kohn, M. J., Florence, F. P. & Menard, T., 1991. A model for garnet and plagioclase growth in pelitic schists: implications for thermobarometry and *P-T* path determinations. *Journal of Metamorphic Geology*, **8**, 683-696.
- Spear, F. S. & Menard, T., 1989. Program GIBBS; a generalized Gibbs method algorithm. *American Mineralogist*, **74**, 942-943.
- Stallard, A. & Hickey, K. A., 2001a. Fold mechanisms in the Canton Schist; constraints on the contribution of flexural flow. *Journal of Structural Geology*, **23**(12), 1865-1881.
- Stallard, A. & Hickey, K. A., 2001b. Shear zone vs folding origin for spiral inclusion trails in the Canton Schist. *Journal of Structural Geology*, **23**(12), 1845-1864.
- Stüwe, K., 1997. Effective bulk composition changes due to cooling: a model predicting complexities in retrograde reaction textures. *Contributions to Mineralogy and Petrology*, **129**, 43-52.
- Stüwe, K., 2002. *Introduction to the Geodynamics of the Lithosphere: quantitative description of geological problems*. Springer-Verlag.
- Thompson, A. B., 1976. Mineral reactions in pelitic rocks: II. Calculations of some P-T-X(Fe-Mg) phase relations. *American Journal of Science*, **276**, 425-454.
- Thompson, A. B. & England, P. C., 1984. Pressure-temperature-time paths of regional metamorphism II. Their inference and interpretation using mineral assemblages in metamorphic rocks. *Journal of Petrology*, **25**, 929-955.
- Thompson, A. B. & Norton, S. A., 1968. *Paleozoic Regional Metamorphism in New England and Adjacent Areas*.
- Thompson, J. B., Robinson, P., Clifford, T. N. & Trask, N. J., 1968. *Nappes and Gneiss Domes in West-Central New England*.

- Timms, N. E., 2002. A tectonic Evolution through microstructures: Orford to Piermont area of the New England Appalachians, west-central New Hampshire, USA. *Unpub. PhD Thesis, James Cook University.*
- Timms, N. E., 2003. Garnet porphyroblasts timing and behaviour during fold evolution; implications from a 3-D geometric analysis of a hand sample scale fold in a schist. *Journal of Metamorphic Geology*, **21**(9), 853-873.
- Tracy, R. J., 1982. Compositional zoning and inclusions in metamorphic minerals. *Reviews in Mineralogy*, **10**, 355-397.
- Tracy, R. J., Robinson, P. & Thompson, A. B., 1976. Garnet composition and zoning in the determination of temperature and pressure of metamorphism, central Massachusetts. *American Mineralogist*, **61**, 762-775.
- Vance, D. & Holland, T., 1993. A detailed isotopic and petrological study of a single garnet from the Gassetts Schist, Vermont. *Contributions to Mineralogy and Petrology*, **114**, 101-118.
- Vance, D. & Mahar, E., 1998. Pressure-temperature paths from P-T pseudosections and zoned garnets; potential, limitations and examples from the Zaskar Himalaya, NW India. *Contributions to Mineralogy and Petrology*, **132**, no. 3, 225-245.
- Worley, B. & Powell, R., 2000. High-precision relative thermobarometry: theory and a worked example. *Journal of Metamorphic Geology*, **18**, 91-101.