
References

- Al, T. A., Martin, C. J., and Blowes, D. W., 2000, Carbonate-mineral/water interactions in sulphide-rich mine tailings: *Geochimica et Cosmochimica Acta*, v. 64, p. 3933-3948.
- Alpers, C. N., Blowes, D. W., Nordstrom, D. K., and Jambor, J. L., 1994a, Secondary minerals and acid mine-water chemistry, *in* Blowes, D. W., and Jambor, J. L., eds., *The environmental geochemistry of sulfide mine-wastes*, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 246-270.
- Alpers, C. N., and Nordstrom, D. K., 1999, Geochemical modelling of water-rock interactions in mining environments, *in* Plumlee, G. S., and Logsdon, M. J., eds., *The Environmental Geochemistry of Mineral Deposits. Part A: Processes, Techniques and Health Issues*, 6A. *Reviews in Economic Geology: Littleton, Society of Economic Geologists*, p. 289-323.
- Alpers, C. N., Nordstrom, D. K., and Thompson, J. M., 1994b, Seasonal variations of Zn/Cu ratios in acid mine water from Iron Mountain, California, *in* Alpers, C. N., and Blowes, D. W., eds., *Environmental Geochemistry of sulfide oxidation*, 550. ACS Symposium Series: Washington, DC, American Chemical Society, p. 324-344.
- Ashley, P. M., Craw, D., Graham, B. P., and Chappell, D. A., 2003, Environmental mobility of antimony around mesothermal stibnite deposits, New South Wales, Australia and southern New Zealand: *Journal of Geochemical Exploration*, v. 77, p. 1-14.
- Bain, J.H.C., and Draper, J.J., 1997. North Queensland Geology. Australian Geological Survey Organisation Bulletin 240, and Queensland Department of Mines and Energy Queensland Geology, 9, 600 p.
- Bartareau, T., Barry, G., and Biddle, D., 1998, Impact of abandoned mines on sediment and water quality in the Mitchell River Watershed, North Queensland: Brisbane, National Landcare Program, 54 p.

- Belzile, N., Maki, S., Chen, Y., and Goldsack, D., 1997, Inhibition of pyrite oxidation by surface treatment: *The Science of the Total Environment*, v. 196, p. 177-186.
- Bierens-de Haan, S., 1991, A review of the rate of pyrite oxidation in aqueous systems at low temperature: *Earth-Science Reviews*, v. 31, p. 1-10.
- Bigham, J. M., 1994, Mineralogy of ochre deposits formed by sulphide oxidation, *in* Blowes, D. W., and Jambor, J. L., eds., *The environmental geochemistry of sulfide mine-wastes*, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 103-132.
- Bigham, J. M., Carlson, L., and Murad, E., 1994, Schwertmannite, a new iron oxyhydroxysulphate from Pyhasalmi, Finland, and other localities: *Mineralogical Magazine*, v. 58, p. 641-648.
- Bigham, J. M., and Nordstrom, D. K., 2000, Iron and aluminum hydroxysulfates from acid sulfate waters, *in* Alpers, C. N., Jambor, J. L., and Nordstrom, D. K., eds., *Sulfate Minerals: crystallography, geochemistry, and environmental significance*, 40. *Reviews in Mineralogy and Geochemistry*: Washington, DC, Mineralogical Society of America, p. 351-403.
- Bigham, J. M., Schwertmann, U., and Pfab, G., 1996a, Influence of pH on mineral speciation in a bioreactor simulating acid mine drainage: *Applied Geochemistry*, v. 11, p. 845-849.
- Bigham, J. M., Schwertmann, U., Traina, S. J., Winland, R. L., and Wolf, M., 1996b, Schwertmannite and the chemical modeling of iron in acid sulfate waters: *Geochimica et Cosmochimica Acta*, v. 60, p. 2111-2121.
- Blowes, D. W., and Ptacek, C. J., 1994, Acid-neutralization mechanisms in inactive mine tailings, *in* Blowes, D. W., and Jambor, J. L., eds., *The environmental geochemistry of sulfide mine-wastes*, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 271-292.
- Blowes, D. W., Ptacek, C. J., Frind, E. O., Johnson, R. H., Robertson, W. D., and Molson, J. W., 1994a, Acid-neutralization reactions in inactive mine tailings impoundments and their effect on the transport of dissolved metals, *Proceedings of the International Land Reclamation and Mine Drainage Conference and 3rd International Conference on the Abatement of Acidic Drainage*, SPO6A-94. Bureau of Mines Special

- Publication: Pittsburgh, United States Department of the Interior, p. 429-438.
- Blowes, D. W., Ptacek, C. J., and Jambor, J. L., 1994b, Remediation and prevention of low-quality drainage from tailings impoundments, *in* Blowes, D. W., and Jambor, J. L., eds., *The environmental geochemistry of sulfide mine-wastes*, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 365-379.
- Blowes, D. W., Reardon, E. J., Jambor, J. L., and Cherry, J. A., 1991, The formation and potential importance of cemented layers in inactive sulfide mine tailings: *Geochimica et Cosmochimica Acta*, v. 55, p. 965-978.
- Boorman, R. S., and Watson, D. M., 1976, Chemical processes in abandoned sulphide tailings dumps and environmental implication for Northeastern New Brunswick: *Canadian Institute of Mining and Metallurgy Bulletin*, v. 69, p. 86-96.
- Bowell, R. J., and Bruce, I., 1995, Geochemistry of iron ochres and mine waters from Levant Mine, Cornwall: *Applied Geochemistry*, v. 10, p. 237-250.
- Boyle, D. R., 1994, Oxidation of massive sulfide deposits in the Bathurst Mining Camp, New Brunswick: natural analogues for acid drainage in temperate climates, *in* Alpers, C. N., and Blowes, D. W., eds., *Environmental geochemistry of sulfide oxidation*, 550. ACS Symposium Series: Washington, American Chemical Series, p. 535-550.
- Brock, T. D., 1979, *Biology of microorganisms*: Englewood Cliffs, Prentice-Hall, Inc, 802 p.
- Bureau of Meteorology, 2003, Climate averages for Dimbulah, Queensland. <http://www.bom.gov.au/climate/averages/tables/cw_031022.shtml>
- Carlson, L., Bigham, J. M., Schwertmann, U., Kyek, A., and Wagner, F., 2002, Scavenging of As from acid mine drainage by schwertmannite and ferrihydrite: a comparison with synthetic analogues: *Environmental Science and Technology*, v. 36, p. 1712-1719.
- Chen, X., Wright, J. V., Conca, J. L., and Peurrung, L. M., 1997, Effects of pH on heavy metal sorption on mineral apatite: *Environmental Science and Technology*, v. 31, p. 624-631.

- Chen, Y., Belzile, N., and Goldsack, D., 1999, Passivation of pyrite oxidation by organic compounds: Sudbury '99 Mining and the environment II, Sudbury, 1999, p. 1063-1070.
- Cotter-Howells, J., and Caporn, S., 1996, Remediation of contaminated land by formation of heavy metal phosphates: Applied Geochemistry, v. 11, p. 335-342.
- Courtin-Nomade, A., Bril, H., Neel, C., and Lenain, J., 2003, Arsenic in iron cements developed within tailings of a former metalliferous mine - Enguiales, Aveyron, France: Applied Geochemistry, v. 18, p. 395-408.
- Cravotta, C. A., 1994, Secondary iron-sulfate minerals as sources of sulfate and acidity, in Alpers, C. N., and Blowes, D. W., eds., Environmental Geochemistry of sulfide oxidation, 550. ACS Symposium Series: Washington, DC, American Chemical Society, p. 345-364.
- Craw, D., and Chappell, D., 2000, Metal redistribution in historic mine wastes, Coromandel Peninsula, New Zealand: New Zealand Journal of Geology and Geophysics, v. 43, p. 187-198.
- Dash, P. H., Barker, R. M., Morwood, D. A., Culpeper, L. G., and Lam, J. S., 1991, Mineral occurrences - Atherton 1:100 000 sheet area, Queensland Resource Industries Record.
- Eusden, J. D., Gallagher, L., Eighmy, T. T., Crannell, B. S., Krzanowski, J. E., Butler, L. G., Cartledge, F. K., Emery, E. F., Shaw, E. L., and Francis, C. A., 2002, Petrographic and spectroscopic characterization of phosphate-stabilized mine tailings from Leadville, Colorado: Waste Management, v. 22, p. 117-135.
- Evangelou, V. P., 1994, Potential microencapsulation of pyrite by artificial inducement of FePO₄ coatings, Proceedings of the International Land Reclamation and Mine Drainage Conference and 3rd International Conference on the Abatement of Acidic Drainage, SPO6A-94. Bureau of Mines Special Publication: Pittsburgh, United States Department of the Interior, p. 96-103.
- Evangelou, V. P., 1995a, Potential microencapsulation of pyrite by artificial inducement of ferric phosphate coatings: Journal of Environmental Quality, v. 24, p. 535-542.

- Evangelou, V. P., 1995b, Pyrite oxidation and its control: New York, CRC Press, 293 p.
- Evangelou, V. P., 1996, Pyrite oxidation inhibition in coal waste by PO₄ and H₂O₂ pH buffered pretreatment: International Journal of Surface Mining, Reclamation and Environment, v. 10, p. 135-142.
- Evangelou, V. P., 2001, Pyrite microencapsulation technologies: Principles and potential field application: Ecological Engineering, v. 17, p. 165-178.
- Evangelou, V. P., and Zhang, Y. L., 1995, A review: pyrite oxidation mechanisms and acid mine drainage prevention: Critical Reviews in Environmental Science and Technology, v. 25, p. 141-199.
- Filipek, L. H., Van Wyngarden, T. J., Papp, C. S. E., and Curry, J., 1999, A multi-phased approach to predict acid production from porphyry copper-gold waste rock in an arid montane environment, *in* Filipek, L. H., and Plumlee, G. S., eds., The environmental geochemistry of mineral deposits. Part B: Case studies and research topics., 6B. Reviews in Economic Geology: Littleton, Society of Economic Geologists, p. 433-445.
- Frau, F., 2000, The formation-dissolution-precipitation cycle of melanterite at the abandoned pyrite mine of Genna Luas in Sardinia, Italy: environmental implications: Mineralogical Magazine, v. 64, p. 995-1006.
- Fuge, R., Pearce, F. M., Pearce, N. J. G., and Perkins, W. T., 1994, Acid mine drainage in Wales and influence of ochre precipitation on water chemistry, *in* Alpers, C. N., and Blowes, D. W., eds., Environmental Geochemistry of sulfide oxidation, 550. ACS Symposium Series: Washington, DC, American Chemical Society, p. 261-274.
- Fytas, K., Bousquet, P., and Evangelou, V. P., 1999, Application of silicate coatings on pyrite to prevent acid mine drainage: Sudbury '99 Mining and the environment II, Sudbury, 1999, p. 1199-1207.
- Fytas, K., and Evangelou, V. P., 1998, Phosphate coating on pyrite to prevent acid mine drainage: International Journal of Surface Mining, Reclamation and Environment, v. 12, p. 101-104.
- Garrad, P. D., and Bultitude, R. J., 1999, Geology, mining history and mineralisation of the Hodgkinson and Kennedy Provinces, Cairns

- Region, North Queensland: Brisbane, Department of Mines and Energy, Queensland, 305 p.
- Garvie, L. A. J., 1999, Sideronatrite and metasideronatrite efflorescence formed in a coastal sea-spray environment: *Mineralogical Magazine*, v. 63, p. 757-759.
- Georgopoulou, Z. J., Fytas, K., Soto, H., and Evangelou, V. P., 1996, Feasibility and cost of creating an iron-phosphate coating on pyrrhotite to prevent oxidation: *Environmental Geology*, v. 28, p. 61-69.
- Goldhaber, M. B., 1983, Experimental study of metastable sulfur oxyanion formation during pyrite oxidation at pH 6-9 and 30°C: *American Journal of Science*, v. 283, p. 193-217.
- Harries, J. R., 1997, *Acid Mine Drainage in Australia: Its Extent and Potential Future Liability*: Canberra, Supervising Scientist, 94 p.
- Harris, D. L., Lottermoser, B. G., and Duchesne, J., 2003, Ephemeral acid mine drainage at the Montalbion silver mine, north Queensland: *Australian Journal of Earth Sciences*, (In Press).
- Hodson, M. E., Valsami-Jones, E., and Cotter-Howells, J., 2000a, Bonemeal additions as a remediation treatment for metal contaminated soil: *Environmental Science and Technology*, v. 34, p. 3501-3507.
- Hodson, M. E., Valsami-Jones, E., and Cotter-Howells, J., 2000b, Metal phosphates and remediation of contaminated land, *in* Cotter-Howells, J., Campbell, L. S., Valsami-Jones, E., and Batchelder, M., eds., *Environmental Mineralogy: Microbial Interactions, Anthropogenic Influences, Contaminated Land and Waste Management*, 9. Mineralogical Society Series: London, Mineralogical Society, p. 291-311.
- Huang, X., and Evangelou, V. P., 1994, Suppression of pyrite oxidation rate by phosphate addition, *in* Alpers, C. N., and Blowes, D. W., eds., *The Environmental Geochemistry of Sulfide Oxidation*: Washington DC, American Chemical Society, p. 562-573.
- Hutchison, I. P. G., and Ellison, R. D., 1992, *Mine Waste Management*: Boca Raton, CRC Press, 654 p.
- Jambor, J. L., 1994, Mineralogy of sulfide-rich tailings and their oxidation products, *in* Blowes, D. W., and Jambor, J. L., eds., *The environmental*

- geochemistry of sulfide mine-wastes, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 59-102.
- Jambor, J. L., Dutrizac, J. E., Groat, L. A., and Raudsepp, M., 2002, Static tests of neutralization potentials of silicate and aluminosilicate minerals: *Environmental Geology*, v. 43, p. 1-17.
- Jambor, J. L., Nordstrom, D. K., and Alpers, C. N., 2000, Metal-sulfate salts from sulfide mineral oxidation, *in* Alpers, C. N., Jambor, J. L., and Nordstrom, D. K., eds., *Sulfate Minerals: crystallography, geochemistry, and environmental significance*, 40. *Reviews in Mineralogy and Geochemistry*: Washington, DC, Mineralogical Society of America, p. 303-350.
- Jennings, S. R., Dollhopf, D. J., and Inskeep, W. P., 2000, Acid production from sulfide minerals using hydrogen peroxide weathering: *Applied Geochemistry*, v. 15, p. 235-243.
- Jones, R. A., Koval, S. F., and Nesbitt, H. W., 2003, Surface alteration of arsenopyrite (FeAsS) by *Thiobacillus ferroxidans*: *Geochimica et Cosmochimica Acta*, v. 67, p. 955-965.
- Keith, D. C., Runnells, D. D., Esposito, K. L., Chermak, J. A., and Hannula, S. R., 1999, Efflorescent sulfate salts - chemistry, mineralogy and effects on ARD streams, *Tailings and Mine Waste '99*: Rotterdam, Balkema, p. 573-579.
- Kim, J., Davis, A. P., and Kim, K., 2003, Stabilization of available arsenic in highly contaminated mine tailings using iron: *Environmental Science and Technology*, v. 37, p. 189-195.
- Krause, E., and Ettel, V. A., 1988, Solubility and stability of scorodite, FeAsO₄·H₂O: New data and further discussion: *American Mineralogist*, v. 73, p. 850-854.
- Laperche, V., Logan, T. J., Gaddam, P., and Traina, S. J., 1997, Effect of apatite amendments on plant uptake of lead from contaminated soil: *Environmental Science and Technology*, v. 31, p. 2745-2753.
- Levy, D. B., Custis, K. H., Casey, W. H., and Rock, P. A., 1997, A comparison of metal attenuation in mine residue and overburden material from an abandoned copper mine: *Applied Geochemistry*, v. 12, p. 203-211.

- Lizama, H. M., and Suzuki, I., 1989, Rate equation and kinetic parameters of the reactions involved in pyrite oxidation by *Thiobacillus ferrooxidans*: Applied and Environmental Microbiology, v. 55, p. 2918-2923.
- Lottermoser, B. G., 2003, Mine wastes: characterization, treatment and environmental impacts: Berlin, Springer-Verlag, 277 p.
- Lower, S. K., Maurice, P. A., and Traina, S. J., 1998, Simultaneous dissolution of hydroxylapatite and precipitation of hydroxypyromorphite: Direct evidence of homogeneous nucleation: Geochimica et Cosmochimica Acta, v. 62, p. 1773-1780.
- Lowson, R. T., 1982, Aqueous oxidation of pyrite by molecular oxygen: Chemical Reviews, v. 82, p. 461-499.
- Lundgren, D. G., Vestal, J. R., and Tabita, F. R., 1972, The microbiology of mine drainage pollution, in Mitchell, R., ed., Water pollution microbiology: New York, Wiley - Interscience, p. 69-88.
- Luther, G. W., 1987, Pyrite oxidation and reduction: molecular orbital theory considerations: Geochimica et Cosmochimica Acta, v. 51, p. 3193-3199.
- Luther, G. W., 1990, The frontier-molecular orbital theory approach in geochemical processes, in Stumm, W., ed., Aquatic Chemical Kinetics: reaction rates of processes in natural waters: New York, Wiley-Interscience, p. 173-198.
- Ma, Q. Y., Traina, S. J., Logan, T. J., and Ryan, J. A., 1993, In situ lead immobilization by apatite: Environmental Science and Technology, v. 27, p. 1803-1810.
- Ma, Q. Y., Traina, S. J., Logan, T. J., and Ryan, J. A., 1994, Effects of aqueous Al, Cd, Cu, Fe(II), Ni and Zn on Pb immobilization by hydroxyapatite: Environmental Science and Technology, v. 28, p. 1219-1228.
- Matlock, M. M., Howerton, B. S., and Atwood, D. A., 2003, Covalent coating of coal refuse to inhibit leaching: Advances in Environmental Research, v. 7, p. 495-501.
- McKibben, M. A., and Barnes, H. L., 1986, Oxidation of pyrite in low temperature acidic solutions: rate laws and surface textures: Geochimica et Cosmochimica Acta, v. 50, p. 1509-1520.
- McNaught, A. D., and Wilkinson, A., 1997, Compendium of chemical terminology, 2nd Edition: Oxford, Blackwell Science, 464 p.

- Menchetti, S., and Sabelli, C., 1976, The halotrichite group: the crystal structure of apjohnite: *Mineralogical Magazine*, v. 40, p. 599-608.
- Mikhlin, Y. L., Kuklinskiy, A. V., Pavlenko, N. I., Varnek, V. A., Asanov, I. P., Okotrub, A. V., Selyutin, G. E., and Solovyev, L. A., 2002, Spectroscopic and XRD studies of the air degradation of acid-reacted pyrrhotites: *Geochimica et Cosmochimica Acta*, v. 66, p. 4057-4067.
- Mitchell, P., 1999, Prediction, prevention, control and treatment of acid rock drainage, *in* Warhurst, A., and Noronha, L., eds., *Environmental Policy in Mining*: Boca Raton, Lewis Publishers, p. 117-143.
- Morin, K. A., and Hutt, N. M., 1994, Observed preferential depletion of neutralisation potential over sulfide minerals in kinetic tests: site-specific criteria for safe NP/AP ratios, *Proceedings of the International Land Reclamation and Mine Drainage Conference and 3rd International Conference on the Abatement of Acidic Drainage*, SPO6A-94. Bureau of Mines Special Publication: Pittsburgh, United States Department of the Interior, p. 148-156.
- Morin, K. A., and Hutt, N. M., 1997, *Environmental Geochemistry of Minesite Drainage*: Vancouver, MDAG Publishing, 333 p.
- Morris, R. C., 1962, Osarizawaite from Western Australia: *American Mineralogist*, v. 47, p. 1079-1093.
- Moses, C. O., and Herman, J. S., 1991, Pyrite oxidation at circumneutral pH: *Geochimica et Cosmochimica Acta*, v. 55, p. 471-482.
- Moses, C. O., Nordstrom, D. K., Herman, J. S., and Mills, A. L., 1987, Aqueous pyrite oxidation by dissolved oxygen and by ferric iron: *Geochimica et Cosmochimica Acta*, v. 51, p. 1561-1571.
- Nesbitt, H. W., and Muir, I. J., 1994, X-ray photoelectron spectroscopic study of a pristine pyrite surface reacted with water vapour and air: *Geochimica et Cosmochimica Acta*, v. 58, p. 4667-4679.
- Nicholson, R. V., Gillham, R. W., and Reardon, E. J., 1988, Pyrite oxidation in carbonate-buffered solution: experimental kinetics: *Geochimica et Cosmochimica Acta*, v. 52, p. 1077-1085.
- Nicholson, R. V., Gillham, R. W., and Reardon, E. J., 1990, Pyrite oxidation in carbonate-buffered solution: 2. Rate control by oxide coatings: *Geochimica et Cosmochimica Acta*, v. 54, p. 395-402.

- Nicholson, R. V., and Scharer, J. M., 1994, Laboratory studies of pyrrhotite oxidation kinetics, *in* Alpers, C. N., and Blowes, D. W., eds., Environmental Geochemistry of sulfide oxidation, 550. ACS Symposium Series: Washington, DC, American Chemical Society, p. 14-30.
- Nordstrom, D. K., and Alpers, C. N., 1999a, Geochemistry of acid mine waters, *in* Plumlee, G. S., and Logsdon, M. J., eds., The Environmental Geochemistry of Mineral Deposits. Part A: Processes, Techniques and Health Issues, 6A. Reviews in Economic Geology: Littleton, Society of Economic Geologists, p. 133-160.
- Nordstrom, D. K., and Alpers, C. N., 1999b, Negative pH, efflorescent mineralogy and consequences for environmental restoration at the Iron Mountain Superfund site, California: Proceedings of the National Academy of Science USA, v. 96, p. 3455-3462.
- Nordstrom, D. K., and Ball, J. W., 1986, The geochemical behaviour of aluminum in acidified surface waters: *Science*, v. 232, p. 54-56.
- Nriagu, J. O., 1983, Formation and stability of base metal phosphates in soils and sediments, *in* Nriagu, J. O., and Moore, P. B., eds., Phosphate minerals: Berlin, Springer-Verlag, p. 318-329.
- Nyavor, K., and Egiebor, N. O., 1995, Control of pyrite oxidation by phosphate coating: *The Science of the Total Environment*, v. 162, p. 225-237.
- O'Reilly, S. E., Strawn, D. G., and Sparks, D. L., 2001, Residence time effects on arsenate adsorption/desorption mechanisms on goethite: *Soil Science Society of America Journal*, v. 65, p. 67-77.
- Palencia, I., Wan, R. Y., and Miller, J. D., 1990, The electrochemical behaviour of a semi-conducting natural pyrite in the presence of bacteria: *Metallurgical Transactions B.*, v. 22, p. 765-774.
- Parker, G., and Robertson, A. M., 1999, A critical review of acid generation from sulfide oxidation: processes, treatment and control. An investigation of strategies used overseas for the environmental management of sulfide mine wastes: Melbourne, AMEEF, 227 p.
- Parkhurst, D. L., and Appelo, C. A. J., 1999, User's guide to PHREEQC (version 2) - A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations: Denver, U.S. Geological Survey, 312 p.

- Perkins, E.H., Gunter, W.D., Nesbitt, H.W., and St-Arnaud, L.C., 1997, Critical review of classes of geochemical computer models adaptable for prediction of acidic drainage from mine waste rock, *in*: Proceedings from the 4th International Conference on Acid Rock Drainage. Vol 2: Vancouver, Mine Environment Neutral Drainage (MEND) Program, p. 587-601.
- Peters, E., 1977, The electrochemistry of sulphide minerals, *in* Bockris, J. O. M., Rand, D. A. J., and Welch, B. J., eds., Trends in electrochemistry: New York, Plenum Press, p. 267-290.
- Plumlee, G. S., 1999, The environmental geology of mineral deposits, *in* Plumlee, G. S., and Logsdon, M. J., eds., The Environmental Geochemistry of Mineral Deposits. Part A: Processes, Techniques and Health Issues, 6A. Reviews in Economic Geology: Littleton, Society of Economic Geologists, p. 71-116.
- Plumlee, G. S., Smith, K. S., Montour, M. R., Ficklin, W. H., and Montour, M. R., 1999, Geologic controls on the compositions of natural waters and mine waters draining diverse mineral-deposit types, *in* Filipek, L. H., and Plumlee, G. S., eds., The environmental geochemistry of mineral deposits. Part B: Case studies and research topics., 6B. Reviews in Economic Geology: Littleton, Society of Economic Geologists, p. 373-432.
- Ptacek, C. J., and Blowes, D. W., 1994, Influence of siderite on the pore-water chemistry of inactive mine-tailings impoundments, *in* Alpers, C. N., and Blowes, D. W., eds., Environmental Geochemistry of sulfide oxidation, 550. ACS Symposium Series: Washington, DC, American Chemical Society, p. 172-189.
- Rimstidt, J. D., and Vaughan, D. J., 2003, Pyrite oxidation: A state of the art assessment of the reaction mechanism: *Geochimica et Cosmochimica Acta*, v. 67, p. 873-880.
- Ritchie, A. I. M., 1994, Sulfide oxidation mechanisms: controls and rates of oxygen transport, *in* Blowes, D. W., and Jambor, J. L., eds., The environmental geochemistry of sulfide mine-wastes, 22. Short Course Handbook: Waterloo, Mineralogical Association of Canada, p. 201-245.

- Rose, S., and Elliot, W. C., 2000, The effects of pH regulation upon the release of sulfate from ferric precipitates formed in acid mine drainage: *Applied Geochemistry*, v. 15, p. 27-34.
- Rose, S., and Ghazi, M., 1997, Release of sorbed sulfate from iron oxyhydroxides precipitated from acid mine drainage associated with coal mining: *Environmental Science and Technology*, v. 31, p. 2136-2140.
- Ruby, M. V., Davis, A., and Nicholson, A., 1994, In situ formation of lead phosphates in soils as a method to immobilize lead: *Environmental Science and Technology*, v. 28, p. 646-654.
- Sato, M., 1992, Persistency-field Eh-pH diagrams for sulphides and their application to supergene oxidation and enrichment of sulphide ore bodies: *Geochimica et Cosmochimica Acta*, v. 56, p. 3133-3156.
- Savage, K. S., Tingle, T. N., O'Day, P. A., Waychunas, G. A., and Bird, D. K., 2000, Arsenic speciation in pyrite and secondary weathering phases, Mother Lode Gold District, Tuolumne County, California: *Applied Geochemistry*, v. 15, p. 1219-1244.
- Schwarz-Schampera, U., and Herzig, U. M., 2002, Indium: geology, mineralogy, and economics: Heidelberg, Springer-Verlag, 257 p.
- Singer, P. C., and Stumm, W., 1970, Acid mine drainage: rate determining step: *Science*, v. 167, p. 1121-1123.
- Smith, K. S., 1999, Metal sorption on mineral surfaces: an overview with examples relating to mineral deposits, *in* Plumlee, G. S., and Logsdon, M. J., eds., *The Environmental Geochemistry of Mineral Deposits. Part A: Processes, Techniques and Health Issues*, 6A. *Reviews in Economic Geology*: Littleton, Society of Economic Geologists, p. 161-182.
- St-Arnaud, L., 1994, Water covers for the decommissioning of sulphidic mine tailings impoundments, *Proceedings of the International Land Reclamation and Mine Drainage Conference and 3rd International Conference on the Abatement of Acidic Drainage*, SPO6A-94. Bureau of Mines Special Publication: Pittsburgh, United States Department of the Interior, p. 279-287.
- Stromberg, B., and Banwart, S. A., 1999, Experimental study of acidity-consuming processes in mining waste rock: some influences of mineralogy and particle size: *Applied Geochemistry*, v. 14, p. 1-16.

- Swedlund, P. J., and Webster, J. G., 2001, Cu and Zn ternary surface complex formation with SO_4 on ferrihydrite and schwertmannite: Applied Geochemistry, v. 16, p. 503-511.
- Taylor, B. E., Wheeler, M. C., and Nordstrom, D. K., 1984a, Stable isotope geochemistry of acid mine drainage: experimental oxidation of pyrite: Geochimica et Cosmochimica Acta, v. 48, p. 2669-2678.
- Taylor, B. E., Wheeler, M. C., and Nordstrom, D. K., 1984b, Isotope composition of sulphate in acid mine drainage as a measure of bacterial oxidation: Nature, v. 308, p. 538-541.
- Thomas, J. E., Skinner, W. M., and Smart, R. S. C., 2001, A mechanism to explain sudden changes in rates and products for pyrrhotite dissolution in acid solution: Geochimica et Cosmochimica Acta, v. 65, p. 1-12.
- Traina, S. J., and Laperche, V., 1999, Contaminant bioavailability in soils, sediments, and aquatic environments: Proceedings of the National Academy of Science USA, v. 96, p. 3365-3371.
- Todd, E. C., Sherman, D. M., and Purton, J. A., 2003, Surface oxidation of pyrite under ambient atmospheric and aqueous (pH=2 to 10) conditions: Electronic structure and mineralogy from X-ray absorption spectroscopy: Geochimica et Cosmochimica Acta, v. 67, p. 881-893.
- Vandiviere, M. M., and Evangelou, V. P., 1998, Comparative testing between conventional and microencapsulation approaches in controlling pyrite oxidation: Journal of Geochemical Exploration, v. 64, p. 161-176.
- Vink, B. W., 1996, Stability relations of antimony and arsenic compounds in the light of revised and extended Eh-pH diagrams: Chemical Geology, v. 130, p. 21-30.
- White III, W.W., Lapakko, K.A., and Cox, R.L., 1999, Static-test methods most commonly used to predict acid-mine drainage: Practical guidelines and interpretation. *in*: Plumlee, G. S., and Logsdon, M. J., eds., The Environmental Geochemistry of Mineral Deposits. Part A: Processes, Techniques and Health Issues, 6A. Reviews in Economic Geology: Littleton, Society of Economic Geologists, p. 325-338.
- Wiersma, C. L., and Rimstidt, J. D., 1984, Rates of reaction of pyrite and marcasite with ferric iron at pH 2: Geochimica et Cosmochimica Acta, v. 48, p. 85-92.

- Williamson, M. A., and Rimstidt, J. D., 1994, The kinetics and electrochemical rate-determining step of aqueous pyrite oxidation: *Geochimica et Cosmochimica Acta*, v. 24, p. 5443-5454.
- Woltmann, M., 2001, Inhibiting sulphide oxidation using metal phosphate coating technology: Unpub. Honours thesis, James Cook University, 185 p.
- Woodward, A. J., 1976, Paragenesis of the silver-lead mineralization in the Montalbion-Adventure Creek district, Queensland: Unpub. MSc thesis, James Cook University, 96 p.
- Yakhontova, L. K., Zeman, I., and Nesterovich, L. G., 1980, Oxidation of tetrahedrite: *Doklady Akademi Nauk SSSR*, v. 253, p. 461-464.
- Zhang, P., and Ryan, J. A., 1998, Formation of pyromorphite in anglesite-hydroxyapatite suspensions under varying pH conditions: *Environmental Science and Technology*, v. 32, p. 3318-3324.
- Zhang, P., and Ryan, J. A., 1999a, Formation of chloropyromorphite from galena (PbS) in the presence of hydroxyapatite: *Environmental Science and Technology*, v. 33, p. 618-624.
- Zhang, P., and Ryan, J. A., 1999b, Transformation of Pb(II) from cerrusite to chloropyromorphite in the presence of hydroxyapatite under varying conditions of pH: *Environmental Science and Technology*, v. 33, p. 625-630.
- Zhang, P., Ryan, J. A., and Bryndzia, L. T., 1997, Pyromorphite formation from goethite adsorbed lead: *Environmental Science and Technology*, v. 31, p. 2673-2678.
- Zhang, P., Ryan, J. A., and Yang, J., 1998, In vitro soil Pb solubility in the presence of hydroxyapatite: *Environmental Science and Technology*, v. 32, p. 2763-2768.
- Zhang, Y. L., and Evangelou, V. P., 1996, Influence of iron oxide forming conditions on pyrite oxidation: *Soil Science*, v. 161, p. 852-864.
- Zhang, Y. L., and Evangelou, V. P., 1998, Formation of ferric hydroxide-silica coatings on pyrite and its oxidation behaviour: *Soil Science*, v. 163, p. 53-62.