CHAPTER 8. REFERENCES

- Ahern, M. (1994). Incidental capture of sea turtles in prawn trawls: and the suitability of conservation measures applied in the United States to Australian Waters. University of Queensland. 27 pps.
- Allsopp, W.H.L. (1982). Use of fish by-catch from shrimp trawling: future development. In: *Fish By-catch - Bonus from the Sea: Report of a Technical Consultation on Shrimp By-catch Utilization*. IDRC, Ottawa. pp. 29-41.
- Alverson, D.L., Freeberg, M.H., Pope, J.G., and Murawski, S.A. (1994). A global assessment of fisheries bycatch and discards. FAO, Rome. Fisheries Technical Paper No. 339. 233 pps.
- Andrew, N.L. and Mapstone, B.D. (1987). Sampling and the description of spatial pattern in marine ecology. *Oceanography and Marine Biology Annual Review* 25: 39-90.
- Andrew, N.L. and Pepperell, J.G. (1992). The by-catch of shrimp trawl fisheries. *Oceanography and Marine Biology Annual Review* **30:** 527-565.
- Armstrong, M., Robins, J., and Maguire, K. (2000). Recovery planning for marine turtles in Australia: benefits of a co-ordinated approach. In: *Sea Turtles of the Indo-Pacific: Research Management & Conservation*. Eds. Pilcher, N. and Ismal, G. ASEAN Academic Press: London. pp. 261-276.
- Auster, P.J., Joy, K., and Valentine, P.C. (2001). Fish species and community distributions as proxies for seafloor habitat distributions: the Stellwagen Bank National Marine Sanctuary example (Northwest Atlantic, Gulf of Maine). *Environmental Biology of Fishes* 60: 331-346.
- Bayliss, P. (1986). Factors affecting aerial surveys of marine fauna and their relation to a census of dugong in the coastal waters of northern Australia. *Australian Wildlife Research* 13: 27-37.
- Belkin, D.A. (1963). Anoxia: Tolerance in reptiles. Science 139: 492-493.
- Bergin, A. and Hayward, M. (1995). Environmental implications for the fishing industry. *Australian Fisheries* 54: 14-20.
- Berkson, H. (1966). Physiological adjustments to prolonged diving in the Pacific green

turtle (*Chelonia mydas agassizii*). Comparative Biochemistry and Physiology **18**: 101-119.

- Bjorndal, K.A. (1985). Nutritional ecology of sea turtles. Copeia 3: 736-751.
- Bjorndal, K.A. (1996). Foraging ecology and nutrition of sea turtles. In: *The Biology of Sea Turtles*. Eds. Lutz, P.L. and Musick, J.A., CRC Press: Boca Raton. pp. 199-232.
- Bjorndal, K.A. and Bolten, A.B. (2000). Proceedings of a Workshop on Assessing Abundance and Trends for Inwater Sea Turtle Populations. NMFS: Miami, Florida.
 83 pps.
- Bjorndal, K.A., Bolten, A.B., and Lagueux, C.J. (1993). Decline of the nesting population of hawksbill turtles at Tortuguero, Costa Rica. *Conservation Biology* 7: 925-927.
- Bjorndal, K.A., Bolten, A.B., and Martins, H.R. (2000). Somatic growth model of juvenile loggerhead sea turtles *Caretta caretta*: during of pelagic stage. *Marine Ecology Progress Series* 202: 265-272.
- Brady, S. and Boreman, J. (1994). Sea turtle distributions and documented fishery threats off the northeastern United States coast. In: *Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Schroeder, B.A. and Witherington, B.E., NOAA Technical Memorandum NMFS-SEFSC-341. pp. 31-34.
- Brewer, D., Rawlinson, N., Eayrs, S., and Burridge, C. (1998). An assessment of Bycatch Reduction Devices in a tropical Australian prawn fishery. *Fisheries Research* 720: 1-21.
- Brill, R.W., Balazs, G.H., Holland, K.N., Chang, R.K., Sullivan, S., and George, J.C. (1995). Daily movements, habitat use, and submergence intervals of normal and tumour-bearing juvenile green turtles (*Chelonia mydas* L.) within a foraging area in the Hawaiian islands. *Journal of Experimental Marine Biology and Ecology* 185: 203-218.
- Buonaccorsi, J. P. and Liebhold, A. M. (1988). Statistical methods for estimating ratios and products in ecological studies. *Environmental Entomology* **17:** 572-580.
- Burnham, K.P., Anderson, D.R., White, G.C., Brownie, C., and Pollock, K.H. (1987). Design and analysis of methods for fish survival experiments based on release-

recapture. American Fisheries Society Monograph. American Fisheries Society: Maryland. 437 pps.

- Butler, R.W., Nelson, W.A., and Henwood, T.A. (1987). A trawl survey method for estimating loggerhead turtle, *Caretta caretta*, abundance in five eastern Florida channels and inlets. *Fishery Bulletin* 85: 447-453.
- Byles, R.A. (1988). Behaviour and ecology of sea turtles from Chesapeake Bay, Virginia. PhD Thesis. College of William and Mary, Williamsburg, VA, USA.
- Byles, R.A. and Dodd, C.K. (1989). Satellite biotelemetry of a loggerhead sea turtle (*Caretta caretta*) from the east coast of Florida. In: *Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology*. Eds. Eckert, S.A., Eckert, K.L., and Richardson, T.H., NOAA Technical Memorandum NMFS-SEFC-232. pp. 215-217.
- Caddy, J.F. and Cochrane, K.L. (2001). A review of fisheries management past and present and some future perspectives for the third millennium. *Ocean & Coastal Management* 44: 653-682.
- Caillouet, C.W., Shaver, D.J., Teas, W.G., Nance, J.M., Revera, D.B., and Cannon, A.C. (1996). Relationship between sea turtle stranding rates and shrimp fishing intensities in the northwestern Gulf of Mexico: 1986-1989 versus 1990-1993. *Fishery Bulletin* 94: 237-249.
- Caswell, H. (2000). *Matrix Population Modelling*. 3rd Edition. Sinauer Associates: Sunderland MA USA.
- CFWG (1991). Ecologically Sustainable Development Working Groups. Final Report -Fisheries. Australian Government Publishing Service, Canberra, Australia. 202 pps.
- Chaloupka, M.Y. (1998). Polyphasic growth in pelagic loggerhead sea turtles. *Copeia* 2: 516-518.
- Chaloupka, M. (2002). Stochastic simulation modelling of southern Great Barrier Reef green turtle population dynamics. *Ecological Modelling* **148**: 79-109.
- Chaloupka, M.Y. and Limpus, C.J. (1997). Robust statistical modelling of hawksbill sea-turtle growth rates (southern Great Barrier Reef). *Marine Ecology Progress Series* 146: 1-8.

- Chaloupka, M.Y. and Limpus, C.J. (1998). Heuristic simulation modelling of trawl fishery impacts on sGBR loggerhead turtle dynamics. In: *Proceedings of the 17th Annual Sea Turtle Symposium*. Eds. Epperly, S.P. and Braun, A., NOAA Technical Memorandum NMFS-SEFSC-415. pp. 26-29.
- Chaloupka, M.Y. and Limpus, C.J. (2001). Trends in the abundance of sea turtles resident in southern Great Barrier Reef waters. *Biological Conservation* **102**: 235-249.
- Chaloupka, M.Y. and Limpus, C.J. (2002). Survival probability estimates for the endangered loggerhead sea turtle resident in southern Great Barrier Reef waters. *Marine Biology* 140: 267-277.
- Chan, E.H., Liew, H.C., and Mazlan, A.G. (1988). The incidental capture of sea turtles in fishing gear in Terengganu, Malaysia. *Biological Conservation* **43**: 1-7.
- Chesson, J., Clayton, H., and Whitworth, B. (1999). Evaluation of fisheriesmanagement systems with respect to sustainable development. *ICES Journal of Marine Science* 56: 980-984.
- CoA (1992). *The National Strategy for Ecologically Sustainable Development*. AGPS, Canberra, Australia.
- Coles, W.C. and Musick, J.A. (2000). Satellite sea surface temprature analysis and correlation with sea turtle distribution off North Carolina. *Copeia* **2:** 551-554.
- Crouse, D.T. (1999). The consequences of delayed maturity in a human-dominated world. In *Life in the slow lane: ecology and conservation of long-lived marine animals. Symposium 23.* Ed. Musick, J.A. American Fisheries Society: Bethesda, Maryland. pp. 195-202.
- Crouse, D.T., Crowder, L.B., and Caswell, H. (1987). A stage-based population model for loggerhead sea turtles and implications for conservation. *Ecology* 68: 1412-1423.
- Crowder, L.B., Crouse, D.T., Heppell, S.S., and Martin, T.H. (1994). Predicting the impact of turtle excluder devices on loggerhead sea turtle populations. *Ecological Applications* **4**: 437-445.
- Crowder, L.B., Hopkins-Murphy, S.R., and Royle, J.A. (1995). Effects of turtle excluder devices (TEDs) on loggerhead sea turtle strandings with implications for

conservation. Copeia 4: 773-779.

- Dayton, P.K., Thrush, S.F., Agardy, M.T., and Hofman, R.J. (1995). Environmental effects of marine fisheries. *Aquatic Conservation: Marine and Freshwater Ecosystems* **5**: 205-232.
- Demaster, D.P., Miller, D.J., Goodman, D., Delong, R.L., and Stewart, B.S. (1982). Assessment of California sea lion fishery interactions. In *Transaction of the 47th North American Wildlife Research Conference*. Eds. Chapman, D.G. and Eberhardt, L.L., pp. 253-264.
- DiCiccio, T. J. and Efron, B. (1996). Bootstrap confidence intervals. *Statistical Science* 11: 189-228.
- Dickerson, D.D., Reine, K.J., Nelson, D.A., and Dickerson (Jr), C.E. (1995).
 Assessment of sea turtle abundance in six South Atlantic US Chanels. Final Report
 Number EL-95-5, US Army corps of Engineers, Mississippi, USA. 44 pps.
- Dobbs, K. (2001). Marine Turtles in the Great Barrier Reef World Heritage Area: a compendium of information and basis for the development of policies and strategies for the conservation of marine turtles. Great Barrier Reef Marine Park Authority, Townsville. 53 pps.
- Dodd, C.K. (1988). Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). FAO Synopsis. FAO: Rome, Italy.
- Dredge, M.C.L. and Trainor, N. (1994). The potential for interaction between trawling and turtles in the Queensland East Coast Trawl Fishery. In: *Proceedings of the Australian Marine Turtle Conservation Workshop*. Eds. James, R., Australian Nature Conservation Agency, Canberra. pp. 136-141.
- Dudley, S.F.J. and Cliff, G. (1993). Some effects of shark nets in the Natal nearshore environment. *Environmental Biology of Fishes* **36:** 243-255.
- EA (1998). *Draft Recovery Plan for marine Turtles in Australia*. Environment Australia, Canberra. 108 pps.
- EA (2001). *Guidelines for the Ecologically Sustainable Management of Fisheries*. Environment Australia, Canberra, Australia. 16 pps.
- EA (2003). Key Threatening Processes: Incidental catch (by-catch) of sea turtles during

coastal otter-trawling operations in Australian waters north of 28°S. Environment Australia. http://www.ea.gov.au/biodiversity/threatened/ktp/ottertrawl.html

- Edgar, B. and Stephens, S. (1993). Commonwealth legislation relevant to reptiles and amphibians. In: *Herpetology in Australia*. *A Diverse Discipline*. Eds. Lunney, D. and Ayres, D. Royal Zoological Society of New South Wales. pp. 39-42.
- Efron, B. and Tibshirani, R. J. (1993). *An introduction to the bootstrap*. Chapman & Hall: New York. 436 pps.
- Epperly, S., Braun, J., and Chester, A.J. (1994). Aerial surveys for sea turtles in North Carolina inshore waters. *Fishery Bulletin* **93**: 254-261.
- Epperly, S.P., Braun, J., Chester, A.J., Cross, F.A., Merriner, J.V., and Tester, P.A. (1995a). Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. *Bulletin of Marine Science* 56: 547-568.
- Epperly, S.P., Braun, J., and Veishlow, A. (1995b). Sea turtles in North Carolina waters. *Conservation Biology* **9:** 384-394.
- Epperly, S.P. and Teas, W.G. (2002). Turtle excluder devices Are the escape opening large enough? *Fishery Bulletin* **100**: 466-474.
- FAO (1995). Code of Conduct for Responsible Fisheries. FAO, Rome, Italy.
- FAO (1997). The State of World Fisheries and Aquaculture. FAO, Rome. 125 pps.
- Forbes, G.A. (1994). The diet of the green turtle in an algal-based coral reef community Heron Island, Australia. In: *Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Schroeder, B.A. and Witherington, B.E., NOAA Technical Memorandum NMFS-SEFSC-341. pp. 57-60.
- Frazer, N.B. (1986). Survival from egg to adulthood in a declining population of loggerhead turtles, *Caretta caretta. Herpetologica* 42: 47-55.
- Gatten, R.E. (1987). Cardiovascular and other physiological correlates of hibernation in aquatic and terrestrial turtles. *American Zoologist* **27**: 59-68.
- GBRMPA (1981). Nomination of the Great Barrier Reef by the Commonwealth of Australia for Inclusion in the World Heritage List. Great Barrier Reef Marine Park Authority, Townsville, Australia. 37 pps.

- GBRMPA (1999). An Overview of the Great Barrier Reef Marine Park Authority Representative Areas Program. Great Barrier Reef Marine Park Authority, Townsville, Australia. 18 pps.
- GENSTAT[™] (2000). GenStat for Windows, Release 4.2, Fifth Edition. VSN International Ltd., Oxford.
- Georges, A., Limpus, C.J., and Parmenter, C.J. (1993). Natural history of the chelonia.
 In *Fauna of Australia. Volume 2A, Amphibia & Reptilia*. Eds. Glasby, C.J., Ross, G.
 J.B., and Beesley, P.L., Australian Government Publishing Service: Canberra. pp. 120-141.
- Gitschlag, G.R. (1996). Migration and diving behaviour of Kemp's ridley (Garman) sea turtles along the US southeastern Atlantic coast. *Journal of Experimental Marine Biology and Ecology*. 205, 115-135.
- Goñi, R. (1998). Ecosystem effects of marine fisheries: an overview. Ocean & Coastal Management 40: 37-64.
- Grainger, R.J.R. and Garcia, S.M. (1996). Chronicles of Marine Fishery Landings (1950-1994). Trend Analysis and Fisheries Potential. FAO, Rome. Fisheries Technical Paper 359. 51 pps.
- Gribble, N.A., McPherson, G., and Lane, B. (1998). Effect of the Queensland SharkControl Program on non-target species: whale, dugong, turtle and dolphin: a review.*Marine and Freshwater Research* 49: 645-651.
- Guinea, M. (1994). Sea Turtles of the Northern Territory. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. R. James. Australian Nature Conservation Agency, Canberra. pp. 15-22.
- Gyruis, E. and Limpus, C.J. (1988). The loggerhead turtle, *Caretta caretta*, in Queensland: population breeding structure. *Australian Wildlife Research* 15: 197-209.
- Haines, J.A. and Limpus, C.J. (2000). Marine Wildlife Stranding and Mortality Database Annual Report. 2000. III Marine Turtles. Queensland National Parks and Wildlife Service, Brisbane, Australia. 35 pps.

Hall, M.A. (1996). On bycatches. Reviews in Fish Biology and Fisheries. 6, 319-352.

- Hall, M.A., Alverson, D.L., and Metuzals, K.I. (2000). By-catch: problems and solutions. *Marine Pollution Bulletin*. 41, 204-219.
- Hall, S.J. (1999). The Effects of Fishing on Marine Ecosystems and Communities.Blackwell Science: Cornwall. 274 pps.
- Harris, A. (1994). Species review: the olive Ridley. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. James, R. Australian Nature Conservation Agency, Canberra. pp. 63-67.
- Harris, A. and Ward, P. (1999). Non-target species in Australia's Commonwealth fisheries. Bureau of Rural Sciences, Canberra. 52 pps.
- Hays, G.C., Adams, C.R., Broderick, A.C., Godley, B.J., Lucas, D.J., Metcalfe, J.D., and Prior, A.A. (2000). The diving behaviour of green turtles at Ascension Island. *Animal Behaviour* 59: 577-586.
- Hendrickson, J.R. (1980). The ecological strategies of sea turtles. *American Zoologist* 20: 597-608.
- Henwood, T. (2000). Individual Project Accounts Catch Per Unit Effort. NMFS
 Trawler Observer Data (1973 1982). In: *Proceedings of a Workshop on Assessing Abundance and Trends for In-water Sea Turtle Populations*. Eds. Bjorndal, K.A.
 and Bolten, A.B., NOAA Technical Memorandum NMFS-SEFSC-445. pp. 51.
- Henwood, T.A. and Stuntz, W.E. (1987). Analysis of sea turtle captures and mortalities during commercial shrimp trawling. *Fishery Bulletin* 85: 813-817.
- Henwood, T., Stuntz, W., and Thompson, N. (1992). Evaluation of U.S. turtle protective measures under existing TED regulations, including estimates of shrimp trawler related turtle mortality in the wider Caribbean. NOAA Technical Memorandum NMFS-SEFSC-303. 15 pps.
- Heppell, S.S., Crowder, L.B., and Menzel, T.R. (1999). Life table analysis of long-lived marine species with implications for conservation and management. In: *Life in the Slow Lane: Ecology and Conservation of Long-Lived Marine Animals*. Ed. Musick, J. A., American Fisheries Society: Bethesda, Maryland. *American Fisheries Society Symposium* 23: 137-148.
- Heppell, S.S., Limpus, C.J., Crouse, D.T., Frazer, N.B., and Crowder, L.B. (1996). Population model analysis for the loggerhead sea turtle, *Caretta caretta*, in

Queensland. Wildlife Research 23: 143-159.

- Hilborn, R. and Walters, C.J. (1992). *Quantitative Fisheries Stock Assessment. Choice, Dynamics and Uncertainty.* Chapman & Hall: New York. 570 pps.
- Hill, B.J. and Wassenberg, T.J. (2000). The probable fate of discards from prawn trawlers fishing near coral reefs. A study in the northern Great Barrier Reef, Australia. *Fisheries Research* 48: 277-286.
- Hillestad, H.O., Richardson, J.I., McVea, C., and Watson, J.M. (1981). Worldwide incidental capture of sea turtles. In: *Proceedings of the World Conference on Sea Turtle Conservation: Biology and Conservation of Sea Turtles*. Ed. Bjorndal, K., pp. 489-495.
- Hopkins-Murphy, S.R. and Murphy, T. (1994). Status of the Loggerhead nesting population in South Carolina: A five year up-date. In: *Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Bjorndal, K.A., Bolten, A.B., Johnson, D.A., and Eliazar, P.J., NOAA Technical Memorandum NMFS-SEFSC-351. pp. 62-64.
- Huettmann, F. and Diamond, A.W. (2001). Seabird colony locations and environmental determination of seabird distribution: a spatially explicit breeding seabird model fo the Northwest Atlantic. *Ecological Modelling* 141: 261-298.
- IUCN (2000). The 2000 IUCN Red List of Threatened Species. 10 pps.
- Jackson, D.C. (1985). Respiration and respiratory control in the green turtle, *Chelonia mydas*. *Copeia* **3**: 664-671.
- Jolly, G.M. (1969). Sampling methods for aerial censuses of wildlife populations. *East African Agricultural and Forestry Journal* **Special Issue:** 46-49.
- Kailola, P.J., Williams, M.J., Stewart, P.C., Reichelt, R.E., McNee, A., and Grieve, C. (1993). *Australian Fisheries Resources*. Bureau of Resource Science, DPI&E: Canberra, Australia.
- Keinath, J.A., Barnard, D.E., and Musick, J.A. (1995). *Behaviour of Loggerhead Sea Turtles in Savannah, Georgia and Charleston, South Carolina Shipping Channels.* Final Report, US Army Corps of Engineers, Mississippi, USA. 75 pps.
- Kemmerer, A.J. (1989). Summary report from Trawl Tow Time Versus Sea Turtle

Mortality Workshop. NMFS, Mississippi Laboratories, Mississippi. 20 pps.

- Klima, E.F., Gitschlag, G.R., and Renaud, M.L. (1988). Impacts of the explosive removal of offshore petroleum platforms on sea turtles and dolphins. *Marine Fisheries Review* 50: 33-42.
- Lawler, I. and Marsh, H. (2002). Use of dugong models to assess visibility to aerial survey observers. Unpublished Report TESAG, James Cook University, Townsville, Australia.
- LeBuff, C.R. and Hagan, P.D. (1978). The role of aerial surveys in estimating nesting populations of the loggerhead turtle. *Florida Marine Research Publications* 33: 31-33.
- Limpus, C.J. (1973). Loggerhead turtles (*Caretta caretta*) in Australia: food sources while nesting. *Herpetologica* 29: 42-45.
- Limpus, C.J. (1981). The status of Australian sea turtle populations. In: Proceedings of the World Conference on Sea Turtle Conservation: Biology and Conservation of Sea Turtles. Ed. Bjorndal, K.A., pp. 297-303.
- Limpus, C.J. (1985). A study of the loggerhead sea turtle, *Caretta caretta*, in eastern Australia. PhD Thesis, University of Queensland, Brisbane.
- Limpus, C.J. (1992). The hawksbill turtle, *Eretmochelys imbricata*, in Queensland: population structure within a southern Great Barrier Reef feeding ground. *Australian Wildlife Research* 19: 489-506.
- Limpus, C.J. (1994). Status of marine turtles in Queensland. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. James, R., Australian Nature Conservation Agency, Canberra. pp. 24-25.
- Limpus, C.J. (1995). Global overview of the status of marine turtles: a 1995 viewpoint. In *Biology and Conservation of Sea Turtles. Revised Edition*. Ed. Bjorndal, K.A., Smithsonian Institution Press: Washington. pp. 605-610.
- Limpus, C.J., Couper, P.J., and Read, M.A. (1994a). The loggerhead turtle, *Caretta caretta*, in Queensland: Population structure in a warm temperate feeding grounds. *Memoirs of the Queensland Museum* 12: 195-204.

Limpus, C.J., Couper, P.J., and Read, M.A. (1994b). The green turtle, Chelonia mydas,

in Queensland: Population structure in a warm temperate feeding area. *Memoirs of the Queensland Museum* **35:** 139-154.

- Limpus, C.J., De Villiers, D.L., De Villiers, M.A., Limpus, D., and Read, M.A. (2001). The loggerhead turtle, *Caretta caretta* in Queensland: feeding ecology in warm temperate waters. *Memoirs of the Queensland Museum* 46: 631-645.
- Limpus, C.J., Fleay, A., and Guinea, M. (1984a). Sea turtles of the Capricornia section, Great Barrier Reef. In: *Capricornia Section of the Great Barrier Reef. Past, Present and Future.* Eds. Ward, W.T. and Saenger, P., Royal Society of Queensland and Australian Coral Reef Society: Brisbane. pp. 61-78.
- Limpus, C.J. and Limpus, D.J. (2001). The loggerhead turtle, *Caretta caretta*, in Queensland: breeding migrations and fidelity to a warm temperate feeding area. *Chelonian Conservation Biology* **4:** 142-153.
- Limpus, C.J. and McLachlan, N. (1994). The conservation status of the leatherback turtle, *Dermochelys coriacea*, in Australia. In: *Proceedings of the Australian Marine Turtle Conservation Workshop*. Ed. James, R. Australian Nature Conservation Agency, Canberra. pp. 68-72.
- Limpus, C.J., McLachlan, N.C., and Miller, J.D. (1984b). Further observations on breeding of *Dermochelys coriacea* in Australia. *Australian Wildlife Research* 11: 567-571.
- Limpus, C.J., Miller, J.D., Parmenter, C.J., Reimer, D., McLachlan, N., and Webb, R. (1992). Migration of green (*Chelonia mydas*) and loggerhead (*Caretta caretta*) turtles to and from eastern Australian rookeries. *Wildlife Research* 19: 347-358.
- Limpus, C.J. and Nicholls, N. (1988). The Southern Oscillation regulates the annual numbers of green turtles (*Chelonia mydas*) breeding around Northern Australia. *Australian Wildlife Research* 15: 157-161.
- Limpus, C.J. and Parmenter, C.J. (1986). The sea turtle resources of the Torres Strait region. In: *Torres Strait Fisheries Seminar*. Eds. Haines, A.K., Williams, G.C., and Coates, D., pp. 95-107.
- Limpus, C.J., Parmenter, C.J., Baker, V., and Fleay, A. (1983a). The flatback turtle, *Chelonia depressa*, in Queensland: post-nesting migration and feeding ground distribution. *Australian Wildlife Research* 10: 557-561.

- Limpus, C.J., Parmenter, C.J., Baker, V., and Fleay, A. (1983b). The Crab Island sea turtle rookery in the north-eastern Gulf of Carpentaria. *Australian Wildlife Research* 10: 173-184.
- Limpus, C.J., Parmenter, C.J., and Limpus D.J. (2002). The status of the flatback turtle, *Natator depressus*, in eastern Australia. In *Proceedings of the 20th Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Moiser, A., Foley, A. and Brost, B. NOAA Technical Memorandum NMFS-SEFSC-477. pp. 140-142.
- Limpus, C.J. and Reed, P.C. (1985a). The green turtle, *Chelonia mydas*, in Queensland: a preliminary description of the population structure in a coral reef feeding ground.
 In: *Biology of Australasian Frogs and Reptiles*. Eds. Grigg, G., Shine, R., and Ehmann, H., Royal Zoological Society of New South Wales. pp. 47-52.
- Limpus, C.J. and Reed, P.C. (1985b). The loggerhead turtle, *Caretta caretta*, in Queensland: observations on internesting behaviour. *Australian Wildlife Research* 12: 535-540.
- Limpus, C.J. and Reimer, D. (1994). The loggerhead turtle, *Caretta caretta*, in Queensland: a population in decline. In: *Proceedings of the Australian Marine Turtle Conservation Workshop*. Ed. James, R., Australian Nature Conservation Agency, Canberra. pp. 39-59.
- Lutcavage, M. (1992). Physiological tolerance of enforced submergence in shrimp trawls. Unpublished report. 10 pps.
- Lutcavage, M.E. and Lutz, P.L. (1991). Voluntary diving metabolism and ventilation in the loggerhead sea turtle. *Journal of Experimental Marine Biology and Ecology* 147: 287-296.
- Lutcavage, M.E. and Lutz, P.L. (1996). Diving physiology. In: *The Biology of Sea Turtles*. Eds. Lutz, P.L. and Musick, J.A., CRC Press: Boca Raton, Florida. pp. 277-296.
- Lutcavage, M.E., Plotkin, P., and Witherington, B. (1996). Human impacts on sea turtle survival. In *The Biology of Sea Turtles*. Eds. Lutz, P.L. and Musick, J.A., CRC Press: Boca Raton, Florida. pp. 387-410.
- Lutz, P.L. and Bentley, T.B. (1985). Respiratory physiology of diving in the sea turtle. *Copeia* **3:** 671-679.

- Lutz, P.L., Bergey, A., Bergey, M. (1989). Effects of temperature on gas exchange and acid-base balance in the sea turtle *Caretta caretta* at rest and during routine activity. *Journal of Experimental Biology* 144: 155-169.
- Lutz, P.L. and Dunbar-Cooper, A. (1981). Effect of forced submergence and low seawater temperature on the physiology and behaviour of sea turtles. NMFS Contract Report. 50 pps.
- Magnuson, J.J., Bjorndal, K.A., DuPaul, W.D., Graham, G.L., Owens, D.W., Peterson,
 C.H., Pritchard, P.C.H., Saul, G.E., and West, C.W. (1990). *Decline of the Sea Turtles: Causes and prevention*. National Academy Press: Washington DC. 190 pps.
- Manel, S., Dias, J.M., Buckton, S.T., and Ormerod, S.J. (1999). Alternative methods for predicting species distributions: an illustration with Himalayan river birds. *Journal* of Applied Ecology 36: 734-747.
- Margavio, A.V., Laska, S., Mason, J., and Forsyth, C. (1993). Captives of Conflict: the TEDs case. *Society and Natural Resources* **6**: 273-290.
- Marquez, R. M. (1990). Sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date. Fisheries Synopsis 125, Vol 11, FAO: Rome. 81 pps.
- Marsh, H. (2000). Evaluating management initiatives aimed at reducing the mortality of dugongs in gill and mesh nets in the Great Barrier Reef world heritage area. *Marine Mammal Science* 16: 684-694.
- Marsh, H., Eros, C., Corkeron, P., and Breen, B. (1999). A conservation strategy for dugongs: implications for Australian research. *Marine and Freshwater Research* 50: 979-990.
- Marsh, H and Lawler, IR (2001a) Dugong distribution and abundance in the Southern Great Barrier Reef Marine Park and Hervey Bay: Results of an aerial survey in October-December 1999. Great Barrier Reef Marine Park Authority Research Publication No. 70
- Marsh, H and Lawler, IR (2001b) Dugong distribution and abundance in the northern Great Barrier Reef Marine Park November 2000. Great Barrier Reef Marine Park Authority unpublished report.

Marsh, H. and Saalfeld, W.K. (1989). Aerial surveys of sea turtles in the northern Great

Barrier Reef marine park. Australian Wildlife Research 16: 239-249.

- Marsh, H. and Saalfeld, W.K. (1990). *The distribution and relative abundance of sea turtles in southern Queensland waters*. Queensland Department of Primary Industries, Brisbane, Australia. 28 pps.
- Marsh, H. and Sinclair, D.F. (1989a). An experimental evaluation of dugong and sea turtle aerial survey techniques. *Australian Wildlife Research* **16:** 639-650.
- Marsh, H. and Sinclair, D.F. (1989b). Correcting for visibility bias in strip transect aerial surveys of aquatic fauna. *Journal of Wildlife Management* **53**: 1017-1024.
- Maynes, G. (1995). Facing up to challenge and change. *Australian Fisheries* May: 19-20.
- McCaughran, D.A. (1992). Standardized nomenclature and methods of defining bycatch levels and implications. In: *Proceedings of the National Industry Bycatch Workshop*. Eds. Schonig, R.W., Jacobson, R.W., Alverson, D.L., Gentle, T.G., and Auyong, J., Natural Resource Consultants Inc., Seattle Washington. pp. 200-201.
- McCullagh, P. and Nelder, J.A. (1989). *Generalized Linear Models*. 2nd Edition. Chapman and Hall: London.
- McDaniel, C.J., Crowder, L.B., and Priddy, J.A. (2000). Spatial dynamics of sea turtle abundance and shrimping intensity in the US Gulf of Mexico. *Conservation Ecology* 4: 1-18.
- MCFFA (2000). *National Policy on Fisheries Bycatch*. Ministerial Council on Forestry, Fisheries and Aquaculture, Department of Agriculture, Fisheries and Forestry, Canberra, Australia. 14 pps.
- Meylan, A. (1981). Estimation of population size in sea turtles. In: Proceedings of the World Conference on Sea Turtle Conservation: Biology and Conservation of Sea Turtles. Ed. Bjorndal, K.A., pp. 135-138.
- Meylan, A. (1989). Hawksbill turtles (*Eretmochelys imbricata*). In: *Proceedings of the Second Western Atlantic Turtle Symposium*. Eds. Orgren, L., Berry, F., Bjorndal, K., Kumpf, H., Mast, R., Medina, G., Reichart, H., and Witham, R., NOAA Technical Memorandum NMFS-SEFC-226. pp. 101-115.
- Miller, J.D. (1994). The hawksbill turtle, Eretmochelys imbricata: a perspective on the

species. In: *Proceedings of the Australian Marine Turtle Conservation Workshop*.Ed. James, R., Australian Nature Conservation Agency, Canberra. pp. 25-38.

- Miller, J.D. (1996). Reproduction in sea turtles. In: *The Biology of Sea Turtles*. Eds. Lutz, P.L. and Musick, J.A., CRC Press: Boca Raton, Florida. pp. 51-82.
- Milsom, T.P., Langton, S.D., Parkin, W.K., Peel, S., Bishop, J.D., Hart, J.D., and Moore, N. P. (2000). Habitat models of bird species' distribution: an aid to the management of coastal grazing marshes. *Journal of Applied Ecology* 37: 706-727.
- Milton, D.A. (2001). Assessing the susceptibility to fishing of populations of rare trawl bycatch: sea snakes caught by Australia's Northern Prawn Fishery. *Biological Conservation* **101**: 281-290.
- Minamikawa, S., Naito, Y., and Uchida, I. (1997). Buoyancy control in diving behaviour of the loggerhead turtle, *Caretta caretta*. *Journal of Ethology* 15: 109-118.
- Mitchell, J. (1996). TED Testing Project Report. NMFS, Pascagoula, MS, USA. 25 pps.
- Moberg, M. and Dyer, C.L. (1994). Conservation and forced innovation: Responses to turtle excluder devices among Gulf of Mexico shrimpers. *Human Organization* 53: 160-166.
- Mortimer, J.A., Donnelly, M., and Plotkin, P.T. (2000). Sea turtles. In: Seas at the millennium - an environmental evaluation. Ed. Sheppard, C.R.C., Elsevier Science Inc. pp. 59-71.
- Mounsey, R.P., Baulch, G.A., and Buckworth, R.C. (1995). Development of a trawl efficiency device (TED) for Australian prawn fisheries I: The AusTED Design. *Fisheries Research* 22: 99-105.
- Mrosovsky, N. (1994). Sex ratios of sea turtles. *Journal of Experimental Zoology* **270**: 16-27.
- Murphy, T.M. and Hopkins-Murphy, S.R. (1989). Sea turtle and shrimp fishing interactions: A summary and critique of relevant information. Center for Marine Conservation: Washington DC, USA. 52 pps.
- Musick, J.A. (1999). Ecology and conservation of long-lived marine animals. In: *Life in the Slow Lane: Ecology and Conservation of Long-Lived Marine Animals*. Ed.

Musick, J.A., American Fisheries Society Symposium Volume 23: 1-10.

- Musick, J.A. and Limpus, C.J. (1996). Habitat utilization in juvenile sea turtles. In *The Biology of Sea Turtles*. Eds. Lutz, P.A. and Musick, J.A., CRC Press: Boca Raton, Florida. pp. 137-164.
- Musick, J.J., Barnard, D.E., and Keinath, J.A. (1994). Aerial estimates of seasonal distribution and abundance of sea turtles near the Cape Hatteras faunal barrier. In: *Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Schroeder, B.A. and Witherington, B.E., NOAA Technical Memorandum NMFS-SEFSC-341. pp. 121-123
- NORMAC (1998). Northern Prawn Fishery Bycatch Action Plan. Australian Fisheries Management Authority, Canberra. 21 pps.
- Ogren, L.H., Watson, J.W., and Wickham, D.A. (1977). Loggerhead sea turtles, *Caretta caretta*, encountering shrimp trawls. *Marine Fisheries Review* Nov. 15-17.
- Pantus, F. (1996). Analysis of the QFMA logbook data for gill netting 1993-1994. Unpublished report.
- Parmenter, C.J. (1994). Species review: The flatback turtle Natator depressa. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. James, R., Australian Nature Conservation Agency, Canberra. pp. 60-62.
- Paterson, R.A. (1990). Effects of long-term anti-shark measures on target and non-target species in Queensland, Australia. *Biological Conservation* 52: 147-159.
- Plotkin, P.T., Wicksten, M.K., and Amos, A.F. (1993). Feeding ecology of the loggerhead sea turtle *Caretta caretta* in the northwestern Gulf of Mexico. *Marine Biology* 115: 1-5.
- Poiner, I.R., Buckworth, R.C., and Harris, A.N.H. (1990). Incidental capture and mortality of sea turtles in Australia's northern prawn fishery. *Australian Journal of Marine and Freshwater Research* **41**: 97-110.
- Poiner, I.R. and Harris, A.N.H. (1996). Incidental capture, direct mortality and delayed mortality of sea turtles in Australia's Northern Prawn Fishery. *Marine Biology* 125: 813-825.

Pollock, K.H. (1982). A capture-recapture design robust to unequal probability of

capture. Journal of Wildlife Management 46: 752-757.

- Pollock, K.H., Jones, C.M., and Brown, T.L. (1994). Angler survey methods and their application in fisheries management. American Fisheries Society: Bethesda. 371 pps.
- Polovina, J.J., Kobayashi, D.R., Parker, D.M., Seki, M.P., and Balazs, G.H. (2000).
 Turtles on the edge: movement of loggerhead turtles (*Caretta caretta*) along oceanic fronts, spanning longline fishing grounds in the central North Pacific, 1997-1998. *Fisheries Oceanography* 9: 71-82.
- Preen, A.R., Marsh, H., Lawler, I.R., Prince, R.I.T., and Shepherd, R. (1997).
 Distribution and abundance of dugongs, turtles, dolphins and other megafauna in
 Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. *Wildlife Research* 24: 185-208.
- QFMA (1996). Discussion Paper No. 5: Queensland Trawl Fishery. Queensland Fisheries Management Authority, Brisbane. 100 pps.
- QFMA (1998). Queensland Trawl Fishery, Proposed Management Arrangements 1998-2005. Queensland Fisheries Management Authority, Brisbane, Australia. 40 pps.
- Read, M.A. and Limpus, C.J. (2002). The green turtle, *Chelonia mydas*, in Queensland: feeding ecology of immature turtles in Moreton Bay, southeastern Queensland. *Memoirs of the Queensland Museum* 48: 207-214.
- Renaud, M.L. and Carpenter, J.A. (1994). Movements and submergence patterns of loggerhead turtles *Caretta caretta* in the Gulf of Mexico determined through satellite telemetry. *Bulletin of Marine Science* 55: 1-15.
- Richardson, J.I. and Richardson, T.H. (1981). An experimental population model for the loggerhead sea turtle (*Caretta caretta*). In: *Proceedings of the world conference on sea turtle conservation: Biology and conservation of sea turtles*. Ed. Bjorndal, K. A., pp. 165-176.
- Richardson, J.I., Richardson, T.H., and Dix, M.W. (1978). Population estimates for nesting female loggerhead sea turtles *Caretta caretta* in the St. Andrew Sound area of southeastern Georgia, USA. *Florida Marine Research Publications* 33: 34-38.

Roberts, C.M. and Hawkins, J. P. (1999). Extinction risk in the sea. TREE 14: 241-246.

- Robins, J.B. (1995). Estimated catch and mortality of sea turtles from the East Coast Otter Trawl Fishery of Queensland, Australia. *Biological Conservation* **74:** 157-167.
- Robins, J.B. (1997). The adoption of bycatch reduction gear technology: a Cook's tour.In *Asia-Pacific Fishing '97*. Baird Publications, Melbourne, Australia. pp. 91-95.
- Robins, J.B., Campbell, M.J., and McGilvray, J.G. (1999). Reducing Prawn-trawlBycatch in Australia: An Overview and an Example from Queensland. *Marine Fisheries Review* 61: 46-55.
- Robins, J.B. and Courtney, A.J. (1999). Status report on bycatch in the Queensland Trawl Fishery. In: *Proceedings of the Australian Society for Fish Biology Workshop on Establishing Meaningful Targets for Bycatch Reduction in Australian Fisheries*. Eds. Buxton, C. and Eayrs, S., Australian Society for Fish Biology, Hobart. pp. 24-45.
- Robins, J.B. and Dredge, M.C.L. (2000). Strategies used to acheive the industry adoption of bycatch reduction devices in prawn trawl fisheries of northern Australia.
 In: *Management for Sustainable Ecosystems*. Eds. Hale, P., Petrie, A., Moloney, D., and Sattler, P. Centre for Conservation Biology, Brisbane. pp. 147-153.
- Robins, J.B. and Mayer, D.G. (1998). Monitoring the impact of trawling on sea turtle populations of the Queensland east coast. Final Report to the Fisheries Research and Development Corporation for Project No. T93/229. Queensland Department of Primary Industries, Brisbane. 56 pps.
- Saila, S.B. (1983). Importance and assessment of discards in commercial fisheries. FAO Fisheries Circular 765. 62 pps.
- Sainsbury, K., Smith, A., and Webb, H. (1999). Current use and recommendations for future development of sustainability indicators to measure performance of Australian fisheries against ESD objectives. Final Report to the Fisheries Research and Development Corporation for Project No. 98/168. Hobart, Tasmania. 105 pps.
- Seymour, R.S., Webb, G.J. W., Bennett, A.F., and Bradford, D.F. (1989). Effect of capture on the physiology of *Crocodylus porosus*. In: *Wildlife Management: Crocodiles and Alligators*. Eds. Webb, G.J.W., Manolis, C., and Whitehead, P.J. Surrey Beatty and Sons Pty Ltd. pp. 253-257.

Schreer, J.F. and Kovacs, K.M. (1997). Allometry of diving capacity in air-breathing

vertebrates. Canadian Journal of Zoology 75: 339-358.

- Shoop, C.R. and Kenney, R.D. (1992). Seasonal distributions and abundances of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs* 6: 43-67.
- Shoop, C.R. and Ruckdeschel, C. (1982). Increasing turtle strandings in the southeastern United States: a complicating factor. *Biological Conservation* **23**: 213-215.
- Skillman, R.A. and Balazs, G.H. (1992). Leatherback turtle captured by ingestion of squid bait on swordfish longline. *Fishery Bulletin* **90**: 807-808.
- Slater, J., Limpus, C., Robins, J., Pantus, F., and Chaloupka, M. (1998). *Risk* Assessment of Sea Turtle Capture in the Queensland East Coast Otter Trawl Fishery. Inter-agency Report To Trawl MAC by the Great Barrier Reef Marine Park Authority, Queensland Department of Environment Protection and Queensland Department of Primary Industries. QEPA, Brisbane. 31 pps.
- Smith, A. and Marsh, H. (1989). Management of the traditional hunting of dugongs Dugong dugon (Muller, 1776) in the Northern Great Barrier Reef, Australia. Environmental Management. 14, 47-55.
- Soma, M. (1985). Radio biotelemetry system applied to migratory study of turtle. *J. Fac. Mar. Sci. Technol. Tokai Univ.* **21**, 47.
- Somers, I.J. (1994). Modelling loggerhead turtle populations. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. James, R., Australian Nature Conservation Agency, Canberra. pp. 142-145.
- Stabenau, E.K., Heming, T.A., and Mitchell, J.F. (1991). Respiratory, acid-base and ionic status of Kemp's ridley sea turtles (*Lepidochelys kempi*) subjected to trawling. *Comparative Biochemistry and Physiology A* 99: 107-111.
- Standora, E.A., Morreale, S.J., Bolten, A.B., Eberle, M.D., Edbauer, J.M., Ryder, T.S., and Williams, K.L. (1994). Diving behaviour and vertical distribution of loggerheads, and a preliminary assessment of trawling efficiency for censusing. In: *Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation*. Eds. Schroeder, B.A. and Witherington, B.E., NOAA Technical Memorandum NMFS-SEFSC-341. pp. 174-177.

Standora, E. A. and Spotila, J. R. (1985). Temperature dependent sex determination in

sea turtles. Copeia 3: 711-722.

- Stewart, B. (2002). Diving behaviour. In: *Encyclopaedia of Marine Mammals*. Eds. Perrin, W.F., Wursig, B., and Thewissen, J.G.M., Academic Press: London. pp. 333-339.
- Stobutzki, I.C., Miller, M.M., and Brewer, D. (2001a). Sustainability of fishery bycatch: a process for assessing highly diverse and numerous bycatch. *Environmental Conservation* 28: 167-181.
- Stobutzki, I.C., Miller, M.M., Jones, P., and Salini, J.P. (2001b). Bycatch diversity and variation in a tropical Australian penaeid fishery: the implications for monitoring. *Fisheries Research* 53: 283-301.
- Suarez, A. (2000). The sea turtle harvest of the Kai Islands. In: Sea Turtles of the Indo-Pacific: Research Management & Conservation. Eds. Pilcher, N. and Ismal, G. ASEAN Academic Press: London. pp. 3-12.
- Suganuma, Ysuf, A., Tanaka, S., and Kamezaki, N. (2000). Serious declines of nesting populations of the hawksbill turtle (*Eretmochelys imbricata*) in the Java Sea, Indonesia. In: *Sea Turtles of the Indo-Pacific: Research Management & Conservation*. Eds. Pilcher, N. and Ismal, G. ASEAN Academic Press: London. pp. 116-120.
- TEWG (1998). An Assessment of the Kemp's Ridley (Lepidochelys kempii) and loggerhead (Caretta caretta) Sea Turtle Populations in the Western North Atlantic.
 US Department of Commerce, NOAA Technical Memorandum SEFSC-NMFS-409.
 105 pps.
- TEWG (2000). Assessment Update for the Kemps Ridley and Loggerhead Sea Turtle Populations in the Western North Atlantic. US Department of Commerce, (Number NOAA Technical Memorandum SEFSC-NMFS-444. 115 pps.
- Thompson, N.B., Scott Denton, E., Koi, D.B., Martinez, A., and Mullin, K. (1991). Turtles in the Gulf of Mexico: pelagic distributions and commercial shrimp trawling. NOAA Technical Memorandum NMFS-SEFSC-286. 24 pps.
- Tucker, A.D., Fitzsimmons, N.N., and Limpus, C.J. (1995). Conservation implications of internesting habitat use by loggerhead turtles *Caretta caretta* on Wongarra Marine Park, Queensland, Australia. *Pacific Conservation Biology* 2: 157-166.

- Tucker, A.D., Robins, J.B., and McPhee, D.P. (1997). Adopting TEDs in Australia and the USA: what differences are there in technology transfer, promotion and acceptance. *Coastal Management* 25: 405-421.
- Valentine, P, Webb, T., Marsh, H., and Lucas, P. (1997). The Great Barrier Reef: multiple-use marine park and world heritage site. In: *Proceedings of The Great Barrier Reef, science, use and management a national conference*. Eds. Turia, N. and Daliston, C., Great Barrier Reef Marine Park Authority, Townsville. pp. 382-395.
- van Dam, R.P. and Diez, C.E. (1997). Diving behaviour of immature hawksbill turtles (*Eretmochelys imbricata*) in a Caribbean reef habitat. *Coral Reefs* **16:** 133-138.
- Walker, T. (1994). Post-hatchling dispersal of sea turtles. In: Proceedings of the Australian Marine Turtle Conservation Workshop. Ed. James, R. Australian Nature Conservation Agency, Canberra. pp. 79-94.
- Ward, T.M. (1996). Sea snake by-catch of prawn trawlers on the northern Australian continental shelf. *Marine and Freshwater Research* **47:** 631-635.
- Ward, T.M. (2000). Towards a strategy to mitigate the impacts of demersal trawlers on the sea snakes of northern Australia. PhD Thesis, James Cook University.
- Wassenberg, T.J. and Hill, B.J. (1989). The effect of trawling and subsequent handling on the survival rates of by-catch of prawn trawlers in Moreton Bay, Australia. *Fisheries Research* 7: 99-110.
- Watson, J.W. (2000). The southeastern United States experience with the introduction and acceptance of new sustainable technologies. In: *Expert Consultation on Sustainable Fishing Technologies and Practices*. Eds. Smith, A.R. and Valdermarsen, J.W., FAO, Rome, Italy. pp. 141-152.
- Watson, J., Foster, D., Shah, A., Scott-Denton, E., Nichols, S., and Nance, J. (1999).
 The development of bycatch reduction technology in the southeastern United States shrimp fishery. *Marine Technology Society Journal* 33: 51-56.
- Watson, J.W., Mitchell, J.F., and Shah, A.K. (1986). Trawling efficiency device: A new concept for selective shrimp trawling gear. *Marine Fisheries Review* **48**: 1-10.
- Watson, J.W. and Seidel, W.R. (1980). Evaluation of techniques to decrease sea turtle mortalities in the southeastern United States shrimp fishery. *International Council*

for the Exploration of the Sea. C.M., 1-8.

Watson, J., Workman, I., Foster, D., Taylor, C., Shah, A., Barbour, J., and Hataway, D. (1994). Status report on the potential of gear modifications to reduce finfish bycatch in shrimp trawls in the southeastern United States 1990-1992. NOAA Technical Memorandum NMFS-SEFSC-327. 131 pps.

WCED (1987). Our Common Future. Oxford University Press, Oxford, UK. 400 pps.

- Wetherall, J.A., Balazs, G.H., Tokunaga, R.A., and Yong, M.Y.Y. (1994). Bycatch of marine turtles in North Pacific high-seas driftnet fisheries and impacts on the stocks. *North Pacific Commission Bulletin* 53: 519-538.
- Williams, J.A. and Renaud, M.L. (1998). Tracking of kemp's ridley (*Lepidochelys kempii*) and green (*Chelonia mydas*) sea turtles in the Matagorda Bay system, Texas. In: *Proceedings of the 17th Annual Sea Turtle Symposium*. Eds. Epperly, S. and Braun, J., NOAA Technical Memorandum NMFS-SEFSC-415, pp. 285-288.
- Williams, L. (1997). Queensland's Fisheries Resources. Current condition and recent trends 1988-1995. Queensland Department of Primary Industries, Brisbane. 101 pps.
- Williams, L. (2002). Queensland's Fisheries Resources. Current condition and recent trends 1988-2000. Queensland Department of Primary Industries, Brisbane. 180 pps.
- Witham, R. (1980). The "lost year" question in young sea turtles. *American Zoologist* 20: 525-530.
- Witzell, W.N. (1999). Distribution and relative abundance of sea turtles caught incidentally by the US pelagic longline fleet in the western North Atlantic Ocean, 1992-1995. *Fishery Bulletin* 97: 200-211.
- Wood, S.C., Gatz, R.N., and Glass, M.L. (1984). Oxygen transport in the green sea turtle. *Journal of Comparative Physiology B* **154**: 275-280.
- Yamamura, K. (1999). Transformation using (x+0.5) to stabilize the variance of populations. *Res. Pop. Ecol.* **41**: 229-234.
- Yano, K. and Tanaka, S. (1991). Diurnal swimming patterns of loggerhead turtles during their breeding period as observed by ultrasonic telemetry. *Nippon Suisan*

Gakkaishi 57: 1669-1678.

- Young, G.A. (1994). Bootstrap: more than a stab in the dark? *Statistical Science* **9:** 382-415.
- Young, N.M., Iudicello, S., Evans, K., and Baur, D. (1993). The incidental capture of marine mammals in US fisheries, problems and solutions. Centre for Marine Conservation, USA. 415 pps.
- Zar, J.H. (1996). *Biostatistical Analysis*. Third Edition. Prentice-Hall International, Inc., USA. 662 pps.
- Zeller, B. (1998). *Queensland's Fisheries Habitats. Current Condition and Recent Trends.* Queensland Department of Primary Industries, Brisbane, Australia. 211 pps.