



CONSERVATION BIOLOGY 18

# Ecology and Conservation of the Sirenia

Dugongs and Manatees

Helene Marsh, Thomas J. O'Shea  
and John E. Reynolds III



CAMBRIDGE

## References

- Ackerman, B. B. (1995). Aerial surveys of manatees: a summary and progress report. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 13–33.
- Ackerman, B. B., Wright, S. D., Bonde, R. K., Odell, D. K. and Banowitz, D. J. (1995). Trends and patterns in mortality of manatees in Florida, 1974–1992. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 223–258.
- Adulyanukosol, K. and Thongsukdee, S. (2005). Report of the results of the survey on dugongs, dolphins, sea turtles, and seagrass in Trang Province. Phuket Marine Biological Center, Department of Marine and Coastal Resources.
- Adulyanukosol, K., Thongsukdee, S., Hara, T., Arai, N. and Tsuchiya, M. (2007). Observations of dugong reproductive behaviour in Trang Province, Thailand: further evidence of intraspecific variation in dugong behaviour. *Marine Biology*, 151, 1887–1891.
- Aipanjiguly, S., Jacobson, S. K. and Flamm, R. (2003). Conserving manatees: knowledge, attitudes, and intentions of boaters in Tampa Bay, Florida. *Conservation Biology*, 17, 1098–1105.
- Aketa, K., Asano, S., Wakai, Y. and Kawamura, A. (2003). Apparent digestibility of eelgrass *Zostera marina* by captive dugongs (*Dugong dugon*) in relation to the nutritional content of eelgrass and dugong feeding parameters. *Mammal Study*, 28, 23–30.
- Alber, M. (2002). A conceptual model of estuarine freshwater inflow management. *Estuaries and Coasts*, 25, 1246–1261.
- Albert, S., O'Neil, J. M., Udy, J. W., et al. (2005). Blooms of the cyanobacterium *Lyngbya majuscula* in coastal Queensland, Australia: disparate sites, common factors. *Marine Pollution Bulletin*, 51, 428–437.
- Alicea-Pou, J. A. (2001). Vocalizations and behavior of the Antillean and Florida manatee (*Trichechus manatus*): individual variability and geographical comparison. MS Thesis, Moss Landing Marine Laboratories and San Francisco State University.
- Allen, S., Marsh, H. and Hodgson, A. (2004). Occurrence and conservation of the dugong (Sirenia: Dugongidae) in New South Wales. *Proceedings of the Linnean Society of New South Wales*, 125, 211–216.

- Allison, E. H., Perry, A. L., Badjeck, M.-C. *et al.* (2009). Vulnerability of national economies to the impacts of climate change on fisheries. *Fish and Fisheries*, 10, 173–196.
- Allmon, W. D., Emslie, S. D., Jones, D. S. and Morgan, G. S. (1996). Late Neogene oceanographic change along Florida's west coast: evidence and mechanisms. *Journal of Geology*, 104, 143–162.
- Allsopp, W. H. L. (1960). The manatee: ecology and use for weed control. *Nature*, 188, 762.
- Allsopp, W. H. L. (1969). Aquatic weed control by manatees: its prospects and problems. In *Man-Made Lakes*, L. E. Obeng (ed.), Accra: Ghana University Press, pp. 344–351.
- Alvarez-Alemán, A., Beck, C. A. and Powell, J. A. (2010). First report of a Florida manatee (*Trichechus manatus latirostris*) in Cuba. *Aquatic Mammals*, 36, 148–153.
- Alves-Stanley, C. D. and Worthy, G. A. J. (2009). Carbon and nitrogen stable isotope turnover rates and diet-tissue discrimination in Florida manatees (*Trichechus manatus latirostris*). *Journal of Experimental Biology*, 212, 2349–2355.
- Alves-Stanley, C. D., Worthy, G. A. J. and Bonde, R. K. (2010). Feeding preferences of West Indian manatees in Florida, Belize, and Puerto Rico as indicated by stable isotope analysis. *Marine Ecology Progress Series*, 402, 255–267.
- Amaral, R. S., Rosas, F. C. W., Viau, P., *et al.* (2009). Noninvasive monitoring of androgens in male Amazonian manatee (*Trichechus inunguis*): biologic validation. *Journal of Zoo and Wildlife Medicine*, 40, 458–465.
- Ambati, B. K., Nozaki, M., Singh, N., *et al.* (2006). Corneal avascularity is due to soluble VEGF receptor-1. *Nature*, 443, 993–997.
- Ames, A. L. (2002). Lipid chemistry of the Florida manatee, *Trichechus manatus latirostris*. PhD Thesis, University of South Florida, Tampa.
- Ames, A. L. and Van Vleet, E. S. (1996). Organochlorine residues in the Florida manatee, *Trichechus manatus latirostris*. *Marine Pollution Bulletin*, 32, 374–377.
- Ames, A. L., Van Vleet, E. S. and Sackett, W. M. (1996). The use of stable carbon isotope analysis for determining the dietary habits of the Florida manatee *Trichechus manatus latirostris*. *Marine Mammal Science*, 12, 555–563.
- Ames, A. L., Van Vleet, E. S. and Reynolds III, J. E. (2002). Comparison of lipids in selected tissues of the Florida manatee (Order Sirenia) and bottlenose dolphin (Order Cetacea; Suborder Odontoceti). *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 132, 625–634.
- Amrine, H. M. and Springer, M. S. (1999). Maximum-likelihood analysis of the tethythere hypothesis based on a multigene data set and comparison of different models of sequence evolution. *Journal of Mammalian Evolution*, 6, 161–176.
- Anderson, D. R., Wywiałowski, A. P. and Burnham, K. P. (1981). Tests of the assumptions underlying life table methods for estimating parameters from cohort data. *Ecology*, 62, 1121–1124.
- Anderson, P. K. (1979). Dugong behaviour: on being a marine mammalian grazer. *The Biologist*, 61, 113–144.
- Anderson, P. K. (1981a). The behavior of the dugong (*Dugong dugon*) in relation to conservation and management. *Bulletin of Marine Science*, 31, 640–647.
- Anderson, P. K. (1981b). Dugong behaviour: observations, extrapolations and speculations. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8–13 May 1979*, Townsville, H. Marsh (ed.), Townsville: James Cook University, pp. 91–111.

- Anderson, P. K. (1982). Studies of dugongs at Shark Bay, Western Australia: II. Surface and subsurface observations. *Australian Wildlife Research*, 9, 85–99.
- Anderson, P. K. (1984). Suckling in *Dugong dugon*. *Journal of Mammalogy*, 65, 510–511.
- Anderson, P. K. (1986). Dugongs of Shark Bay Australia: seasonal migration, water temperature and forage. *National Geographic Research*, 2, 473–490.
- Anderson, P. K. (1989). Deliberate foraging on macroinvertebrates by dugongs. *National Geographic Research*, 5, 4–6.
- Anderson, P. K. (1994). Dugong distribution, the seagrass *Halophila spinulosa*, and thermal environment in winter in deeper waters of Eastern Shark Bay, Western Australia. *Wildlife Research*, 21, 381–388.
- Anderson, P. K. (1995a). Competition, predation, and the evolution and extinction of Steller's sea cow, *Hydrodamalis gigas*. *Marine Mammal Science*, 11, 391–394.
- Anderson, P. K. (1995b). Scarring and photo identification of dugongs in Shark Bay, Western Australia. *Aquatic Mammals*, 21, 205–211.
- Anderson, P. K. (1997). Shark Bay dugongs in summer: I. Lek mating. *Behaviour*, 134, 433–462.
- Anderson, P. K. (1998). Shark Bay dugongs (*Dugong dugon*) in summer: II. Foragers in a *Halodule*-dominated community. *Mammalia*, 62, 409–425.
- Anderson, P. K. (2001). Marine mammals in the next one hundred years: twilight for a Pleistocene megafauna? *Journal of Mammalogy*, 83, 623–629.
- Anderson, P. K. (2002). Habitat, niche, and evolution of sirenian mating systems. *Journal of Mammalian Evolution*, 9, 55–98.
- Anderson, P. K. and Barclay, R. M. R. (1995). Acoustic signals of solitary dugongs: physical characteristics and behavioral correlates. *Journal of Mammalogy*, 76, 1226–1237.
- Anderson, P. K. and Birtles, A. (1978). Behaviour and ecology of the dugong, *Dugong dugon* (Sirenia): observations in Shoalwater and Cleveland Bays, Queensland. *Australian Wildlife Research*, 5, 1–23.
- Anderson, P. K. and Domning, D. P. (2002). Steller's sea cow *Hydrodamalis gigas*. In *Encyclopedia of Marine Mammals*, W. F. Perrin, B. Wursig and J. G. M. Thewissen (eds), San Diego: Academic Press, pp. 1178–1181.
- Anderson, P. K. and Prince, R. I. T. (1985). Predation on dugongs: attacks by killer whales. *Journal of Mammalogy*, 66, 554–556.
- André, J. and Lawler, I. R. (2003). Near infrared spectroscopy as a rapid and inexpensive means of dietary analysis for a marine herbivore, dugong *Dugong dugon*. *Marine Ecology Progress Series*, 257, 259–266.
- André, J., Gyuris, E. and Lawler, I. R. (2005). Comparison of the diets of sympatric dugongs and green turtles on the Orman Reefs, Torres Strait, Australia. *Wildlife Research*, 32, 53–62.
- Andrews, C. W. (1906). *A Descriptive Catalogue of the Tertiary Vertebrata of the Fayûm, Egypt*, London: British Museum (Natural History).
- Annandale, N. (1905). Notes on the species and external characters of the dugong (*Halicore dugong*). *Journal of the Asiatic Society of Bengal*, 1, 238–243.
- Aragones, L. V. (1994). Observations on dugongs at Caluit Island, Busuanga, Palawan, Philippines. *Wildlife Research*, 21, 709–717.
- Aragones, L. V. (1996). Dugongs and green turtles: grazers in the tropical seagrass ecosystem. PhD Thesis, James Cook University, Townsville.

- Aragones, L. V. and Marsh, H. (2000). Impact of dugong grazing and turtle cropping on tropical seagrass communities. *Pacific Conservation Biology*, 5, 278–288.
- Aragones, L. V., Lawler, I. R., Foley, W. J. and Marsh, H. (2006). Dugong grazing and turtle cropping: grazing optimization in tropical seagrass systems? *Oecologia*, 149, 635–647.
- Aragones, L. V., Lawler, I. R., Marsh, H., Domning, D. P. and Hodgson, A. (2012a). The role of sirenians in aquatic ecosystems. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Aragones, L. V., Marmontel, M. and Kendall, S. (2012b). Working with communities for sirenian conservation. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Aranda-Manteca, F. J., Domning, D. P. and Barnes, L. G. (1994). A new middle Miocene sirenian of the genus *Metaxytherium* from Baja California and California: relationships and paleobiogeographic implications. In *Contributions in Marine Mammal Paleontology Honoring Frank C. Whitmore Jr*, A. Berta and T. A. Deméré (eds), San Diego: San Diego Society of Natural History, pp. 191–204.
- Arcese, P., Keller, L. F. and Cary, J. R. (1997). Why hire a behaviorist into a conservation or management team? In *Behavioral Approaches to Conservation in the Wild*, J. R. Clemmons and R. Buchholz (eds), Cambridge: Cambridge University Press, pp. 48–71.
- Arraut, E. M., Marmontel, M., Mantovani, J. E., et al. (2010). The lesser of two evils: seasonal migrations of Amazonian manatees in the western Amazon. *Journal of Zoology*, 280, 247–256.
- Arrow, K., Bolin, B., Costanza, R. et al. (1996). Economic growth, carrying capacity, and the environment. *Ecological Applications*, 6, 13–15.
- Asher, R. J. (2007). A web-database of mammalian morphology and a reanalysis of placental phylogeny. *BMC Evolutionary Biology*, 7, 108.
- Asher, R. J. and Lehman, T. (2008). Dental eruption in afrotherian mammals. *BMC Biology*, 6, 14–25.
- Asher, R. J., Novacek, M. J. and Geisler, J. G. (2003). Relationships of endemic African mammals and their fossil relatives based on morphological and molecular evidence. *Journal of Mammalian Evolution*, 10, 131–194.
- Asher, R. J., Bennett, N. and Lehmann, T. (2009). The new framework for understanding placental mammal evolution. *BioEssays*, 31, 853–864.
- Attenborough, D. (1956). *Zoo Quest to Guiana*, London: Lutterworth.
- Attwell, C. A. M. (ed.) (in press). Annex 2: report on a dugong workshop. Conservation ecology of dugongs in Mozambique: precursor to a management plan. Unpublished report to Mozambique DNAC.
- Augustine, D. J., McNaughton, S. J. and Frank, D. A. (2003). Feedbacks between large herbivores and soil nutrients in a managed savanna ecosystem. *Ecological Applications*, 13, 1325–1337.
- Auil, N. (1998). Belize Manatee Recovery Plan. UNDP/GEF Coastal Management Project, Belize (BZE/92/G31), 1–67.
- Awobamise, A. (2008). Nigeria. In *Conservation Strategy for the West African Manatee*, T. Dodman, N. M. D. Diop and S. Khady (eds), Nairobi: UNEP; and Dakar: Wetlands International Africa, pp. 74–77.

- Bacchus, M.-L. C., Dunbar, S. G. and Self-Sullivan, C. (2009). Characterization of resting holes and their use by the Antillean Manatee (*Trichechus manatus manatus*) in the Drowned Cayes, Belize. *Aquatic Mammals*, 35, 62–71.
- Bachteler, D. and Dehnhardt, G. (1999). Active touch performance in the Antillean manatee: evidence for a functional differentiation of facial tactile hairs. *Zoology*, 102, 61–69.
- Bajpai, S. and Domning, D. P. (1997). A new dugongine sirenian from the early Miocene of India. *Journal of Vertebrate Paleontology*, 17, 219–228.
- Bajpai, S., Thewissen, J. G. M., Kapur, V. V., Tiwari, B. N. and Sahni, A. (2006). Eocene and Oligocene sirenians (Mammalia) from Kachchh, India. *Journal of Vertebrate Paleontology*, 26, 400–410.
- Bajpai, S., Domning, D. P., Das, D. P. and Mishra, V. P. (2009). A new middle Eocene sirenian (Mammalia, Protosirenidae) from India. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 252–253, 257–267.
- Bakker, E. S., Ritchie, M. E., Olff, H., Milchunas, D. G. and Knops, J. M. H. (2006). Herbivore impact on grassland plant diversity depends on habitat productivity and herbivore size. *Ecology Letters*, 9, 780–788.
- Ball, I. and Possingham, H. P. (2000). *Marxan (V1.8.2) Marine Reserve Design Software using Spatially Explicit Annealing*. A manual prepared for the Great Barrier Reef Marine Park Authority. Brisbane: University of Queensland.
- Bandeira, S. O. and Gell, F. (2003). The seagrasses of Mozambique and Southeastern Africa. In *Seagrass Atlas of the World*, E. P. Green and F. T. Short (eds), Berkeley: University of California Press, pp. 105–112.
- Bangs, O. (1895). The present standing of the Florida manatee, *Trichechus latirostris* (Harlan), in the Indian River waters. *American Naturalist*, 29, 783–787.
- Barlow, J. and Reeves, R. R. (2001). Population status and trends. In *Encyclopedia of Marine Mammals*, W. F. Perrin, B. Wursig and J. G. M. Thewissen (eds), San Diego: Academic Press, pp. 979–982.
- Barlow, J., Swartz, S. L., Eagle, T. C. and Wade, P. R. (1995). U.S. marine mammal stock assessments: guidelines for preparation, background, and a summary of the 1995 assessments. NOAA Technical Memorandum NMFS-OPR-95-6.
- Barrett, O. W. (1935). Notes concerning manatees and dugongs. *Journal of Mammalogy*, 16, 216–220.
- Bass, D. (2009). Dugong surveys of Manus and Bougainville Islands, Papua New Guinea. *Conservation International*. Available at: [http://www.sprep.org/att/irc/ecopies/countries/papua\\_new\\_guinea/53.pdf](http://www.sprep.org/att/irc/ecopies/countries/papua_new_guinea/53.pdf).
- Bass, D. K. (2010). Status of Dugong *Dugong dugon* and Australian Snubfin Dolphin *Orcaella heinsohni*, in the Solomon Islands. *Pacific Conservation Biology*, 16, 133–143.
- Batrawi, A. (1953). The external features of the dugong kidney. *Bulletin Zoological Society of Egypt*, 11, 12–13.
- Batrawi, A. (1957). The structure of the dugong kidney. *Publication Marine Biological Station Al-Ghardaqa Red Sea*, 9, 51–68.
- Bauer, G. B., Colbert, D. E., Gaspard III, J. C., Littlefield, B. and Fellner, W. (2003). Underwater visual acuity of Florida manatees (*Trichechus manatus latirostris*). *International Journal of Comparative Psychology*, 16, 130–142.
- Bauer, G. B., Colbert, D. E. and Gaspard, J. C. I. (2010). Learning about manatees: a collaborative program between New College of Florida and Mote Marine

- Laboratory to conduct laboratory research for manatee conservation. *International Journal of Comparative Psychology*, 23, 811–825.
- Baugh, T. M., Valade, J. A. and Zoodsma, B. J. (1989). Manatee use of *Spartina alterniflora* in Cumberland Sound. *Marine Mammal Science*, 5, 88–90.
- Bayliss, P. (1986). Factors affecting aerial surveys of marine fauna, and their relationship to a census of dugongs in the coastal waters of the Northern Territory. *Australian Wildlife Research*, 13, 27–37.
- Beal, W. P. B. (1939). The manatee as a food animal. *Nigerian Field*, 8, 124–126
- Beck, C. A. and Barros, N. B. (1991). The impact of debris on the Florida manatee. *Marine Pollution Bulletin*, 22, 508–510.
- Beck, C. A. and Clark, A. (2012). Individual identification of sirenians. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Beck, C. A. and Clementz, M. T. (2012). Techniques for the study of the food habits of Sirenians. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Beck, C. A. and Forrester, D. J. (1988). Helminths of the Florida manatee, *Trichechus manatus latirostris*, with a discussion and summary of the parasites of sirenians. *Journal of Parasitology*, 74, 628–637.
- Beck, C. A. and Reid, J. P. (1995). An automated photo-identification catalog for studies of the life history of the Florida manatee. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 120–134.
- Beck, C. A., Bonde, R. K. and Rathbun, G. B. (1982). Analyses of propeller wounds on manatees in Florida. *Journal of Wildlife Management*, 46, 531–535.
- Beissinger, S. R. and Westphal, M. I. (1998). On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management*, 62, 821–841.
- Bender, M. A., Knutson, T. R., Tuleya, R. E., et al. (2010). Modeled impact of anthropogenic warming on the frequency of intense Atlantic hurricanes. *Science*, 327, 454–458.
- Bengtson, J. L. (1981). Ecology of manatees (*Trichechus manatus*) in the St Johns River, Florida. PhD Thesis, University of Minnesota.
- Bengtson, J. L. (1983). Estimating food consumption of free-ranging manatees in Florida. *Journal of Wildlife Management*, 47, 1186–1192.
- Bengtson, J. L. and Fitzgerald, S. M. (1985). Potential role of vocalizations in West Indian manatees. *Journal of Mammalogy*, 66, 816–819.
- Bengtson Nash, S. M., McMahon, K., Eaglesham, G. and Müller, J. F. (2005). Application of a novel phytotoxicity assay for the detection of herbicides in Hervey Bay and the Great Sandy Straits. *Marine Pollution Bulletin*, 51, 351–360.
- Benson, J. M., Hahn, F. F., March, T. H., et al. (2005). Inhalation toxicity of breve-toxin 3 in rats exposed for twenty-two days. *Environmental Health Perspectives*, 113, 626–631.
- Bentley, B. L. and Johnson, N. D. (1991). Plants as food for herbivores: the roles of nitrogen fixation and carbon dioxide enrichment. In *Plant–Animal Interactions: Evolutionary Ecology in Tropical and Temperate Regions*, P. W. Price,

- T. M. Lewinsohn, G. W. Fernandes and W. W. Benson (eds), New York: John Wiley and Sons, pp. 257–272.
- Benzecry, A. and Brack-Hanes, S. D. (2008). A new hydrocharitacean seagrass from the Eocene of Florida. *Botanical Journal of the Linnean Society*, 157, 19–30.
- Bertram, G. C. L. and Bertram, C. K. R. (1968). Bionomics of dugongs and manatees. *Nature*, 218, 423–426.
- Bertram, G. C. L. and Bertram, C. K. R. (1973). The modern Sirenia: their distribution and status. *Biological Journal of the Linnean Society*, 5, 297–338.
- Best, R. C. (1981). Foods and feeding habits of wild and captive Sirenia. *Mammal Review*, 11, 3–29.
- Best, R. C. (1982). Seasonal breeding in the Amazonian manatee, *Trichechus inunguis* (Mammalia: Sirenia). *Biotropica*, 14, 76–78.
- Best, R. C. (1983). Apparent dry-season fasting in Amazonian manatees (Mammalia, Sirenia). *Biotropica*, 15, 61–64.
- Best, R. C. (1984). The aquatic mammals and reptiles of the Amazon. In *The Amazon: Limnology and Landscape Ecology of a Mighty Tropical River and its Basin*, H. Sioli (ed.), Dordrecht: Junk, pp. 371–412.
- Best, R. C. and Teixeira, D. M. (1982). Notas sobre a distribuição e status aparente dos peixes-bois (Mammalia: Sirenia) nas costas amapaenses brasileiras. *Boletim Fundação Brasileira para a Conservação da Natureza, Rio de Janeiro*, 17, 41–47.
- Betts, R. A., Malhi, Y. and Roberts, J. T. (2008). The future of the Amazon: new perspectives from climate, ecosystem and social sciences. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363, 1729–1735.
- Beuchat, C. A. (2002). Kidney, structure and function. In *Encyclopedia of Marine Mammals*, W. F. Perrin, B. Würsig and J. G. M. Thewissen (eds), San Diego: Academic Press, pp. 666–669.
- Beusse, D. O. Jr, Asper, E. D. and Searles, S. W. (1981a). Some causes of manatee mortality. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27–29 March 1978*, R. L. Brownell Jr, and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 98–101.
- Beusse, D. O. Jr, Asper, E. D. and Searles, S. W. (1981b). Diagnosis and treatment of manatees at Sea World of Florida. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27–29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 111–120.
- Bianucci, G., Carone, G., Domning, D. P., et al. (2008). Peri-Messinian dwarfing in Mediterranean *Metaxytherium* (Mammalia: Sirenia): evidence of habitat degradation related to the Messinian salinity crisis. *Garyounis Scientific Bulletin*, 5, 145–157.
- Birch, W. R. (1975). Some chemical and calorific properties of tropical marine angiosperms compared with those of other plants. *Journal of Applied Ecology*, 12, 201–212.
- Bishop, F. (2010). *Lyngbya* outbreak. *Seagrass-Watch*, 40, 10–11.
- Bjorndal, K. A. (1980). Nutrition and grazing of the Green turtle, *Chelonia mydas*. *Marine Biology*, 56, 147–156.
- Blackman, A. J. and Jones, D. C. (2010). Queensland's recreational marine industry. Report by Marine Queensland in collaboration with the Centre for Independent Business Research. Available at: <http://businessgc.com.au/uploads/file/>



- Marine/Queensland%20Marine%20Industry\_Annual%20Report\_2009.pdf (accessed 10 October 2010).
- Blainville, H. M. D. (1836). Classification presented in 1834. In *Dictionnaire Pittoresque d'Histoire Naturelle*, Vol. 4., F.-E. Guérin (ed.), Paris: Bureau de Souscription, p. 619.
- Blair, D. (1981). The monostome flukes (Digenea: Families Opisthotrematidae Poche and Rhabdiopoeidae Poche) parasitic in sirenians (Mammalia: Sirenia). *Australian Journal of Zoology*, 81, 1–54.
- Blair, D. and Hudson, B. E. T. (1992). Population structure of *Lankatrematoides gardneri* (Digenea: Opisthotrematidae) in the pancreas of the dugong (*Dugong dugon*) (Mammalia: Sirenia). *The Journal of Parasitology*, 78, 1077–1079.
- Bledsoe, E. L., Harr, K. E., Cichra, M. F., et al. (2006). A comparison of biofouling communities associated with free-ranging and captive Florida manatees (*Trichechus manatus latirostris*). *Marine Mammal Science*, 22, 997–1003.
- Boever, W. J., Thoen, C. O. and Wallach, J. D. (1976). *Mycobacterium chelonae* infection in a natterer manatee. *Journal of the American Veterinary Medical Association*, 169, 927–929.
- Bonde, R. K. (2009). Population genetics and conservation of the Florida manatee: past, present and future. PhD Dissertation, University of Florida, Gainesville, Florida.
- Bonde, R. K. and Potter, C. W. (1995). Manatee butchering sites in Port Honduras. *Sirenews: Newsletter of the International Union for Conservation of Nature and Natural Resources/Species Survival Commission*, 24, 7.
- Bonde, R. K., O'Shea, T. J. and Beck, C. A. (1983). *Manual of Procedures for the Salvage and Necropsy of Carcasses of the West Indian Manatee (Trichechus manatus)*, Springfield, Virginia: National Technical Information Service.
- Bonde, R. K., Aguirre, A. A. and Powell, J. (2004). Manatees as sentinels of marine ecosystem health: are they the 2000-pound canaries? *EcoHealth*, 1, 255–262.
- Borges, J. C. G., Alves, L. C., Vergara-Parente, J. E., Faustino, M. A. G. and Machado, E. C. L. (2009). Ocorrência de infecção *Cryptosporidium* spp. em peixe-boi marinho (*Trichechus manatus*). [Occurrence of *Cryptosporidium* spp. infection in Antillean manatee (*Trichechus manatus*)]. *Revista Brasileira de Parasitologia Veterinaria*, 18, 60–61.
- Bossart, G. D. (2001). Manatees. In *Marine Mammal Medicine*, 2nd edn, L. A. Dierauf, and F. M. D. Gulland (eds), Boca Raton: CRC Press, pp. 939–960.
- Bossart, G. D. (2006). Case study: marine mammals as sentinel species for oceans and human health. *Oceanography*, 19, 134–137.
- Bossart, G. D. (2011). Marine mammals as sentinel species for oceans and human health. *Veterinary Pathology*, 48, 676–690.
- Bossart, G. D., Baden, D. G., Ewing, R. Y., Roberts, B. and Wright, S. D. (1998). Brevetoxicosis in manatees (*Trichechus manatus latirostris*) from the 1996 epizootic: gross, histologic, and immunohistochemical features. *Toxicologic Pathology*, 26, 276–282.
- Bossart, G. D., Reidarson, T. H., Dierauf, L. A. and Duffield, D. A. (2001). Clinical pathology. In *Marine Mammal Medicine*, 2nd edn, L. A. Dierauf and F. M. D. Gulland (eds), Boca Raton: CRC Press, pp. 383–436.

- Bossart, G. D., Meisner, R. A., Rommel, S. A., Ghim, S. and Jenson, A. B. (2002a). Pathological features of the Florida manatee cold stress syndrome. *Aquatic Mammals*, 29, 9–17.
- Bossart, G. D., Ewing, R. Y., Lowe, M., et al. (2002b). Viral papillomatosis in Florida manatees (*Trichechus manatus latirostris*). *Experimental and Molecular Pathology*, 72, 37–48.
- Bossart, G. D., Baden, D. G., Ewing, R. Y. and Wright, S. D. (2002c). Manatees and brevetoxicosis. In *Molecular and Cell Biology of Marine Mammals*, C. J. Pfeiffer (ed.), Melbourne, Florida: Krieger Publishing Company, pp. 205–212.
- Bossart, G. D., Meisner, R. A., Rommel, S. A., et al. (2004). Pathologic findings in Florida manatees (*Trichechus manatus latirostris*). *Aquatic Mammals*, 30, 434–440.
- Bowen-Jones, E. and Entwistle, A. (2002). Identifying appropriate flagship species: the importance of culture and local contexts. *Oryx*, 36, 189–195.
- Boyd, I. L., Lockyer, C. and Marsh, H. (1999). Reproduction in marine mammals. In *Biology of Marine Mammals*, J. E. Reynolds III and S. A. Rommel (eds), Washington, DC: Smithsonian Institution Press, pp. 218–286.
- Bradbury, J. W. (1977). Lek mating behavior in the hammer-headed bat. *Zeitschrift für Tierpsychologie*, 45, 225–255.
- Bradbury, J. W. and Vehrencamp, S. L. (1977). Social organization and foraging in emballonurid bats: III. Mating systems. *Behavioral Ecology and Sociobiology*, 2, 1–17.
- Brand, L. E. and Compton, A. (2007). Long-term increase in *Karenia brevis* abundance along the Southwest Florida Coast. *Harmful Algae*, 6, 232–252.
- Brandt, J. F. (1846). *Symbolae Sirenologicae Quibus Praecipue Rhytinae Historia Naturalis Illustratur*. Memoirs Academie Imperiale Des Sciences, Series 6, Science Naturelle, 5, 160 pp. + pls. I–V, St Petersburg, Russia. (Translated 1974 and cited as 1849 by Alison Barlow for the Smithsonian Institution and the National Science Foundation, Washington, District of Columbia, as *Contributions to Sirenology, Being Principally an Illustrated Natural History of Rhytina*, Springfield, Virginia: U.S. National Technical Information Service and Belgrade: Nolit Publishing House.
- Brashares, J. S., Arcese, P., Sam, M. K., et al. (2004). Bushmeat hunting, wildlife declines, and fish supply in West Africa. *Science*, 306, 1180–1183.
- Braulik, G. T., Ranjbar, S., Owfi, F., et al. (2010). Marine mammal records from Iran. *Journal of Cetacean Research and Management*, 11, 49–63.
- Broderick, A. C., Frauenstein, R., George, T., et al. (2006). Are green turtles globally endangered? *Global Ecology and Biogeography*, 15, 21–26.
- Broderick, D., Ovenden, J., Slade, R. and Lanyon, J. M. (2007). Characterization of 26 new microsatellite loci in the dugong (*Dugong dugon*). *Molecular Ecology Notes*, 7, 1275–1277.
- Bronner, G. N. and Jenkins, P. D. (2005). Order Afrosoricida. In *Mammal Species of the World*, 3rd edn, D. E. Wilson, and D. M. Reeder (eds), Baltimore: Johns Hopkins University Press, pp. 70–81.
- Brouns, J. J. (1994). *Seagrasses and Climate Change*. Gland, Switzerland: IUCN.
- Brownell, R. L. Jr, Anderson, P. K., Owen, R. P. and Ralls, K. (1981). The status of dugongs at Palau, an isolated island group. In *The Dugong: Proceedings of a*

- Seminar/workshop held at James Cook University 8–13 May 1979, Townsville, H. Marsh, (ed.), Townsville: James Cook University, pp. 19–42.
- Buck, L. E., Geisler, C. G., Schelhas, J. and Wollenberg, E. (2001). *Biological Diversity: Balancing Interests through Adaptive Collaborative Management*, Boca Raton: CRC Press.
- Buckingham, C. A., Lefebvre, L. W., Schaefer, J. M. and Kochman, H. I. (1999). Manatee response to boating activity in a thermal refuge. *Wildlife Society Bulletin*, 27, 514–522.
- Buckland, S. T., Anderson, D. R., Burnham, K. P., et al. (2001). *Introduction to Distance Sampling: Estimating Abundance of Biological Populations*, New York: Oxford University Press.
- Budge, S. M., Iverson, S. J. and Koopman H. N. (2006). Studying trophic ecology in marine ecosystems using fatty acids: a primer on analysis and interpretation. *Marine Mammal Science*, 22, 759–801.
- Buergelt, C. D. and Bonde, R. K. (1983). Toxoplasmic meningoencephalitis in a West Indian manatee. *Journal of the American Veterinary Medical Association*, 183, 1294–1296.
- Buergelt, C. D., Bonde, R. K., Beck, C. A. and O’Shea, T. J. (1984). Pathologic findings in manatees in Florida. *Journal of the American Veterinary Medical Association*, 185, 1331–1334.
- Buergelt, C. D., Bonde, R. K., Beck, C. A. and O’Shea, T. J. (1990). Myxomatous transformation of heart valves in Florida manatees (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 21, 220–227.
- de Buffrénil, V., Astibia, H., Suberbiola, X. P., Berreteaga, A. and Bardet, N. (2008). Variation in bone histology of middle Eocene sirenians from western Europe. *Geodiversitas*, 30, 425–432.
- Bujang, J. S. and Zakaria, M. H. (2003). The seagrasses of Malaysia. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 153–157.
- Bullock, T. H., Domning, D. P. and Best, R. C. (1980). Evoked brain potentials demonstrate hearing in a manatee (*Trichechus inunguis*). *Journal of Mammalogy*, 61, 130–133.
- Bullock, T. H., O’Shea, T. J. and McClune, M. C. (1982). Auditory evoked potentials in the West Indian manatee (Sirenia: *Trichechus manatus*). *Journal of Comparative Physiology A: Sensory, Neural, and Behavioral Physiology*, 148, 547–554.
- Burgess, E. A., Blanshard, W. H., Keeley, T. and Lanyon, J. M. (2009). Reproductive hormone monitoring of dugongs: 2009 ARAZPA conference proceedings. Australasian Regional Association of Zoological Parks and Aquaria (ARAZPA) Conference, Gold Coast, Queensland, 22–26 March 2009.
- Burn, D. M. (1986). The digestive strategy and efficiency of the West Indian manatee, *Trichechus manatus*. *Comparative Biochemistry and Physiology Part A: Physiology*, 85, 139–142.
- Burnham, K. P. and Anderson, D. R. (2002). *Model Selection and Multimodel Inference: A Practical Information-Theoretic Approach*, 2nd edn, New York: Springer-Verlag.
- Butchart, S. H. M., Walpole, M., Collen, B. et al. (2010). Global biodiversity: indicators of recent declines. *Science*, 328, 1164–1168.

- Cadenat, J. (1957). Observations de cetaces, sireniens, cheloniens et sauriens en 1955-1956. *Bulletin de Institut Français D'Afrique Noire*, 19, 1358-1375.
- Cahn, A. R. (1940). Manatees and the Florida freeze. *Journal of Mammalogy*, 21, 222-223.
- Calambokidis, J. and Barlow, J. (2004). Abundance of blue and humpback whales in the eastern North Pacific estimated by capture-recapture and line-transect methods. *Marine Mammal Science*, 20, 63-85.
- Calleson, C. S. and Frohlich, R. K. (2007). Slower boat speeds reduce risks to manatees. *Endangered Species Research*, 3, 295-304.
- Campbell, H. W. and Irvine, A. B. (1981). Manatee mortality during the unusually cold winter of 1976-1977. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27-29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 86-91.
- Campbell, R. S. F. and Ladds, P. W. (1981). Diseases of the dugong in north-eastern Australia: a preliminary report. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8-13 May 1979*, Townsville, H. Marsh (ed.), Townsville: James Cook University, pp. 100-102.
- Campbell, S. J., McKenzie, L. J. and Kerville, S. P. (2006). Photosynthetic responses of seven tropical seagrasses to elevated seawater temperature. *Journal of Experimental Marine Biology and Ecology*, 330, 455-468.
- Cansdale, G. S. (1970). *All the Animals of the Bible Lands*, Grand Rapids: Zondervan Publishing House.
- Cantanhede, A. M., Ferreira Da Silva, V. M., Farias, I. P., et al. (2005). Phylogeography and population genetics of the endangered Amazonian manatee, *Trichechus inunguis* Natterer, 1883 (Mammalia, Sirenia). *Molecular Ecology*, 14, 401-413.
- Cardeilhac, P. T., Walker, C. M., Jenkins, R. L., et al. (1981). Complications in the formula-rearing of infant manatees associated with bacterial infections. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27-29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 141-146.
- Cardeilhac, P. T., White, J. R. and Francis-Floyd, R. (1984). Initial information on the reproductive biology of the Florida manatee. *Proceedings of the International Association for Aquatic Animal Medicine*, 1, 35-42.
- Carter, A. M., Enders, A. C., Künzle, H., Oduor-Okelo, D. and Vogel, P. (2004). Placentation in species of phylogenetic importance: the Afrotheria. *Animal Reproduction Science*, 82-83, 35-48.
- Castelblanco-Martínez, D. N., Bermudez-Romero, A. L., Gomez-Camelo, I. V., et al. (2009). Seasonality of habitat use, mortality and reproduction of the vulnerable Antillean manatee *Trichechus manatus manatus* in the Orinoco River, Colombia: implications for conservation. *Oryx*, 43, 235-242.
- Gaughley, G. (1977). *Analysis of Vertebrate Populations*, Chichester: John Wiley and Sons.
- Charnock-Wilson, J. (1968). The manatee in British Honduras. *Oryx*, 9, 293-295.
- Cheke, A. S. (1987). Ecological history of the Mascarenes with particular reference to extinction and introduction of vertebrates. In *Studies of Mascarene Island Birds*, A. W. Diamond, (ed.), Cambridge: Cambridge University Press, pp. 5-89.

- Chilvers, L. B., Delean, S., Gales, N. J., *et al.* (2004). Diving behaviour of dugongs, *Dugong dugon*. *Journal of Experimental Marine Biology and Ecology*, 304, 203–224.
- CITES. (2010). CITES (Convention on International Trade in Endangered Species of Wild Fauna and Flora). Available at: <http://www.cites.org>.
- Clarke, R. V. (1997). Introduction. In *Situational Crime Prevention: Successful Case Studies*, 2nd edn, R. V. Clarke (ed.), New York: Harrow and Heston, pp. 1–43.
- Clausen, R. and York, R. (2008). Global biodiversity decline of marine and freshwater fish: a cross-national analysis of economic, demographic, and ecological influences. *Social Science Research*, 37, 1310–1320.
- Clauss, M. and Hummel, J. (2005). The digestive performance of mammalian herbivores: why big may not be that much better. *Mammal Review*, 35, 174–187.
- Clauss, M., Schwarm, A., Ortmann, S., Streich, W. J. and Hummel, J. (2007). A case of non-scaling in mammalian physiology? Body size, digestive capacity, food intake, and ingesta passage in mammalian herbivores. *Comparative Biochemistry and Physiology Part A: Physiology*, 148, 249–265.
- Clementz, M. T., Holden, P. and Koch, P. L. (2003a). Are calcium isotopes a reliable monitor of trophic level in marine settings? *International Journal of Osteoarchaeology*, 13, 29–36.
- Clementz, M. T., Hoppe, K. A. and Koch, P. L. (2003b). A paleoecological paradox: the habitat and dietary preferences of the extinct tethythere *Desmostylus*, inferred from stable isotope analysis. *Paleobiology*, 29, 506–519.
- Clementz, M. T., Goswami, A., Gingerich, P. D. and Koch, P. L. (2006). Isotopic records from early whales and sea cows: contrasting patterns of ecological transition. *Journal of Vertebrate Paleontology*, 26, 355–370.
- Clementz, M. T., Koch, P. L. and Beck, C. A. (2007). Diet induced differences in carbon isotope fractionation between sirenians and terrestrial ungulates. *Marine Biology*, 151, 1773–1784.
- Clementz, M. T., Sorbi, S. and Domning, D. P. (2009). Evidence of Cenozoic environmental and ecological change from stable isotope analysis of sirenian remains from the Tethys-Mediterranean region. *Geology*, 37, 307–310.
- Clifton, K. B., Yan, J., Mecholsky, J. J. Jr and Reep, R. L. (2008a). Material properties of manatee rib bone. *Journal of Zoology*, 274, 150–159.
- Clifton, K. B., Reep, R. L. and Mecholsky, J. J. Jr (2008b). Quantitative fractography for estimating whole bone properties of manatee rib bones. *Journal of Materials Science*, 43, 2026–2034.
- Clutton-Brock, T. H. (1989). Mammalian mating systems. *Proceedings of the Royal Society of London, B: Biological Sciences*, 236, 339–372.
- CMS. (2010). Convention on Migratory Species. Available at: <http://www.cms.int>.
- Cockcroft, V. G., Guissamulo, A. and Findlay, K. (2008). Dugongs in the Bazaruto Archipelago, Mozambique. Unpublished report, Centre for Dolphin Studies, Plettenberg, South Africa.
- Coe, M. T., Costa, M. H. and Soares-Filho, B. S. (2009). The influence of historical and potential future deforestation on the stream flow of the Amazon river–land surface processes and atmospheric feedbacks. *Journal of Hydrology*, 369, 165–174.
- Cohen, J. L., Tucker, G. S. and Odell, D. K. (1982). The photoreceptors of the West Indian manatee. *Journal of Morphology*, 173, 197–202.

- Colares, I. G. and Colares, E. P. (2002). Food plants eaten by Amazonian manatees (*Trichechus inunguis*, Mammalia: Sirenia). *Brazilian Archives of Biology and Technology*, 45, 67–72.
- Colbert, D. E., Gaspard III, J. C., Reep, R. L., Mann, D. A. and Bauer, G. B. (2009). Four-choice sound localization abilities of two Florida manatees, *Trichechus manatus latirostris*. *Journal of Experimental Biology*, 212, 2105–2112.
- Coles, R., McKenzie, L. and Campbell, S. (2003a). The seagrasses of Eastern Australia. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 119–133.
- Coles, R., McKenzie, L., Campbell, S., Fortes, M. and Short, F. F. (2003b). The seagrasses of the Western Pacific Islands. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 161–170.
- Committee on Taxonomy. (2009). List of marine mammal species and subspecies. Society for Marine Mammalogy. Available at: <http://www.marinemammalscience.org> (accessed 24 September 2010).
- Conradt, L. and Roper, T. J. (2000). Activity synchrony and social cohesion: a fission–fusion model. *Proceedings of the Royal Society of London B: Biological Sciences*, 267, 2213–2218.
- Convention on International Trade in Endangered Species of Wild Fauna and Flora. (2010). See CITES.
- Convention on Migratory Species. (2010). See CMS.
- Conway, D., Persechino, A., Ardoin-Bardin, S., et al. (2009). Rainfall and water resources variability in sub-Saharan Africa during the twentieth century. *Journal of Hydrometeorology*, 10, 41–59.
- Cope, E. D. (1889). Synopsis of the families of Vertebrata. *The American Naturalist*, 23, 849–877.
- Coral Triangle Initiative. (2009). Coral triangle initiative on coral reefs, fisheries and food security. Available at: <http://www.cti-secretariat.net/about-cti/about-cti>.
- Cormack, R. M. (1964). Estimates of survival from the sighting of marked animals. *Biometrika*, 51, 429–438.
- Correa-Viana, M. and O’Shea, T. J. (1992). El manatí en la tradición y folklore de Venezuela. *Revista Unellez de Ciencia y Tecnología*, 10, 7–13.
- Correa-Viana, M., O’Shea, T. J., Ludlow, M. E. and Robinson, J. G. (1990). Distribución y abundancia del manatí, *Trichechus manatus*, en Venezuela. *Biollania*, 7, 101–123.
- Couzin, I. D. (2006). Behavioral ecology: social organization in fission–fusion societies. *Current Biology*, 16, 169–171.
- Cox, P. M., Harris, P. P., Huntingford, C., et al. (2008). Increasing risk of Amazonian drought due to decreasing aerosol pollution. *Nature*, 453, 212–215.
- Craig, B. A. and Reynolds III, J. E. (2004). Determination of manatee population trends along the Atlantic coast of Florida using a Bayesian approach with temperature-adjusted aerial survey data. *Marine Mammal Science*, 20, 386–400.
- Craig, B. A., Newton, M. A., Garrott, R. A., Reynolds III, J. E. and Wilcox, J. R. (1997). Analysis of aerial survey data on Florida manatee using Markov Chain Monte Carlo. *Biometrics*, 53, 524–541.
- Crouch, J., McNiven, I. J., David, B., Rowe, C. and Weisler, M. I. (2007). Berberass: marine resource specialisation and environmental change in Torres Strait during the past 4000 years. *Archaeology in Oceania*, 42, 49–64.

- Crownhart-Vaughan, E. A. P. (1972). Introduction. In *Explorations of Kamchatka 1735–1741*, S. P. Krasheninnikov, Portland: Oregon Historical Society, pp. v–xxxiii.
- Cumbaa, S. L. (1980). Aboriginal use of marine mammals in the southeastern United States. *Southeastern Archaeological Conference Bulletin*, 17, 6–10.
- Cumming, G. S., Cumming, D. H. M. and Redman, C. L. (2006). Scale mismatches in social–ecological systems: causes, consequences, and solutions. *Ecology and Society*, 11, 14.
- Czech, B., Krausman, P. R. and Devers, P. K. (2000). Economic associations among causes of species endangerment in the United States. *Bioscience*, 50, 593–601.
- Dai, A., Qian, T., Trenberth, K. E. and Milliman, J. D. (2009). Changes in continental freshwater discharge from 1948 to 2004. *Journal of Climate*, 22, 2773–2792.
- Daley, B., Griggs, P. and Marsh, H. (2008). Exploiting marine wildlife in Queensland: the commercial dugong and marine turtle fisheries, 1847–1969. *Australian Economic History Review*, 48, 227–265.
- Dampier, W. (2005). *The Buccaneer Explorer: William Dampier's Voyages*, edited and with an introduction by Gerald Norris, Woodbridge: Boydell Press.
- Das, H. S. and Dey, S. C. (1999). Observations on the dugong, *Dugong dugon* (Müller), in the Andaman and Nicobar Islands, India. *Journal of the Bombay Natural History Society*, 96, 195–198.
- Davis, S. and Khosla, V. (2007). The architecture of audacity: assessing the impact of the Microcredit Summit Campaign. *Innovations*, 2, 159–180.
- de Iongh, H. H. (1996). Plant–herbivore interactions between seagrasses and dugongs in a tropical small island ecosystem. PhD Thesis, Katholieke Universiteit Nijmegen.
- de Iongh, H. H., Wenno, B. J. and Meelis, E. (1995). Seagrass distribution and seasonal biomass changes in relation to dugong grazing in the Moluccas, East Indonesia. *Aquatic Botany*, 50, 1–19.
- de Iongh, H. H., Kiswara, W., Kustiawan, W. and Loth, P. E. (2007). A review of research on the interactions between dugongs (*Dugong dugon* Müller 1776) and intertidal seagrass beds in Indonesia. *Hydrobiologia*, 591, 73–83.
- de Iongh, H., Hutosomes, M., Moraal, M. and Kiswara, W. (2009a). National dugong conservation strategy and action plan for Indonesia. Part 1: scientific report. Jakarta: Institute of Environmental Sciences Leiden and Research Centre for Oceanographic Research Jakarta.
- de Iongh, H., Hutosomes, M., Moraal, M. and Kiswara, W. (2009b). National dugong conservation strategy and action plan for Indonesia. Part 2: strategy report, Jakarta: Institute of Environmental Sciences Leiden and Research Centre for Oceanographic Research Jakarta.
- de Jong, W. W., Zweers, A. and Goodman, M. (1981). Relationship of aardvaark to elephants, hyraxes, and sea cows from  $\alpha$ -crystallin sequences. *Nature*, 292, 538–540.
- de la Mare, W. K. (1986). On the estimation of mortality rates from whale age data, with particular reference to minke whales (*Balaenoptera acutorostrata*) in the Southern Hemisphere. *Report of the International Whaling Commission*, 36, 239–250.
- De Souza Amaral, R., Rosas, F. C. W., Viau, P., et al. (2009). Noninvasive monitoring of androgens in male Amazonian manatee (*Trichechus inunguis*): biologic validation. *Journal of Zoo and Wildlife Medicine*, 40, 458–465.

- Debusk, T. A. and Ryther, J. H. (1987). Biomass production and yields of aquatic plants. In *Aquatic Plants for Water Treatment and Resource Recovery*, K. R. Reddy and W. H. Smith (eds), Orlando: Magnolia Publishing, pp. 579–598.
- Deevey, E. S. Jr. (1947). Life tables for natural populations of animals. *Quarterly Review of Biology*, 22, 283–314.
- DeGabriel, J. L., Wallis, I. R., Moore, B. D. and Foley, W. J. (2008). A simple, integrative assay to quantify nutritional quality of browses for herbivores. *Oecologia*, 156, 107–116.
- DeGabriel, J. L., Moore, B. D., Foley, W. J. and Johnson, C. N. (2009). The effects of plant defensive chemistry on nutrient availability predict reproductive success in a mammal. *Ecology*, 90, 711–719.
- Delisle, A. (2009). Perceived costs and benefits of Indigenous hunting of dugongs and marine turtles: Mabuiag Island as a case study. Available at: [http://www.ecoeco.org/anzsee09/cd\\_view\\_detail.php?id=773](http://www.ecoeco.org/anzsee09/cd_view_detail.php?id=773).
- DeMaster, D. P. (1981). Estimating the average age of first birth in marine mammals. *Canadian Journal of Fisheries and Aquatic Sciences*, 38, 237–239.
- Denkinger, J. (2010). Status of the Amazonian manatee (*Trichechus inunguis*) in the Cuyabeno Reserve, Ecuador. *Avances*, 2, B29–B34.
- Denton, G. R. W., Marsh, H., Heinsohn, G. E. and Burdon-Jones, C. (1980). The unusual metal status of the dugong, *Dugong dugon*. *Marine Biology*, 57, 201–219.
- Department of Environment and Conservation. (2007). Dugong (*Dugong dugon*) management program for Western Australia 2007–2016. Western Australian Government.
- Deutsch, C. J. and Reynolds III, J. E. (2012). Florida manatee status and conservation issues. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Deutsch, C. J., Reid, J. P., Bonde, R. K., et al. (2003). Seasonal movements, migratory behavior, and site fidelity of West Indian manatees along the Atlantic Coast of the United States. *Wildlife Monographs*, 151, 1–77.
- Deutsch, C. J., Self-Sullivan, C. and Mignucci-Giannoni, A. (2008). *Trichechus manatus*. In *IUCN 2010: IUCN Red List of Threatened Species*. Version 2010.3. Available at: <http://www.iucnredlist.org> (accessed 19 September 2010).
- DiBattista, J. D. (2008). Patterns of genetic variation in anthropogenically impacted populations. *Conservation Genetics*, 9, 141–156.
- Diedrich, C. G. (2008). The food of the miosiren *Anomotherium langenuwieschei* (Siegfried): indirect proof of seaweed or seagrass by xenomorphic oyster fixation structures in the Upper Oligocene (Neogene) of the Doberg, Bünde (NW Germany) and comparisons to modern *Dugong dugon* (Müller) feeding strategies. *Senckenbergiana Maritima*, 38, 59–73.
- Dietz, T. (1992). *The Call of the Siren: Manatees and Dugongs*. Golden, CO: Fulcrum Publishing.
- Dixon, P. M. and Pechmann, J. H. K. (2005). A statistical test to show negligible trend. *Ecology*, 86, 1751–1756.
- Dobbs, K., Fernandes, L., Slegers, S., et al. (2008). Incorporating dugong habitats into the marine protected area design for the Great Barrier Reef Marine Park, Queensland, Australia. *Ocean and Coastal Management*, 51, 368–375.



- Dodman, T., Ndiaye, M. D. D. and Sarr, K. (eds). (2008). *Conservation Strategy for the West African Manatee*. Nairobi: UNEP and Dakar: Wetlands International Africa.
- Domning, D. (1972). Steller's sea cow and the origin of North Pacific aboriginal whaling. *Syesis*, 5, 187-189.
- Domning, D. P. (1976). An ecological model for late tertiary sirenian evolution in the north Pacific Ocean. *Systematic Zoology*, 25, 352-362.
- Domning, D. P. (1978a). Sirenian evolution in the north Pacific Ocean. *University of California Publications in Geological Sciences*, 118, 1-176.
- Domning, D. P. (1978b). Sirenia. In *Evolution of African Mammals*, V. J. Maglio and H. B. S. Cooke (eds), Cambridge, MA: Harvard University Press, pp. 573-581.
- Domning, D. P. (1978c). The myology of the Amazonian manatee, *Trichechus inunguis* (Natterer) (Mammalia: Sirenia). *Acta Amazonica*, 8, Supl 1, 1-80.
- Domning, D. P. (1982a). Evolution of manatees: a speculative history. *Journal of Paleontology*, 56, 599-619.
- Domning, D. P. (1982b). Commercial exploitation of manatees *Trichechus* in Brazil c.1785-1973. *Biological Conservation*, 22, 101-126.
- Domning, D. P. (1988). Fossil Sirenia of the West Atlantic and Caribbean region: I. *Metaxytherium floridanum* Hay, 1922. *Journal of Vertebrate Paleontology*, 8, 395-426.
- Domning, D. P. (1989a). Fossil Sirenia of the West Atlantic and Caribbean region: II. *Dioplotherium manigaulti* Cope, 1883. *Journal of Vertebrate Paleontology*, 9, 415-428.
- Domning, D. P. (1989b). Fossil Sirenia of the West Atlantic and Caribbean region: III. *Xenosiren yucateca*, gen. et sp. nov. *Journal of Vertebrate Paleontology*, 9, 429-437.
- Domning, D. P. (1989c). Kelp evolution: a comment. *Paleobiology*, 15, 53-56.
- Domning, D. P. (1990). Fossil Sirenia of the West Atlantic and Caribbean region: IV. *Corystosiren varguezii*, gen. et sp. nov. *Journal of Vertebrate Paleontology*, 10, 361-371.
- Domning, D. P. (1994). A phylogenetic analysis of the Sirenia. In *Contributions in Marine Mammal Paleontology Honoring Frank C. Whitmore, Jr*, A. Berta and T. A. Déméré (eds), San Diego: San Diego Society of Natural History, pp. 177-189.
- Domning, D. P. (1996). Bibliography and index of the Sirenia and Desmostylia. *Smithsonian Contributions to Paleobiology*, 80, 1-611.
- Domning, D. P. (1997a). Fossil Sirenia of the West Atlantic and Caribbean region: VI. *Crenatosiren olseni* (Reinhart, 1976). *Journal of Vertebrate Paleontology*, 17, 397-412.
- Domning, D. P. (1997b). Sirenia. In *Vertebrate Paleontology in the Neotropics: the Miocene Fauna of La Venta, Colombia*, R. F. Kay, R. H. Madden, R. L. Difelli and J. J. Flynn (eds), Washington, DC: Smithsonian Institution Press, pp. 383-391.
- Domning, D. P. (2000). The readaptation of Eocene sirenians to life in water. *Historical Biology*, 14, 115-119.
- Domning, D. P. (2001a). Evolution of the Sirenia and Desmostylia. In *Secondary Adaptation of Tetrapods to Life in Water*, J.-M. Mazin and V. de Buffrénil (eds), Munich: Verlag, pp. 151-168.
- Domning, D. P. (2001b). Sirenians, seagrasses, and Cenozoic ecological change in the Caribbean. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 166, 27-50.

- Domning, D. P. (2001c). The earliest known fully quadrupedal sirenian. *Nature*, 413, 625–627.
- Domning, D. P. (2002). The terrestrial posture of desmostylians. In *Cenozoic Mammals of Land and Sea: Tributes to the Career of Clayton E. Ray*, R. J. Emry (ed.), Washington, DC: Smithsonian Institution Press, pp. 99–111.
- Domning, D. P. (2005). Fossil Sirenia of the West Atlantic and Caribbean region: VII. Pleistocene *Trichechus manatus* Linnaeus, 1758. *Journal of Vertebrate Paleontology*, 25, 685–701.
- Domning, D. P. (2010). Bibliography and index of the Sirenia and Desmostylia. Available at: <http://www.sirenian.org/biblio> (accessed 19 September 2010).
- Domning, D. P. and Aguilera, O. A. (2008). Fossil Sirenia of the West Atlantic and Caribbean region: VIII. *Nanosiren garciae*, gen. et sp. nov. and *Nanosiren sanchezi*, sp. nov. *Journal of Vertebrate Paleontology*, 28, 479–500.
- Domning, D. P. and Beatty, B. L. (2007). Use of tusks in feeding by dugongid sirenians: observations and tests of hypotheses. *Anatomical Record*, 290, 523–538.
- Domning, D. P. and Buffrénil, V. de. (1991). Hydrostasis in the Sirenia: quantitative data and functional interpretations. *Marine Mammal Science*, 7, 331–368.
- Domning, D. P. and Furusawa, H. (1994). Summary of taxa and distribution of Sirenia in the north Pacific Ocean. *The Island Arc*, 3, 506–512.
- Domning, D. P. and Gingerich, P. D. (1994). *Protosiren smithae*, new species (Mammalia, Sirenia), from the late Middle Eocene of Wadi Hitan, Egypt. *Contributions from the Museum of Paleontology, University of Michigan*, 29, 69–87.
- Domning, D. P. and Hayek, L.-A. C. (1984). Horizontal tooth replacement in the Amazonian manatee (*Trichechus inunguis*). *Mammalia*, 48, 105–127.
- Domning, D. P. and Hayek, L.-A. C. (1986). Interspecific and intraspecific morphological variation in manatees (Sirenia: *Trichechus*). *Marine Mammal Science*, 2, 87–144.
- Domning, D. P. and Myrick, A. C. Jr. (1980). Tetracycline marking and the possible layering rate of bone in an Amazonian manatee, *Trichechus inunguis*. In *Age Determination of Toothed Whales and Sirenians*, W. F. Perrin and A. C. Myrick Jr (eds), *Reports of the International Whaling Commission*, special issue, 3, 203–207.
- Domning, D. P. and Pervesler, P. (2001). The osteology and relationships of *Metaxytherium krahuletzki* Depéret, 1895 (Mammalia: Sirenia). *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, 553, 1–89.
- Domning, D. P. and Thomas, H. (1987). *Metaxytherium serresii* (Mammalia: Sirenia) from the Early Pliocene of Libya and France: a reevaluation of its morphology, phyletic position, and biostratigraphic and paleoecological significance. In *Neogene Paleontology and Geology of Sahabi*, N. T. Boaz, A. El-Arnauti, W. de Heinzelin and D. D. Boaz (eds), New York: Alan R. Liss Publishers, pp. 205–232.
- Domning, D. P., Morgan, G. S. and Ray, C. E. (1982). North American Eocene sea cows (Mammalia: Sirenia). *Smithsonian Contributions to Paleobiology*, 52, 1–69.
- Domning, D. P., Ray, C. E. and McKenna, M. C. (1986). Two new Oligocene desmostylians and a discussion of tethytherian systematics. *Smithsonian Contributions to Paleobiology*, 59, 1–56.
- Domning, D. P., Gingerich, P. D., Simons, E. L. and Ankel-Simons, F. A. (1994). A new early Oligocene dugongid (Mammalia: Sirenia) from Fayum Province,

- Egypt. *Contributions from the Museum of Paleontology, University of Michigan*, 29, 89–108.
- Domning, D. P., Thomason, J. and Corbett, D. G. (2007). Steller's sea cow in the Aleutian Islands. *Marine Mammal Science*, 23, 976–983.
- Duarte, C. M. (1992). Nutrient concentration of aquatic plants: patterns across species. *Limnology and Oceanography*, 37, 882–889.
- Dubey, J. P., Zarnke, R., Thomas, N. J., et al. (2003). *Toxoplasma gondii*, *Neospora caninum*, *Sarcocystis neurona*, and *Sarcocystis canis*-like infections in marine mammals. *Veterinary Parasitology*, 116, 275–296.
- Dudgeon, D., Arthington, A. H., Gessner, M. O., et al. (2006). Freshwater biodiversity: importance, threats, status and conservation challenges. *Biological Reviews*, 81, 163–182.
- Duignan, P. J., House, C., Walsh, M. T., et al. (1995). Morbillivirus infection in manatees. *Marine Mammal Science*, 11, 441–451.
- Dunshea, G. (2004). Development of telomere based aging method for the dugong. BSc(Hons), James Cook University, Townsville.
- Easterling, D. R., Meehl, G. A., Parmesan, C., et al. (2000). Climate extremes: observations, modeling, and impacts. *Science*, 289, 2068–2074.
- Eberhardt, L. L. (1977). Optimal policies for the conservation of large mammals, with special reference to marine ecosystems. *Environmental Conservation*, 4, 205–212.
- Eberhardt, L. L. (1982). *Censusing Manatees: Manatee Population Research Report 1*. Gainesville: Florida Cooperative Fish and Wildlife Research Unit.
- Eberhardt, L. L. (2002). A paradigm for population analysis of long-lived vertebrates. *Ecology*, 83, 2841–2854.
- Eberhardt, L. L. and O'Shea, T. J. (1995). Integration of manatee life-history data and population modeling. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 269–279.
- Eberhardt, L. L. and Siniff, D. B. (1977). Population dynamics and marine mammal management policies. *Journal of the Fisheries Research Board of Canada*, 34, 183–190.
- Edwards, H. H., Pollock, K. H., Ackerman, B. B., Reynolds III, J. E. and Powell, J. A. (2007). Estimation of detection probability in manatee aerial surveys at a winter aggregation site. *Journal of Wildlife Management*, 71, 2052–2060.
- Egerton, F. N. (2008). A history of the ecological sciences, part 27: naturalists explore Russia and the North Pacific during the 1700s. *Bulletin of the Ecological Society of America*, 89, 39–60.
- Elliot, H. A., Thomas, A., Ladds, P. W. and Heinsohn, G. E. (1981). A fatal case of salmonellosis in a dugong. *Journal of Wildlife Diseases*, 17, 203–208.
- Emlen, J. M. (1966). The role of time and energy in food preference. *American Naturalist*, 100, 611–617.
- Erftemeijer, P. L. A., Moka, D. and Moka, W. (1993). Stomach content analysis of a dugong (*Dugong dugon*) from South Sulawesi, Indonesia. *Australian Journal of Marine and Freshwater Research*, 44, 229–233.
- Eros, C., Marsh, H., Bonde, R., et al. (2007). *Procedures for the Salvage and Necropsy of the Dugong (Dugong dugon)*, 2nd edn, Townsville: Great Barrier Reef Marine Park Authority.

- Estes, J. A. and Duggins, D. O. (1995). Sea otters and kelp forests in Alaska: generality and variation in a community ecological paradigm. *Ecological Monographs*, 65, 75–100.
- Estes, J. A. and Palmisano, J. F. (1974). Sea otters: their role in structuring nearshore communities. *Science*, 185, 1058–1060.
- Estes, J. A., Duggins, D. O. and Rathbun, G. B. (1989). The ecology of extinctions in kelp forest communities. *Conservation Biology*, 3, 252–264.
- Etheridge, K., Rathbun, G. B., Powell, J. A. and Kochman, H. I. (1985). Consumption of aquatic plants by the West Indian manatee. *Journal of Aquatic Plant Management*, 23, 21–25.
- Evans, W. E. and Herald, E. S. (1970). Underwater calls of a captive Amazon manatee, *Trichechus inunguis*. *Journal of Mammalogy*, 51, 820–823.
- Falkenmark, M. (1997a). Meeting water requirements of an expanding world population. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 352, 929–936.
- Falkenmark, M. (1997b). Society's interaction with the water cycle: a conceptual framework for a more holistic approach. *Hydrological Sciences Journal*, 42, 451–466.
- Falkenmark, M. (1998). Dilemma when entering 21st century: rapid change but lack of sense of urgency. *Water Policy*, 1, 421–436.
- Federal Register. (2009). Marine Mammal Protection Act: stock assessment report. Department of the Interior, Fish and Wildlife Service.
- Fernandes, L., Day, J., Lewis, A., et al. (2005). Establishing representative no-take areas in the Great Barrier Reef: large-scale implementation of theory on marine protected areas. *Conservation Biology*, 19, 1733–1744.
- Ferraro, P. J. and Kiss, A. (2002). Direct payments to conserve biodiversity. *Science*, 298, 1718–1719.
- Fischer, M. S. (1986). Die Stellung der Schliefer (Hyracoidea) im phylogenetischen System der Eutheria. *Courier Forschungsinstitut Senckenberg*, 84, 1–132.
- Flamm, R. O., Weigle, B. L., Wright, I. E., Ross, M. and Aglietti, S. (2005). Estimation of manatee (*Trichechus manatus latirostris*) places and movement corridors using telemetry data. *Ecological Applications*, 15, 1415–1426.
- Fleming, L. E., Kirkpatrick, B., Backer, L. C., et al. (2005). Initial evaluation of the effects of aerosolized Florida red tide toxins (brevetoxins) in persons with asthma. *Environmental Health Perspectives*, 113, 650–657.
- Flewelling, L. J., Naar, J. P., Abbott, J. P., et al. (2005). Brevetoxicosis: red tides and marine mammal mortalities. *Nature*, 435, 755–756.
- Florida Fish and Wildlife Conservation Commission. (2002). Final biological status review of the Florida manatee (*Trichechus manatus latirostris*). Florida Fish and Wildlife Conservation Commission, Florida Marine Research Institute.
- Florida Fish and Wildlife Conservation Commission. (2007). Florida Manatee Management Plan *Trichechus manatus latirostris*. Available at: [http://www.myfwc.com/docs/WildlifeHabitats/Manatee\\_Mgmt\\_Plan.pdf](http://www.myfwc.com/docs/WildlifeHabitats/Manatee_Mgmt_Plan.pdf).
- Florida Fish and Wildlife Conservation Commission. (2010a). Manatee synoptic surveys. Available at: [http://research.myfwc.com/features/view\\_article.asp?id=15246](http://research.myfwc.com/features/view_article.asp?id=15246) (accessed 9 October 2010).
- Florida Fish and Wildlife Conservation Commission. (2010b). 2010 manatee mortality. Available at: [http://research.myfwc.com/features/category\\_sub.asp?id=2241](http://research.myfwc.com/features/category_sub.asp?id=2241) (accessed 9 October 2010).

- Florida Fish and Wildlife Conservation Commission. (2010c). YTD preliminary manatee mortality table by county, Florida from 01/01/2009 to 12/31/2009. Florida Fish and Wildlife Conservation Commission, Marine Mammal Pathobiology Laboratory. Available at: [http://research.myfwc.com/engine/download\\_redirection\\_process.asp?file=2009\\_Cumulative\\_Category\\_Summary23Mar2010.pdf&objid=11693&dltype=article](http://research.myfwc.com/engine/download_redirection_process.asp?file=2009_Cumulative_Category_Summary23Mar2010.pdf&objid=11693&dltype=article).
- Florida Fish and Wildlife Conservation Commission. (2010d). YTD preliminary manatee mortality table by county, Florida from 01/01/2010 to 07/31/2010. Florida Fish and Wildlife Commission, Marine Mammal Pathobiology Laboratory. Available at: [http://research.myfwc.com/engine/download\\_redirection\\_process.asp?file=2010\\_Cumulative\\_Category\\_Summary17Aug.pdf&objid=14855&dltype=article](http://research.myfwc.com/engine/download_redirection_process.asp?file=2010_Cumulative_Category_Summary17Aug.pdf&objid=14855&dltype=article).
- Florida Oceans and Coastal Council. (2009). The effects of climate change on Florida's ocean & coastal resources: a special report to the Florida Energy and Climate Commission and the people of Florida. Available at: [http://www.floridaoceanscouncil.org/reports/Climate\\_Change\\_Report\\_v2.pdf](http://www.floridaoceanscouncil.org/reports/Climate_Change_Report_v2.pdf).
- Flowerdew, J. R. (1987). *Mammals: Their Reproductive Biology and Population Ecology*. London: Edward Arnold.
- Foley, W. J. and Moore, B. D. (2005). Plant secondary metabolites and vertebrate herbivores: from physiological regulation to ecosystem function. *Current Opinion in Plant Biology*, 8, 430–435.
- Forrester, D. J. (1992). *Parasites and Diseases of Wild Mammals in Florida*, Gainesville: University Press of Florida.
- Forrester, D. J., White, F. H., Woodard, J. C. and Thompson, N. P. (1975). Intussusception in a Florida manatee. *Journal of Wildlife Diseases*, 11, 566–568.
- Fowler, C. W. (1984). Density dependence in cetacean populations. *Reports of the International Whaling Commission*, special issue, 6, 373–379.
- Frape, D. (2004). *Equine Nutrition and Feeding*, 3rd edn, Oxford: Blackwell Publishing Ltd.
- Frappart, F., Seyler, F., Martinez, J. M., León, J. G. and Cazenave, A. (2005). Floodplain water storage in the Negro River basin estimated from microwave remote sensing of inundation area and water levels. *Remote Sensing of the Environment*, 99, 387–399.
- Frazier, J. G. and Mundkur, T. (1991). Dugong, *Dugong dugon* (Müller) in the Gulf of Kutch, Gujarat. *Journal of the Bombay Natural History Society*, 87, 368–379.
- Frye, F. L. and Herald, E. S. (1969). Osteomyelitis in a manatee. *Journal of the American Veterinary Medical Association*, 155, 1073–1076.
- Gales, N., McCauley, R. D., Lanyon, J. and Holley, D. (2004). Change in the abundance of dugongs in Shark Bay, Ningaloo and Exmouth Gulf, Western Australia: evidence for large-scale migration. *Wildlife Research*, 31, 283–290.
- Galliard, J.-M., Festa-Bianchet, M. and Yoccoz, N. G. (1998). Population dynamics of large herbivores: variable recruitment with constant adult survival. *Trends in Ecology and Evolution*, 13, 58–63.
- Galliard, J.-M., Festa-Bianchet, M., Yoccoz, N. G., Loison, A. and Toïgo, C. (2000). Temporal variation in fitness components and population dynamics of large herbivores. *Annual Review of Ecology and Systematics*, 31, 367–393.

- Gallivan, G. J. and Best, R. C. (1980). Metabolism and respiration of the Amazonian manatee (*Trichechus inunguis*). *Physiological Zoology*, 53, 245–253.
- Gannon, J. G., Scolardi, K. M., Reynolds III, J. E., Koelsch, J. K. and Kessenich, T. J. (2007). Habitat selection by manatees in Sarasota Bay, Florida. *Marine Mammal Science*, 23, 133–143.
- Garcia-Rodriguez, A. I., Bowen, B. W., Domning, D., *et al.* (1998). Phylogeography of the West Indian manatee (*Trichechus manatus*): how many populations and how many taxa? *Molecular Ecology*, 7, 1137–1149.
- Garcia-Rodriguez, A. I., Moraga-Amador, D., Farmerie, W., McGuire, P. and King, T. L. (2000). Isolation and characterization of microsatellite DNA markers in the Florida manatee (*Trichechus manatus latirostris*) and their application in selected sirenian species. *Molecular Ecology*, 9, 2161–2163.
- Gärdenfors, U. (2001). Classifying threatened species at national versus global levels. *Trends in Ecology and Evolution*, 16, 511–516.
- Garner, A., Rachlow, J. L. and Hicks, J. F. (2005). Patterns of genetic diversity and its loss in mammalian populations. *Conservation Biology*, 19, 1215–1221.
- Garrigue, C., Patenaude, N. and Marsh, H. (2008). Distribution and abundance of the dugong in New Caledonia, southwest Pacific. *Marine Mammal Science*, 24, 81–90.
- Garrott, R. A., Ackerman, B. B., Cary, J. R., *et al.* (1995). Assessment of trends in sizes of manatee populations at several Florida aggregation sites. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 34–55.
- GBRMPA. (1981). Nomination of the Great Barrier Reef by the Commonwealth of Australia for inclusion in the World Heritage List. Great Barrier Reef Marine Park Authority, Townsville.
- Geist, V. (1974). On the relationship of ecology and behavior in the evolution of ungulates: theoretical considerations. In *The Behavior of Ungulates and its Relation to Management*, V. Geist and F. Walther (eds), Morges: IUCN, pp. 235–246.
- Geraci, J. R. and Lounsbury, V. J. (2005). *Marine Mammals Ashore: A Field Guide for Strandings*, 2nd edn, Baltimore: National Aquarium in Baltimore.
- Geraci, J. R., Anderson, D. M., Timperi, R. J., *et al.* (1989). Humpback whales (*Megaptera novaeangliae*) fatally poisoned by dinoflagellate toxin. *Canadian Journal of Fisheries and Aquatic Sciences*, 46, 1895–1898.
- Gerges, M. A. (2002). The Red Sea and Gulf of Aden action plan: facing the challenges of an ocean gateway. *Ocean and Coastal Management*, 45, 885–903.
- Gerrodette, T. (1987). A power analysis for detecting trends. *Ecology*, 68, 1364–1372.
- Gerrodette, T., Taylor, B. L., Swift, R., *et al.* (2011). A combined visual and acoustic estimate of 2008 abundance, and change in abundance since 1997, for the vaquita, *Phocaena sinus*. *Marine Mammal Science*, 27, E79–E100.
- Gerstein, E. (2002). Manatees, bioacoustics and boats. *American Scientist*, 90, 154–163.
- Gerstein, E. R., Gerstein, L., Forsythe, S. E. and Blue, J. E. (1999). The underwater audiogram of the West Indian manatee (*Trichechus manatus*). *Journal of the Acoustical Society of America*, 105, 3575–3583.

- Gheerbrant, E. (2009). Paleocene emergence of elephant relatives and the rapid radiation of African ungulates. *Proceedings of the National Academy of Sciences USA*, 106, 10717–10721.
- Gheerbrant, E., Domning, D. P. and Tassy, P. (2005). Paenungulata (Sirenia, Proboscidea, Hyracoidea, and relatives). In *The Rise of Placental Mammals*, K. D. Rose and J. D. Archibald (eds), Baltimore: Johns Hopkins University Press, pp. 84–105.
- Gill, T. N. (1872). Arrangement of the families of mammals. *Smithsonian Miscellaneous Collections*, 11, 1–98.
- Gillespie, A. (2005). The dugong action plan for the South Pacific: an evaluation based on the need for international and regional conservation of sirenians. *Ocean Development and International Law*, 36, 135–158.
- Gingerich, P. D., Arif, M., Bhatti, M. A., Raza, H. A. and Raza, S. M. (1995). *Protosiren* and *Babiacetus* (Mammalia, Sirenia and Cetacea) from the Middle Eocene Drazinda formation, Sulaiman Range, Punjab (Pakistan). *Contributions of the Museum of Paleontology, University of Michigan*, 29, 331–357.
- Gladstone, W. (1996). *Trace Metals in Sediments, Indicator Organisms and Traditional Seafoods of the Torres Strait*, Townsville: Great Barrier Reef Marine Park Authority.
- Gladstone, W., Tawfiq, N., Nasr, D., et al. (1999). Sustainable use of renewable resources and conservation in the Red Sea and Gulf of Aden: issues, needs and strategic actions. *Ocean and Coastal Management*, 42, 671–697.
- Glaser, K. S. (photographs) and Reynolds III, J. E. (text). (2003). *Mysterious Manatees*, Gainesville: University Press of Florida.
- Godfrey, M. H. and Godley, B. J. (2008). Seeing past the red: flawed IUCN global listings for sea turtles. *Endangered Species Research*, 6, 155–159.
- Gohar, H. A. F. (1957). The Red Sea dugong. *Publication of the Marine Biological Station, Al-Ghardaqa (Red Sea)*, 9, 3–49.
- Golder, F. A. (1968). *Bering's Voyages: An Account of the Efforts of the Russians to Determine the Relations of Asia and America*, New York: Octagon Books. [Reprint of Golder's (1922, 1925) two-volume original publication by the American Geographical Society].
- Goodwin, G. C. (1946). The end of the great northern sea cow. *Natural History*, 55, 56–61.
- Goodwin, M. B., Domning, D. P., Lipps, J. H. and Benjamini, C. (1998). The first record of an Eocene (Lutetian) marine mammal from Israel. *Journal of Vertebrate Paleontology*, 18, 813–815.
- Gordon, I. J. and Lindsay, W. K. (1990). Could mammalian herbivores 'manage their resources?'. *Oikos*, 59, 270–280.
- Gorzelany, J. F. (2004). Evaluation of boater compliance with manatee speed zones along the Gulf Coast of Florida. *Coastal Management*, 32, 215–226.
- Goto, M., Ito, C., Yahaya, M. S., et al. (2004a). Characteristics of microbial fermentation and potential digestibility of fiber in the hindgut of dugongs (*Dugong dugon*). *Marine and Freshwater Behaviour and Physiology*, 37, 99–107.
- Goto, M., Ito, C., Yahaya, M. S., et al. (2004b). Effects of age, body size and season on food consumption and digestion of captive dugongs (*Dugong dugon*). *Marine and Freshwater Behaviour and Physiology*, 37, 89–97.

- Goulden, M., Conway, D. and Persechino, A. (2009). Adaptation to climate change in international river basins in Africa: a review. *Hydrological Sciences Journal*, 54, 805–828.
- Grayson, J., Marsh, H., Delean, S. and Hagihara, R. (2008). Improving knowledge of dugong life history using surrogate data. Great Barrier Reef Marine Park Authority. Available at: <http://dugong.id.au/publications/Unpublished/Tusk%20and%20Fecundity%20project%20of%20final%2023%20May.pdf>.
- Grech, A. (2009). Spatial models and risk assessment to inform marine planning at ecosystem-scales: seagrasses and dugongs as a case study. PhD Thesis, James Cook University, Townsville.
- Grech, A. and Coles, R. G. (2010). An ecosystem-scale predictive model of coastal seagrass distribution. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20, 437–444.
- Grech, A. and Marsh, H. (2007). Prioritising areas for dugong conservation in a marine protected area using a spatially explicit population model. *Applied GIS*, 3, 1–14.
- Grech, A. and Marsh, H. (2008). Rapid assessment of risks to a mobile marine mammal in an ecosystem-scale marine protected area. *Conservation Biology*, 22, 711–720.
- Grech, A. and Marsh, H. (2010). Condition, trends and predicted futures of dugong populations in the Great Barrier Reef World Heritage Area: including an evaluation of the potential and cost-effectiveness of indicators of the status of these populations. Final report to the Marine and Tropical Research Facility.
- Grech, A., Marsh, H. and Coles, R. (2008). A spatial assessment of the risk to a mobile marine mammal from bycatch. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 18, 1127–1139.
- Grech, A., Sheppard, J. and Marsh, H. (2011a). Informing species conservation at multiple scales using data collected for marine mammal stock assessments. *PLoS ONE*, 6, e17993.
- Grech, A., Coles, R. and Marsh, H. (2011b). A broad-scale assessment of the risk to coastal seagrasses from cumulative threats. *Marine Policy*, 35, 560–567.
- Green, D. M. (2005). Designatable units for status assessment of endangered species. *Conservation Biology*, 19, 1813–1820.
- Green, E. P. and Short, F. T. (2003). *World Atlas of Seagrasses*, Berkeley: University of California Press.
- Gregory, W. K. (1910). The orders of mammals. *Bulletin of the American Museum of Natural History*, 27, 1–524.
- Griebel, U. and Schmid, A. (1996). Color vision in the manatee (*Trichechus manatus*). *Vision Research*, 36, 2747–2757.
- Griebel, U. and Schmid, A. (1997). Brightness discrimination ability in the West Indian manatee (*Trichechus manatus*). *Journal of Experimental Biology*, 200, 1587–1592.
- Grigione, M. M. (1996). Observations on the status and distribution of the West African manatee in Cameroon. *African Journal of Ecology*, 34, 189–195.
- Gunter, G. (1942). Further miscellaneous notes on American manatees. *Journal of Mammalogy*, 23, 89–90.



- Gur, M. B. and Niezrecki, C. (2009). A source separation approach to enhancing marine mammal vocalizations. *Journal of the Acoustical Society of America*, 126, 3062–3070.
- Guterres, M. G., Marmontel, M., Ayub, D. M., Singer, R. F. and Singer, R. B. (2008) *Anatomia e Morfologia de Plantas Aquáticas da Amazonia*. Utilizadas Como Potencial Alimento por Peixe-Boi Amazônico, Belem/PA.
- Haley, D. (1980). The great northern sea cow: Steller's gentle siren. *Oceans*, 13, 7–11
- Hall, L. S., Krausman, P. R. and Morrison, M. L. (1997). The habitat concept and a plea for standard terminology. *Wildlife Society Bulletin*, 25, 173–182.
- Hall, M. O., Durako, M. J., Fourqurean, J. W. and Zieman, J. C. (1999). Decadal changes in seagrass distribution and abundance in Florida Bay. *Estuaries*, 22, 445–459.
- Halpern, B. S., Walbridge, S., Selkoe, K. A., et al. (2008). A global map of human impact on marine ecosystems. *Science*, 319, 948–952.
- Hammer, A. S., Klausen, B., Knold, S., Dietz, H. H. and Dutoit, S. J. H. (2005). Malignant lymphoma in a West Indian manatee (*Trichechus manatus*). *Journal of Wildlife Diseases*, 41, 834–838.
- Hanks, J. and McIntosh, J. E. A. (1973). Population dynamics of the African elephant (*Loxodonta africana*). *Journal of Zoology*, 169, 29–38.
- Harino, H., Ohji, M., Wattayakorn, G., et al. (2007). Concentrations of organotin compounds in tissues and organs of dugongs from Thai coastal waters. *Archives of Environmental Contamination and Toxicology*, 53, 495–502.
- Harr, K., Harvey, J., Bonde, R., et al. (2006). Comparison of methods used to diagnose generalized inflammatory disease in manatees (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 37, 151–159.
- Harr, K. E., Szabo, N. J., Cichra, M. and Philips, E. J. (2008a). Debromoaplysiatoxin in *Lynghya*-dominated mats on manatees (*Trichechus manatus latirostris*) in the Florida King's Bay ecosystem. *Toxicon*, 52, 385–388.
- Harr, K., Allison, K., Bonde, R., Murphy, D. and Harvey, J. (2008b). Comparison of blood aminotransferase methods for assessment of myopathy and hepatopathy in Florida manatees (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 39, 180–187.
- Harris, P. P., Huntingford, C. and Cox, P. M. (2008). Amazon Basin climate under global warming: the role of the sea surface temperature. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363, 1753–1759.
- Hartman, D. S. (1979). Ecology and behavior of the manatee (*Trichechus manatus*) in Florida. *American Society of Mammalogists Special Publication*, 5, 1–153.
- Harvell, C. D., Mitchell, C. E., Ward, J. R., et al. (2002). Climate warming and disease risks for terrestrial and marine biota. *Science*, 296, 2158–2162.
- Harvell, D., Altizer, S., Cattadori, I. M., Harrington, L. and Weil, E. (2009). Climate change and wildlife diseases: when does the host matter the most? *Ecology*, 90, 912–920.
- Harvey, J. W., Harr, K. E., Murphy, D., et al. (2007). Clinical biochemistry in healthy manatees (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 38, 269–279.
- Harvey, J. W., Harr, K. E., Murphy, D., et al. (2009). Hematology of healthy Florida manatees (*Trichechus manatus*). *Veterinary Clinical Pathology*, 38, 183–193.

- Harvey, P. H. and Zammuto, R. M. (1985). Patterns of mortality and age of first reproduction in natural populations of mammals. *Nature*, 315, 319–320.
- Haubold, E. M., Deutsch, C. J. and Fonnesebeck W. C. (2006). Final biological status review of the Florida manatee (*Trichechus manatus latirostris*). St Petersburg: Florida Fish and Wildlife Conservation Commission.
- Hauxwell, J., Osenberg, C. W. and Frazer, T. K. (2004). Conflicting management goals: manatees and invasive competitors inhibit restoration of a native macrophyte. *Ecological Applications*, 14, 571–586.
- Havemann, P., Thiriet, D., Marsh, H. and Jones, C. (2005). Traditional use of marine resources agreements and dugong hunting in the Great Barrier Reef World Heritage Area. *Environmental and Planning Law Journal*, 22, 258–280.
- Haynes, D. and Johnson, J. E. (2000). Organochlorine, heavy metal and polyaromatic hydrocarbon pollutant concentrations in the Great Barrier Reef (Australia) environment: a review. *Marine Pollution Bulletin*, 41, 267–278.
- Haynes, D., Müller, J. F. and McLachlan, M. S. (1999). Polychlorinated dibenzo-*p*-dioxins and dibenzofurans in Great Barrier Reef (Australia) dugongs (*Dugong dugon*). *Chemosphere*, 38, 255–262.
- Haynes, D., Müller, J. and Carter, S. (2000a). Pesticide and herbicide residues in sediments and seagrasses from the Great Barrier Reef World Heritage Area and Queensland coast. *Marine Pollution Bulletin*, 41, 279–287.
- Haynes, D., Ralph, P., Prange, J. and Dennison, B. (2000b). The impact of the herbicide diuron on photosynthesis in three species of tropical seagrass. *Marine Pollution Bulletin*, 41, 288–293.
- Haynes, D., Carter, S., Gaus, C., Müller, J. and Dennison, W. (2005). Organochlorine and heavy metal concentrations in blubber and liver tissue collected from Queensland (Australia) dugong (*Dugong dugon*). *Marine Pollution Bulletin*, 51, 361–369.
- Hays, G. C., Akesson, S., Broderick, A. C., *et al.* (2001). The diving behaviour of green turtles undertaking oceanic migration to and from Ascension Island: dive durations, dive profiles and depth distribution. *Journal of Experimental Biology*, 204, 4093–4098.
- Heinsohn, G. E. (1972). A study of dugongs (*Dugong dugon*) in northern Queensland, Australia. *Biological Conservation*, 4, 205–213.
- Heinsohn, G. E. and Birch, W. R. (1972). Foods and feeding habits of the dugong, *Dugong dugon* (Erxleben), in northern Queensland Australia. *Mammalia*, 36, 414–422.
- Heinsohn, G. E. and Marsh, H. (1984). Sirens of northern Australia. In *Vertebrate Zoogeography and Evolution in Australia: Animals in Space and Time*, M. Archer and G. Clayton (eds), Carlisle, WA: Hesperion Press, pp. 1003–1010.
- Heinsohn, G. E. and Spain, A. V. (1974). Effects of a tropical cyclone on littoral and sub-littoral biotic communities and on a population of dugongs (*Dugong dugon* [Müller]). *Biological Conservation*, 6, 143–152.
- Heinsohn, G. E., Spain, A. V. and Anderson, P. K. (1976). Populations of dugong (Mammalia: Sirenia): aerial survey of the inshore waters of tropical Australia. *Biological Conservation*, 9, 21–23.
- Heinsohn, G. E., Wake, J., Marsh, H. and Spain, A. V. (1977). The dugong (*Dugong dugon* [Müller]) in the seagrass system. *Aquaculture*, 12, 235–248.

- Heinsohn, G. E., Lear, R. J., Bryden, M. M., Marsh, H. and Gardner, B. R. (1978). Discovery of a large population of dugongs off Brisbane, Australia. *Environmental Conservation*, 5, 91–92.
- Heinsohn, R., Lacy, R. C., Lindenmayer, D. B., *et al.* (2004). Unsustainable harvest of dugongs in Torres Strait and Cape York (Australia) waters: two case studies using population viability analysis. *Animal Conservation*, 7, 417–425.
- Heisler, J., Glibert, P. M., Burkholder, J. M., *et al.* (2008). Eutrophication and harmful algal blooms: a scientific consensus. *Harmful Algae*, 8, 3–13.
- Heithaus, M. R. (2001). The biology of tiger sharks, *Galeocerdo cuvier*, in Shark Bay, Western Australia: sex ratio, size distribution, diet, and seasonal changes in catch rates. *Environmental Biology of Fishes*, 61, 25–36.
- Heithaus, M. R., Wirsing, A. J., Dill, L. M. and Heithaus, L. I. (2007). Long-term movements of tiger sharks satellite-tagged in Shark Bay, Western Australia. *Marine Biology*, 151, 1455–1461.
- Heithaus, M. R., Wirsing, A. J., Burkholder, D., Thomson, J. and Dill, L. M. (2009). Towards a predictive framework for predator risk effects: the interaction of landscape features and prey escape tactics. *Journal of Animal Ecology*, 78, 556–562.
- Henzi, S. P., Lycett, J. E. and Piper, S. E. (1997). Fission and troop size in a mountain baboon population. *Animal Behaviour*, 53, 525–535.
- Hermanussen, S., Matthews, V., Pöpke, O., Limpus, C. J. and Gaus, C. (2008). Flame retardants (PBDEs) contamination of marine turtles, dugongs and seafood from Queensland, Australia. *Marine Pollution Bulletin*, 57, 409–418.
- Hernandez, M., Robinson, I., Aguilar, A., *et al.* (1998). Did algal toxins cause monk seal mortality?. *Nature*, 393, 28–29.
- Hernandez, P., Reynolds III, J. E., Marsh, H. and Marmontel, M. (1995). Age and seasonality in spermatogenesis of Florida manatees. In *Population Biology of the Florida Manatee*, T. J. O’Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 84–97.
- Hess, L. L., Melack, J. M., Novo, E. M. L. M., Barbosa, C. C. F. and Gastil, M. (2003). Dual-season mapping of wetland inundation and vegetation for the central Amazon basin. *Remote Sensing of Environment*, 87, 404–428.
- Hildebrand, J. (2005). Impacts of anthropogenic sound. In *Marine Mammal Research: Conservation Beyond Crisis*, J. E. Reynolds III, W. F. Perrin, R. R. Reeves, S. Montgomery and T. J. Ragen (eds), Baltimore: Johns Hopkins University Press, pp. 101–123.
- Hill, B. D., Fraser, I. R. and Prior, H. C. (1997). *Cryptosporidium* infection in a dugong (*Dugong dugon*). *Australian Veterinary Journal*, 75, 670–671.
- Hill, D. A. and Reynolds III, J. E. (1989). Gross and microscopic anatomy of the kidney of the West Indian manatee, *Trichechus manatus* (Mammalian: Sirenia). *Acta Anatomica*, 135, 53–56.
- Hines, E., Adulyanukosol, K. and Duffus, D. A. (2005a). Dugong abundance along the Andaman coast of Thailand. *Marine Mammal Science*, 21, 536–549.
- Hines, E., Adulyanukosol, K., Duffus, D. and Dearden, P. (2005b). Community perspectives and conservation needs for dugongs (*Dugong dugon*) along the Andaman Coast of Thailand. *Environmental Management*, 36, 654–664.

- Hines, E., Adulyanukosol, K., Somany, P., Sam Ath, L. and Cox, N. (2008). Conservation needs of the dugong *Dugong dugon* in Cambodia and Phu Quoc Island, Vietnam. *Oryx*, 42, 113–121.
- Hines, E., Adulyanukosol, K., Poochaviranon, S., et al. (2012a). Dugongs in Asia. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Hines, E., Reynolds, J., Mignucci-Giannoni, A., Aragones, L. and Marmontel, M. (eds). (2012b). *Sirenian Conservation: Issues and Strategies in Developing Countries*, Gainesville: University Press of Florida.
- Hines, E., Domning, D., Aragones, L., et al. (2012c). The role of scientists in sirenian conservation in developing countries. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Hirasaka, K. (1932). The occurrence of the dugong in Formosa. *Memoirs of the Faculty of Science and Agriculture, Taihoku Imperial University, Formosa Japan*, 8, 1–3.
- Hobbs, J.-P. A., Frisch, A. J., Hender, J. and Gilligan, J. J. (2007). Long-distance oceanic movement of a solitary dugong (*Dugong dugon*) to the Cocos (Keeling) Islands. *Aquatic Mammals*, 33, 175–178.
- Hodgson, A. J. (2004). Dugong behaviour and responses to human influences. PhD Thesis, James Cook University, Townsville.
- Hodgson, A. J. and Marsh, H. (2007). Response of dugongs to boat traffic: the risk of disturbance and displacement. *Journal of Experimental Marine Biology and Ecology*, 340, 50–61.
- Hodgson, A. J., Marsh, H., Delean, S. and Marcus, L. (2007). Is attempting to change marine mammal behaviour a generic solution to the bycatch problem? A dugong case study. *Animal Conservation*, 10, 263–273.
- Hodgson, A. J., Marsh, H., Gales, N., Holley, D. K. and Lawler, I. (2008). Dugong population trends across two decades in Shark Bay, Ningaloo Reef and Exmouth Gulf. Denham, Western Australia: WA Department of Environment and Conservation.
- Hoegh-Guldberg, O. and Bruno, J. F. (2010). The impact of climate change on the world's marine ecosystems. *Science*, 328, 1523–1528.
- Hoffmann, J. P. (2004). Social and environmental influences on endangered species: a cross-national study. *Sociological Perspectives*, 47, 79–107.
- Holley, D. K. (2006). Movement patterns and habitat usage of Shark Bay dugongs. MS Thesis, Edith Cowan University, Joondalup, Western Australia.
- Holley, D. K., Lawler, I. R. and Gales, N. J. (2006). Summer survey of dugong distribution and abundance in Shark Bay reveals additional key habitat area. *Wildlife Research*, 33, 243–250.
- Holloway, M. (2010). Wounds that can heal. *Conservation Magazine*, 11, 28–32.
- Home, R., Keller, C., Nagel, P., Bauer, N. and Hunziker, M. (2009). Selection criteria for flagship species by conservation organizations. *Environmental Conservation*, 36, 139–148.
- Hooker, S. K. and Gerber, L. R. (2004). Marine reserves as a tool for ecosystem-based management: the potential importance of megafauna. *Bioscience*, 54, 27–39.

- Hudson, B. E. T. (1977). *Dugong: Distribution, Hunting, Protective Legislation and Cultural Significance in Papua New Guinea*, Konedobu: Wildlife Division, Department of Lands and Environment.
- Hudson, B. E. T. (1981). The dugong conservation, management and public education programme in Papua New Guinea: working with people to conserve their dugong resources. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8–13 May 1979, Townsville*, H. Marsh (ed.), Townsville: James Cook University, pp. 70–79.
- Hudson, B. E. T. (1986). The hunting of dugong in Daru, Papua New Guinea, during 1978–82: community management and education initiatives. In *Torres Strait Fisheries Seminar, Port Moresby, 11–14 February 1985*, A. K. Haines, G. C. Williams and D. Coates (eds), Canberra: Australian Government Printing Service, pp. 77–94.
- Huggett, A. St G. and Widdas, W. F. (1951). The relationship between mammalian foetal weight and conception age. *Journal of Physiology*, **114**, 306–317.
- Human Development Report. (2009). Human Poverty Index (HPI-1) value (%) Available at: <http://hdrstats.undp.org/en/indicators/97.html> (accessed 10 October 2010).
- Hunter, M., Broderick, D., Oviden, J. R., et al. (2010a). Characterization of highly informative cross-species microsatellite panels for the Australian dugong (*Dugong dugon*) and Florida manatee (*Trichechus manatus latirostris*) including five novel primers. *Molecular Ecology Resources*, **10**, 368–377.
- Hunter, M., Auil-Gomez, N. E., Tucker, K. P., et al. (2010b). Low genetic variation and evidence of limited dispersal in the regionally important Belize manatee. *Animal Conservation*, **13**, 592–602.
- Hunter, M., King, T. L., Tucker, K. P., et al. (in press). Comprehensive genetic investigation recognizes evolutionary divergence in the Florida (*Trichechus manatus latirostris*) and Puerto Rico (*T. m. manatus*) manatee populations and subtle substructure in Puerto Rico. *Molecular Ecology*.
- Husar, S. L. (1977). *Trichechus inunguis*: mammalian species. *The American Society of Mammalogists*, **72**, 1–4.
- Husar, S. L. (1978). *Dugong dugon*: mammalian species. *The American Society of Mammalogists*, **88**, 1–7.
- Ichikawa, K., Tsutsumi, C., Arai, N., et al. (2006). Dugong (*Dugong dugon*) vocalization patterns recorded by automatic underwater sound monitoring systems. *Journal of the Acoustical Society of America*, **119**, 3726–3733.
- Ichikawa, K., Akamatsu, T., Shinke, T., et al. (2009). Detection probability of vocalizing dugongs during playback of conspecific calls. *Journal of the Acoustical Society of America*, **126**, 1954–1959.
- Ikeda, K. and Mukai, H. (2012). Dugongs in Japan. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Ilangakoon, A. and Tun, T. (2007). Rediscovering the dugong (*Dugong dugon*) in Myanmar and capacity building for research and conservation. *Raffles Bulletin of Zoology*, **55**, 195–199.
- Ilangakoon, A. D., Sutaria, D., Hines, E. and Raghavan, R. (2008). Community interviews on the status of the dugong (*Dugong dugon*) in the Gulf of Mannar (India and Sri Lanka). *Marine Mammal Science*, **24**, 704–710.

- Jlliger, C. (1811). *Prodromus systematis mammalium et avium additis terminis zoographicus utriusque classis, erumque versione Germanica*, Berlin: C. Salfeld.
- Irvine, A. B. (1983). Manatee metabolism and its influence on distribution in Florida. *Biological Conservation*, 25, 315–334.
- Irvine, A. B. and Campbell, H. W. (1978). Aerial census of the West Indian manatee, *Trichechus manatus*, in the southeastern United States. *Journal of Mammalogy*, 59, 613–617.
- Irvine, A. B., Caffin, J. E. and Kochman, H. I. (1982). Aerial surveys for manatees and dolphins in western peninsular Florida. *Fishery Bulletin*, 80, 621–630.
- Issa, A. M. (2008). Niger. In *Conservation Strategy for the West African Manatee*, T. Dodman, M. D. D. Ndiaye and K. Sarr (eds), Nairobi: UNEP and Dakar: Wetlands International Africa, pp. 82–86.
- Iturralde-Vinent, M. A. (2003). A brief account of the evolution of the Caribbean Seaway: Jurassic to present. In *From Greenhouse to Icehouse: The Marine Eocene–Oligocene Transition*, D. R. Prothero, L. C. Ivany and E. A. Nesbitt (eds), New York: Columbia University Press, pp. 386–396.
- IUCN. (1986). *1986 IUCN Red List of Threatened Animals*, Gland, Switzerland and Cambridge: IUCN Conservation Monitoring Centre.
- IUCN. (1994). *Guidelines for Protected Area Management Categories*, Gland, Switzerland and Cambridge: IUCN.
- IUCN. (2001). *IUCN Red List Categories and Criteria: Version 3.1*, Gland, Switzerland and Cambridge: IUCN.
- IUCN. (2003). *Guidelines for Application of IUCN Red List Criteria at Regional Levels: Version 3.0*, Gland, Switzerland and Cambridge: IUCN.
- IUCN. (2005). Conservation of dugong (*Dugong dugon*), Okinawa woodpecker (*Sapheopipo noguchii*), and Okinawa rail (*Gallirallus okinawae*) in Japan. RECO32 in resolutions and recommendations, 3rd IUCN World Conservation Congress 17–25 November 2004, Bangkok, Thailand.
- IUCN. (2009). 2009 IUCN Red List of threatened species: version 2009.2. Available at: <http://www.iucnredlist.org> (accessed 26 November 2009).
- Ivany, L. C., Nesbitt, E. A. and Prothero, D. R. (2003). The marine Eocene–Oligocene transition: a synthesis. In *From Greenhouse to Icehouse: The Marine Eocene–Oligocene Transition*, D. R. Prothero, L. C. Ivany and E. A. Nesbitt (eds), New York: Columbia University Press, pp. 522–534.
- Jaaman, S. A., Lah-Anyi, Y. U. and Pierce, G. J. (2009). The magnitude and sustainability of marine mammal by-catch in fisheries in East Malaysia. *Journal of the Marine Biological Association of the UK*, 89, 907–920.
- Jackson, J. B. C., Budd, A. F. and Coates, A. G. (eds). (1996). *Evolution and Environment in Tropical America*, Chicago: University of Chicago Press.
- Jackson, J. B. C., Kirby, M. X., Berger, W. H., et al. (2001). Historical overfishing and the recent collapse of coastal ecosystems. *Science*, 293, 629–638.
- Jacobs, S. W. L., Les, D. H. and Moody, M. L. (2006). New combinations in Australasian *Zostera* (Zosteraceae). *Telopea*, 11, 127–128.
- Jagtap, T. G., Komarpant, D. S. and Rodrigues, R. (2003). The seagrasses of India. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 101–108.
- Janis, C. (2008). An evolutionary history of browsing and grazing ungulates. In *The Ecology of Browsing and Grazing*, Vol. 195, I. J. Gordon and H. H. T. Prins (eds), Berlin: Springer, pp. 21–45.

- Jarman, P. J. (1966). The status of the dugong (*Dugong dugon* Müller) Kenya, 1961. *East African Wildlife Journal*, 4, 82–88.
- Jefferson, T., Webber, M. and Pitman, R. (2008). *Marine Mammals of the World: A Comprehensive Guide to their Identification*, London: Academic Press.
- Jickells, T. D., An, Z. S., Andersen, K. K., *et al.* (2005). Global iron connections between desert dust, ocean biogeochemistry, and climate. *Science*, 308, 67–71.
- Jiménez, I. (2005). Development of predictive models to explain the distribution of the West Indian manatee *Trichechus manatus* in tropical watercourses. *Biological Conservation*, 125, 491–503.
- Johannes, R. E. and MacFarlane, W. (1991). *Traditional Fishing in the Torres Strait*, Hobart: CSIRO Division of Fisheries.
- Johnstone, I. M. and Hudson, B. E. T. (1981). The dugong diet: mouth sample analysis. *Bulletin of Marine Science*, 31, 681–690.
- Jolly, G. M. (1965). Explicit estimates from capture–recapture data with both death and immigration: stochastic model. *Biometrika*, 52, 225–247.
- Jones, A. (2005). Family Paramphistomidae Fiscoeder, 1901. In *Keys to the Trematoda*, Vol. 2, A. Jones, R. A. Bray and D. I. Gibson (eds), London: CABI and the Natural History Museum, pp. 229–246.
- Jones, C. (1978). *Dendrohyrax dorsalis*. *Mammalian Species*, 113, 1–4.
- Jones, M.-A., Stauber, J., Apte, S., *et al.* (2005). A risk assessment approach to contaminants in Port Curtis, Queensland, Australia. *Marine Pollution Bulletin*, 51, 448–458.
- Jones, S. (1981). Distribution and status of the dugong, *Dugong dugon* (Müller), in the Indian Region. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8–13 May 1979, Townsville*, H. Marsh (ed.), Townsville: James Cook University, pp. 24–30.
- Jonklaas, R. (1961). Some observations on dugongs (*Dugong dugon* – Erxleben). *Loris*, 9, 1–8.
- Jordan, D. S., Stejneger, L., Lucas, F. A., *et al.* (1899). *The Fur Seals and Fur-Seal Islands of the North Pacific Ocean, Part 3*, Washington, DC: US Government Printing Office.
- Junk, W. J. (1997). Structure and function of the large Central Amazonian river floodplains: synthesis and discussion. In *The Central Amazon Floodplain: Ecology of a Pulsing System*, W. J. Junk (ed.), Berlin: Springer-Verlag, pp. 455–472.
- Junk, W. J. and Piedade, M. T. F. (1997). Plant life in the floodplain with special references to herbaceous plants. In *The Central Amazon Floodplain: Ecology of a Pulsing System*, W. J. Junk (ed.), Berlin: Springer-Verlag, pp. 147–185.
- Kaiser, H. (1974). *Morphology of the Sirenia: A Macroscopic and X-ray Atlas of the Osteology of Recent Species*, Basel: S. Karger.
- Kamiya, T. and Yamasaki, F. (1981). A morphological note on the sinus hair of the dugong. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8–13 May 1979, Townsville*, H. Marsh (ed.), Townsville: James Cook University.
- Kan-Atireklap, S., Tanabe, S. and Sanguansin, J. (1997). Contamination by butyltin compounds in sediments from Thailand. *Marine Pollution Bulletin*, 34, 894–899.
- Keith, L. C. and Collins, T. (2007). West African manatee (*Trichechus senegalensis*) 2006 survey activities in Gabon. *SireNews*, 47, 10.

- Keller, M., Moliner, J. L., Vasquez, G., *et al.* (2008). Nephrolithiasis and pyelonephritis in two West Indian manatees (*Trichechus manatus* spp.). *Journal of Wildlife Diseases*, 44, 707–711.
- Kellogg, E. (2001). The evolutionary history of grasses. *Plant Physiology*, 125, 1198–1205.
- Kellogg, M. E., Burkett, S., Dennis, T. R., *et al.* (2007). Chromosome painting in the manatee supports Afrotheria and Paenungulata. *BMC Evolutionary Biology*, 7, 6.
- Kendall, S. (2001). Distribution and conservation of the Amazonian manatee (*Trichechus inunguis*) in the area of Puerto Narino, Colombia. Final Report to Fauna and Flora International, Project Reference 99/54/4.
- Kendall, S. and Orozco, D. L. (2003). El árbol de los manatíes: concertación y conservación en la Amazonia colombiana. In *Fauna Socializada- tendencias en el manejo participativo de la fauna en America Latina*, C. Campos-Rozo and A. Ulloa (eds), Columbia: Fundación Natura, pp. 215–237.
- Kendall, W. L., Hines, J. E. and Nichols, J. D. (2003). Adjusting multistate capture–recapture models for misclassification bias: manatee breeding proportions. *Ecology*, 84, 1058–1066.
- Kendall, W. L., Langtimm, C. A., Beck, C. A. and Runge, M. C. (2004). Capture–recapture analysis for estimating manatee reproductive rates. *Marine Mammal Science*, 20, 424–437.
- Kennedy, S. (1998). Morbillivirus infections in marine mammals. *Journal of Comparative Pathology*, 119, 201–225.
- Kenworthy, W. J., Durako, M. J., Fatemy, S. M. R., Valavi, H. and Thayer, G. W. (1993). Ecology of seagrasses in northeastern Saudi Arabia one year after the Gulf War oil spill. *Marine Pollution Bulletin*, 27, 213–222.
- Kenyon, K. (1969). The sea otter in the eastern Pacific Ocean. *North American Fauna*, 68, 1–352.
- Kenyon, K. W. (1977). Caribbean monk seal extinct. *Journal of Mammalogy*, 58, 97–98.
- Ketten, D. R., Odell, D. K. and Domning, D. P. (1992). Structure, function, and adaptation of the manatee ear. In *Marine Mammal Sensory Systems*, J. A. Thomas, R. A. Kastelein and A. Y. Supin (eds), New York: Plenum Press, pp. 77–95.
- Keys, J. E. Jr, Van Soest, P. J. and Young, E. P. (1969). Comparative study of the digestibility of forage cellulose and hemicellulose in ruminants and nonruminants. *Journal of Animal Science*, 29, 11–15.
- Kimura, S. (1957). The twinning in southern fin whales. *Scientific Report of the Whales Research Institute, Tokyo*, 12, 103–125.
- Kinch, J. (2008). An assessment of dugong (*Dugong dugon*) resources in the autonomous region of Bougainville, Papua New Guinea. Unpublished report prepared for Conservation International, Melanesian Centre for Biodiversity Conservation, Atherton, Queensland Australia.
- King, J. M. and Heinen, J. T. (2004). An assessment of the behaviors of overwintering manatees as influenced by interactions with tourists at two sites in central Florida. *Biological Conservation*, 117, 227–234.
- King, T. F. (2006). Creatures and culture: some implications of dugong v. Rumsfeld. *International Journal of Cultural Property*, 13, 235–240.
- Kingdon, J. (1971). Dugong. In *East African Mammals: An Atlas of Evolution in Africa*, London: Academic Press.



- Kinnaird, M. F. (1985). Aerial census of manatees in northeastern Florida. *Biological Conservation*, 32, 59–79.
- Kirkpatrick, B., Fleming, L. E., Squicciarini, D., et al. (2004). Literature review of Florida red tide: implications for human health effects. *Harmful Algae*, 3, 99–115.
- Kiss, A. (2004). Making biodiversity a land-use priority. In *Getting Biodiversity Projects to Work*, T. O. McShane and M. P. Wells (eds), New York: Columbia University Press, pp. 98–123.
- Klas, M. (2010a). After months of controversy, PSC to decide FPL's rate request. *St Petersburg Times*.
- Klas, M. (2010b). FPL faces key vote on rate increase of up to 30 percent. *The Palm Beach Post*.
- Kleinschmidt, T., Czelusniak, J., Goodman, M. and Braunitzer, G. (1986). Paenungulata: a comparison of the hemoglobin sequences from elephant, hyrax, and manatee. *Molecular Biology and Evolution*, 3, 427–435.
- Klevezal, G. A. (1980). Layers in the hard tissues of mammals as a record of growth rhythms of individuals. *Reports of the International Whaling Commission*, special issue, 3, pp. 89–94.
- Klishin, V. O., Diaz, R. P., Popov, V. V. and Supin, A. Y. (1990). Some characteristics of hearing of the Brazilian manatee, *Trichechus inunguis*. *Aquatic Mammals*, 16, 139–144.
- Kobayashi, S., Horikawa, H. and Miyazaki, S. (1995). A new species of Sirenia (Mammalia: Hydrodamalinae) from the Shiotsubo Formation in Takasato, Aizu, Fukushima Prefecture, Japan. *Journal of Vertebrate Paleontology*, 15, 815–829.
- Kochman, H. I., Rathbun, G. B. and Powell, J. A. (1985). Temporal and spatial distribution of manatees in Kings Bay, Crystal River, Florida. *Journal of Wildlife Management*, 49, 921–924.
- Koelsch, J. K. (2001). Reproduction in female manatees observed in Sarasota Bay, Florida. *Marine Mammal Science*, 17, 331–342.
- Kojeszewski, T. and Fish, F. E. (2007). Swimming kinematics of the Florida manatee (*Trichechus manatus latirostris*): hydrodynamic analysis of an undulatory mammalian swimmer. *Journal of Experimental Biology*, 210, 2411–2418.
- Kouadio, A. (2012). The West African manatee. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Gianmoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Kovacs, K. (2008). *Monachus tropicalis*. IUCN 2010 Red List of Threatened Species. Available at: <http://www.iucnredlist.org> (accessed 25 September 2010).
- Kuriandewa, T. E., Kiswara, W., Hutomo, M. and Soemodihardjo, S. (2003). The seagrasses of Indonesia. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 171–182.
- Kwan, D. (2002). Towards a sustainable Indigenous fishery for dugongs in Torres Strait: a contribution of empirical data and process. PhD Thesis, James Cook University, Townsville.
- Lack, M. and Sant, G. (2008). *Illegal, Unreported, and Unregulated Shark Catch: A Review of Current Knowledge and Action*, Department of the Environment, Water, Heritage and the Arts, Australia and TRAFFIC.
- Lainson, R., Naiff, R. D., Best, R. C. and Shaw, J. J. (1983). *Eimeria trichechi* n. sp. from the Amazonian manatee, *Trichechus inunguis* (Mammalia: Sirenia). *Systematic Parasitology*, 5, 287–289.

- Laist, D. W. and Reynolds III, J. E. (2005a). Influence of power plants and other warm-water refuges on Florida manatees. *Marine Mammal Science*, 21, 739-764.
- Laist, D. W. and Reynolds III, J. E. (2005b). Florida manatees, warm-water refuges, and an uncertain future. *Coastal Management*, 33, 279-295.
- Laist, D. W. and Shaw, C. (2006). Preliminary evidence that boat speed restrictions reduce deaths of Florida manatees. *Marine Mammal Science*, 22, 472-479.
- Laist, D. W., Knowlton, A. R., Mead, J. G., Collet, A. S. and Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science*, 17, 35-75.
- Landsberg, J. H., Flewelling, L. J. and Naar, J. (2009). *Karenia brevis* red tides, brevetoxins in the food web, and impacts on natural resources: decadal advancements. *Harmful Algae*, 8, 598-607.
- Langeland, K. A. (1996). *Hydrilla verticillata* (L.F.) Royle (Hydrocharitaceae), 'the perfect aquatic weed'. *Castanea*, 61, 293-304.
- Langer, P. (1984). Comparative anatomy of the stomach in mammalian herbivores. *Quarterly Journal of Experimental Physiology*, 69, 615-625.
- Langer, P. (2003). Lactation, weaning period, food quality, and digestive tract differentiations in eutheria. *Evolution*, 57, 1196-1215.
- Langtimm, C. A. (2009). Non-random temporary emigration and the robust design: conditions for bias at the end of a time series. In *Modeling Demographic Processes in Marked Populations*, Vol. 3, D. L. Thomson, E. G. Cooch and M. J. Conroy (eds), New York: Springer, pp. 745-761.
- Langtimm, C. A. and Beck, C. A. (2003). Lower survival probabilities for adult Florida manatees in years with intense coastal storms. *Ecological Applications*, 13, 257-268.
- Langtimm, C. A., O'Shea, T. J., Pradel, R. and Beck, C. A. (1998). Estimates of annual survival probabilities for adult Florida manatees (*Trichechus manatus latirostris*). *Ecology*, 79, 981-997.
- Langtimm, C. A., Beck, C. A., Edwards, H. H., et al. (2004). Survival estimates for Florida manatees from the photo-identification of individuals. *Marine Mammal Science*, 20, 438-463.
- Langtimm, C. A., Krohn, M. D., Reid, J. P., Stith, B. M. and Beck, C. A. (2006). Possible effects of the 2004 and 2005 hurricanes on manatee survival rates and movement. *Estuaries and Coasts*, 29, 1026-1032.
- Lanyon, J. (1991). The nutritional ecology of the dugong (*Dugong dugon*) in tropical North Queensland. PhD Thesis, Monash University, Melbourne.
- Lanyon, J. M. (2003). Distribution and abundance of dugongs in Moreton Bay, Queensland, Australia. *Wildlife Research*, 30, 397-409.
- Lanyon, J. M. and Marsh, H. (1995a). Temporal changes in the abundance of some tropical intertidal seagrasses in North Queensland. *Aquatic Botany*, 49, 217-237.
- Lanyon, J. M. and Marsh, H. (1995b). Digesta passage times in the dugong. *Australian Journal of Zoology*, 43, 119-127.
- Lanyon, J. M. and Sanson, G. D. (2006a). Mechanical disruption of seagrass in the digestive tract of the dugong. *Journal of Zoology*, 270, 277-289.
- Lanyon, J. M. and Sanson, G. D. (2006b). Degenerate dentition of the dugong (*Dugong dugon*), or why a grazer does not need teeth: morphology, occlusion and wear of mouthparts. *Journal of Zoology*, 268, 133-152.

- Lanyon, J. M., Sneath, H. L., Kirkwood, J. M. and Slade, R. W. (2002). Establishing a mark-recapture program for dugongs in Moreton Bay, south-east Queensland. *Australian Mammalogy*, 24, 51–56.
- Lanyon, J. M., Johns, T. and Sneath, H. L. (2005a). Year-round presence of dugongs in Pumicestone Passage, southeast Queensland, examined in relation to water temperature and seagrass distribution. *Wildlife Research*, 32, 361–368.
- Lanyon, J. M., Smith, K. M. and Carrick, F. N. (2005b). Reproductive steroids are detectable in the faeces of dugongs. *Australian Zoologist*, 33, 247–250.
- Lanyon, J. M., Newgrain, K. and Sahir Syah Alli, T. (2006a). Estimation of water turnover rate in captive dugongs (*Dugong dugon*). *Aquatic Mammals*, 32, 103–108.
- Lanyon, J. M., Slade, R. W., Sneath, H. L. et al. (2006b). A method for capturing dugongs (*Dugong dugon*) in open water. *Aquatic Mammals*, 32, 196–201.
- Lanyon, J. M., Sneath, H. L., Ovenden, J. R., Broderick, D. and Bonde, R. K. (2009). Sexing sirenians: validation of visual and molecular sex determination in both wild dugongs (*Dugong dugon*) and Florida manatees (*Trichechus manatus latirostris*). *Aquatic Mammals*, 35, 187–192.
- Lanyon, J. M., Sneath, H. L., Long, T. and Bonde, R. K. (2010). Physiological response of wild dugongs (*Dugong dugon*) to out-of-water sampling for health assessment. *Aquatic Mammals*, 36, 46–58.
- Larkin, I. L. V. (2000). Reproductive endocrinology of the Florida manatee (*Trichechus manatus latirostris*): estrous cycles, seasonal patterns and behavior. PhD Thesis, University of Florida, Gainesville.
- Larkin, I. L. V., Gross, T. S. and Reep, R. L. (2005). Use of faecal testosterone concentrations to monitor male Florida manatee (*Trichechus manatus latirostris*) reproductive status. *Aquatic Mammals*, 31, 52–61.
- Larkin, I. L. V., Fowler, V. F. and Reep, R. L. (2007). Digesta passage rates in the Florida manatee (*Trichechus manatus latirostris*). *Zoo Biology*, 26, 503–515.
- Larkum, A. W. D. and den Hartog, C. (1989). Evolution and biogeography of seagrasses. In *Biology of Seagrasses: A Treatise on the Biology of Seagrasses with Special Reference to the Australian Region*, A. W. D. Larkum, A. J. McComb and S. A. Sheppard (eds), Amsterdam and New York: Elsevier, pp. 112–156.
- Lau, K.-M. and Wu, H.-T. (2007). Detecting trends in tropical rainfall characteristics, 1979–2003. *International Journal of Climatology*, 27, 979–988.
- Laurance, W. F. (2004). The perils of payoff: corruption as a threat to global biodiversity. *Trends in Ecology and Evolution*, 19, 399–401.
- Lavigne, D. M., Cox, R. K., Menon, V. and Wamithi, M. (2006). Reinventing wildlife conservation for the 21st century. In *Gaining Ground: In Pursuit of Ecological Sustainability*, D. M. Lavigne (ed.), Guelph, Canada and Limerick: International Fund for Animal Welfare and University of Limerick, pp. 379–406.
- Lawler, I., Aragonés, L., Berding, N., Marsh, H. and Foley, W. (2006). Near-infrared reflectance spectroscopy as a rapid, cost-effective predictor of seagrass nutrients. *Journal of Chemical Ecology*, 32, 1353–1365.
- Lawler, I. R., Parra, G. and Noad, M. (2007). Vulnerability of marine mammals in the Great Barrier Reef to climate change. In *Climate Change and the Great Barrier Reef: A Vulnerability Assessment*, J. E. Johnson and P. A. Marshall (eds), Australia: Great Barrier Reef Marine Park Authority and Australian Greenhouse Office, pp. 498–513.

- Laws, R. M. (1959). Foetal growth rates of whales with special reference to the fin whale, *Balaenoptera physalus* (L.). *Discovery Reports*, 29, 281–308.
- Lebreton, J.-D., Burnham, K. P., Clobert, J. and Anderson, D. R. (1992). Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs*, 62, 67–118.
- Lécuyer, C., Grandjean, P., Paris, F., Robardet, M. and Robineau, D. (1996). Deciphering 'temperature' and 'salinity' from biogenic phosphates: the  $\delta^{18}\text{O}$  of coexisting fishes and mammals of the Middle Miocene sea of western France. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 126, 61–74.
- Ledder, D. A. (1986). Food habits of the West Indian manatee, *Trichechus manatus latirostris*, in South Florida. MS Thesis, University of Miami, Miami.
- Lee Long, W. J., Coles, R. G. and McKenzie, L. J. (1996). Deepwater seagrasses in northeastern Australia: how deep, how meaningful?. In *Seagrass Biology: Proceedings of an International Workshop, Rottnest Island, Western Australia, 25–29 January 1996*, J. Kuo, R. C. Phillips, D. I. Walker and H. Kirkman (eds), Perth: University of Western Australia, pp. 41–50.
- Lefebvre, L. W. and Powell, J. A. (1990). Manatee grazing impacts on seagrasses in Hobe Sound and Jupiter Sound in southeast Florida during the winter of 1988–89, Gainesville, Florida.
- Lefebvre, L. W., Domning, D. P., Kenworthy, W. J., McIvor, D. E. and Ludlow, M. E. (1988). Appendix B: manatee grazing impacts on seagrasses in Hobe Sound and Jupiter Sound January–February 1988. In *The Submarine Light Regime and Ecological Studies of Seagrasses in Hobe Sound, Florida, 1988*, W. J. Kenworthy, M. S. Fonesca, D. E. McIvor and G. W. Thayer (eds), pp. 1–18.
- Lefebvre, L. W., O'Shea, T. J., Rathbun, G. B. and Best, R. C. (1989). Distribution, status, and biogeography of the West Indian manatee. In *Biogeography of the West Indies: Past, Present, and Future*, C. A. Woods (ed.), Gainesville: Sandhill Crane Press, pp. 567–610.
- Lefebvre, L. W., Ackerman, B. B., Portier, K. M. and Pollock, K. H. (1995). Aerial survey as a technique for estimating trends in manatee population size: problems and prospects. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 63–74.
- Lefebvre, L. W., Reid, J. P., Kenworthy, W. J. and Powell, J. A. (2000). Characterizing manatee habitat use and seagrass grazing in Florida and Puerto Rico: implications for conservation and management. *Pacific Conservation Biology*, 5, 289–298.
- Lefebvre, L. W., Marmontel, M., Reid, J. P., Rathbun, G. B. and Domning, D. P. (2001). Status and biogeography of the West Indian manatee. In *Biogeography of the West Indies: Patterns and Perspectives*, C. A. Woods and F. E. Sergile (eds), Boca Raton: CRC Press, pp. 425–474.
- Leistra, W. H. G., Hoyer, M. J., Kik, M. and Sinke, J. D. (2003). Recidiverende huidproblemen bij een zeeke: de diagnostische aanpak. *Tijdschrift Voor Diergeneeskunde*, 128, 140–144.
- Lenes, J. M., Darrow, B. A., Walsh, J. J., et al. (2008). Saharan dust and phosphatic fidelity: a three-dimensional biogeochemical model of *Trichodesmium* as a nutrient source for red tides on the West Florida Shelf. *Continental Shelf Research*, 28, 1091–1115.

- Leopold, A. (1949). *A Sand County Almanac and Sketches Here and There*. New York: Oxford University Press.
- Leverington, F., Hockings, M., Pavese, H., Costa, K. L. and Courrau, J. (2008). *Management Effectiveness Evaluation in Protected Areas: A Global Study. Overview of Approaches and Methodologies*. Supplementary report No. 1, Australia: University of Queensland, Gattton, TNC, WWF, IUCN-WCPA.
- Levin, M. J. and Pfeiffer, C. J. (2002). Gross and microscopic observations on the lingual structure of the Florida manatee *Trichechus manatus latirostris*. *Anatomia, Histologia, Embryologia*, 31, 278–285.
- Lewis III, R. R., Carlton, J. M. and Lombardo, R. (1984). Algal consumption by the manatee *Trichechus manatus latirostris* in Tampa Bay, Florida, USA. *Florida Scientist*, 47, 189–191.
- Lightsey, J. D., Rommel, S. A., Costidis, A. M. and Pitchford, T. D. (2006). Methods used during gross necropsy to determine watercraft-related mortality in the Florida manatee (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 37, 262–275.
- Ligon, S. H. (1976). A survey of dugongs (*Dugong dugon*) in Queensland. *Journal of Mammalogy*, 57, 580–582.
- Lima, R. P., Luna, F. O., Castro, D. F. and Vianna, J. A. (2001). Levantamento da Distribuição, Status de Conservação e Campanhas Conservacionistas do Peixe-Boi Amazônico (*Trichechus inunguis*). Relatório Final do Convênio IBAMA/CMA, FNMA e FMA – IBAMA/CMA.
- Limpus, C. J. and Nichols, N. (1988). The southern oscillation regulates the annual numbers of green turtles (*Chelonia mydas*) breeding around northern Australia. *Australian Wildlife Research*, 15, 157–161.
- Limpus, C. J., Currie, K. J., Haines, J. (2003). *Marine Wildlife Stranding and Mortality Database Annual Report 2002: I. Dugong*, Brisbane: Environmental Protection Agency and Queensland Parks and Wildlife Service.
- Lindsay, D. S., Collins, M. V., Mitchell, S. M., et al. (2003). Sporulation and survival of *Toxoplasma gondii* oocysts in seawater. *Journal of Eukaryotic Microbiology*, 50, 687–688.
- Linnaeus, C. (1758). *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*, Stockholm: Laurentii Salvii.
- Lipkin, Y. (1975). Food of Red-Sea dugong (Mammalia-Sirenia) from Sinai. *Israel Journal of Zoology*, 24, 81–98.
- Logan, M. and Sanson, G. D. (2002). The effect of tooth wear on the feeding behaviour of free-ranging koalas (*Phascolarctos cinereus*, Goldfuss). *Journal of Zoological Society of London*, 256, 63–69.
- Loh, J. and Harmon, D. (2005). A global index of biocultural diversity. *Ecological Indicators*, 5, 231–241.
- Lomolino, M. V. and Ewel, K. C. (1984). Digestive efficiencies of the West Indian manatee, *Trichechus manatus*. *Florida Scientist*, 47, 176–179.
- Long, B. G. and Poiner, I. R. (1997). Sea grass communities of Torres Strait, northern Australia. Marine Research CSIRO Report, MR-GIS 97/6.
- Longstaff, B. J. and Dennison, W. C. (1999). Seagrass survival during pulsed turbidity events: the effects of light deprivation on the seagrasses *Halodule pinifolia* and *Halophila ovalis*. *Aquatic Botany*, 65, 105–121.

- Lorimer, J. (2006). Nonhuman charisma: which species trigger our emotions and why?. *ECOS* 27, 20–27.
- Lowenstein, J. M. and Scheuenstuhl, G. (1991). Immunological methods in molecular palaeontology. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 333, 375–380.
- MacArthur, R. H. and Pianka, E. R. (1966). On the optimal use of a patchy habitat. *American Naturalist*, 100, 603–609.
- Mace, G. M. and Lande, R. (1991). Assessing extinction threats: toward a re-evaluation of IUCN threatened species categories. *Conservation Biology*, 5, 148–157.
- Mace, G. M., Collar, N., Cooke, J., *et al.* (1992). The development of new criteria for listing species on the IUCN Red List. *Species*, 19, 16–22.
- MacFadden, B. J., Higgins, P., Clementz, M. T. and Jones, D. S. (2004). Diets, habitat preferences, and niche differentiation of Cenozoic sirenians from Florida: evidence from stable isotopes. *Paleobiology*, 30, 297–324.
- Mackay-Sim, A., Duvall, D. and Graves, B. M. (1985). The West Indian manatee (*Trichechus manatus*) lacks a vomeronasal organ. *Brain, Behavior and Evolution*, 27, 186–194.
- MacMillan, L. (1955). The dugong. *Walkabout*, 17, 17–20.
- Magaña, H. A., Contreras, C. and Villareal, T. A. (2003). A historical assessment of *Karenia brevis* in the western Gulf of Mexico. *Harmful Algae*, 2, 163–171.
- Mahmud, S. (2010). The status of dugongs in Eritrea. Unpublished report to Eritrean Ministry of Marine Resources.
- Malhi, Y., Roberts, J. T., Betts, R. A., *et al.* (2008). Climate change, deforestation, and the fate of the Amazon. *Science*, 319, 169–172.
- Malmqvist, B. and Rundle, S. (2002). Threats to the running water ecosystems of the world. *Environmental Conservation*, 29, 134–153.
- Maluf, N. S. R. (1989). Renal anatomy of the manatee, *Trichechus manatus*, Linnaeus. *American Journal of Anatomy*, 184, 269–286.
- Mandel, J. T., Donlan, C. J., Wilcox, C., *et al.* (2009). Debt investment as a tool for value transfer in biodiversity conservation. *Conservation Letters*, 2, 233–239.
- Mani, S. B. (1960). Occurrence of the sea cow, *Halicore dugong* (Ersl.) off the Saurashtra Coast. *Journal of the Bombay Natural History Society*, 57, 216–217.
- Mann, D., Colbert, D. E., Gaspard, J. C., *et al.* (2005). Temporal resolution of the Florida manatee (*Trichechus manatus latirostris*) auditory system. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 191, 903–908.
- Mann, D., O’Shea, T. J. and Nowacek, D. P. (2006). Nonlinear dynamics in manatee vocalizations. *Marine Mammal Science*, 22, 548–555.
- Mann, D., Bauer, G., Colbert, D., Gaspard, J. and Reep, R. L. (2007). *Sound Localization Abilities of the West Indian Manatee*, St Petersburg: Fish and Wildlife Conservation Commission.
- Marengo, J. A., Nobre, C. A., Tomasella, J., *et al.* (2008). The drought of Amazonia in 2005. *Journal of Climate*, 21, 495–516.
- Marine Mammal Commission. (2007). *The Biological Viability of the most Endangered Marine Mammals and the Cost-effectiveness of Protection Programs: A Report to Congress by the Marine Mammal Commission*, Maryland: US Marine Mammal Commission. Available at: [www.mmc.gov](http://www.mmc.gov).

- Marine Mammal Commission. (2009). *Annual Report to Congress 2008*, Bethesda: US Marine Mammal Commission. Available at: [www.mmc.gov](http://www.mmc.gov).
- Marmontel, M. (1993). Age determination and population biology of the Florida manatee *Trichechus manatus latirostris*. PhD Dissertation, University of Florida, Gainesville.
- Marmontel, M. (1995). Age and reproduction in female Florida manatees. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 98–119.
- Marmontel, M. (2008). *Trichechus inunguis*. In IUCN Red List of Threatened Species. Version 2010.3. Available at: <http://www.iucnredlist.org> (accessed 19 September 2010).
- Marmontel, M., Odell, D. K. and Reynolds III, J. E. (1992). Reproductive biology of South American manatees. In *Reproductive Biology of South American Vertebrates*, W. C. Hamlett (ed.), New York: Springer-Verlag, pp. 295–312.
- Marmontel, M., O'Shea, T. J., Kochman, H. I. and Humphrey, S. R. (1996). Age determination in manatees using growth-layer group counts in bone. *Marine Mammal Science*, 12, 54–88.
- Marmontel, M., Humphrey, S. R. and O'Shea, T. J. (1997). Population viability analysis of the Florida manatee (*Trichechus manatus latirostris*), 1976–1991. *Conservation Biology*, 11, 467–481.
- Marmontel, M., Rosas, F. C. W. and Kendall, S. (2012). The Amazonian manatee. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Marsh, H. (1980). Age determination of the dugong (*Dugong dugon* [Müller]) in northern Australia and its biological implications. *Report of the International Whaling Commission*, special issue, 3, 181–201.
- Marsh, H. (1986). The status of the dugong in Torres Strait. In *Torres Strait Fisheries Seminar, Port Moresby, 11–14 February 1985*, A. K. Haines, G. C. Williams and D. Coates (eds), Canberra: Australian Government Printing Service, pp. 53–76.
- Marsh, H. (1989). Mass stranding of dugongs by a tropical cyclone in northern Australia. *Marine Mammal Science*, 5, 78–84.
- Marsh, H. (1995). The life history, pattern of breeding, and population dynamics of the dugong. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 75–83.
- Marsh, H. (2000). Evaluating management initiatives aimed at reducing the mortality of dugongs in gill and mesh nets in the Great Barrier Reef World Heritage Area. *Marine Mammal Science*, 16, 684–694.
- Marsh, H. (2008). *Dugong dugon*. In IUCN Red List of Threatened Species. Version 2010.3. Available at: <http://www.iucnredlist.org> (accessed 19 September 2010).
- Marsh, H. and Corkeron, P. (1997). The status of the dugong in the Great Barrier Reef Marine Park. In *State of the Great Barrier Reef World Heritage Area: Proceedings of a Technical Workshop held in Townsville, Queensland, Australia, 27–29 November 1995*—Workshop Series 23, D. Wachenfeld, J. Oliver and J. Davis (eds), Townsville: Great Barrier Marine Park Authority, pp. 231–247. Available at: [http://www.gbrmpa.gov.au/\\_\\_data/assets/pdf\\_file/0005/4289/wso23\\_paper\\_17.pdf](http://www.gbrmpa.gov.au/__data/assets/pdf_file/0005/4289/wso23_paper_17.pdf).

- Marsh, H. and Eisentraut, M. (1984). Die Gaumenfalern des Dugong. *Zf Säugetierkunde*, 49, 314–315.
- Marsh, H. and Kasuya, T. (1986). Evidence for reproductive senescence in female cetaceans. *Reports of the International Whaling Commission*, special issue, 8, 57–74.
- Marsh, H. and Kwan, D. (2008). Temporal variability in the life history and reproductive biology of female dugongs in Torres Strait: the likely role of sea grass dieback. *Continental Shelf Research*, 28, 2152–2159.
- Marsh, H. and Lawler, I. (2001). *Dugong Distribution and Abundance in the Southern Great Barrier Reef and Hervey Bay: Results of an Aerial Survey in October–December 1999*. Townsville: Great Barrier Marine Park Authority.
- Marsh, H. and Morales-Vela, B. (2012). Guidelines for developing protected areas for sirenians. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Marsh, H. and Rathbun, G. B. (1990). Development and application of conventional and satellite radio tracking techniques for studying dugong movements and habitat use. *Australian Wildlife Research*, 17, 83–100.
- Marsh, H. and Saalfeld, W. K. (1989). Distribution and abundance of dugongs in the northern Great Barrier Reef Marine Park. *Australian Wildlife Research*, 16, 429–440.
- Marsh, H. and Saalfeld, W. K. (1990). The distribution and abundance of dugongs in the Great Barrier Reef Marine Park south of Cape Bedford. *Australian Wildlife Research*, 17, 511–524.
- Marsh, H. and Sinclair, D. F. (1989a). An experimental evaluation of dugong and sea turtle aerial survey techniques. *Australian Wildlife Research*, 16, 639–650.
- Marsh, H. and Sinclair, D. F. (1989b). Correcting for visibility bias in strip transect aerial surveys of aquatic fauna. *Journal of Wildlife Management*, 53, 1017–1024.
- Marsh, H., Heinsohn, G. and Spain, A. V. (1977). The stomach and duodenal diverticula of the dugong. In *Functional Analysis of Marine Mammals*, Vol. 3, R. J. Harrison (ed.), London: Academic Press, pp. 271–295.
- Marsh, H., Spain, A. V. and Heinsohn, G. E. (1978). Minireview: physiology of the dugong. *Comparative Biochemistry and Physiology*, 61, 159–168.
- Marsh, H., Gardner, B. R. and Heinsohn, G. E. (1981). Present-day hunting and distribution of dugongs in the Wellesley Islands (Queensland): implications for conservation. *Biological Conservation*, 19, 255–267.
- Marsh, H., Channells, P. W., Heinsohn, G. E. and Morrissey, J. (1982). Analysis of stomach contents of dugongs from Queensland. *Australian Wildlife Research*, 9, 55–68.
- Marsh, H., Heinsohn, G. E. and Channells, P. W. (1984a). Changes in the ovaries and uterus of the dugong, *Dugong dugon* (Sirenia: Dugongidae), with age and reproductive activity. *Australian Journal of Zoology*, 32, 743–766.
- Marsh, H., Heinsohn, G. E. and Glover, T. D. (1984b). Changes in the male reproductive organs of the dugong, *Dugong dugon* (Sirenia: Dugongidae) with age and reproductive activity. *Australian Journal of Zoology*, 32, 721–742.
- Marsh, H., Heinsohn, G. E. and Marsh, L. M. (1984c). Breeding cycle, life history and population dynamics of the dugong *Dugong dugon* (Sirenia: Dugongidae). *Australian Journal of Zoology*, 32, 767–788.



- Marsh, H., Freeland, W. J., Limpus, C. J. and Reed, P. C. (1986). *The Stranding of Dugongs and Sea Turtles Resulting from Cyclone Kathy, March 1984: A Report on the Rescue Effort and the Biological Data Obtained*, Darwin: Conservation Commission of the Northern Territory.
- Marsh, H., Prince, R. I. T., Saalfeld, W. K. and Shepherd, R. (1994). The distribution and abundance of the dugong in Shark Bay, Western Australia. *Wildlife Research*, 21, 149–161.
- Marsh, H., Rathbun, G. B., O’Shea, T. J. and Preen, A. R. (1995). Can dugongs survive in Palau? *Biological Conservation*, 72, 85–89.
- Marsh, H., Harris, A. N. M. and Lawler, I. R. (1997). The sustainability of the indigenous dugong fishery in Torres Strait, Australia/Papua New Guinea. *Conservation Biology*, 11, 1375–1386.
- Marsh, H., Beck, C. A. and Vargo, T. (1999). Comparison of the capabilities of dugongs and West Indian manatees to masticate seagrasses. *Marine Mammal Science*, 15, 250–255.
- Marsh, H., Penrose, H., Eros, C. and Hugues, J. (2002). The dugong (*Dugong dugon*) status reports and action plans for countries and territories in its range. *Early Warning and Assessment Reports*. Nairobi: United Nations Environment Programme.
- Marsh, H., Arnold, P., Freeman, M., *et al.* (2003). Strategies for conserving marine mammals. In *Marine Mammals: Fisheries, Tourism and Management Issues*, N. Gales, M. Hindell and R. Kirkwood (eds), Collingwood: CSIRO Publishing, pp. 1–19.
- Marsh, H., Lawler, I. R., Kwan, D., *et al.* (2004). Aerial surveys and the potential biological removal technique indicate that the Torres Strait dugong fishery is unsustainable. *Animal Conservation*, 7, 435–443.
- Marsh, H., De’ath, G., Gribble, N. and Lane, B. (2005). Historical marine population estimates: triggers or targets for conservation? The dugong case study. *Ecological Applications*, 15, 481–492.
- Marsh, H., Lawler, I., Hodgson, A. and Grech, A. (2006). Is dugong management in the coastal waters of urban Queensland effective species conservation? Final report to the Marine and Tropical Research Facility.
- Marsh, H., Hodgson, A., Lawler, I., Grech, A. and Delean, S. (2007a). Condition, status and trends and projected futures of the dugong in the Northern Great Barrier Reef and Torres Strait: including identification and evaluation of the key threats and evaluation of available management option to improve its status. Final Report to Marine and Tropical Science Research Facility. Available at: <http://www.rrrc.org.au/publications/downloads/141-JCU-Marsh-2007-NGBR-Torres-Strait-Final-Report.pdf> (accessed 10 October 2010).
- Marsh, H., Dennis, A., Hines, H., *et al.* (2007b). Optimizing the allocation of management resources for wildlife. *Conservation Biology*, 21, 387–399.
- Marsh, H., Grech, A., Hodgson, A. and Delean, S. (2008). Distribution and abundance of the dugong in Gulf of Carpentaria waters: a basis for cross-jurisdictional conservation planning and management. Report to the Department of the Environment, Water, Heritage and the Arts.
- Marshall, C. D., Huth, G. D., Edmonds, V. M., Halin, D. L. and Reep, R. L. (1998). Prehensile use of perioral bristles during feeding and associated behaviors of the Florida manatee (*Trichechus manatus latirostris*). *Marine Mammal Science*, 14, 274–289.

- Marshall, C. D., Kubilis, P. S., Huth, G. D., *et al.* (2000). Food-handling ability and feeding-cycle length of manatees feeding on several species of aquatic plants. *Journal of Mammalogy*, **81**, 649–658.
- Marshall, C. D., Maeda, H., Iwata, M., *et al.* (2003). Orofacial morphology and feeding behaviour of the dugong, Amazonian, West African and Antillean manatees (Mammalia: Sirenia): functional morphology of the muscular-vibrissal complex. *Journal of Zoology*, **259**, 245–260.
- Marshall, C. D., Vaughn, S. D., Sarko, D. K. and Reep, R. L. (2007). Topographical organization of the facial motor nucleus in Florida manatees (*Trichechus manatus latirostris*). *Brain, Behavior and Evolution*, **70**, 164–173.
- Masini, R. J., Anderson, P. K. and McComb, A. J. (2001). A *Halodule*-dominated community in a subtropical embayment: physical environment, productivity, biomass, and impact of dugong grazing. *Aquatic Botany*, **71**, 179–197.
- Mattioli, S. and Domning, D. P. (2006). An annotated list of extant skeletal material of Steller's sea cow (*Hydrodamalis gigas*) (Sirenia: Dugongidae) from the Commander Islands. *Aquatic Mammals*, **32**, 273–288.
- Mayor, S. J., Schneider, D. C., Schaefer, J. A. and Mahoney, S. P. (2009). Habitat selection at multiple scales. *Ecoscience*, **16**, 238–247.
- McClenaghan, L. R. Jr. and O'Shea, T. J. (1988). Genetic variability in the Florida manatee (*Trichechus manatus*). *Journal of Mammalogy*, **69**, 481–488.
- McCook, L. J., Ayling, T., Cappo, M., *et al.* (2010). Adaptive management of the Great Barrier Reef: a globally significant demonstration of the benefits of networks of marine reserves. *Proceedings of the National Academy of Sciences*, **107**, 18278.
- McDonald, B. J. (2005). Population genetics of dugongs around Australia: implications of gene flow and migration. PhD Thesis, James Cook University, Townsville.
- McKenna, M. C. (1975). Toward a phylogenetic classification of the Mammalia. In *Phylogeny of the Primates: A Multidisciplinary Approach*, W. P. Luckett and F. S. Szalay (eds), New York: Plenum Press, pp. 21–46.
- McKenna, M. C. and Bell, S. K. (1997). *Classification of Mammals above the Species Level*, New York: Columbia University Press.
- McKenzie, L., Lee Long, W., Roelofs, A., Roder, C. and Coles, R. (1998). *Port of Mourilyan Seagrass Monitoring: First 4 Years*, Brisbane: Ports Corporation of Queensland.
- McKillop, H. (1984). Prehistoric Maya reliance on marine resources: analysis of a midden from Moho Cay, Belize. *Journal of Field Archaeology*, **11**, 25–35.
- McKillop, H. I. (1985). Prehistoric exploitation of the manatee in the Maya and circum-Caribbean areas. *World Archaeology*, **16**, 337–353.
- McLachlan, M. S., Haynes, D. and Müller, J. F. (2001). PCDDs in the water–sediment–seagrass–dugong (*Dugong dugon*) food chain on the Great Barrier Reef (Australia). *Environmental Pollution*, **113**, 129–134.
- McMahon, K. (2005). Recovery of subtropical seagrasses from natural disturbance. PhD Thesis, University of Queensland, Brisbane.
- McMahon, K., Nash, S. B., Eaglesham, G., *et al.* (2005). Herbicide contamination and the potential impact to seagrass meadows in Hervey Bay, Queensland, Australia. *Marine Pollution Bulletin*, **51**, 325–334.

- McNaughton, S. J. (1984). Grazing lawns: animals in herds, plant form, and coevolution. *American Naturalist*, 124, 863–886.
- McNaughton, S. J., Tarrants, J. L., McNaughton, M. M. and Davis, R. H. (1985). Silica as a defense against herbivory and a growth promotor in African grasses. *Ecology*, 66, 528–535.
- McNiven, I. J. (2010). Navigating the human–animal divide: marine mammal hunters and rituals of sensory allurements. *World Archaeology*, 42, 215–230.
- McNiven, I. J. and Bedingfield, A. C. (2008). Past and present marine mammal hunting rates and abundances: dugong (*Dugong dugon*) evidence from Dabangai Bone Mound, Torres Strait. *Journal of Archaeological Science*, 35, 505–515.
- McNiven, I. J. and Feldman, R. (2003). Ritually orchestrated seascapes: hunting magic and dugong bone mounds in Torres Strait, NE Australia. *Cambridge Archaeological Journal*, 13, 169–194.
- Mech, L. D. (1966). *The Wolves of Isle Royale*, Washington, DC: US Government Printing Office.
- Meffe, G. K., Perrin, W. F. and Dayton, P. K. (1999). Marine mammal conservation: guiding principles and their implementation. In *Conservation and Management of Marine Mammals*, J. R. Twiss Jr, and R. R. Reeves (eds), Washington, DC: Smithsonian Institution Press, pp. 437–454.
- Melville, H. (1851). *Moby-Dick or The Whale*. Available at: [http://ebooks.gutenberg.us/DjVu\\_Collection/DJEDS/.../MOBY/Download.pdf](http://ebooks.gutenberg.us/DjVu_Collection/DJEDS/.../MOBY/Download.pdf) (accessed 15 August 2010).
- Méry, S., Charpentier, V., Auxiette, G. and Pelle, E. (2009). A dugong bone mound: the Neolithic ritual site on Akab in Umm al-Quwain, United Arab Emirates. *Antiquity*, 83, 696–708.
- Meybeck, M. (2003). Global analysis of river systems: from Earth system controls to Anthropocene syndromes. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 358, 1935–1955.
- Miall, L. C. and Greenwood, F. (1878). The anatomy of the Indian elephant. *Journal of Anatomy and Physiology*, 12, 261–287.
- Michael, M. A. (1962). Introduction. In *The Russian Expedition to America by Sven Waxell*, New York: Collier Books, pp. 9–26.
- Midorikawa, S., Arai, T., Harino, H., et al. (2004). Concentrations of organotin compounds in sediment and clams collected from coastal areas in Vietnam. *Environmental Pollution*, 131, 401–408.
- Mignucci-Giannoni, A. A. (1999). Assessment and rehabilitation of wildlife affected by an oil spill in Puerto Rico. *Environmental Pollution*, 104, 323–333.
- Mignucci-Giannoni, A. A., Montoya-Ospina, R. A., Jiménez-Marrero, N. M., et al. (2000). Manatee mortality in Puerto Rico. *Environmental Management*, 25, 189–198.
- Miksis-Olds, J. L. and Tyack, P. L. (2009). Manatee (*Trichechus manatus*) vocalization usage in relation to environmental noise levels. *Journal of the Acoustical Society of America*, 125, 1806–1815.
- Miksis-Olds, J. L., Donaghay, P. L., Miller, J. H., Tyack, P. L. and Nystuen, J. A. (2007a). Noise level correlates with manatee use of foraging habitats. *Journal of the Acoustical Society of America*, 121, 3011–3020.
- Miksis-Olds, J. L., Donaghay, P. L., Miller, J. H., Tyack, P. L. and Reynolds III, J. E. (2007b). Simulated vessel approaches elicit differential responses from manatees. *Marine Mammal Science*, 23, 629–649.

- Miller, D. L., Ewing, R. Y. and Bossart, G. D. (2001). Emerging and resurging diseases. In *Marine Mammal Medicine*, 2nd edn, L. A. Dierauf and F. M. D. Gulland (eds), Boca Raton: CRC Press, pp. 15–30.
- Miller, K. E., Ackerman, B. B., Lefebvre, L. W. and Clifton, K. B. (1998). An evaluation of strip-transect aerial survey methods for monitoring manatee populations in Florida. *Wildlife Society Bulletin*, 26, 561–570.
- Milly, P. C. D., Dunne, K. A. and Vecchia, A. V. (2005). Global patterns of trends in streamflow and water availability in a changing climate. *Nature*, 438, 347–350.
- Miraglia, N., Bergero, D., Bassano, B., Tarantola, M. and Ladetto, G. (1999). Studies of apparent digestibility in horses and the use of internal markers. *Livestock Production Science*, 60, 21–25.
- Miyamoto, M. M. and Goodman, M. (1986). Biomolecular systematics of eutherian mammals: phylogenetic patterns and classification. *Systematic Zoology*, 35, 230–240.
- Mok, W. Y. and Best, R. C. (1979). Saprophytic colonization of a hyphomycete on the Amazonian manatee, *Trichechus inunguis* (Mammalia: Sirenia). *Aquatic Mammals*, 7, 79–82.
- Montoya-Ospina, R. A., Caicedo-Herrera, D., Millán-Sánchez, S. L., Mignucci-Giannoni, A. A. and Lefebvre, L. W. (2001). Status and distribution of the West Indian manatee, *Trichechus manatus manatus*, in Colombia. *Biological Conservation*, 102, 117–129.
- Moore, D. P., Williams, E. H., Mignucci-Giannoni, A. A., et al. (2008). Acute myocarditis in a West Indian Manatee, *Trichechus manatus* (Sirenia: Trichechidae), from Puerto Rico. *Revista De Biología Tropical*, 56, 277–283.
- Moore, J. C. (1951a). The range of the Florida manatee. *Quarterly Journal of the Florida Academy of Sciences*, 14, 1–19.
- Moore, J. C. (1951b). The status of the manatee in the Everglades National Park, with notes on its natural history. *Journal of Mammalogy*, 32, 22–35.
- Moore, J. C. (1953). Distribution of marine mammals to Florida waters. *American Midland Naturalist*, 49, 117–158.
- Moore, J. C. (1956). Observations of manatees in aggregations. *American Museum Novitates*, 1811, 1–24.
- Moore, J. E., Cox, T. M., Lewison, R. L., et al. (2010). An interview-based approach to assess marine mammal and sea turtle captures in artisanal fisheries. *Biological Conservation*, 143, 795–805.
- Morales, P., Madin, S. H. and Hunter, A. (1985). Systemic *Mycobacterium marinum* infection in an Amazon manatee. *Journal of the American Veterinary Medical Association*, 187, 1230–1231.
- Morales-Vela, B. and Olivera-Gomez, L. D. (1992). De sirenas a manatíes. Cuaderna de divulgación 4, Centro de Investigaciones de Quintana Roo, Chetumal, 1–30.
- Morales-Vela, B., Olivera-Gomez, D., Reynolds III, J. E. and Rathbun, G. B. (2000). Distribution and habitat use by manatees (*Trichechus manatus manatus*) in Belize and Chetumal Bay, Mexico. *Biological Conservation*, 95, 67–75.
- Morales-Vela, B., Suárez-Morales, E., Padilla-Saldívar, J. and Heard, R. W. (2008). The tanaid *Hexapleomera robusta* (Crustacea: Peracarida) from the Caribbean manatee, with comments on other crustacean epibionts. *Journal of the Marine Biological Association of the United Kingdom*, 88, 591–596.

- Morgan, U. M., Xiao, L., Hill, B. D., *et al.* (2000). Detection of the *Cryptosporidium parvum* 'human' genotype in a dugong (*Dugong dugon*). *Journal of Parasitology*, 86, 1352–1354.
- Morrison, M. L., Marcot, B. G. and Mannan, R. W. (2006). *Wildlife–Habitat Relationships: Concepts and Applications*, 2nd edn, Madison: University of Wisconsin Press.
- Mou Sue, L. L., Chen, D. H., Bonde, R. K. and O'Shea, T. J. (1990). Distribution and status of manatees (*Trichechus manatus*) in Panama. *Marine Mammal Science*, 6, 234–241.
- Mrosovsky, N. (1997). IUCN's credibility critically endangered. *Nature*, 389, 436.
- Muanke, P. B. and Niezrecki, C. (2007). Manatee position estimation by passive acoustic localization. *Journal of the Acoustical Society of America*, 121, 2049–2059.
- Muir, C. and Kiszka, J. (2012). East African dugongs. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- Muizon, C. de and Domning, D. P. (1985). The first records of fossil sirenians in the southeastern Pacific Ocean. *Bulletin du Museum Nationale d'Historie Naturelle (Paris) C*, 3, 189–213.
- Mukhametov, L. M., Lyamin, O. I., Chetybrok, I. S., Vassilyev, A. A. and Diaz, R. P. (1992). Sleep in an Amazonian manatee, *Trichechus inunguis*. *Experientia*, 48, 417–419.
- Murie, J. (1872). On the form and structure of the manatee (*Manatus americanus*). *Transactions of the Zoological Society of London*, 8, 127–202.
- Murphy, W. J., Pevzner, P. A. and O'Brien, S. J. (2004). Mammalian phylogenomics comes of age. *Trends in Genetics*, 20, 631–639.
- Murray, D. L. and Patterson, B. R. (2006). Wildlife survival estimation: recent advances and future directions. *Journal of Wildlife Management*, 70, 1499–1503.
- Murray, R. M. (1981). The importance of VFA in dugong nutrition. In *The Dugong: Proceedings of a Seminar/Workshop held at James Cook University 8–13 May 1979*, Townsville, H. Marsh (ed.), Townsville: James Cook University, pp. 96–98.
- Murray, R. M., Marsh, H., Heinsohn, G. E. and Spain, A. V. (1977). Role of midgut caecum and large intestine in digestion of sea grasses by the dugong (Mammalia-Sirenia). *Comparative Biochemistry and Physiology*, 56, 7–10.
- Naidoo, R. and Adamowicz, W. L. (2001). Effects of economic prosperity on numbers of threatened species. *Conservation Biology*, 15, 1021–1029.
- NAILSMA. (2010). Northern Australian Indigenous Land and Sea Management Alliance Dugong and Marine Turtle Project. National Heritage Trust regional competitive component project final report. Available at: <http://www.nailsma.org.au/nailsma/publications/downloads/Final-Report-web.pdf> (accessed 4 September 2010).
- Nair, R. V. and Lal Mohan, R. S. (1975). Studies on the vocalisation of the sea cow *Dugong dugon* in captivity. *Indian Journal of Fisheries*, 22, 277–278.
- Nakagawa, S., Gemmel, N. J. and Burke, T. (2004). Measuring vertebrate telomeres: applications and limitations. *Molecular Ecology*, 13, 2523–2533.
- Nakanishi, Y., Adulyanukosol, K., Arai, N., *et al.* (2008). Dugong grazing scars confirmed in *Enhalus acoroides* meadows. *Journal of Advanced Marine Science and Society*, 14, 1–8.

- Nakaoka, M. and Aioi, K. (1999). Growth of seagrass *Halophila ovalis* at dugong trails compared to existing within-patch variation in a Thailand intertidal flat. *Marine Ecology Progress Series*, 184, 97–103.
- Nakaoka, M., Mukai, H. and Chunhabundit, S. (2002). Impacts of dugong foraging on benthic animal communities in a Thailand seagrass bed. *Ecological Research*, 17, 625–638.
- Nasi, R., Brown, D., Wilkie, D., et al. (2008). *Conservation and Use of Wildlife-based Resources: The Bushmeat Crisis*, Montreal and Bogor: Secretariat of the Convention on Biological Diversity and Center for International Forestry Research (CIFOR).
- Natiello, M. and Samuelson, D. (2005). Three-dimensional reconstruction of the angioarchitecture of the ciliary body of the West Indian manatee (*Trichechus manatus*). *Veterinary Ophthalmology*, 8, 367–373.
- Newman, L. A. and Robinson, P. R. (2006). The visual pigments of the West Indian manatee (*Trichechus manatus*). *Vision Research*, 46, 3326–3330.
- Nico, L. G., Loftus, W. F. and Reid, J. P. (2009). Interactions between non-native armored suckermouth catfish (Loricariidae: *Pterygoplichthys*) and native Florida manatee (*Trichechus manatus latirostris*) in artesian springs. *Aquatic Invasions*, 4, 511–519.
- Nietschmann, B. (1984). Hunting and ecology of dugongs and green turtles, Torres Strait, Australia. *National Geographic Society Research Reports*, 17, 625–651.
- Nietschmann, B. and Nietschmann, J. (1981). Good dugong, bad dugong; bad turtle, good turtle. *Natural History*, 90, 54–63.
- Nishihara, H., Satta, Y., Nikaido, M., et al. (2005). A retroposon analysis of afrotherian phylogeny. *Molecular Biology and Evolution*, 22, 1823–1833.
- Noreña-Barroso, E., Simá-Álvarez, R., Gold-Bouchot, G., and Zapata-Pérez, O. (2004). Persistent organic pollutants and histological lesions in Mayan catfish *Ariopsis assimilis* from the Bay of Chetumal, Mexico. *Marine Pollution Bulletin*, 48, 263–269.
- Norris, C. E. (1960). The distribution of the dugong in Ceylon. *Loris*, 8, 296–300.
- Norton, T., Beer, T. and Dovers, S. (eds). (1996). *Risk and Uncertainty in Environmental Management. Proceedings of the 1995 Australian Academy of Science Fenner Conference on the Environment*, Canberra: Australian National University.
- Novacek, M. J. (2001). Mammalian phylogeny: genes and supertrees. *Current Biology*, 11, R573–R575.
- Novacek, M. J., Wyss, A. R. and McKenna, M. C. (1988). The major groups of eutherian mammals. In *The Phylogeny and Classification of the Tetrapods*, Vol. 2, M. J. Benton (ed.), Oxford: Clarendon Press, pp. 31–71.
- Nowacek, D. P., Casper, B. M., Wells, R. S., Nowacek, S. M. and Mann, D. A. (2003). Intraspecific and geographic variation of West Indian manatee (*Trichechus manatus* spp.) vocalizations. *Journal of the Acoustical Society of America*, 114, 66–69.
- Nowacek, S. M., Wells, R. S., Owen, E. C. G., et al. (2004). Florida manatees, *Trichechus manatus latirostris*, respond to approaching vessels. *Biological Conservation*, 119, 517–523.
- Noyes, P. D., McElwee, M. E., Miller, H. D., et al. (2009). The toxicology of climate change: environmental contaminants in a warming world. *Environmental International*, 35, 971–986.

- Nurse-Bray, M., Marsh, H. and Ross, H. (2010). Exploring discourses in environmental decision making: an indigenous hunting case study. *Society and Natural Resources*, 23, 366–382.
- Ochieng, C. A. and Erfemeijer, P. L. A. (2003). The seagrasses of Kenya and Tanzania. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 82–92.
- Odell, D. K. (1982). West Indian manatee, *Trichechus manatus*. In *Wild Mammals of North America: Biology, Management and Economics*, J. A. Chapman and G. A. Feldhammer (eds), Baltimore: Johns Hopkins University Press, pp. 828–837.
- Odell, D. K. and Reynolds III, J. E. (1979). Observations of manatee mortality in south Florida. *Journal of Wildlife Management*, 43, 572–577.
- Odell, D. K., Forrester, D. J. and Apser, E. D. (1981). A preliminary analysis of organ weights and sexual maturity in the West Indian manatee (*Trichechus manatus*). In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27–29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 52–65.
- Odell, D. K., Bossart, G. D., Lowe, M. T. and Hopkins, T. D. (1995). Reproduction of the West Indian manatee in captivity. In *Population Biology of the Florida Manatee*, T. J. O’Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 192–193.
- Ogden, A. (1941). *The California Sea Otter Trade 1784–1848*, Berkeley: University of California Press.
- O’Hara, T. M. and O’Shea, T. J. (2005). Assessing impacts of environmental contaminants. In *Marine Mammal Research: Conservation Beyond Crisis*, J. E. Reynolds III, W. F. Perrin, R. R. Reeves, S. Montgomery and T. J. Ragen (eds), Baltimore: Johns Hopkins University Press, pp. 63–83.
- Okumura, N., Ichikawa, K., Akamatsu, T., et al. (2006). Stability of call sequence in dugongs’ vocalization. *Oceans: ASIA Pacific*, 1–2, 726–729.
- Olds, N. and Shoshani, J. (1982). *Procavia capensis*. *Mammalian Species*, 171, 1–7.
- Olf, H. and Ritchie, M. E. (1998). Effects of herbivores on grassland plant diversity. *Trends in Ecology and Evolution*, 13, 261–265.
- Olivera-Gómez, L. D. and Mellink, E. (2005). Distribution of the Antillean manatee (*Trichechus manatus manatus*) as a function of habitat characteristics, in Bahía de Chetumal, Mexico. *Biological Conservation*, 121, 127–133.
- O’Malley, L. S. S. (1908). Eastern Bengal District Gazetteers, Chittagong. Chittagong: Bengal Secretariat Book Depot.
- O’Riordan, T. and Stoll-Kleemann, S. (eds). (2002). *Biodiversity, Sustainability and Human Communities: Protecting Beyond the Protected*. Cambridge: Cambridge University Press.
- Orozco, D. L. (2001). Manatí *Trichechus inunguis*: Caza, percepción y conocimiento de las comunidades del municipio de Puerto Nariño, Amazonas. Thesis in Ecology, Pontificia Universidad Javeriana, Bogotá.
- Orr, D. W. (2002). Four challenges of sustainability. *Conservation Biology*, 16, 1457–1460.
- Ortega-Argueta, A., Hines, E. and Calvimontes, J. (2012). Using interviews in sirenian research. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.

- Orth, R. J., Carruthers, T. J. B., Dennison, W. C., *et al.* (2006). A global crisis for seagrass ecosystems. *Bioscience*, 56, 987–996.
- Ortiz, R. M., Worthy, G. A. J. and MacKenzie, D. S. (1998). Osmoregulation in wild and captive West Indian manatees (*Trichechus manatus*). *Physiological Zoology*, 71, 449–457.
- Ortiz, R. M., Worthy, G. A. J. and Byers, F. M. (1999). Estimation of water turnover rates of captive West Indian manatees (*Trichechus manatus*) held in fresh and salt water. *Journal of Experimental Biology*, 202, 33–38.
- O'Shea, T. J. (1986). Mast foraging by West Indian manatees (*Trichechus manatus*). *Journal of Mammalogy*, 67, 183–185.
- O'Shea, T. J. (1988). The past, present, and future of manatees in the southeastern United States: realities, misunderstandings, and enigmas. In *Proceedings of the Third Southeastern Nongame and Endangered Wildlife Symposium*, R. R. Odom, K. A. Riddleberger and J. C. Ozier (eds), Social Circle, GA: Georgia Department of Natural Resources Game and Fish Division, pp. 184–204.
- O'Shea, T. J. (1995). Waterborne recreation and the Florida manatee. In *Wildlife and Recreationists: Coexistence through Management and Research*, R. L. Knight and K. J. Gutzwiller (eds), Washington, DC: Island Press, pp. 297–311.
- O'Shea, T. J. (1999). Environmental contaminants and marine mammals. In *Biology of Marine Mammals*, J. E. Reynolds III and S. A. Rommel (eds), Washington, DC: Smithsonian Institution Press, pp. 485–564.
- O'Shea, T. J. (2003). Toxicology of sirenians. In *Toxicology of Marine Mammals*, J. G. Vos, G. D. Bossart, M. Fournier and T. J. O'Shea (eds), London: Taylor and Francis, pp. 270–287.
- O'Shea, T. J. and Ackerman, B. B. (1995). Population biology of the Florida manatee: an overview. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 280–287.
- O'Shea, T. J. and Hartley, W. C. (1995). Reproduction and early-age survival of manatees at Blue Spring, Upper St John's River, Florida. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 157–170.
- O'Shea, T. J. and Langtimm, C. A. (1995). Estimation of survival of adult Florida manatees in the Crystal River, at Blue Spring and on the Atlantic Coast. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 194–222.
- O'Shea, T. J. and Poche, L. B. (2006). Aspects of underwater sound communication in Florida manatees (*Trichechus manatus latirostris*). *Journal of Mammalogy*, 87, 1061–1071.
- O'Shea, T. J. and Reep, R. L. (1990). Encephalization quotients and life-history traits in the Sirenia. *Journal of Mammalogy*, 71, 534–543.
- O'Shea, T. J. and Salisbury, C. A. (1991). Belize: a last stronghold for manatees in the Caribbean. *Oryx*, 25, 156–164.
- O'Shea, T. J. and Tanabe, S. (2003). Persistent ocean contaminants and marine mammals: a retrospective overview. In *Toxicology of Marine Mammals*, J. G. Vos,



- G. D. Bossart, M. Fournier and T. J. O'Shea (eds), London: Taylor and Francis, pp. 99–134.
- O'Shea, T. J., Moore, J. F. and Kochman, H. I. (1984). Contaminant concentrations in manatees in Florida. *Journal of Wildlife Management*, 48, 741–748.
- O'Shea, T. J., Beck, C. A., Bonde, R. K., Kochman, H. I. and Odell, D. K. (1985). An analysis of manatee mortality patterns in Florida, 1976–81. *Journal of Wildlife Management*, 49, 1–11.
- O'Shea, T. J., Correa-Viana, M., Ludlow, M. E. and Robinson, J. G. (1988). Distribution, status, and traditional significance of the West Indian manatee *Trichechus manatus* in Venezuela. *Biological Conservation*, 46, 281–301.
- O'Shea, T. J., Rathbun, G. B., Bonde, R. K., Buergelt, C. D. and Odell, D. K. (1991). An epizootic of Florida manatees associated with a dinoflagellate bloom. *Marine Mammal Science*, 7, 165–179.
- O'Shea, T. J., Lefebvre, L. W. and Beck, C. A. (2001). Florida manatees: perspectives on populations, pain, and protection. In *Marine Mammal Medicine*, 2nd edn, L. A. Dierauf and F. M. D. Gulland (eds), Boca Raton: CRC Press, pp. 31–43.
- Owen, R. (1855). On the fossil skull of a mammal (*Prorastomus sirenooides*, Owen), from the Island of Jamaica. *Quarterly Journal of the Geological Society of London*, 11, 541–543.
- Owen-Smith, N. (1990). Demography of a large herbivore, the greater kudu *Tragelaphus strepsiceros*, in relation to rainfall. *Journal of Animal Ecology*, 59, 893–913.
- Owen-Smith, N. and Novellie, P. (1982). What should a clever ungulate eat? *American Naturalist*, 119, 151–178.
- Owings, D. H. and Morton, E. S. (1998). *Animal Vocal Communication: A New Approach*, Cambridge: Cambridge University Press.
- Ozawa, T., Hayashi, S. and Mikhelson, V. M. (1997). Phylogenetic position of mammoth and Steller's sea cow within Tethytheria demonstrated by mitochondrial DNA sequences. *Journal of Molecular Evolution*, 44, 406–413.
- Pabst, D. A., Rommel, S. A. and McLellan, W. A. (1999). The functional morphology of marine mammals. In *Biology of Marine Mammals*, J. E. Reynolds III and S. A. Rommel (eds), Washington, DC: Smithsonian Institution Press, pp. 15–72.
- Packard, J. M. (1984). Impact of manatees (*Trichechus manatus*) on seagrass communities in eastern Florida. *Acta Zoologica Fennica*, 172, 21–22.
- Packard, J. M., Summers, R. C. and Barnes, L. B. (1985). Variation of visibility bias during aerial surveys of manatees. *Journal of Wildlife Management*, 49, 347–351.
- Paerl, H. W. and Huisman, J. (2008). Blooms like it hot. *Science*, 320, 57–58.
- Paeth, H., Born, K., Girmes, R., Podzun, R. and Jacob, D. (2009). Regional climate change in tropical and northern Africa due to greenhouse forcing and land use changes. *Journal of Climate*, 22, 114–132.
- Pallas, P. S. (1811). *Zoographia Rosso-Asiatica, sistens omnium animalium in extenso Imperis Rossico et adjacentibus maribus observatorum recensionem, domicilia, mores et descriptiones, anatomen atque icones plurimorum*, Vol. 1. St Petersburg: Academiae Scientiarum (Academy of Sciences).
- Palmer, M. A., Reidy Liermann, C. A., Nilsson, C., et al. (2008). Climate change and the world's river basins: anticipating management options. *Frontiers in Ecology and the Environment*, 6, 81–89.

- Palmer, M. A., Lettenmaier, D. P., Poff, N. L., *et al.* (2009). Climate change and river ecosystems: protection and adaptation options. *Environmental Management*, 44, 1053–1068.
- Pardini, A. T., O'Brien, P. C. M., Fu, B., *et al.* (2007). Chromosome painting among Proboscidea, Hyracoidea and Sirenia: support for Paenungulata (Afrotheria, Mammalia) but not Tethytheria. *Proceedings of the Royal Society B: Biological Sciences*, 274, 1333–1340.
- Parent, S. and Poonian, C. (2009). Dugongs without borders. *Seagrass Watch Magazine*, 39, 15.
- Parente, C. L., Vergara-Parente, J. E. and Lima, R. P. (2004). Strandings of Antillean manatees. *Latin American Journal of Aquatic Mammals*, 3, 69–75.
- Parra, A. (1978). Comparison of foregut and hindgut fermentation in herbivores. In *The Ecology of Arboreal Folivores*, G. G. Montgomery (ed.), Washington, DC: Smithsonian Institution Press, pp. 205–229.
- Patel, J. (2010). Regulators slash FPL's rate-hike request: in response to the decision, FPL announced it would halt \$10 billion in projects. *Sun Sentinel*. Available at: <http://www.sun-sentinel.com/business/fl-psc-increase-vote-20100113,0,1053253-story>.
- Patterson, E. K. (1939). The dugong hunters. *Walkabout*, 5(12), 43–44.
- Pauly, D. (2006). Major trends in small-scale marine fisheries, with emphasis on developing countries, and some implications for the social sciences. *Maritime Studies (MAST)*, 4(2), 7–22.
- Pause, K. C. (2007). Conservation genetics of the Florida manatee, *Trichechus manatus latirostris*. PhD Dissertation, University of Florida, Gainesville.
- Pause, K. C., Nourisson, C., Clark, A., *et al.* (2007). Polymorphic microsatellite DNA markers for the Florida manatee (*Trichechus manatus latirostris*). *Molecular Ecology Notes*, 7, 1073–1076.
- Perrin, W. F. and Myrick, A. (eds). (1980). Growth of odontocetes and sirenians: problems in age determination. *Reports of the International Whaling Commission*, special issue, 3, 144.
- Perrin, W. F. and Reilly, S. B. (1984). Reproductive parameters of dolphins and small whales of the family Delphinidae. *Reports of the International Whaling Commission*, special issue, 6, 97–125.
- Perrin, W. F., Reeves, R. R., Dolar, M. L. L., *et al.* (2005) *Report of the Second Workshop on the Biology and Conservation of Small Cetaceans and Dugongs of South East Asia*, CMS Technical Series Publication No. 9.
- Perry, C. J. and Dennison, W. C. (1996). Effects of dugong grazing on microbial processes in seagrass sediments. In *Seagrass Biology: Proceedings of an International Workshop, Rottnest Island, Western Australia, 25–29 January 1996*, J. Kuo, R. C. Phillips, D. I. Walker and H. Kirkman (eds), Perth: University of Western Australia, p. 371.
- Perry, C. J. and Dennison, W. C. (1999). Microbial nutrient cycling in seagrass sediments. *AGSO Journal of Australian Geology and Geophysics*, 17, 227–231.
- Peterken, C. J. and Conacher, C. A. (1997). Seed germination and recolonisation of *Zostera capricorni* after grazing by dugongs. *Aquatic Botany*, 59, 333–340.
- Pew Oceans Commission. (2003). America's living oceans: charting a course for sea change. Available at: [http://www.pewtrusts.org/uploadedFiles/wwwpewtrustsorg/Reports/Protecting\\_ocean\\_life/env\\_pew\\_oceans\\_final\\_report.pdf](http://www.pewtrusts.org/uploadedFiles/wwwpewtrustsorg/Reports/Protecting_ocean_life/env_pew_oceans_final_report.pdf).

- Phillips, O. L., Lewis, S. L., Baker, T. R., Chao, K.-J. and Higuchi, N. (2008). The changing Amazon forest. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363, 1819–1827.
- Phillips, O. L., Aragão, L. E. O. C., Lewis, S. L., *et al.* (2009). Drought sensitivity of the Amazon rainforest. *Science*, 323, 1344–1347.
- Phillips, R. C. (2003). The seagrasses of the Arabian Gulf and Arabian region. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 74–81.
- Pierce, G. J. and Ollason, J. G. (1987). Eight reasons why optimal foraging theory is a complete waste of time. *Oikos*, 49, 111–117.
- Piggins, D., Muntz, W. R. A. and Best, R. C. (1983). Physical and morphological aspects of the eye of the manatee, *Trichechus inunguis* Natterer 1883 (Sirenia: Mammalia). *Marine Behaviour and Physiology*, 9, 111–130.
- Poiner, I. R. and Peterken, C. (1996). Seagrasses. In *The State of the Marine Environment Report for Australia. Technical Annex 1*, L. P. Zann and P. Kailola (eds), Townsville: Great Barrier Marine Park Authority, pp. 40–45.
- Pollock, K. H. (1982). A capture–recapture design robust to unequal probability of capture. *Journal of Wildlife Management*, 46, 752–757.
- Pollock, K. H. and Kendall, W. L. (1987). Visibility bias in aerial surveys: a review of estimation procedures. *Journal of Wildlife Management*, 51, 502–510.
- Pollock, K. H., Marsh, H. D., Lawler, I. R. and Alldredge, M. W. (2006). Estimating animal abundance in heterogeneous environments: an application to aerial surveys for dugongs. *Journal of Wildlife Management*, 70, 255–262.
- Pomeroy, R. S., Parks, J. E. and Watson, L. M. (2004). *How is Your MPA Doing? A Guidebook of Natural and Social Indicators for Evaluating Marine Protected Area Management Effectiveness*. Gland, Switzerland and Cambridge: IUCN.
- Popov, V. and Supin, A. (1990). Electrophysiological studies of hearing in some cetaceans and a manatee. In *Sensory Ability of Cetaceans: Laboratory and Field Evidence*, J. Thomas and R. Kastelstein (eds), New York: Plenum Press, pp. 405–415.
- Possingham, H. P., Ball, I. and Adelman, S. (2000). Mathematical methods for identifying representative reserve networks. In *Quantitative Methods for Conservation Biology*, S. Ferson and M. A. Burgman (eds), New York: Springer-Verlag, pp. 291–307.
- Possingham, H. P., Adelman, S. J., Burgman, M. A., *et al.* (2002). Limits to the use of threatened species lists. *Trends in Ecology and Evolution*, 17, 503–507.
- Powell, J. A. (1978). Evidence of carnivory in manatees (*Trichechus manatus*). *Journal of Mammalogy*, 50, 442.
- Powell, J. A. (1981). The manatee population in Crystal River, Citrus County, Florida. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27–29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 33–40.
- Powell, J. A. (1996). The distribution and biology of the West African manatee (*Trichechus senegalensis* Link, 1795). In *Regional Seas Program, Oceans and Coastal Areas*, Nairobi: United Nations Environmental Program.
- Powell, J. and Kouadio, A. (2008). *Trichechus senegalensis*. In IUCN Red List of Threatened Species. Version 2010.3. Available at: <http://www.iucnredlist.org> (accessed 19 September 2010).

- Powell, J. A. and Rathbun, G. B. (1984). Distribution and abundance of manatees along the northern coast of the Gulf of Mexico. *Northeast Gulf Science*, 7, 1–28.
- Powell, J. A. and Waldron, J. C. (1981) The manatee population in Blue Spring, Volusia County, Florida. In *The West Indian Manatee in Florida: Proceedings of a Workshop held in Orlando, Florida 27–29 March 1978*, R. L. Brownell Jr and K. Ralls (eds), Tallahassee: Florida Department of Natural Resources, pp. 41–51.
- Powell, J. A., Belitsky, D. W. and Rathbun, G. B. (1981). Status of the West Indian manatee (*Trichechus manatus*) in Puerto Rico. *Journal of Mammalogy*, 62, 642–646.
- Preen, A. (1989a). Observations of mating behavior in dugongs (*Dugong dugon*). *Marine Mammal Science*, 5, 382–387.
- Preen, A. (1989b). The status and conservation of dugongs in the Arabian region. MEPA coastal and marine management series report, No. 10.
- Preen, A. (1992). Interactions between dugongs and seagrasses in a subtropical environment. PhD Thesis, James Cook University, Townsville.
- Preen, A. (1995a). Diet of dugongs: are they omnivores? *Journal of Mammalogy*, 76, 163–171.
- Preen, A. (1995b). Impacts of dugong foraging on seagrass habitats: observational and experimental evidence for cultivation grazing. *Marine Ecology Progress Series*, 124, 201–213.
- Preen, A. (2004). Distribution, abundance and conservation status of dugongs and dolphins in the southern and western Arabian Gulf. *Biological Conservation*, 118, 205–218.
- Preen, A. and Marsh, H. (1995). Response of dugongs to large-scale loss of seagrass from Hervey Bay, Queensland, Australia. *Wildlife Research*, 22, 507–519.
- Preen, A. R., Lee Long, W. J. and Coles, R. G. (1995). Flood and cyclone related loss, and partial recovery, of more than 1000 km<sup>2</sup> of seagrass in Hervey Bay, Queensland, Australia. *Aquatic Botany*, 52, 3–17.
- Preen, A. R., Marsh, H., Lawler, I. R., Prince, R. I. T. and Shepherd, R. (1997). Distribution and abundance of dugongs, turtles, dolphins and other megafauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. *Wildlife Research*, 24, 185–208.
- Preen, A., Das, H., Al-Rumaidh, M. and Hodgson, A. (2012). Dugongs in Arabia. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Prince, R. I. T., Lawler, I. R. and Marsh, H. D. (2001). The distribution and abundance of dugongs and other megavertebrates in Western Australian coastal waters extending seaward to the 20 m isobath between North West Cape and the DeGrey river mouth, Western Australia, April 2000. Report for Environment Australia.
- Prospero, J. M. and Lamb, P. J. (2003). African droughts and dust transport to the Caribbean: climate change implications. *Science*, 302, 1024–1027.
- Prothero, D. R., Manning, E. M. and Fischer, M. (1988). The phylogeny of the ungulates. In *The Phylogeny and Classification of the Tetrapods*, Vol. 2, M. J. Benton (ed.), Oxford: Clarendon Press, pp. 201–234.
- Provanca, J. A. and Hall, C. R. (1991). Observations of associations between seagrass beds and manatees in east central Florida. *Florida Scientist*, 54, 87–98.

- Provancha, J. A. and Provancha, M. J. (1988). Long-term trends in abundance and distribution of manatees (*Trichechus manatus*) in the northern Banana River, Brevard County, Florida. *Marine Mammal Science*, 4, 323–338.
- Provancha, J. A. and Stolen, E. D. (2008) Dugong aerial survey report May 25–29, 2008 Bazaruto Archipelago National Park Inhambane Province, Mozambique. World Wide Fund for Nature.
- Purvis, A., Agapow, P.-M., Gittleman, J. L. and Mace, G. M. (2000). Nonrandom extinction and the loss of evolutionary history. *Science*, 288, 328–330.
- Pyenson, N. D. (2009). Requiem for *Lipotes*: an evolutionary perspective on marine mammal extinction. *Marine Mammal Science*, 25, 714–724.
- Pyke, G. H. (1984). Optimal foraging theory: a critical review. *Annual Review of Ecology and Systematics*, 15, 523–575.
- Qi Jingfen. (1984). Breeding in the West Indian manatee (*Trichechus manatus* Linn.). *Acta Theriologica Sinica*, 4, 27–33.
- Ragen, T. J., Reeves, R. R., Reynolds III, J. E. and Perrin, W. F. (2005). Future directions in marine mammal research. In *Marine Mammal Research: Conservation beyond Crisis*, J. E. Reynolds III, W. F. Perrin, R. R. Reeves, S. Montgomery and T. J. Ragen (eds), Baltimore: Johns Hopkins University Press, pp. 179–183.
- Rainey, W. E., Lowenstein, J. M., Sarich, V. M. and Magor, D. M. (1984). Sirenian molecular systematics: including the extinct Steller's sea cow (*Hydrodamalis gigas*). *Naturwissenschaften*, 71, 586–588.
- Rajamani, L. (2008). The conservation biology of the dugong (*Dugong dugon*) and its seagrass habitat in Sabah, Malaysia: a basis for conservation planning. Unpublished PhD Thesis Universiti Malaysia, Sabah, Kota Kinabalu, Sabah.
- Rajamani, L., Cabanban, A. S. and Rahman, R. A. (2006). Indigenous use and trade of dugong (*Dugong dugon*) in Sabah, Malaysia. *Ambio*, 35, 266–268.
- Ralph, C. L., Young, S., Gettinger, R. and O'Shea, T. J. (1985). Does the manatee have a pineal body? *Acta Zoologica*, 66, 55–60.
- Ramsar. (2010). The Ramsar convention on wetlands. Available at: [http://www.ramsar.org/cda/en/ramsar-home/main/ramsar/1\\_4000\\_0\\_](http://www.ramsar.org/cda/en/ramsar-home/main/ramsar/1_4000_0_) (accessed 10 October 2010).
- Rasheed, M. (2000). Recovery and succession in north Queensland Tropical seagrass communities. PhD Thesis, James Cook University, Townsville.
- Rathbun, G. B. and O'Shea, T. J. (1984). The manatee's simple social life. In *The Encyclopedia of Mammals*, D. Macdonald (ed.), New York: Facts on File, pp. 300–301.
- Rathbun, G. B., Powell, J. A. and Cruz, G. (1983). Status of the West Indian manatee in Honduras. *Biological Conservation*, 26, 301–308.
- Rathbun, G. B., Reid, J. P. and Bourassa, J. B. (1987). *Design and Construction of a Tethered, Floating Radio-tag Assembly for Manatees*, Springfield, VA: National Technical Information Service.
- Rathbun, G. B., Reid, J. P. and Carowan, G. (1990). Distribution and movement patterns of manatees (*Trichechus manatus*) in Northwestern Peninsular Florida. *Florida Marine Research Publications*, 48, 1–33.
- Rathbun, G. B., Reid, J. P., Bonde, R. K. and Powell, J. A. (1995). Reproduction in free-ranging Florida manatees. In *Population Biology of the Florida Manatee*,

- T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 135–156.
- Raven, M. (1990). The point of no diminishing returns: hunting and resource decline on Boigu Island, Torres Strait. Unpublished PhD Dissertation, University of California, Davis.
- Ray, C. E. (1960). The manatee in the Lesser Antilles. *Journal of Mammalogy*, 41, 412–413.
- Read, A. J. (2008). The looming crisis: interactions between marine mammals and fisheries. *Journal of Mammalogy*, 89, 541–548.
- Rector, A., Bossart, G. D., Ghim, S. J., et al. (2004). Characterization of a novel close-to-root papillomavirus from a Florida manatee by using multiply primed rolling-circle amplification: *Trichechus manatus latirostris* Papillomavirus Type 1. *The Journal of Virology*, 78, 12698–12702.
- Reef Water Quality Protection Plan. (2009). For the Great Barrier Reef World Heritage Area and adjacent catchments. Available at: <http://www.reefplan.qld.gov.au/library/pdf/reef-plan-2009.pdf> (accessed 25 September 2010).
- Reep, R. L. and Bonde, R. K. (2006). *The Florida Manatee: Biology and Conservation*, Gainesville: University Press of Florida.
- Reep, R. L., Marshall, C. D., Stoll, M. L. and Whitaker, D. M. (1998). Distribution and innervation of facial bristles and hairs in the Florida manatee (*Trichechus manatus latirostris*). *Marine Mammal Science*, 14, 257–273.
- Reep, R. L., Stoll, M. L., Marshall, C. D., Horner, B. L. and Samuelson, D. A. (2001). Microanatomy of facial vibrissae in the Florida manatee: the basis for specialized sensory function and oripulation. *Brain, Behavior and Evolution*, 58, 1–14.
- Reep, R. L., Marshall, C. D. and Stoll, M. L. (2002). Tactile hairs on the postcranial body in Florida manatees: a mammalian lateral line? *Brain, Behavior and Evolution*, 59, 141–154.
- Reep, R. L., Finlay, B. L. and Darlington, R. B. (2007). The limbic system in mammalian brain evolution. *Brain, Behavior and Evolution*, 70, 57–70.
- Reeves, R. R., Tuboku-Metzger, D. and Kapindi, R. A. (1988). Distribution and exploitation of manatees in Sierra Leone. *Oryx*, 22, 75–84.
- Reeves, R. R., Leatherwood, S., Jefferson, T. A., Curry, B. E. and Henningsen, T. (1996). Amazonian manatees, *Trichechus inunguis*, in Peru: distribution, exploitation, and conservation status. *Interciencia*, 21, 246–254.
- Reich, K. J. and Worthy, G. A. J. (2006). An isotopic assessment of the feeding habits of free-ranging manatees. *Marine Ecology Progress Series*, 322, 303–309.
- Reid, J. P. (1995). Chessie's most excellent adventure: the 1995 East Coast tour. *Sirenews*, 24, 9–11.
- Reid, J. P. (2006). Cooperative manatee reserach in Puerto Rico. *Endangered Species Bulletin*, 31, 18–19.
- Reid, J. P. and O'Shea, T. J. (1989). Three years operational use of satellite telemetry on Florida manatees: tag improvements based on challenges from the field. In *Proceedings of the 1989 North America Argos Users Conference*, Landover, MD: Service Argos, pp. 217–232.
- Reid, J. P., Rathbun, G. B. and Wilcox, J. R. (1991). Distribution patterns of individually identifiable West Indian manatees (*Trichechus manatus*) in Florida. *Marine Mammal Science*, 7, 180–190.

- Reid, J. P., Bonde, R. K. and O'Shea, T. J. (1995). Reproduction and mortality of radio-tagged and recognizable manatees on the Atlantic coast of Florida. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 171–191.
- Reid, W. V. (2002). Epilogue. In *Biodiversity, Sustainability and Human Communities: Protecting Beyond the Protected*, T. O'Riordan and S. Stoll-Kleemann (eds), Cambridge: Cambridge University Press, pp. 311–314.
- Reinhart, R. (1953). Diagnosis of the new mammalian order Desmostylia. *Journal of Geology*, 61, 187.
- Reinhart, R. H. (1959). A review of the Sirenia and Desmostylia. *University of California Publications in Geological Sciences*, 36, 1–146.
- Reyero, M., Cacho, E., Martinez, A., et al. (1999). Evidence of saxitoxin derivatives as causative agents in the 1997 mass mortality of monk seals in the Cape Blanc Peninsula. *Natural Toxins*, 7, 311–315.
- Reynolds III, J. E. (1977). Aspects of the social behavior and ecology of a semi-isolated colony of Florida manatees, *Trichechus manatus*. MS Thesis, University of Miami.
- Reynolds III, J. E. (1980). Aspects of the structural and functional anatomy of the gastrointestinal tract of the West Indian manatee, *Trichechus manatus*. PhD Thesis, University of Miami.
- Reynolds III, J. E. (1981a). Behavior patterns in the West Indian manatee, with emphasis on feeding and diving. *Florida Scientist*, 44, 233–242.
- Reynolds III, J. E. (1981b). Aspects of the social behaviour and herd structure of a semi-isolated colony of West Indian manatees, *Trichechus manatus*. *Mammalia*, 45, 431–451.
- Reynolds III, J. E. (1995). Florida manatee population biology: research progress, infrastructure, and applications for conservation and management. In *Population Biology of the Florida Manatee*, T. J. O'Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 6–12.
- Reynolds III, J. E. (1999). Efforts to conserve the manatees. In *Conservation and Management of Marine Mammals*, J. Twiss Jr and R. R. Reeves (eds), Washington, DC: Smithsonian Institution Press, pp. 267–295.
- Reynolds III, J. E. (2000). *Possible Locations for Long-term, Warmwater Refugia for Manatees in Florida: Alternatives to Power Plants*, Juno Beach: Florida Power & Light Company.
- Reynolds III, J. E. (2010). Distribution and abundance of Florida manatees (*Trichechus manatus latirostris*) around selected power plants following winter cold fronts: 2009–2010. Final report to Florida Power & Light Company, June Beach, Florida.
- Reynolds III, J. E. and Ferguson, J. C. (1984). Implications of the presence of manatees (*Trichechus manatus*) near the Dry Tortugas Islands. *Florida Scientist*, 44, 187–189.
- Reynolds III, J. E. and Krause, W. J. (1982). A brief anatomical note on the duodenum of the West Indian manatee, *Trichechus manatus*, with emphasis on the duodenal glands. *Acta anatomica*, 114, 33–40.
- Reynolds III, J. E. and Odell, D. K. (1991). *Manatees and Dugongs*, New York: Facts on File, Inc.

- Reynolds III, J. E. and Rommel, S. A. (1996). Structure and function of the gastrointestinal tract of the Florida manatee, *Trichechus manatus latirostris*. *Anatomical Record*, 245, 539–558.
- Reynolds III, J. E. and Wells, R. S. (2003). *Dolphins, Whales and Manatees of Florida: A Guide to Sharing Their World*, Gainesville: University Press of Florida.
- Reynolds III, J. E. and Wilcox, J. R. (1994). Observations of Florida manatees (*Trichechus manatus latirostris*) around selected power plants in winter. *Marine Mammal Science*, 10, 163–177.
- Reynolds III, J. E., Szelistowski, W. A. and Leon, M. A. (1995). Status and conservation of manatees *Trichechus manatus manatus* in Costa Rica. *Biological Conservation*, 71, 193–196.
- Reynolds III, J. E., Odell, D. K. and Rommel, S. A. (1999). Marine mammals of the world. In *Biology of Marine Mammals*, J. E. Reynolds III and S. A. Rommel (eds), Washington, DC: Smithsonian Institution Press, pp. 1–14.
- Reynolds III, J. E., Rommel, S. A. and Pitchford, M. E. (2004). The likelihood of sperm competition in manatees: explaining an apparent paradox. *Marine Mammal Science*, 20, 464–476.
- Reynolds III, J. E., Perrin, W. F., Reeves, R. R., Montgomery, S. and Ragen, T. J. (eds). (2005). *Marine Mammal Research: Conservation Beyond Crisis*, Baltimore: Johns Hopkins University Press.
- Reynolds III, J. E., Marsh, H. and Ragen, T. J. (2009). Marine mammal conservation. *Endangered Species Research*, 7, 23–28.
- Reynolds III, J. E., Morales-Vela, B., Lawler, I. R. and Edwards, H. (2012). Utility and design of aerial surveys for sirenians. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragones and M. Marmontel (eds), Gainesville: University Press of Florida.
- Richman, L. K., Montali, R. J., Garber, R. L., et al. (1999). Novel endotheliotropic herpesviruses fatal for Asian and African elephants. *Science*, 283, 1171–1176.
- Richman, L. K., Montali, R. J., Cambre, R. C., et al. (2000). Clinical and pathological findings of a newly recognized disease of elephants caused by endotheliotropic herpesviruses. *Journal of Wildlife Diseases*, 36, 1–12.
- Ricqlès A. de and Buffrénil, V. de. (1995). Sur la présence de pachyostéoscélrose chez la rhytine de Steller (*Rhytina [Hydrodamalis] gigas*), sirénien récent éteint. *Annales des Sciences Naturelles-Zoologie et Biologie Animale*, 16, 47–53.
- Riedman, M. L. and Estes, J. A. (1990). The sea otter (*Enhydra lutris*): behavior, ecology, and natural history. *US Fish and Wildlife Service Biological Report*, 90, 1–126.
- Riegel, R. J. and Hakola, S. E. (1996). *Illustrated Atlas of Clinical Equine Anatomy and Common Disorders of the Horse*, Marysville: Equistar Publications.
- River Zoo Farm. (2010). River View Farm wildlife breeding farm & fauna sanctuary. Available at: <http://www.riverzoo.com>.
- Robertson, J. B. and Van Soest, P. J. (1981). The detergent system of analysis and its application to human food. In *The Analysis of Dietary Fiber in Food*, W. P. T. James and O. Theander (eds), New York and Basel: Marcel Dekker, pp. 123–158.
- Robineau, D. (1969). Morphologie externe du complexe osseux temporal chez les sirinens. *Mémoire du Muséum National d'Histoire Naturelle (Paris). Series A Zoologie*, 60, 1–32.



- Rodrigues, A. S. L., Pilgrim, J. D., Lamoreux, J. F., Hoffmann, M. and Brooks, T. M. (2006). The value of the IUCN Red List for conservation. *Trends in Ecology and Evolution*, 21, 71–76.
- Roelofs, A., Coles, R. and Smit, N. (2005). A survey of intertidal seagrass from Van Diemen Gulf to Castlereagh Bay, Northern Territory, and from Gove to Horn Island, Queensland. Australian Government, Department of the Environment and Heritage, National Oceans Office.
- Rommel, S. and Reynolds III, J. E. (2000). Diaphragm structure and function in the Florida manatee (*Trichechus manatus latirostris*). *Anatomical Record*, 259, 41–51.
- Rommel, S. A., Reynolds III, J. E. and Lynch, H. A. (2003). Adaptations of the herbivorous marine mammals. In *Matching Herbivore Nutrition to Ecosystems Biodiversity*, L.-t. Mannelje, L. Ramirez-Aviles, C. Sandoval-Castro and J. C. Ku-Vera (eds), Mexico: Universidad Autonoma de Yucatan, pp. 287–308.
- Rommel, S. A., Costidis, A. M., Pitchford, T. D., et al. (2007). Forensic methods for characterizing watercraft from watercraft-induced wounds on the Florida manatee (*Trichechus manatus latirostris*). *Marine Mammal Science*, 23, 110–132.
- Ronald, K., Selley, L. J. and Amoroso, E. C. (1978). *Biological Synopsis of the Manatee*, Ottawa: IDRC.
- Rosas, F. C. W. (1994). Biology, conservation and status of the Amazonian manatee *Trichechus inunguis*. *Mammal Review*, 24, 49–59.
- Rose, P. M. (1997). Manatees and the future of electric utilities deregulation in Florida. *Sirenews*, 28, 1–3.
- Rovero, F., Rathbun, G. B., Perkin, A., et al. (2008). A new species of giant sengi or elephant-shrew (genus: *Rhynchocyon*) highlights the exceptional biodiversity of the Udzungwa Mountains of Tanzania. *Journal of Zoology (London)*, 274, 126–133.
- Rowcliffe, J. M., Milner-Gulland, E. J. and Cowlishaw, G. (2005). Do bushmeat consumers have other fish to fry? *Trends in Ecology and Evolution*, 20, 274–276.
- Runge, M. C., Langtimm, C. A. and Kendall, W. L. (2004). A stage-based model of manatee population dynamics. *Marine Mammal Science*, 20, 361–385.
- Runge, M. C., Sanders-Reed, C. A. and Fonnesebeck, C. J. (2007a). A core stochastic population projection model for Florida manatees (*Trichechus manatus latirostris*). US Geological Survey Open-File Report 2007-1082. Available at: <http://www.pwrc.usgs.gov/resshow/manatee/documents/OFR2007-1082.pdf>.
- Runge, M. C., Sanders-Reed, C. A., Langtimm, C. A. and Fonnesebeck, C. J. (2007b). A quantitative threats analysis for the Florida manatee (*Trichechus manatus latirostris*). US Geological Survey Open-File Report 2007-1086. Available at: <http://www.pwrc.usgs.gov/resshow/manatee/documents/OFR2007-1086.pdf>.
- Ryther, J. H., Williams, L. O., Hanisak, M. D., Stenberg, R. W. and Debusk, T. A. (1978). Biomass production by some marine and freshwater plants. In *Proceedings of Fuels from Biomass Symposium*, Vol. 2, Troy: Rensselaer Polytechnic Institute, pp. 947–989.
- Saalfeld, K. and Marsh, H. (2004). Dugong. *Key Species: A Description of Key Species Groups in the Northern Planning area*, Hobart: National Oceans Office, pp. 93–112. Available at: <http://www.environment.gov.au/coasts/mbp/publications/north/pubs/n-key-species.pdf>.

- Saether, B. E. (1997). Environmental stochasticity and population dynamics of large herbivores: a search for mechanisms. *Trends in Ecology and Evolution*, 12, 143–149.
- Sagne, C. (2001a). *Halitherium taulannense*, nouveau sirénien (Sirenia, Mammalia) de l'Éocène supérieur provenant du domaine Nord-Téthysien (Alpes-de-Haute-Provence, France). *Comptes Rendus Sciences de la Terre et des Planètes Paléontologie*, 333, 471–476.
- Sagne, C. (2001b). La diversification des siréniens à l'Eocène (Sirenia, Mammalia): Etude morphologique et analyse phylogénétique du sirénien de Taulanne, *Halitherium taulannense*. PhD Thesis, Muséum National d'Histoire Naturelle, Paris.
- Salkind, J. H. (1998). Etude sur les lamantins au Tchad. *Revue Scientifique du Tchad*, 5(1), 41–49.
- Salm, R. V., Clark, J. and Siirilla, E. (2000). *Marine and Coastal Protected Areas: A Guide for Planners and Managers*, Washington, DC: IUCN.
- Samonds, K. E., Zalmout, I. S., Irwin, M. T., et al. (2009). *Eotheroides lambondrano*, new Middle Eocene seacow (Mammalia, Sirenia) from the Mahajanga Basin, northwestern Madagascar. *Journal of Vertebrate Paleontology*, 29, 1233–1243.
- Sarko, D. K. and Reep, R. L. (2007). Somatosensory areas of manatee cerebral cortex: histochemical characterization and functional implications. *Brain, Behavior and Evolution*, 69, 20–36.
- Sarko, D. K., Johnson, J. I., Switzer III, R. C., Welker, W. I. and Reep, R. L. (2007a). Somatosensory nuclei of the manatee brainstem and thalamus. *Anatomical Record*, 290, 1138–1165.
- Sarko, D. K., Reep, R. L., Mazurkiewicz, J. E. and Rice, F. L. (2007b). Adaptations in the structure and innervation of follicle-sinus complexes to an aquatic environment as seen in the Florida manatee (*Trichechus manatus latirostris*). *Journal of Comparative Neurology*, 504, 217–237.
- Sato, T., Shibuya, H., Ohba, S., Nojiri, T. and Shirai, W. (2003). Mycobacteriosis in two captive Florida manatees (*Trichechus manatus latirostris*). *Journal of Zoo and Wildlife Medicine*, 34, 184–188.
- Savage, R. J. G. (1976). Review of early Sirenia. *Systematic Zoology*, 25, 344–351.
- Savage, R. J. G., Domning, D. P. and Thewissen, J. G. M. (1994). Fossil Sirenia of the West Atlantic and Caribbean region: V. The most primitive known sirenian, *Prorastomus sirenoides* Owen, 1855. *Journal of Vertebrate Paleontology*, 14, 427–449.
- Scheffer, V. B. (1972) The weight of the Steller sea cow. *Journal of Mammalogy*, 53, 912–914.
- Scheffer, V. B. (1973) The last days of the sea cow. *Smithsonian*, 3, 64–67.
- Schevill, W. E. and Watkins, W. A. (1965). Underwater calls of *Trichechus* (manatee). *Nature*, 205, 373–374.
- Schiedek, D., Sundelin, B., Readman, J. W. and Macdonald, R. W. (2007). Interactions between climate change and contaminants. *Marine Pollution Bulletin*, 54, 1845–1856.
- Scholander, P. F. and Irving, L. (1941). Experimental investigations on the respiration and diving of the Florida manatee. *Journal of Cellular and Comparative Physiology*, 17, 169–191.
- Scholin, C. A., Gulland, F., Doucette, G. J., et al. (2000). Mortality of sea lions along the central California coast linked to a toxic diatom bloom. *Nature*, 403, 80–84.

- Schultz, J. K., Baker, J. D., Toonen, R. J. and Bowen, B. W. (2009). Extremely low genetic diversity in the endangered Hawaiian monk seal (*Monachus schauinslandi*). *Journal of Heredity*, 100, 25–33.
- Schwarz, L. K. (2008). Methods and models to determine perinatal status of Florida manatee carcasses. *Marine Mammal Science*, 24, 881–898.
- Schwarz, L. K. and Runge, M. C. (2009). Hierarchical Bayesian analysis to incorporate age uncertainty in growth curve analysis and estimates of age from length: Florida manatee (*Trichechus manatus*) carcasses. *Canadian Journal of Fisheries and Aquatic Sciences*, 66, 1775–1789.
- Scott, M. D. and Powell, J. A. (1982). Commensal feeding of little blue herons with manatees. *Wilson Bulletin*, 94, 215–216.
- Scott, P. (1965). Section XIII: preliminary list of rare mammals and birds. In *The Launching of a New Ark*, London: Collins, pp. 15–207.
- Seagrass-Watch. (2010). What is Seagrass-Watch? Available at: <http://www.seagrasswatch.org/about.html>.
- Searle, K. R., Hobbs, N. T. and Shipley, L. A. (2005). Should I stay or should I go? Patch departure decisions by herbivores at multiple scales. *Oikos*, 111, 417–424.
- Seber, G. A. F. (1965). A note on the multiple recapture census. *Biometrika*, 52, 249–259.
- Seiffert, E. R. (2007). A new estimate of afrotherian phylogeny based on simultaneous analysis of genomic, morphological, and fossil evidence. *BMC Evolutionary Biology*, 7, 224–237.
- Self-Sullivan, C. and Mignucci-Giannoni, A. (2008). *Trichechus manatus* ssp. *manatus*. In IUCN Red List of Threatened Species. Version 2010.3. Available at: <http://www.iucnredlist.org> (accessed 10 October 2010).
- Sengco, M. R. (2009). Prevention and control of *Karenia brevis* blooms. *Harmful Algae*, 8, 623–628.
- Sgueros, P. (1966). Use of the Florida manatee as an agent for the suppression of aquatic and bankweed growth in essential inland waterways. Research and extension proposal submitted to the Central and Southern Florida Flood Control Board.
- Shane, S. H. (1984). Manatee use of power plant effluents in Brevard County, Florida. *Florida Scientist*, 47, 180–187.
- Sheppard, J. K., Preen, A. R., Marsh, H., et al. (2006). Movement heterogeneity of dugongs, *Dugong dugon* (Müller), over large spatial scales. *Journal of Experimental Marine Biology and Ecology*, 344, 64–83.
- Sheppard, J. K., Lawler, I. R. and Marsh, H. (2007). Seagrass as pasture for seacows: landscape-level dugong habitat evaluation. *Estuarine, Coastal and Shelf Science*, 71, 117–132.
- Sheppard, J. K., Carter, A. B., McKenzie, L. J., Pitcher, C. R. and Coles, R. G. (2008). Spatial patterns of sub-tidal seagrasses and their tissue nutrients in the Torres Strait, northern Australia: implications for management. *Continental Shelf Research*, 28, 2282–2291.
- Sheppard, J. K., Jones, R. E., Marsh, H. and Lawler, I. R. (2009). Effects of tidal and diel cycles on dugong habitat use. *Journal of Wildlife Management*, 73, 45–59.
- Sheppard, J. K., Marsh, H., Jones, R. E. and Lawler, I. R. (2010). Dugong habitat use in relation to seagrass nutrients, tides, and diel cycles. *Marine Mammal Science*, 26, 855–879.

- Shirakihara, M., Yoshida, H., Yokochi, H., *et al.* (2007). Current status and conservation needs of dugongs in southern Japan. *Marine Mammal Science*, 23, 694–706.
- Short, F. T. and Neckles, H. A. (1999). The effects of global climate change on seagrasses. *Aquatic Botany*, 63, 169–196.
- Shoshani, J. (1986). Mammalian phylogeny: comparison of morphological and molecular results. *Molecular Biology and Evolution*, 3, 222–242.
- Sickenberg, O. (1934). Beiträge zur Kenntnis tertiärer Sirenen. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique*, 63, 1–352.
- Siegal-Willott, J., Estrada, A., Bonde, R., *et al.* (2006). Electrocardiography in two subspecies of manatee (*Trichechus manatus latirostris* and *T. m. manatus*). *Journal of Zoo and Wildlife Medicine*, 37, 447–453.
- Silva, M. A. and Araújo, A. (2001). Distribution and current status of the West African manatee (*Trichechus senegalensis*) in Guinea-Bissau. *Marine Mammal Science*, 17, 418–424.
- Silverberg, D. J. (1988). The role of nutrients and energy in the diet selection of the West Indian manatee (*Trichechus manatus*) in the winter refugium at Homosassa Springs, Citrus County, Florida. MS Thesis, Florida Institute of Technology.
- Simberloff, D. (1998). Flagships, umbrellas, and keystones: is single-species management passé in the landscape era? *Biological Conservation*, 83, 247–257.
- Simenstad, C. A., Estes, J. A. and Kenyon, K. W. (1978). Aleuts, sea otters, and alternate stable-state communities. *Science*, 200, 403–411.
- Simpfendorfer, C. A., Goodreid, A. B. and McAuley, R. B. (2001). Size, sex and geographic variation in the diet of the tiger shark, *Galeocerdo cuvier*, from Western Australian waters. *Environmental Biology of Fishes*, 61, 37–46.
- Simpson, G. G. (1932). Fossil Sirenia of Florida and the evolution of the Sirenia. *Bulletin of the American Museum of Natural History*, 59, 419–503.
- Simpson, G. G. (1945). The principles of classification and a classification of mammals. *Bulletin of the American Museum of Natural History*, 85, 1–350.
- Sippel, S. J., Hamilton, S. K., Melack, J. M. and Novo, E. M. M. (1998). Passive microwave observations of inundation area and the area/stage relation in the Amazon River floodplain. *International Journal of Remote Sensing*, 19, 3055–3074.
- Siung-Chang, A. (1997). A review of marine pollution issues in the Caribbean. *Environmental Geochemistry and Health*, 19, 45–55.
- Skarpe, C. and Hester, A. J. (2008). Plant traits, browsing and grazing herbivores and vegetation dynamics. In *The Ecology of Browsing and Grazing*, Vol. 195, I. J. Gordon and H. H. T. Prins (eds), Berlin: Springer, pp. 217–261.
- Skilleter, Greg A., Wegscheidl, C. and Lanyon, J. M. (2007). Effects of grazing by a marine mega-herbivore on benthic assemblages in a subtropical seagrass bed. *Marine Ecology-Progress Series*, 351, 287–300.
- Smethurst, D. and Nietschmann, B. (1999). The distribution of manatees (*Trichechus manatus*) in the coastal waterways of Tortuguero, Costa Rica. *Biological Conservation*, 89, 267–274.
- Smith, A. G., Smith, D. G. and Funnell, B. M. (1994) *Atlas of Mesozoic and Cenozoic Coastlines*. Cambridge: Cambridge University Press.
- Smith, K. N. (1993). *Manatee Habitat and Human-related Threats to Seagrass in FLORIDA: A Review*, Tallahassee: Florida Department of Environmental Protection.
- Snipes, R. L. (1984). Anatomy of the cecum of the West Indian manatee, *Trichechus manatus* (Mammalia, Sirenia). *Zoomorphology*, 104, 67–78.

- Sonoda, S. and Takemura, A. (1973). Underwater sounds of the manatees, *Trichechus manatus manatus* and *T. inunguis* (Trichechidae). *Report of the Institute for Breeding Research, Tokyo University of Agriculture*, 4, 19–24.
- Sosulski, F. W. and Imafidon, G. I. (1990). Amino acid composition and nitrogen-to-protein conversion factors for animal and plant foods. *Journal of Agricultural and Food Chemistry*, 38, 1351–1356.
- Sousa-Lima, R. S., Paglia, A. P. and Da Fonseca, G. A. B. (2002). Signature information and individual recognition in the isolation calls of Amazonian manatees, *Trichechus inunguis* (Mammalia: Sirenia). *Animal Behaviour*, 63, 301–310.
- South East Queensland Healthy Waterways Strategy. (2007–2012). Available at: <http://www.healthywaterways.org/TheStrategy.aspx>.
- Spain, A. V. and Heinsohn, G. E. (1973). Cyclone associated feeding changes in the dugong (Mammalia: Sirenia). *Mammalia*, 37, 678–680.
- Spain, A. V. and Heinsohn, G. E. (1975). Size and weight allometry in a North Queensland Population of *Dugong dugon* (Müller) (Mammalia – Sirenia). *Australian Journal of Zoology*, 23, 159–168.
- Spinage, C. A. (1972). African ungulate life tables. *Ecology*, 53, 645–652.
- Sprent, J. F. A. (1983). Ascaridoid nematodes of sirenians: a new species in the Senegal manatee. *Journal of Helminthology*, 57, 69–76.
- SPREP. (2003). Regional marine species programme framework 2003–2007. Attachment 3. Dugong (RMMCP) strategic action plan (2003–2007), pp. 17–21.
- Springer, M. S. and Murphy, W. J. (2007). Mammalian evolution and biomedicine: new views from phylogeny. *Biological Reviews*, 82, 375–392.
- Springer, M. S., Murphy, W. J., Eizirik, E. and O'Brien, S. J. (2003). Placental mammal diversification and the Cretaceous–Tertiary boundary. *Proceedings of the National Academy of Sciences USA*, 100, 1056–1061.
- Springer, M. S., Murphy, W. J., Eizirik, E. and O'Brien, S. J. (2005). Molecular evidence for major placental clades. In *The Rise of Placental Mammals*, K. D. Rose and J. D. Archibald (eds), Baltimore: Johns Hopkins University Press, pp. 37–49.
- Springer, M. S., Burk-Herrick, A., Meredith, R., et al. (2007). The adequacy of morphology for reconstructing the early history of placental mammals. *Systematic Biology*, 56, 673–684.
- Stachowicz, J. J., Terwin, J. R., Whitlatch, R. B. and Osman, R. W. (2002). Linking climate change and biological invasions: ocean warming facilitates nonindigenous species invasions. *Proceedings of the National Academy of Sciences USA*, 99, 15497–15500.
- Stanhope, M. J., Waddell, V. G., Madsen, O., et al. (1998a). Molecular evidence for multiple origins of Insectivora and for a new order of endemic African insectivore mammals. *Proceedings of the National Academy of Sciences USA*, 95, 9967–9972.
- Stanhope, M. J., Madsen, O., Waddell, V. G., et al. (1998b). Highly congruent molecular support for a diverse superordinal clade of endemic African mammals. *Molecular Phylogenetics and Evolution*, 9, 501–508.
- Stavros, H. C. W., Bonde, R. K. and Fair, P. A. (2008). Concentrations of trace elements in blood and skin of Florida manatees (*Trichechus manatus latirostris*). *Marine Pollution Bulletin*, 56, 1221–1225.

- Steel, C. (1982). Vocalization patterns and corresponding behavior of the West Indian manatee (*Trichechus manatus*). PhD Thesis, Florida Institute of Technology, Melbourne.
- Steidinger, K. A. (2009). Historical perspective on *Karenia brevis* red tide research in the Gulf of Mexico. *Harmful Algae*, 8, 549–561.
- Steinberg, P. D. (1985). Feeding preferences of *Tegula funebris* and chemical defenses of marine brown algae. *Ecological Monographs*, 55, 333–349.
- Steinberg, P. D., Estes, J. A. and Winter, F. C. (1995). Evolutionary consequences of food chain length in kelp forest communities. *Proceedings of the National Academy of Sciences USA*, 92, 8145–8148.
- Stejneger, L. (1884). Contributions to the history of the Commander Islands: no. 2. Investigations relating to the date of the extermination of Steller's sea cow. *Proceedings of the United States National Museum*, 7, 181–189.
- Stejneger, L. (1886). On the extermination of the Great Northern Sea-Cow (*Rytina*): a reply to Professor AE Nordenskiöld. *Journal of the American Geographical Society of New York*, 18, 317–328.
- Stejneger, L. (1887). How the great northern sea-cow (*Rytina*) became exterminated. *The American Naturalist*, 21, 1047–1054.
- Stejneger, L. (1893). Skeletons of Steller's sea-cow preserved in the various museums. *Science*, 21, 81.
- Stejneger, L. (1936). *Georg Wilhelm Steller, the Pioneer of Alaskan Natural History*, Cambridge, MA: Harvard University Press.
- Steller, G. W. (1751). De bestiis marinis. *Novi Commentarii Academiae Scientiarum Imperialis Petropolitanae*, 2, 289–398. (Translated by W. Miller and J. E. Miller. (1899)). Part VIII: the early history of the northern fur seal. In *The Fur Seals and Fur-Seal Islands of the North Pacific Ocean*, D. S. Jordan et al. (eds), Washington, DC: US Government Printing Office, pp. 179–218. Available at: <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1019&context=libraryscience> (transcribed and edited by P. Royster).
- Steller, G. W. (1925). Steller's journal of the sea voyage from Kamchatka to America and return on the second expedition 1741–1742. In *Bering's Voyages: An Account of the Efforts of the Russians to Determine the Relation of Asia and America*, Vol. 2, F. A. Golder (ed.), American Geographical Society Research Series, pp. 9–248. (Reprinted 1968, New York: Octagon Books).
- Steller, G. W. (1988). *Journal of a Voyage with Bering 1741–1742*, Stanford, CA: Stanford University Press.
- Stern, D. I., Common, M. S. and Barbier, E. B. (1996). Economic growth and environmental degradation: the environmental Kuznets curve and sustainable development. *World Development*, 24, 1151–1160.
- Stith, B. M., Slone, D. H. and Reid, J. P. (2006). Review and synthesis of manatee data in Everglades National Park. Gainesville: United States Geological Survey Florida Integrated Science Center. Available at: [http://fl.biology.usgs.gov/Center\\_Publications/Manatee\\_Publications\\_pi/Stith\\_et\\_al\\_ENP\\_Manatee\\_Administrative\\_Report.pdf](http://fl.biology.usgs.gov/Center_Publications/Manatee_Publications_pi/Stith_et_al_ENP_Manatee_Administrative_Report.pdf).
- Stith, B. M., Reid, J. P., Langtimm, C. A., et al. (2010). Temperature inverted haloclines provide winter warm-water refugia for manatees in southwest Florida. *Estuaries and Coasts*, 34, 106–119.

- Strandnet. (2010). Queensland Department of Environment and Resource Management marine wildlife stranding and mortality database: operational policy. Available at: <http://www.derm.qld.gov.au/register/po2153aa.pdf>.
- Strayer, D. L. and Dudgeon, D. (2010). Freshwater biodiversity conservation: recent progress and future challenges. *Journal of the North American Benthological Society*, 29, 344–355.
- Strong, W. D. (1935). Archaeological investigations in the Bay Islands, Spanish Honduras. *Smithsonian Miscellaneous Collections*, 92, 1–176.
- Suárez-Morales, E., Morales-Vela, B., Padilla-Saldivar, J. and Silva-Briano, M. (2010). The copepod *Balaenophilus manatorum* (Ortiz, Lalana and Torres, 1992) (Harpacticoida), an epibiont of the Caribbean manatee. *Journal of Natural History*, 44, 847–859.
- Supanwanid, C. (1996). Recovery of the seagrass *Haliphola ovalis* after grazing by dugong. In *Seagrass Biology: Proceedings of an International Workshop, Rottneest Island*, J. Kuo, R. C. Phillips, D. I. Walker and H. Kirkman (eds), Perth: University of Western Australia, pp. 315–318.
- Supanwanid, C. and Lewmanomont, K. (2003). The seagrasses of Thailand. In *World Atlas of Seagrasses*, E. P. Green and F. F. Short (eds), Berkeley: University of California Press, pp. 144–151.
- Supanwanid, C., Albertsen, J. O. and Mukai, H. (2001). Methods of assessing the grazing effects of large herbivores on seagrasses. In *Global Seagrass Research Methods*, F. T. Short and R. G. Coles (eds), Amsterdam: Elsevier, pp. 293–312.
- Sutaria, D. (2009). Species conservation in a complex socio-ecological system: Irrawaddy dolphins, *Orcaella brevirostris* in Chilika Lagoon, India. PhD Thesis, James Cook University, Townsville.
- Swaisgood, R.R. and Sheppard, J. (2011). Reconnecting people to nature is a prerequisite for the future conservation agenda: response from Swaisgood and Sheppard. *BioScience*, 61, 94–95.
- Tabuce, R., Asher, R. J. and Lehmann, T. (2008). Afrotherian mammals: a review of current data. *Mammalia*, 72, 2–14.
- Tabuchi, K., Muku, T. and Satomichi, T., et al. (1974). A dermatosis in manatee (*Trichechus manatus*): mycological report of a case. *Bulletin of the Azabu Veterinary College*, 28, 127–134.
- Takahashi, E. M., Arthur, K. E. and Shaw, G. R. (2008). Occurrence of okadaic acid in the feeding grounds of dugongs (*Dugong dugon*) and green turtles (*Chelonia mydas*) in Moreton Bay, Australia. *Harmful Algae*, 7, 430–437.
- Takahashi, S., Domning, D. P. and Saito, T. (1986). *Dusisiren dewana*, n. sp. (Mammalia: Sirenia), a new ancestor of Steller's sea cow from the upper Miocene of Yamagata Prefecture, northeastern Japan. *Transactions and Proceedings of the Palaeontological Society of Japan, N.S.*, 141, 296–321.
- Tanabe, S. (1999). Butyltin contamination in marine mammals: a review. *Marine Pollution Bulletin*, 39, 62–72.
- Tanji, M. (2008). U.S. court rules in the 'Okinawa dugong' case. Implications for the U.S. military bases overseas. *Critical Asian Studies*, 40, 475–487.
- Taranto, T., Jacobs, D., Skewes, T. and Long, B. (1997). Torres Strait reef resources: maps of percentage cover of algae and percentage cover of seagrasses. *Torres Strait Conservation and Planning Report, Annex 8*. Canberra: CSIRO.

- Tassy, P. and Shoshani, J. (1988). The Tethytheria: elephants and their relatives. In *The Phylogeny and Classification of the Tetrapods*, Vol. 2, M. J. Benton (ed.), Oxford: Clarendon Press, pp. 283–315.
- Taylor, B. L., Martinez, M., Gerrodette, T., Barlow, J. and Hrovat, Y. N. (2007). Lessons from monitoring trends in abundance of marine mammals. *Marine Mammal Science*, 23, 157–175.
- Taylor, C. R. (2006). A survey of Florida Springs to determine accessibility to Florida manatees (*Trichechus manatus latirostris*): developing a sustainable thermal network. Final Report to the US Marine Mammal Commission.
- Thayer, G. W., Bjorndal, K. A., Ogden, J. C., Williams, S. L. and Ziemann, J. C. (1984). Role of larger herbivores in seagrass communities. *Estuaries*, 7, 351–376.
- Thomas, D. (1966). Natural history of the dugong in Rameswarum waters. *Madras Journal of Fish*, 2, 80–82.
- Thornback, J. and Jenkins, M. (1982). *The IUCN Mammal Red Data Book: Part 1. Threatened Mammalian Taxa of the Americas and the Australasian Zoogeographic Region (Excluding Cetacea)*. Gland, Switzerland: IUCN.
- Timm, R. M., Albuja V, L. and Clauson, B. L. (1986). Ecology, distribution, harvest, and conservation of the Amazonian manatee *Trichechus inunguis* in Ecuador. *Biotropica*, 18, 150–156.
- Toledo, P. M. de and Domning, D. P. (1991). Fossil Sirenia (Mammalia: Dugongidae) from the Pirabas Formation (Early Miocene), northern Brazil. *Boletim do Museu Paraense Emílio Goeldi, Série Ciências da Terra*, 1, 119–146.
- TRAFFIC. (2009). Journal entry by TRAFFIC on 23 March 2009. *TRAFFIC Bulletin Seizures and Prosecutions*: 16(3) (March 1997) to 22(2) (June 2009), p. 160.
- Tringali, M. D., Seyoum, S., Carney, S. L., et al. (2008). Eighteen new polymorphic microsatellite markers for the endangered Florida manatee, *Trichechus manatus latirostris*. *Molecular Ecology Resources*, 8, 328–331.
- Tripp, K. (2006). Manatees: ancient marine mammals in a modern coastal environment. *Ocean Challenge*, 16, 14–22.
- Tripp, K. M., Verstegen, J. P., Deutsch, C. J., et al. (2008). Validation of a serum immunoassay to measure progesterone and diagnose pregnancy in the West Indian manatee (*Trichechus manatus*). *Theriogenology*, 70, 1030–1040.
- Tripp, K. M., Dubois, M., Delahaut, P. and Verstegen, J. P. (2009). Detection and identification of plasma progesterone metabolites in the female Florida manatee (*Trichechus manatus latirostris*) using GC/MS/MS. *Theriogenology*, 72, 365–371.
- Tripp, K. M., Verstegen, J. P., Deutsch, C. J., et al. (2010). Evaluation of adrenocortical function in Florida manatees (*Trichechus manatus latirostris*). *Zoo Biology*, 29, 1–15.
- Tsukinowa, E., Karita, S., Asano, S., et al. (2008). Fecal microbiota of a dugong (*Dugong dugon*) in captivity at Toba Aquarium. *Journal of General and Applied Microbiology*, 54, 25–38.
- Tsutsumi, C., Ichikawa, K., Arai, N., et al. (2006). Feeding behavior of wild dugongs monitored by a passive acoustical method. *Journal of the Acoustical Society of America*, 120, 1356–1360.
- Tucker, C. S. and Debusk, T. A. (1981). Seasonal growth of *Eichhornia crassipes* (Mart.) solms: relationship to protein, fiber, and available carbohydrate content. *Aquatic Botany*, 11, 137–141.



- Tun, T. and Ilangakoon, A. (2007). Assessment of dugong (*Dugong dugon*) occurrence and distribution in an extended area off the Rakhine coast of western Myanmar. Report to the Society of Marine Mammalogy.
- Tun, T. and Ilangakoon, A. (2008). Assessment of dugong (*Dugong dugon*) occurrence, distribution and threats in the north-western coastal waters of Rakhine State, Myanmar. Report to the Society of Marine Mammalogy.
- Turvey, S. T. and Risley, C. L. (2006). Modelling the extinction of Steller's sea cow. *Biology Letters*, 2, 94–97.
- Turvey, S. T., Pitman, R. L., Taylor, B. L., et al. (2007). First human-caused extinction of a cetacean species? *Biology Letters*, 3, 537–540.
- Tyack, P. L. (2008). Implications for marine mammals of large-scale changes in the marine acoustic environment. *Journal of Mammalogy*, 89, 549–558.
- Udevitz, M. S. and Ballachey, B. E. (1998). Estimating survival rates with age-structure data. *Journal of Wildlife Management*, 62, 779–792.
- UNDP. (2009). *Human Development Report 2009: Overcoming Barriers. Human Mobility and Development*. Houndmills and Hampshire, NY: Palgrave Macmillan.
- UNDP. (2010). *Human Development Report 2010. The Real Wealth of Nations: Pathways to Human Development*. United Nations Development Program. Available at <http://hdr.undp.org/en/reports/global/hdr2010/>.
- UNEP. (2010). Regional management plan for the West Indian manatee (*Trichechus manatus*). Compiled by E. Quintana-Rizzo and J. Reynolds III. CEP Technical Report No. 48, UNEP Caribbean Environment Programme.
- UNEP and CMS. (2008). Action plan for the conservation of the West African manatee: annex I to the memorandum of understanding concerning the conservation of the manatee and small cetaceans of Western Africa and Macronesia.
- United Nations. (2003). Convention on biological diversity with annexes.
- United Nations. (2004). *World Population to 2300*, New York: United Nations.
- United States Census Bureau. (2009). International data base: demographic indicators. Available at <http://www.census.gov/ipc/www/idb/country.php>.
- United States Geological Survey Geologic Names Committee. (2007). Divisions of geologic time: major chronostratigraphic and geochronologic units. US Geological Survey Fact Sheet 2007–3015, 1–2.
- Upton, S. J., Odell, D. K., Bossart, G. D. and Walsh, M. T. (1989). Description of the oocysts of two new species of *Eimeria* (Apicomplexa: Eimeriidae) from the Florida manatee, *Trichechus manatus* (Sirenia: Trichechidae). *The Journal of Protozoology*, 36, 87–90.
- US Fish and Wildlife Service. (2001). *Florida Manatee Recovery Plan, Trichechus manatus latirostris, Third Revision*, Atlanta: US Fish and Wildlife Service.
- Valentine, J. F. and Duffy, J. E. (2006). The central role of grazing in seagrass ecology. In *Seagrasses: Biology, Ecology and Conservation*, A. W. D. Larkum, R. J. Orth and C. M. Duarte (eds), Dordrecht: Springer, pp. 463–501.
- Valentine, J. F. and Heck, K. L. J. (1999). Seagrass herbivory: evidence for the continued grazing of marine grasses. *Marine Ecology Progress Series*, 176, 291–302.
- Van Dolah, F. M. (2000). Marine algal toxins: origins, health effects, and their increased occurrence. *Environmental Health Perspectives*, 108, 133–141.

- Van Dolah, F. M., Doucette, G. J., Gulland, F. M. D., Rowles, T. L. and Bossart, G. D. (2003). Impacts of algal toxins on marine mammals. In *Toxicology of Marine Mammals*, J. G. Vos, G. D. Bossart, M. Fournier and T. J. O'Shea (eds), London: Taylor and Francis, pp. 247–269.
- Van Soest, P. J. (1982). *Nutritional Ecology of the Ruminant*, Ithaca, NY: Cornell University Press.
- Van Soest, P. J. (1994). *Nutritional Ecology of the Ruminant*, Ithaca, NY: Comstock Publishing Associates.
- van Tussenbroek, B. I., Vonk, J. A., Stapel, J., et al. (2006). The biology of *Thalassia*: paradigms and recent advances in research. In *Seagrasses: Biology, Ecology and Conservation*, A. W. D. Larkum, R. J. Orth and C. M. Duarte (eds), Dordrecht: Springer, pp. 409–439.
- Varela, R. A., Schmidt, K., Goldstein, J. D. and Bossart, G. D. (2007). Evaluation of cetacean and sirenian cytologic samples. *Veterinary Clinics of North America: Exotic Animal Practice*, 10, 79–130.
- Vergara-Parente, J. E., Sidrim, J. J. C., Pessa, A. B. G. d. P., et al. (2003a). Bacterial flora of upper respiratory tract of captive Antillean manatees. *Aquatic Mammals*, 29, 124–130.
- Vergara-Parente, J. E., Sidrim, J. J. C., Teixeira, M. F. d. S., Marcondes, M. C. C. and Rocha, M. F. G. (2003b). Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: a fatal case. *Aquatic Mammals*, 29, 131–136.
- Vetter, W., Scholz, E., Gaus, C., Müller, J. F. and Haynes, D. (2001). Anthropogenic and natural organohalogen compounds in blubber of dolphins and dugongs (*Dugong dugon*) from northeastern Australia. *Archives of Environmental Contamination and Toxicology*, 41, 221–231.
- Vianna, J. A., Bonde, R. K., Caballero, S., et al. (2006). Phylogeography, phylogeny and hybridization in trichechid sirenians: implications for manatee conservation. *Molecular Ecology*, 15, 433–447.
- von Bodungen, B., John, H.-Ch., Lutjeharms, J. R. E., Mohrholz, V. and Veitch, J. (2008). Hydrographic and biological patterns across the Angola–Benguela Frontal Zone under undisturbed conditions. *Journal of Marine Systems*, 74, 189–215.
- Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., et al. (2010). Global threats to human water security and river biodiversity. *Nature* 467, 555–561.
- Vos, J. G., Bossart, G. D., Fournier, M. and O'Shea, T. J. (eds). (2003). *Toxicology of Marine Mammals*, London: Taylor and Francis.
- Wade, P. R. (1998). Calculating limits to the allowable human-caused mortality of cetaceans and pinnipeds. *Marine Mammal Science*, 14, 1–37.
- Wake, J. A. (1975). A study of the habitat requirements and feeding biology of the dugong *Dugong dugon* (Müller). Honours thesis, James Cook University, Townsville.
- Walker, D. I. and McComb, A. J. (1988). Seasonal variation in the production, biomass and nutrient status of *Amphibolis antarctica* (Labill.) Sonder ex Aschers. and *Posidonia australis* hook. f. in Shark Bay, Western Australia. *Aquatic Botany*, 31, 259–275.
- Walsh, C. J., Luer, C. A. and Noyes, D. R. (2005). Effects of environmental stressors on lymphocyte proliferation in Florida manatees, *Trichechus manatus latirostris*. *Veterinary Immunology and Immunopathology*, 103, 247–256.

- Walsh, C. J., Stuckey, J. E., Cox, H., *et al.* (2007). Production of nitric oxide by peripheral blood mononuclear cells from the Florida manatee, *Trichechus manatus latirostris*. *Veterinary Immunology and Immunopathology*, 118, 199–209.
- Walsh, J. J., Jolliff, J. K., Darrow, B. P., *et al.* (2006). Red tides in the Gulf of Mexico: where, when, and why? *Journal of Geophysical Research: Oceans*, 111, 1–46.
- Walsh, M. T., Bossart, G. D., Young, W. G. Jr and Rose, P. M. (1987). Omphalitis and peritonitis in a young West Indian manatee (*Trichechus manatus*). *Journal of Wildlife Diseases*, 23, 702–704.
- Waser, P. M. and Jones, W. T. (1983). Natal philopatry among solitary animals. *Quarterly Review of Biology*, 58, 355–390.
- Watson, A. G. and Bonde, R. K. (1986). Congenital malformations of the flipper in three West Indian manatees, *Trichechus manatus*, and a proposed mechanism for development of ectrodactyly and cleft hand in mammals. *Clinical Orthopaedics and Related Research*, 202, 294–301.
- Waxell, S. (1962). *The Russian Expedition to America* (trans. M. A. Michael), New York: Collier Books.
- Waycott, M., McMahon, K., Mellors, J., Calladine, A. and Kleine, D. (2004). *A Guide to Tropical Seagrasses of the Indo-West Pacific*, Townsville: James Cook University.
- Waycott, M., Collier, C., McMahon, K., *et al.* (2007). Vulnerability of seagrasses in the Great Barrier Reef to climate change. In *Climate Change and the Great Barrier Reef: A Vulnerability Assessment*, J. Johnson and P. Marshall (eds), Townsville: Great Barrier Marine Park Authority, pp. 193–235.
- Waycott, M., Duarte, C. M., Carruthers, T. J. B., *et al.* (2009). Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences USA*, 106, 12377–12381.
- Webster, P. J., Holland, G. J., Curry, J. A. and Chang, H. R. (2005). Changes in tropical cyclone number, duration, and intensity in a warming environment. *Science*, 309, 1844–1846.
- Wellehan, J. F. X., Johnson, A. J., Childress, A. L., Harr, K. E. and Isaza, R. (2008). Six novel gammaherpesviruses of Afrotheria provide insight into the early divergence of the Gammaherpesvirinae. *Veterinary Microbiology*, 127, 249–257.
- Wells, M. P., McShane, T. O., Dublin, H. T., O'Connor, S. and Redford, K. H. (2004). The future of integrated conservation and development projects: building on what works. In *Getting Biodiversity Projects to Work: Towards More Effective Conservation and Development*, T. O. McShane and M. P. Wells (eds), New York: Columbia University Press, pp. 397–421.
- Wells, R. S., Boness, D. J. and Rathbun, G. B. (1999). Behavior. In *The Biology of Marine Mammals*, J. E. Reynolds III and S. A. Rommel (eds), Washington, DC: Smithsonian Institution Press, pp. 324–422.
- West, J. A., Sivak, J. G., Murphy, C. J. and Kovacs, K. M. (1991). A comparative study of the anatomy of the iris and ciliary body in aquatic mammals. *Canadian Journal of Zoology*, 69, 2594–2607.
- Wetmore, A. (1946). Biographical memoir of Leonhard Hess Stejneger, 1851–1943. *Biographical Memoirs of the National Academy of Sciences*, 24, 145–195.
- Wetzel, D. L., Reynolds III, J. E., Sprinkel, J. M., *et al.* (2010). Fatty acid signature analysis as a potential forensic tool for Florida manatees (*Trichechus manatus latirostris*). *Science of the Total Environment*, 408, 6124–6133.

- Wetzel, D. L., Pulster, E. and Reynolds III, J. E. (2012). Organic contaminants and sirenians. In *Sirenian Conservation: Issues and Strategies in Developing Countries*, E. Hines, J. Reynolds, A. Mignucci-Giannoni, L. Aragonés and M. Marmontel (eds), Gainesville: University Press of Florida.
- White, G. C. and Burnham, K. P. (1999). Program MARK: survival estimation from populations of marked animals. *Bird Study*, 46 (Supplement), 120–139.
- White, G. C., Burnham, K. P. and Anderson, D. R. (2001). Advanced features of Program MARK. In *Wildlife, Land, and People: Priorities for the 21st Century. Proceedings of the Second International Wildlife Management Congress*, R. Field, R. J. Warren, H. Okarma and P. R. Sievert (eds), Bethesda: The Wildlife Society, pp. 368–377.
- Whitehead, H., Waters, S. and Lyrholm, T. (1991). Social organization in female sperm whales and their offspring: constant companions and casual acquaintances. *Behavioral Ecology and Sociobiology*, 29, 385–389.
- Whitehead, P. J. P. (1977). The former southern distribution of New World manatees (*Trichechus* spp.). *Biological Journal of the Linnean Society*, 9, 165–189.
- Whitham, T. G., Maschinski, J., Larson, K. C. and Paige, K. N. (1991). Plant responses to herbivory: the continuum from negative to positive and underlying physiological mechanisms. In *Plant–Animal Interactions: Evolutionary Ecology in Tropical and Temperate Regions*, P. W. Price, T. M. Lewinsohn, G. W. Fernandes and W. W. Benson (eds), New York: John Wiley and Sons, pp. 227–256.
- Whiting, S. D. (1999). Use of the remote Sahul Banks, Northwestern Australia, by dugongs, including breeding females. *Marine Mammal Science*, 15, 609–615.
- Whiting, S. D. (2002a). Dive times for foraging dugongs in the Northern Territory. *Australian Mammalogy*, 23, 167–168.
- Whiting, S. D. (2002b). Rocky reefs provide foraging habitat for dugongs in the Darwin region of Northern Australia. *Australian Mammalogy*, 24, 147–150.
- Whiting, S. D. (2008). Movements and distribution of dugongs (*Dugong dugon*) in a macro-tidal environment in northern Australia. *Australian Journal of Zoology*, 56, 215–222.
- Whiting, S. D. and Guinea, M. L. (2003). Dugongs of Ashmore Reef and the Sahul Banks: a review of current knowledge and a distribution of sightings. *The Beagle: Records of the Museums and Art Galleries of the Northern Territory*, 1, 207–210.
- Wible, J. R., Rougier, G. W., Novacek, M. J. and Asher, R. J. (2007). Cretaceous eutherians and Laurasian origin for placental mammals near the K/T boundary. *Nature*, 447, 1003–1006.
- Wilkinson, C. and Souter, D. (eds). (2008). *Status of Caribbean Coral Reefs after Bleaching and Hurricanes in 2005*. Townsville: Global Coral Reef Monitoring Network and Reef and Rainforest Research Centre. Available at: [http://www.coris.noaa.gov/activities/caribbean\\_rpt/](http://www.coris.noaa.gov/activities/caribbean_rpt/).
- Williams, B. K., Nichols, J. D. and Conroy, M. J. (2002). *Analysis and Management of Animal Populations*, San Diego: Academic Press.
- Williams, E. H. Jr, Mignucci-Giannoni, A. A., Bunkley-Williams, L., et al. (2003). Echeneid-sirenian associations, with information on sharksucker diet. *Journal of Fish Biology*, 63, 1176–1183.
- Williams, L. E. (2005). Individual distinctiveness, short- and long-term comparisons, and context specific rates of Florida manatee vocalizations. MS Thesis, University of North Carolina-Wilmington.

- Williams, M. E. and Domning, D. P. (2004). Pleistocene or post-Pleistocene manatees in the Mississippi and Ohio River valleys. *Marine Mammal Science*, 20, 167–176.
- Willis, C. K. R. and Brigham, R. M. (2004). Roost switching, roost sharing and social cohesion: forest-dwelling big brown bats, *Eptesicus fuscus*, conform to the fission–fusion model. *Animal Behaviour*, 68, 495–505.
- Wilson, D. E. and Culik, B. M. (1991). The cost of a hot meal: facultative specific dynamic action may ensure temperature homeostasis in post-ingestive endotherms. *Comparative Biochemistry and Physiology A*, 100, 151–154.
- Wing, E. S. and Reitz, E. J. (1982). Prehistoric fishing communities of the Caribbean. *Journal of New World Archaeology*, 5, 13–32.
- Wirsing, A. J., Heithaus, M. R. and Dill, L. M. (2007a). Can you dig it? Use of excavation, a risky foraging tactic, by dugongs is sensitive to predation danger. *Animal Behaviour*, 74, 1085–1091.
- Wirsing, A. J., Heithaus, M. R. and Dill, L. M. (2007b). Fear factor: do dugongs (*Dugong dugon*) trade food for safety from tiger sharks (*Galeocerdo cuvier*)? *Oecologia*, 153, 1031–1040.
- Wirsing, A. J., Heithaus, M. R. and Dill, L. M. (2007c). Can measures of prey availability improve our ability to predict the abundance of large marine predators? *Oecologia*, 153, 563–568.
- Wirsing, A. J., Heithaus, M. R. and Dill, L. M. (2007d). Living on the edge: dugongs prefer to forage in microhabitats that allow escape from rather than avoidance of predators. *Animal Behaviour*, 74, 93–101.
- Woodruff, R. A., Bonde, R. K., Bonilla, J. A. and Romero, C. H. (2005). Molecular identification of a papilloma virus from cutaneous lesions of captive and free-ranging Florida manatees. *Journal of Wildlife Diseases*, 41, 437–441.
- World Bank. (2010). Gross national income per capita 2008. Available at: <http://siteresources.worldbank.org/DATASTATISTICS/Resources/GNIPC.pdf>.
- World Wildlife Fund Eastern African Marine Ecoregion. (2004). Towards a Western Indian Ocean dugong conservation strategy. In *The Status of Dugongs in the Western Indian Ocean and Priority Conservation Actions*, Dar es Salaam: World Wildlife Fund.
- Wright, I. E., Reynolds III, J. E., Ackerman, B. B., et al. (2002). Trends in manatee (*Trichechus manatus latirostris*) counts and habitat use in Tampa Bay, 1987–1994: implications for conservation. *Marine Mammal Science*, 18, 259–274.
- Wright, S. D., Ackerman, B. B., Bonde, R. K., Beck, C. A. and Banowetz, D. J. (1995). Analysis of watercraft-related mortality of manatees in Florida, 1979–1991. In *Population Biology of the Florida Manatee*, T. J. O’Shea, B. B. Ackerman and H. F. Percival (eds), Washington, DC: US Department of the Interior, National Biological Service, pp. 259–268.
- Wünder, S. (2001). *The Economics of Deforestations: The Example of Ecuador*, Basingstoke: Palgrave MacMillan.
- Wyss, A. R., Novacek, M. J. and McKenna, M. C. (1987). Amino acid sequence versus morphological data and the interordinal relationships of mammals. *Molecular Biology and Evolution*, 4, 99–116.
- Yamasaki, F., Komatsu, S. and Kamiya, T. (eds). (1980). A comparative morphological study on the tongues of manatee and dugong (Sirenia). *Scientific Reports of the Whales Research Institute*, 32, 127–144.

- Yan, J., Clifton, K. B., Mecholsky, J. J. Jr. and Reep, R. L. (2006a). Fracture toughness of manatee rib and bovine femur using a chevron-notched beam test. *Journal of Biomechanics*, 39, 1066–1074.
- Yan, J., Clifton, K. B., Reep, R. L. and Mecholsky, J. J. Jr. (2006b). Application of fracture mechanics to failure in manatee rib bone. *Journal of Biomechanical Engineering*, 128, 281–289.
- Yen, R. (2006). Preliminary assessment of the status of the dugong population of Samarai, Milne Bay Province. The Milne Bay community-based coastal and marine conservation project.
- Zalmout, I. S., Ul-Haq, M. and Gingerich, P. D. (2003). New species of *Protosiren* (Mammalia, Sirenia) from the early middle Eocene of Balochistan (Pakistan). *Contributions of the Museum of Paleontology, University of Michigan*, 31, 79–87.
- Zieman, J. C., Iverson, R. L. and Ogden, J. C. (1984). Herbivory effects on *Thalassia testudinum* leaf growth and nitrogen content. *Marine Ecology Progress Series*, 15, 151–158.
- Zoodsma, J. (1991). Distribution and behavioral ecology of manatees in southeastern Georgia. MS Thesis, University of Florida.

*Online supplementary material available at  
[www.cambridge.org/9780521888288](http://www.cambridge.org/9780521888288)*

### CHAPTER 3

**Appendix 3.1** A summary of genomic investigations of the Afrotheria pertinent to the Sirenia.

**Appendix 3.2** Summaries of representative fossil species of sirenians, their temporal presence in the fossil record, geographical distributions and descriptive aspects of their morphology, ecology and relationships.

**Appendix Table 3.2.1** Representative fossil taxa in the sirenian families Prorastomidae and Protosirenidae.

**Appendix Table 3.2.2** Representative fossil taxa of the subfamily Halitheriinae in the family Dugongidae.

**Appendix Table 3.2.3** Representative fossil and Recent taxa in the subfamilies Dugonginae and Hydrodamalinae in the family Dugongidae.

**Appendix Table 3.2.4** Representative fossil and Recent taxa in the sirenian family Trichechidae.

### CHAPTER 4

**Appendix 4.1** A series of tables listing the foods eaten by the dugong, the Amazonian manatee, the West Indian manatee and the West African manatee.

**Appendix Table 4.1** Plants and animals eaten by the dugong.

**Appendix Table 4.2** Genera of freshwater food plants eaten by the Amazonian manatee.

**Appendix Table 4.3** Plants and animals eaten by the West Indian manatee.

**Appendix Table 4.4** Plants and animals eaten by the West African manatee.

### CHAPTER 6

**Appendix 6.1** Reproductive anatomy

**Appendix 6.2** History of manatee population modelling

## CHAPTER 7

Appendix 7.1 Helminth parasites of sirenians

Appendix Table 7.1 Helminth parasites of sirenians, after Beck and Forrester (1988), with updates.



## Index

- aardvark 41–45  
abundance estimation 329–336  
acid detergent fibre (ADF) 108–109  
activity patterns 157–158  
adaptive management 405, 423–425  
adoption 233  
adverse conditions *See also* climatic conditions  
    reproduction delay tendency in 242–248  
aerial surveys 332–335, 362  
    detection probability 332–335  
Afrosoricida 44  
Afrotheria 41–46  
    genomic investigation relevant  
    *See* Supplementary Material  
    Appendix 3.1  
age  
    estimation of 213–217  
    life span 217–218  
    sexual maturity and 225–227, 229–230  
aggressive behaviour 180–183  
agricultural land use, seagrass loss  
    and 364  
aldosterone 195  
algae  
    carrying capacity projection and changes  
    in 194  
    dugong's diet 85, 86–87, 88, 89, 246  
    green turtle's diet 139  
    harmful algal blooms 305–311, 316  
    skin growth 300  
    West African manatee's diet 101  
    West Indian manatee's diet 85, 95–96,  
    97  
alligator weed 98, 112  
*Alternanthera philoxeroides* 98, 112  
Alungulata 40, 41  
Amazonian manatee (*Trichechus inunguis*)  
    audition studies 146–147  
    commercial exploitation and value  
    270–271, 274, 275  
    conservation actions 374–375, 408–409  
    conservation status assessment 370–375  
    dentition 118  
    diet 85, 93–94, 140  
    digestion studies 128  
    disease 294, 296  
    estimated capacity of range states 395  
    evolution of 60–61, 64–66  
    food acquisition 112–113, 116  
    food consumption estimate 129  
    global climate change threat 307, 312  
    habitat loss 141  
    habitat use and habitat components  
    191–192, 201–203  
    hunting 265, 272, 373–374  
    incidental capture 277  
    life span 217  
    morphological adaptations for feeding  
    9  
    movement patterns 167  
    physical appearance differences from  
    other sirenians 5–7  
    population size and trends 373  
    pregnancy and birth 231–232  
    reproductive activity timing 240–241,  
    248  
    rostral deflection 113  
    species range 8, 370–373  
    threats' summary 373–374  
    vocalisation 185–187  
*Amphibolis antarctica* 88, 90, 107, 112  
anatomy *See also specific anatomical features/*  
    *structures*  
    fossil sirenians 50–52,  
    overview of extant sirenians 4–8  
    reproductive *See* Supplementary Material  
    Appendix 6.1

- Andaman islands, dugong conservation  
assessment 352–354
- Andes Mountains 39, 59
- androgen 228
- Anomotherium langewieschei* 58
- Anthracobunia 40
- anti-diuretic hormone (ADH) 195
- Antillean manatee (*Trichechus manatus manatus*) *See also* West Indian manatee (*Trichechus manatus*)  
chemical contamination 303  
commercial exploitation and value 270–271  
conservation actions 387, 429–431  
conservation status assessment 384–387  
diet 100  
disease 296  
estimated capacity of range states 395  
evolution of 64  
group sizes and composition 173  
hunting 265–266, 269–270, 272, 274, 386  
incidental capture 272, 278, 386  
life span 217  
movement patterns 166  
multivariate habitat use studies 189–190  
population size and trends 385–386  
pregnancy and birth 231  
quiet/sheltered area use 201  
reintroduction to Guadeloupe 429–431  
species range 8, 371, 384  
terminology 12  
threats' summary 386–387
- anti-predator behaviour 31, 167–172, 199
- aquatic megaherbivore adaptive zone 66, 69
- aquatic weeds, manatee clearance of 139–140
- Arabian Gulf, dugong conservation status 350–352
- archaeological evidence, hunting 265–266
- armoured catfish (*Pterygoplichthys* sp.) 300
- ascidians 89, 97, 136
- Ashokia antiqua* 52
- Atlantic Ocean, coexisting species and serial replacements in western 68–73
- auditory senses 146–148, 285
- Australia  
cultural issues 2  
dugong conservation status 359–367
- Avicennia*, dugong diet 87
- awareness, public 375, 383, 391, 405–407
- Azolla* 104  
*A. africana* 101
- bacterial diseases 296–298
- baiji 34
- bather protection nets 317
- Bazaruto Archipelago National Park 277, 345–346, 409–411
- behaviour  
activity patterns and time budgets 157–158  
aggression 180–183  
anti-predator behaviour and habitat use 31, 167–172, 199  
long distance movement patterns and migration 158–167, 196–200  
sensation and perception 8, 146–154, 184, 285  
social *See* social behaviour  
swimming and diving 154–157
- Behemota 40, 41
- benthic animals 135–136
- Bering Island 15–19, 21, 26–27
- Bering, V. 14
- biocultural diversity 416
- biodiversity loss 397–399
- biomass, plant 132–134
- blubber 23–25, 83, 302
- boating activity effects  
dugong mortality and injury 280–281, 365  
Florida manatee impact reduction management 284–286  
Florida manatee mortality and injury 280–284  
increasing human population and 323  
indirect effects 286–287  
mortality and injury current threat intensity summary 279–280  
quiet/sheltered area loss 199
- body hair 8, 149–151
- body shape, Steller's sea cow (*Hydrodamalis gigas*) 20
- body size  
fossil sirenians 54, 75  
sexual maturity and 220, 222, 224–225, 228–229  
Steller's sea cow (*Hydrodamalis gigas*) 19–21
- body surfing 183
- Brachiaria* 128
- Bradyppus tridactylus* 126

- brevetoxins 307–310
- bristles/vibrissae 114–116, 149, 151
- browsing, terminology of 80
- Bruta 36
- buoyancy 23, 31, 155
- Cabomba* 128
  - C. caroliniana* 109
- caecum 118, 126
- caimans 167
- calves
  - cavorting and play 182–183
  - feeding biology 183–184, 232–234, 241
  - habitat selection 200
  - mother–infant behaviour 31, 183–184
  - neonatal size 231–232
  - protection from predators 31, 168, 171
  - vocalisation 185, 186
- calving
  - calving interval 234–235
  - neonatal size 231–232
  - quiet/sheltered area use 171, 200
  - seasonality of 238–241
  - sex ratio 231
- captive sirenians, sampling biases in study use 211–212
- carbohydrates, food content 107–109
- carcass studies, potential sampling biases 211
- cardiac gland 23, 123–124 *See also* Figure 4.9
- Caribbean monk seal 34
- Caribbean Sea, coexisting species and serial replacements in 68–73
- Caribosiren* 71
  - C. turneri* 54, 70
- Carnivora 3
- carrying capacity 194, 292
- cavorting 181, 182–183
- cellulose 105, 108–109
- Central American Seaway 39, 72–75
- cetaceans 3–4, 37 *See also* dolphins; killer whales
- chaetopterid worms 89
- chemical contaminants 141, 302–305, 315–316, 386–387
- chemoreception 153–154
- Chetumal Bay 98, 173, 189, 302–303, 386
- Chetumal Bay Manatee Protected Area 403
- chewing 96, 113, 118, 127 *See also* Mastication
- ciguatoxins 306
- cladistics 77
- climatic conditions
  - body shape and 20
  - Eocene 47
  - global climate change *See* global climate change
  - harmful algal blooms and 309
  - reproductive activity timing and 247–248
  - seasonal rainfall and habitat use 201–202
  - Steller's sea cow 19
  - survival and 252, 314, 316
- coastal development 2, 282, 349, 354, 356, 358, 364, 391
- cold stress 288–294, 298, 431
- colon 121–123, 125, 128
- Commander Islands 24, 27, 30, 32, 58
- commensals 299–301
- commercial exploitation 11–12, 266–268, 273–275
- community partnerships 407–411
- conservation actions
  - adaptive management 405, 423–425
  - Amazonian manatee 374–375, 408–409
  - Antillean manatee 387, 429–431
  - aquatic protected areas 403–405
  - blueprint for 400–401
  - community partnerships 407–411
  - cross-species initiatives 411
  - cultural protocol reinforcement 412–416
  - dugong *See* dugong conservation actions
  - economic tools 425–429
  - education and awareness programmes 405–407
  - flagship species 411–412
  - Florida manatee 284–286, 381–384, 431–433
  - future approaches and goals 433–434
  - legal protection and law enforcement 402–403
  - monitoring 423–425
  - multiple threat management 419–420
  - opportunism/creativity examples 429–433
  - problem recognition and definition for 399–401
  - Red List inclusion and 327–329, 393
  - scientific research programmes 416–418
  - spatial risk management 420–423
  - stock assessment 418
  - West African manatee 392, 411
- conservation status
  - Amazonian manatee 370–375

- approach to status assessments of extant sirenians 340–342
- conclusions 393
- criteria for designation of 327–330
- dugong status assessments 342–370 *See* dugong conservation status assessments
- status assessment data generation methods 329–340
- summary of current IUCN 2
- terminology 329–330
- West African manatee 387–392
- West Indian manatee 376–387
- consumption of meat and products 269, 270–271
- Convention on Biological Diversity (CBD) 376, 397–398
- Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) 275, 341, 342, 370, 376, 387
- Convention on Migratory Species of Wild Animals (CMS) 338, 341, 342, 370–371, 375, 388, 390
- Memorandum of Understanding (MoU) 342–343, 371, 388, 392, 411, 423
- Copper Island 15, 27–28
- copper poisoning 304
- coprophagy 97, 101, 106
- Coral Triangle Initiative 358
- cordgrass 95
- Core Biological Model 419–420
- cornea 153
- Corystosiren* 55–56, 68, 70, 71
- Crenatosiren olseni* 55, 56, 68, 70
- crime prevention, situational 402–403
- critical habitat 382–383
- crocodilians 167, 168
- cropping 80, 81, 84, 98, 111–112, 121, 129, 135
- cross-species initiatives 411
- Cryptosporidium* infection 299
- Crystal River (Florida)
  - diet studies 98, 102
  - movement patterns 166
  - population size and trends 379
  - reproduction studies 235
- cultivation grazing 137–139
- cultural conflicts 1–2
- cultural value 1, 11, 368, 393, 414–416
- cutin 108
- Cymodocea* 87, 88, 91, 110, 111, 135, 139
  - C. rotundata* 135
  - C. serrulata* 109
- Cyperus* 104
- dams 313, 374, 390
- De Bestiis Marinis*
  - anatomy 20, 23, 24, 25, 33
  - care of young 31
  - feeding and effects of winter 19
  - habitat 26
  - hunting 20
  - reactions to humans 28
  - reproductive behaviour 29
  - writing of 18
- deforestation 141, 374
- dentition
  - fossil sirenians 51, 53, 56, 58–61, 75–76
  - mastication and 117–121
  - tooth replacement 10
- desmostylians 38–41, 43, 46
- detritus, microbial processes and 131–132
- developed versus developing countries
  - cultural conflicts 1–2
  - human development index (HDI) *See* human development index (HDI)
  - terminology 12
- dichlorodiphenyldichloroethylene (DDE) 302
- diet *See also* Supplementary Material Appendix 4.1
- digesta samples, diet study use 81
- digestion 4, 24, 121–127, 143
- dinoceratans 43
- dinoflagellates 306–311
- Dioplotherium* 55–56
  - D. allisoni* 55, 56, 71, 74–75
  - D. manigaulti* 55, 56, 68, 70
- disease 294–301, 316
- diuron 304
- diving 154–157, 167
- dolphins 411
- Domning, D. 16, 17, 48, 66–68
- domoic acid 306–307
- dugong (*Dugong dugon*)
  - activity patterns 157–158
  - age estimation studies 215–216
  - anti-predator behaviour 168–172
  - boating activity effects 281, 287
  - calf dependency 233–234

- dugong (*Dugong dugon*) (cont.)
- cardiac gland image 123
  - chemical contamination 302–305
  - commensals 300
  - commercial exploitation and value 270–271, 273–274, 275
  - conservation actions *See* dugong conservation actions
  - conservation status assessments *See* dugong conservation status assessments
  - cultural value i, 11, 268, 391, 414–416
  - dentition 117–121
  - diet studies 80–92, 140–141
  - digestion 121–128
  - disease 294
  - divergence from *Hydrodamalis* lineage 33–34
  - estimated capacity of range states 394
  - feeding behaviour 111–112
  - food acquisition 83–84, 113–116
  - food consumption studies 129
  - food quality 106
  - fossil record of 57
  - global climate change threat 311–312
  - group sizes and composition 172–175
  - habitat use and forage component 191
  - harmful algal blooms and biotoxins 305, 311
  - hunting ii, 264–269
  - incidental capture 276–279
  - leks 178, 180–181, 183
  - life history and reproductive biology information sources 212
  - life history modelling 256–257
  - mating systems/behaviour 178–181
  - Memorandum of Understanding (MoU) 342–343
  - morphological adaptations for feeding 9–10
  - mother–infant behaviour 183–184
  - movement patterns 159–160, 197–200, 288–289
  - multivariate habitat use studies 190–191
  - photographic image of skeleton 17
  - physical appearance differences from other sirenians 5–7
  - population study methods 332–336
  - predation 167–172
  - pregnancy and birth 229–232
  - quiet/sheltered area use 200–201
  - reproductive activity timing 230, 234, 237–249, 258–260
  - reproductive rate 236
  - rostral deflection 113–114
  - rough water 202, 204
  - salinity and fresh water access 194, 196
  - sexual maturity 225–229
  - spatial model of relative density (Australia) 413
  - species range 8, 342–343
  - survival estimation 257
  - tidal cycles 202
  - ventral view 219
  - vibrissae photographic image 151
  - vocalisation 185–186
  - water temperature response 197–200
- dugong conservation actions
- Arabian/Persian gulf 351–352
  - Australia 364–366
  - Dugong Conservation, Management and Public Education Program 407
  - East Africa 347
  - East and South-East Asia 356, 358
  - incentive payment scheme 426–427
  - Indian subcontinent and Andaman and Nicobar islands 354
  - Okinawa case study i, 11, 358, 412
  - Red Sea and Gulf of Aden 349–350
  - spatial risk management 420–423
  - Turtle and Dugong Management Plans 414–416
  - Vietnamese hunter turned educator 406
  - Western Pacific islands 369–370
- dugong conservation status assessments
- Arabian/Persian Gulf 352
  - Australia 360, 367–368
  - East Africa 345, 347
  - East and South-East Asia 355, 357, 359
  - global 342–344
  - Indian subcontinent and Andaman and Nicobar islands 353–354
  - Red Sea and Gulf of Aden 348, 350
  - Western Pacific islands 369–370
- dugong oil 267
- Dugong v. Gates* 1
- Dugong v. Rumsfeld* 1
- Dugongidae 2, 4, 48–50, 52–58, 68–73
- Dugonginae 53, 55–57, 68–71, 74
- duodenum 124–125
- Dusisiren*
- D. allisoni* 74–75

- D. dewana* 57, 75
- D. jordani* 57, 75, 76
- D. reinharti* 57, 74, 75
- D. takasatensis* 57, 75
- East Africa, dugong conservation status assessment 345, 347
- East Asia, dugong conservation status assessment 355, 357, 359
- Echinochloa* 93, 193
- economic conservation tools 425–429
- ecotourism 386, 425–426
- education, public 375, 384, 405–407
- eelgrass 98
- Eichhornia* 93, 104, 128, 129
  - E. crassipes* (water hyacinth) 96–98, 101–102
- Eimeria* infection 298
- elephant shrews 41–42, 44
- elephants (Order Proboscidea)
  - digestion 125–126
  - morphological similarities with sirenians 37
  - sirenian evolutionary history 37–38, 40–42
- Embrithopoda 40, 41, 43
- Endangered Species Act 1972 (US) 381–382
- Enhalus* 87–88, 121
  - E. acoroides* 88, 91, 112, 121
- environmental Kuznets curve (EKC) hypothesis 400
- environmental mortgages 426–429
- Eocene
  - Caribbean Sea and western Atlantic Ocean sirenians 69
  - major events impacting *Sirenia* 39
  - summary of fossil sirenians' distribution 49
- Eosiren* 53
- Eotheroides* 53
- epimeletic behaviour 183
- estradiol 221
- evoked potential studies 146–147
- evolutionary history
  - conclusions on 76–77
  - divergence and characters of earliest *Sirenia* and closest relatives 46–48
  - evolutionary tree 49
  - fossil sirenians *See* fossil sirenians
  - geologic timescale of 39
  - introduction to 3, 35–36
  - molecular genetical analysis based
    - affinities 41–46
  - morphologically and palaeontologically based affinities and placements 36–41
    - Paenungulata and Tethytheria 38–41
- excavating
  - definition of 80
  - evidence of 81–82, 111–116
  - predator awareness and 170–171
  - social behaviour and 175
- eyesight 152–153
- facial appearance 7–8, 149
- fatty acid signature analysis 83
- faecal samples 82
- feeding biology
  - Amazonian manatee's diet 85, 92–94, 140
  - benthic animals and 135–136
  - calves 183–184, 232–234, 241
  - changes and adaptations through time 66–76
  - comparative overview and conservation implications 140–142
  - digestion 4, 24, 121–128, 143
  - dugong's diet 83–92, 140–141
  - extant sirenians' diet diversity
    - comparison 85
  - feeding behaviour 111–113
  - food acquisition 80–81, 83–84, 113–116
  - food consumption 127–130, 132
  - food quality 102–111, 135
  - fossil sirenians 50, 52, 53–58, 59–61, 66–76
  - future research suggestions 143
  - habitat use and forage component 191–194
  - habitats and food plants schematic illustration 9
  - mastication 113, 117–121
  - methodology for diet studies 81–83
  - morphological adaptation overview 9–10
  - optimal foraging theory 79–80
  - plant biomass and productivity 102
  - sirenian–plant interactions *See* plant–sirenian interactions
  - Steller's sea cow 19, 22, 28, 32
  - terminology 80–81
  - West African manatee's diet 85, 100–102, 140–141

- feeding biology (cont.)  
 West Indian manatee's diet 85, 94–100, 140–141
- feeding biology  
 Amazonian manatee's diet *See* Supplementary Material Appendix Table 4.2  
 dugong's diet *See* Supplementary Material Appendix Table 4.1  
 West African manatee's diet *See* Supplementary Material Appendix Table 4.4  
 West Indian manatee's diet *See* Supplementary Material Appendix Table 4.3
- fibre, food content 108–109, 110–111
- fish  
 West African manatee's diet 101  
 West Indian manatee's diet 97
- fishing gear, incidental capture in 279 *See* incidental capture (fishing gear-related)
- fission–fusion societies 176
- flagship species 411–412
- flippers/limbs  
 dugong and manatee anatomy 5, 7  
 food acquisition role 116  
 fossil sirenians 75, 76  
 locomotion role 155  
 malformation of 301  
 Steller's sea cow 22–23
- Florida manatee (*Trichechus manatus latirostris*) *See also* West Indian manatee (*Trichechus manatus*)  
 activity patterns 158  
 age estimation studies 214  
 audition studies 146–148  
 boating activity effects and management 280–286  
 calf dependency 233  
 calving intervals and reproductive rates 234–237  
 cavorting and play 182–183  
 chemical contamination 303–304  
 cold stress 288–290, 431  
 conservation actions 284–286, 381–384, 431–433  
 conservation status assessment 377–384  
 cultural conflicts and 2  
 diet 95–100  
 digestion 122, 124–126  
 disease 294–297  
 distribution of 62–63  
 estimated capacity of range states 394–395, Table 8.9  
 evolution of 64–65  
 flood control and lock gates 97, 419  
 food acquisition 84, 112–113, 116, 119  
 food consumption study 127–129, 133–134  
 gestation length 229  
 group sizes and composition 172–175  
 hair distribution 149, 150  
 harmful algal blooms and biotoxins 305, 307–310  
 hunting 265  
 incidental capture 276  
 infectious disease 294–299  
 life history parameters and conservation implications 259  
 life history and reproductive biology information sources 212  
 life history modelling 253–256, 419–420  
 life span 217–218  
 litter size, sex ratio and neonatal size 230–232  
 mating systems and behaviour 179, 181–182, 228  
 matrilineal use of space 187–188  
 miscellaneous threats/mortality sources 317–318  
 mortality 307  
 mother–infant behaviour 184  
 movement patterns 159, 160–166, 197, 288–290  
 multiple threat management 419–420  
 photographic image of skeleton 17  
 population size and trends 378–380  
 population study methods 332–333, 336, 339  
 quiet/sheltered area use 200–201  
 reproductive activity timing 237–240, 242, 244  
 reproductive cycles 221  
 rostral deflection 114  
 sexual maturity 224–226, 229–230  
 species range 8, 371, 377–378  
 survival estimation 250–253, 261–257  
 terminology 12  
 threats' summary 380–381  
 ventral views 219  
 vocalisation 185–187  
 warm-water refugia use and loss *See* warm-water refugia

- water temperature response 197, 288–290
- fluke 5
- food *See* Supplementary Material Appendix 4.1
- food resource (for humans) 11, 19, 27–28, 264, 273–275
- fossil sirenians
  - additional complexities in manatee evolution suggested by molecular genetics 63–66
  - See also* Supplementary Material Appendix 3.2
  - classification of 48–50
  - coexisting species and serial replacements 66–76
  - current research position 48
  - Dugongidae 48–50, 52–58, 68–73
  - Prorastomidae 48–51, 69
  - Protosirenidae 48–50, 51–52, 69
  - Trichechidae 48–50, 58–63, 70–72
- fresh water
  - access to 194–196
  - biodiversity in 398–399
- freshwater plants 104 *See also specific plants*
  - biomass and productivity values 104
  - digestion of 128
- funding, law enforcement 402
- fungal infections 298
- fur trade 27, 30
- gastrointestinal tract 4, 23, 121–128, 143
- generation length 339–340
- genetic analysis
  - complexities of manatee evolution 63–66
  - Steller's sea cow (*Hydrodamalis gigas*) 33–34
- genetic diversity 318–321, 388
- gestation length 229–230
- global climate change
  - Amazonian manatee 141, 374, 375
  - overview of effects 311–317
  - seagrass loss 141
  - West African manatee 392
- golden moles 41–42, 44
- Grand Cul-de-Sac Marin 429–431
- Gravigrades 37
- grazing, terminology of 80
- Great Barrier Reef World Heritage Area
  - cultural conflicts 2
  - dugong carrying capacity estimation 194
  - monitoring tools evaluation 424
- multivariate habitat use study 190
- sirenian conservation success of 403
- spatial risk management project 420–421
- green turtles *See* turtles
- group sizes/composition 172–176
- growth layer group (GLG) 213–216
- Guadeloupe, Antillean manatee
  - reintroduction project 429–431
- Gulf of Aden, dugong conservation status 347–350
- habitat
  - critical 382–383
  - loss of 12, 141–142, 321–325, 374, 391
  - species distribution overview 8–9
  - use and components of *See* habitat use and components
  - warm-water refugia *See* warm-water refugia
- habitat acquisition programmes 383
- habitat monitoring programmes 411, 425
  - mating systems and behaviour 212–214, 216–220
- habitat use and components
  - conclusions 206
  - forage 191–194, 198–199
  - future research suggestions 206–207
  - multivariate habitat use studies 189–191
  - quiet/sheltered area availability 200–201
  - rough water 202–204
  - salinity and fresh water access 194–196
  - seasonal rainfall 201–202
  - terminology 189
  - tidal cycles 202
  - water temperature 196–200
  - wilderness and anthropogenic change 204
- hair 149–151
- Halitheriinae 53–55, 70, 74
- Halitherium* 69
- Halodule*
  - acquisition and processing of 111, 120, 128
  - dugong's diet 87, 88, 90
  - food quality 107
  - H. uninervis* *See* *Halodule uninervis*
  - H. wrightii* *See* *Halodule wrightii*
- Halodule uninervis*
  - dugong's diet 88, 90, 91, 92, 133, 241
  - feeding effects on 103
  - food quality 107, 110



- Halodule wrightii*  
 acquisition and processing of 113  
 feeding effects on 103  
 manatee feeding effects on 134, 137, 138  
 West Indian manatee's diet 97, 99, 133
- Halophila*  
 acquisition and processing of 111, 128  
 dugong's diet 87, 88, 90, 191  
 food quality 110  
*H. ovalis* See *Halophila ovalis*  
*H. spinulosa* See *Halophila spinulosa*
- Halophila ovalis*  
 dugong's diet 90, 91, 133  
 feeding effects on 103, 132–134  
 food quality 108, 111
- Halophila spinulosa*  
 dugong's diet 88, 91  
 feeding effects on 134  
 food quality 106, 107
- head, Steller's sea cow 33  
 health assessment 301, 340  
 hearing 146–148, 184, 285  
 heart disease 301  
 helminths 299  
 Hepu National Reserve 356  
 herbicides 304  
 herpes viruses 295–296  
 Hervey Bay 87, 91, 92, 247–248, 359–367  
 Holocene, major events impacting Sirenia 39  
 hormone measurement 119, 121  
 horny plate 119, 121 See also Figures 2.6, 4.7  
 horse, digestion 125, 128  
 Human Development Index (HDI)  
 341–344, 370–372, 377, 393–394, 399  
 conservation capacity 12, 321–325, 384, 400 See also Table 8.9  
 human population, increase in 12, 321–325, 400  
 Human Poverty Index 275  
 human–sirenian interactions, overview 11–12, 27, 168  
 hunting  
 Amazonian manatee 265, 266, 268, 269–271, 272, 373–374  
 Antillean manatee 265, 266, 269–271, 272–274, 386  
 archaeological evidence 265–266  
 commercial exploitation and value 11–12, 266–268, 270, 273–275  
 conservation education by former hunters 406  
 contemporary legal 260, 268, 365, 412–416, 421  
 current threat intensity 265  
 definition of 264  
 dugong ii, 265, 267–269, 365  
 economical incentives against 428  
 Florida manatee 265  
 methods ii, 264–265, 269–272, 374  
 overview 11–12  
 poaching 268–269, 365, 386  
 spatial risk management 421–423  
 Steller's sea cow (*Hydrodamalis gigas*) 20, 26–28, 31  
 West African manatee 264, 265, 268, 269, 272, 390  
 hybridisation 64  
*Hydrilla* 84, 104, 129, 139–140  
*H. verticillata* 96, 98, 102, 112, 127–129  
*Hydrocotyle umbellata* 99  
 Hydrodamalinae 57–58, 72–76  
*Hydrodamalis*  
*H. cuestasae* 75, 76  
*H. gigas* See Steller's sea cow (*Hydrodamalis gigas*)  
*H. spissa* 76  
*Hymenachne* 93  
 hyraxes (Order Hyracoidea) 38–40, 41–46
- in vitro* dry matter digestibility (IVDMD)  
 110–111
- incidental capture (fishing gear-related)  
 Amazonian manatee 277  
 Antillean manatee 278, 386  
 dugong 276–278, 364–365  
 economical incentives against 428  
 Florida manatee 276  
 global climate change effects 316  
 human population increase effects 323  
 overview 275–279  
 spatial risk management 420–423  
 West African manatee 276, 278
- India, dugong conservation status 352–354  
 infectious diseases 294–299, 316  
 Integrated Conservation and Development projects 425  
 international conservation conventions See also specific conventions  
 Amazonian manatee 370–371  
 dugong 342–344  
 implementation capacity 341–342

- overview 341
- West African manatee 387–388
- West Indian manatee 376
- International Decade for Action – ‘Water for Life’ (2005–2015) 398
- international trade 275, 341, 391
- International Union for Conservation of Nature (IUCN)
  - current global conservation status 2
  - IUCN Red List of Threatened Species (Red List) 327–330, 393
- invertebrates
  - dugong’s diet 85, 89
  - feeding effects on benthic communities 135–136
  - West Indian manatee’s diet 85, 96–97
- iron deposition 309
- jaguars 167
- Karenia brevis* 307–310, 312
- kelp 30, 32, 57
- killer whales 31, 168
- kissing 183, 184
- Komandorskiye Islands 15
- lactation 232–234
- landmasses, Middle Eocene 47
- Latuca* 128
- legal protection 1, 402–405
  - Endangered Species Act 1973 381–382
  - Marine Mammal Protection Act 1972 412, 418
- lekking 178, 180–181
- Lemna* 104
  - L. aequinoctialis* 101
- life history
  - age estimation 213–217
  - comparative overview and conservation implications 257–260
  - future research suggestions 261
  - importance of understanding 209
  - life history modelling 253–257, 419–420
  - life span 217–218
  - study methodology 210–212
  - survival estimation 249–253, 258, 261
- life span 217–218
- life table analysis 249–250, 257
- lignin 108, 127–128
- limbs *See* flippers/limbs
- Lipotes vexillifer* 34
- locomotion 154–155
- longitudinal studies, potential sampling biases 211
- Lyngbya* 194, 300, 311, 316
- macroparasites 299–301
- Macroscelidea 44
- mammary glands 4, 218, 223–224, 270
- Manatee Action Plan 392
- Manatee Conservation Program 408–409
- manatee oil 274, 275
- Manatee Protection Plans 383
- mangroves
  - dugong’s diet 83
  - manatee’s diet 95, 96, 101, 112, 192
- Marawah Marine Protected Area 348, 351
- Marine Mammal Pathobiology Laboratory (MMPL) 291
- Marine Mammal Protection Act 1972 (US) 412, 418
- Marine Wildlife Strandings and Mortality Program 169
- mark-recapture analysis 250–251, 252, 261, 335–336
- mastication 117–121
- mating systems and behaviour 176–182, 221, 228, 239
- matrilineally transmitted learned behaviour, use of space 187–188
- maximum likelihood theory 250
- Memorandum of Understanding (MoU) 342–343, 371, 388, 392, 411, 423
- mermaids, links between sirenians and 4, 7
- Messinian Salinity Crisis 54
- metal poisoning 304
- Metaxytherium* 53–55, 57
  - M. arctodites* 54, 57, 74, 75
  - M. crataegense* 54, 70–71, 75
  - M. floridanum* 53, 56, 68, 70
  - M. krahuletzki* 53–54
  - M. medium* 53
  - M. serresii* 54
  - M. subapenninum* 54
- microbial processes, detritus and 131–132
- microfinance 426–429
- migration 158–167, 196–200
- minerals, food content 109–110
- mining, seagrass loss and 364
- Miocene
  - Caribbean Sea and western Atlantic Ocean sirenians 70–71
  - major events impacting Sirenia 39

- Miocene (cont.)  
 North Pacific Ocean sirenians 72–76
- Miosireniinae 58
- Molgula* 97
- monitoring 329–336, 423–425
- monogamy 29–30, 177–178
- morbilliviruses 294–295, 351
- Moreton Bay  
 behaviour study 158  
 dugong conservation status assessment 359–367  
 dugong diet studies 88  
 group size and composition study 172–175  
 mark-recapture dugong population study 336  
 multivariate habitat use study 190–191  
 plant–sirenian interaction studies 132
- morphology, affinities and placements based on 36–41
- mother–infant behaviour 183–184, 186
- mouth 117–121, 153 *See also* dentition
- movement patterns, long distance 158–167, 196–200
- mussels 89
- mycobacterial infections 296
- mycotic infections 298
- Myriophyllum spicatum* 112
- Nanosiren* 55, 70–71
- Natantia 36
- Native Title 264, 408 *See also* Chapter 7  
 endnote, 322
- natural springs, warm-water provision 431
- navigation 154
- near infra-red reflectance spectroscopy 82, 88, 105
- necropsy programmes 380, 419
- neutral detergent fibre (NDF) 108–109
- Nicobar islands, dugong conservation assessment 352–354
- nitrogen  
 dugong's diet 84, 89, 92  
 food content 105–107
- North Pacific Ocean, coexisting species and serial replacements 72–76
- Nuphar* 99
- oil pollution 305, 351, 387
- okadaic acid 311
- Okinawa, dugong conservation 1, 11, 412
- olfaction 153
- Oligocene  
 Caribbean Sea and western Atlantic Ocean sirenians 69–70  
 major events impacting Sirenia 39  
 summary of fossil sirenians' distribution 49
- optimal foraging theory 79–80
- oral disk 7
- organochlorine compounds 302, 303
- organotin compounds 304
- orientation 154
- osteomyelitis 298
- ovaries  
 ovarian cycle 220–221, 239  
 reproductive stages' characteristics 236–245
- pachyosteosclerosis 46, 51, 77
- paenungulates (Order Paenungulata) 3, 38, 40–41, 43–46
- Paleocene, major events impacting Sirenia 39
- palaeontology, affinities and placements based on 36–41
- Panama 173, 386
- Pangaea 39
- Panicum* 93, 98, 128  
*P. hemitomom* 113
- papilloma virus 295
- parasites *See* Supplementary Material  
 Appendix 7.1
- Paspalum* 93, 203
- perception 146–154
- perissodactyls 38, 40
- Persian Gulf, dugong conservation status 350–352
- Pezosiren portelli* 48–51
- physical characteristics, overview 4–8
- Pistia* 93, 104, 128, 129  
*P. stratiotes* (water lettuce) 98, 101
- placental scars 223–225, 235
- plant productivity 132–134, 240–241
- plant–sirenian interactions  
 competition with green turtles 139  
 current research position 130–131  
 effects on food plant communities 131–137  
 feeding optimisation 137–139  
 future research directions 143  
 manatees and aquatic weed clearance 139–140  
 sirenian population decrease and 142
- play 181, 182–183

- Pleistocene  
 major events impacting Sirenia 39  
 North Pacific Ocean sirenians 74, 76
- Plenisner, F. 18
- Pliocene  
 Caribbean Sea and western Atlantic  
 Ocean sirenians 71–73  
 major events impacting Sirenia 39  
 North Pacific Ocean sirenians 74,  
 75–76
- polybrominated diphenyl ethers (PBDEs)  
 303
- polychlorinated biphenyls (PCBs) 302, 303
- polychlorinated dibenzodioxins (PCDDs)  
 303
- polychlorinated dibenzofurans (PCDFs)  
 303
- polycyclic aromatic hydrocarbons (PAHs)  
 303, 387
- Polygonum* 93
- population assessment methods  
 abundance estimation 329–336  
 generation length estimation 339–340  
 health assessment 340  
 percentage of mature individuals  
 estimation 339  
 population trends' estimation  
 336–338
- population distribution, overview 8–9
- population size and trends  
 adverse conditions and 242–248  
 Amazonian manatee 373  
 Antillean manatee 385–386  
 comparison of sirenian range states'  
 estimated capacity 394–395  
 dugong *See* dugong conservation status  
 assessments  
 Florida manatee 378–380  
 history of modelling *See* Supplementary  
 Material Appendix 6.2  
 life history modelling assessment of  
 population dynamics 253–257  
 overview 10  
 Steller's sea cow history 24–27, 31–32  
 West African manatee 390
- Posidonia* 54  
*P. australis* 86  
*P. coriacea* 86
- Potamogeton crissalis* 108, 109
- Potamosiren* 58, 59, 60, 61  
*P. magdalenensis* 58, 59, 71
- poverty 399–400, 425–429
- power plant discharge,  
 warm-water refugia provision 163–165,  
 288, 290–294, 431
- predators 31, 167–172, 199
- pregnancy 229–232 *See also* calving;  
 reproductive biology
- Proboscidea *See* elephants (Order  
 Proboscidea)
- progesterone 221
- Prorastomidae 48–51, 69
- protected areas 376, 387, 403–405 *See also*  
 Great Barrier Reef World Heritage Area
- protein, food content 105–107
- Protosiren* 69
- Protosirenidae 48–50, 51–52, 69
- Prototherium* 53
- protozoal diseases 298–299
- quiet/sheltered habitat 200–201
- radiotelemetry, survival estimation use 250
- rainfall, seasonal 201–203
- Ramsar Convention on Wetlands 341, 376,  
 388
- Red List 327–330, 393
- Red Sea, dugong conservation status  
 347–350
- red tides 307–310, 312
- reintroduction 429–431
- renal pathology 301
- reproductive biology *See also* calves; calving  
 calving intervals 234–235  
 external sexual dimorphism 218  
 food supply influences 142  
 importance of understanding 209  
 mating systems and behaviour 176–182,  
 221, 228, 239  
 pregnancy 229–232  
 reproductive activity timing 237–249  
 reproductive cycles 220–222  
 reproductive parameters' comparison/  
 overview 258–260  
 reproductive rates 142, 235–237, 338  
 sea otter 29, 30  
 sexual maturity 222–230  
 Steller's sea cow 29–30  
 study methodology 210–212
- rescue and rehabilitation programmes 375,  
 383, 391
- research programmes, conservation action  
 role 416–418
- respiration 155–157

- retina 152
- Ribodon* 59–60, 61, 71
- rice plants 101
- rostral deflection
  - comparison of extant species 9, 113–114
  - food acquisition and 9, 66
  - fossil sirenians 69, 70, 71, 72, 74, 75–76
- Rytiodus* 55–56, 70, 71
  
- salinity 194–196
- Salvinia* 93
  - S. nymphellula* 101
- San Miguel sea lion viruses 296
- Sargassum* 86
- saxitoxins 306
- sea level, changes in 313–314
- sea otters (*Enhydra lutris*) 19, 26, 27, 28, 29, 30, 32, 306
- sea pens 89
- Sea Sense 427
- sea turtles *See* turtles
- seagrasses *See also specific species*
  - acquisition of 68, 80–81, 111–116
  - biomass and productivity 84, 102, 132–134
  - boating activity effects 281
  - conservation actions 424–425, 428
  - dieback 86, 87, 88, 91, 121, 139, 160, 194, 244, 245, 260, 314, 316, 338
  - digestion of 128
  - diversification through time 66–76
  - dugong's diet 83–92
  - feeding competition with green turtles 139
  - feeding optimisation 137–139
  - fibre content 108–109, 110–111
  - global climate change effects 313–315
  - global decline in 141–142
  - habitat use and components of 190–194
  - herbicide effects 304
  - loss in Australian region 364
  - mastication of 118–121
  - Messinian Salinity Crisis effects 54
  - microbial processes and detritus 131–132
  - mineral content 109–110
  - nitrogen concentrations 106–107
  - plant community structure and composition 134–135
  - quality as sirenian food 135
  - recovery from feeding 136–137
  - reproductive activity timing and 241, 244–248, 259
  - tannin levels 109
  - terminology 80
  - water-soluble carbohydrates and starch values 107–108
  - West African manatee's diet 85, 101
  - West Indian manatee's diet 85, 94–96, 97, 98, 100
- Seagrass-Watch programme 424–425, 428
- seasonal rainfall and habitat use 201
- seaweed 19
- sengis 41–42, 44
- sensation 8, 146–154, 184, 285
- sexual dimorphism 218
- sexual maturity 222–230
- Shark Bay
  - dugong conservation status 359–367, 393
  - dugong diet studies 88
  - dugong group size study 173
  - mating studies 180–181
- shark fin trade 277, 346, 409–410
- shark predation 31, 167, 168–172, 199
- sharksuckers 300
- sheltered/quiet habitat 200–201
- situational crime prevention 402–403
- skeletal analysis, Steller's sea cow 32–34
- skin
  - stable isotope analysis 98, 99–100
  - Steller's sea cow 24–25
- sleep 19, 155
- sloth 36, 126
- snout deflection *See* rostral deflection
- social behaviour
  - cavorting and play 181, 182–183
  - group sizes and composition 172–176
  - mating systems/behaviour 176–182, 221, 228, 239
  - matrilineal use of space 187–188
  - mother–infant 31, 183–184, 186
  - vocalisation 168, 183, 184–187
- South Pacific Regional Environmental Programme (SPREP) 370
- South-east Asia, dugong conservation status assessment 354–359
- Spartina alterniflora* 95, 112
- spatial risk management 420–423
- Specially Protected Areas and Wildlife (SPAW) Protocol 376, 387
- sperm competition 228
- St Johns River (Florida)
  - behaviour studies 158

- diet studies 98  
 mating systems and behaviour 181  
 population size and trends 378–379  
 reproductive rate study 237  
 survival estimation 252–253
- St Paul*, voyage of 14
- St Peter*, voyage of 14–15
- stable isotope analysis  
 bone 32  
 detail of dietary information provided 82  
 skin 98, 99–100  
 tooth enamel 52, 53, 54, 55  
 starch, food content 107–108
- Stejneger, L. 16–17
- Steller, G. W.  
 biographical details 14–16  
*De Bestiis Marinis* 18 *See De Bestiis Marinis*
- Steller's jay (*Cyanocitta stelleri*) 14
- Steller's sea cow (*Hydrodamalis gigas*)  
 biology and natural history discovery and description 17–27  
 conclusions on vulnerability of remaining Sirenia 34  
 encephalisation quotient 33  
 extirpation of 27–28  
 first fossil record 76  
 Georg Wilhelm Steller and voyage of *St Peter* 14–17  
 hunting of 265  
 modern investigations and speculations on 29–34  
 photographic image of skeleton  
 sketches of 18, 21  
 summary of discovery and demise of 13
- Steller's sea eagle (*Haliaeetus pelagicus*) 14
- Steller's sea lion (*Eumetopias jubatus*) 14
- stock assessment 418
- stomach 121–124
- strandings 314, 315, 387
- Strategic Action Programme for the Red Sea and Gulf of Aden 349
- Styela* 97
- survival estimation 249–253, 257, 258, 261, 338
- swimming 154–157
- Sycozoa pulchra* 89, 136
- synapomorphies 37, 77
- Syringodium* 87, 88, 98, 111  
*S. filiforme* *See Syringodium filiforme*  
*S. isoetifolium* *See Syringodium isoetifolium*
- Syringodium filiforme*  
 acquisition and processing of 113  
 feeding effects on 103, 132, 134, 137  
 West Indian manatee's diet 97, 133
- Syringodium isoetifolium*  
 acquisition and processing of 111  
 dugong's diet 90, 91, 139  
 feeding effects on 103  
 food quality 107, 110
- tactile senses 149–151, 183, 184
- tail 20
- tannin levels 109, 128
- Tanzania, incentive payment scheme 426–427
- tapetum lucidum* 152
- taste buds 153
- taxonomy  
 fossil sirenians 48–50  
 marine mammals 3–4  
 molecular genetic analysis based  
 affinities 41–46  
 morphologically and palaeontologically based affinities and placements 36–41  
 Paenungulata and Tethytheria 38–41  
 scientific names and global conservation status 2  
 Sirenia overview 3–4  
 terminology 77
- telomeres 216–217
- tenrecs 41–42, 44
- terminology 12, 77, 80
- terrestrial grasses 60, 94, 109, 128 *See also specific species*
- testis  
 reproductive senescence 249  
 seasonal testicular activity 241–242  
 sexual maturity 227  
 testicular cycle 222
- Tethyan Seaway 39, 47–48
- Tethys Sea 38, 39, 47, 50, 53
- Tethytheria 38–41, 45
- tetracycline, age estimation use 213, 213
- Thalassia* 87, 88, 106, 107, 120  
*T. hemprichii* *See Thalassia hemprichii*  
*T. testudinum* *See Thalassia testudinum*
- Thalassia hemprichii*  
 dugong's diet 90, 139  
 feeding effects on 112
- Thalassia testudinum*  
 feeding effects on 113, 138  
 West Indian manatee's diet 99
- Thalassodendron* 87, 88

- threats
  - Amazonian manatee 373–374
  - Antillean manatee 386–387
  - boating activity *See* boating activity effects
  - chemical contaminants 302–305, 315, 386–387
  - cold stress 288–294, 298, 431
  - conclusions on contemporary
    - conservation implications 325–326
  - disease 294–301, 316
  - dugong *See* dugong conservation status assessments
  - Florida manatee 380–381
  - genetic diversity loss 318–321
  - global climate change *See* global climate change
  - harmful algal blooms and biotoxins 305–311, 316
  - hunting *See* hunting
  - incidental capture in fishing gear *See* incidental capture (fishing gear-related)
  - increasing human populations and
    - habitat loss 321–325
  - miscellaneous 317–318
  - multiple threat management 419–420
  - summary of 263–264
  - West African manatee 390–392
- tidal cycles 202
- time budgets 157–158
- tongue 153
- Torres Strait
  - dugong conservation status assessment 360–367
  - dugong diet studies 87, 88, 90, 106
  - dugong population study methods 334
  - dugong reproductive rates 244–247
  - hunting ii, 265, 268, 269, 365, 412–416
  - spatial model of dugong population density 413
  - Treaty 268, 365, 413
- Toxoplasma gondii* infection 298
- tracking devices 157
- traditions, use of space 187–188
- trichechid herpes virus 1 (TrHV1) 295
- Trichechidae 2, 48–50, 58–63, 70–72
- Trichechinae 58–63
- Trichechus inunguis* *See* Amazonian manatee (*Trichechus inunguis*)
- Trichechus manatus* *See* West Indian manatee (*Trichechus manatus*)
- Trichechus manatus bakerorum* 59, 62, 63
- Trichechus senegalensi* *See* West African manatee (*Trichechus senegalensi*)
- Tubulidentata 41–46
- Turtle and Dugong Management Plans 414–416
- turtles
  - conservation actions 411, 414–416, 426–427
  - migration 171
  - reproductive activity timing 247
  - seagrass ecosystems and 83, 138, 139
- tusks
  - age determination use 215
  - dugong 6, 83, 116
  - food acquisition use 116
  - fossil sirenians 52, 53–56, 66–68, 70, 71, 74, 75
- twinning 230–231
- Typha* 104
- United Nations Environment Programme (UNEP) 341, 397
- United States of America, cultural conflicts 2
- Uranotheria 40, 41
- uterus 223–225
- Vallisneria* 129
  - V. americana* 98
  - V. spiratum* 108
- Venezuelan equine encephalitis viruses 296
- verminous pneumonia 299
- vertebrates, West Indian manatee's diet 97
- vibrissae 114–116, 149
- viral diseases 295–296
- vision 152–153
- vocalisation 168, 183, 184–187
- volatile fatty acids (VFAs) 108, 121, 124, 126, 127
- Warm Mineral Spring 431–433
- warm-water refugia
  - conservation actions 423, 431–433
  - loss of 290–294, 317, 417
  - provision of 163–165, 205, 288
  - use of 197, 288–289, 376–378, 379
- water hyacinth (*Eichhornia crassipes*) 96, 97, 98, 101, 102
- water lettuce (*Pistia stratiotes*) 98, 101
- water temperature
  - cold stress 288–294, 298, 431

- global climate change effects 313–314, 316–317
- habitat use and 196–200
- movement patterns and 161, 166, 196–200
- warm-water refugia 161 *See* warm-water refugia
- water, food content 110
- West African manatee (*Trichechus senegalensis*)
  - commercial exploitation and value 270–271, 274, 275
  - conservation actions 391–392, 411
  - conservation delivery capacity 399
  - conservation status assessment 387–392
  - diet 85, 100–102, 140–141
  - estimated capacity of range states 395
  - evolution of 60, 61
  - food acquisition 113, 116
  - global climate change threat 311–312
  - habitat use and components 192–193, 202
  - hunting 264, 265, 268, 269, 272
  - incidental capture 276, 278, 390
  - morphological adaptations for feeding 9–10
  - parasites 61–62
  - physical appearance differences from other sirenians 5–7
  - population size and trends 390
  - population study challenges 331
  - pregnancy and birth 231–232
  - reproductive activity timing 240–241
  - rostral deflection 113
  - species range 8, 9, 371, 388–390
  - threats' summary 390–392
- West Indian manatee (*Trichechus manatus*) *See also* Antillean manatee (*Trichechus manatus manatus*); Florida manatee (*Trichechus manatus latirostris*)
  - boat traffic effects 287
  - conservation status assessment 376–387
  - diet 85, 94–100, 140–141
  - digestion studies 128
  - estimated capacity of range states 395
  - evolution of 60–66
  - feeding behaviour 112–113
  - food acquisition 113–115, 116
  - food consumption estimate 129
  - freshwater needs 195–196
  - global climate change threat 311–312
  - habitat use and habitat components 192–192, 195–196, 202
  - illegal hunting 268–69
  - mastication 119–120
  - morphological adaptations for feeding 9–10
  - physical appearance differences from other sirenians 5–7
  - range states 371
  - rostral deflection 113–114
  - species range 8
  - terminology 12
- Western Pacific islands, dugong
  - conservation status 368–370
- Xenosiren yucateca* 56, 71
- Yangtze River dolphin 34
- Zostera* 87, 90
  - Z. capricorni* 90 *See* *Zostera capricorni*
  - Z. marina* 115, 128, 129
- Zostera capricorni*
  - acquisition of 111
  - dugong's diet 88, 90, 91, 132, 133, 191
  - feeding effects on 134, 138
  - food quality 108, 110, 111