

JCU ePrints

This file is part of the following reference:

Marshall, Lucas (2003) *Brecciation within the Mary Kathleen Group of the Eastern Succession, Mt Isa Block, Australia: Implications of district-scale structural and metasomatic processes for Fe-oxide-Cu-Au mineralisation.* PhD thesis, James Cook University.

Access to this file is available from:

<http://eprints.jcu.edu.au/8243>

REFERENCES

REFERENCES

- Adshead-Bell, N. S., 1998, Evolution of the Starra and Selwyn high-strain zones, Eastern Fold Belt, Mount Isa Inlier: Implications for Cu-Au mineralization: *Economic Geology*, v. 93, p. 1450-1462.
- Adshead, N. D., 1995, Geology, alteration and geochemistry of the Osborne Cu-Au deposit, Cloncurry district, NW Queensland, Unpublished PhD thesis: Townsville, James Cook University.
- Ague, J. J., 1995, Deep crustal growth of quartz, kyanite and garnet into large-aperture, fluid-filled fractures, north-eastern Connecticut, USA: *Journal of Metamorphic Geology*, v. 13, p. 299-314.
- Allibone, A. H., McCuaig, T. C., Harris, D., and others, 2002, Structural controls on gold mineralization at the Ashanti gold deposit, Obuasi, Ghana, Society of Economic Geologists, p. 65-93.
- Anderson, J. L., and Smith, D. R., 1995, The effects of temperature and fO₂ on the Al-in-hornblende barometer: *American Mineralogist*, v. 80, p. 549-559.
- Archibald, N., Gow, P., and Boshetti, F., 1999, Multiscale edge analysis of potential field data: *Exploration Geophysics*, v. 30, p. 38-44.
- Baker, T., 2002, Emplacement depth and carbon dioxide-rich fluid inclusions in intrusion-related gold deposits: *Economic Geology*, v. 97, p. 1111-1117.
- Baker, T., and Laing, W. P., 1998, Eloise Cu-Au deposit, East Mt Isa Block: structural environment and structural controls on ore: *Australian Journal of Earth Sciences*, v. 45, p. 429-444.
- Baker, T., Perkins, C., Blake, K. L., and others, 2001, Radiogenic and stable isotope constraints on the genesis of the Eloise Cu-Au deposit, Cloncurry District, Northwest Queensland: *Economic Geology*, v. 96, p. 723-742.
- Banvill, G., 1998, Textural and geochemical investigation of magnetite species at the Osborne Cu-Au deposit, Cloncurry district Mount Isa Inlier, NW Queensland , Unpublished BSc (Honours) thesis: Townsville, James Cook University.

References

- Barton, M. D., and Johnson, D. A., 1996, Evaporitic-source model for igneous-related Fe oxide-(REE-Cu-Au-U) mineralization: *Geology*, v. 24, p. 259-262.
- Beardsmore, T. J., 1992, Petrogenesis of Mount Dore-style breccia-hosted copper + gold mineralisation in the Kuridala-Selwyn region of northwestern Queensland, Unpublished PhD thesis: Townsville, James Cook University.
- Beardsmore, T. J., Newberry, S. P., and Laing, W. P., 1988, The Maronan Supergroup; an inferred early volcanosedimentary rift sequence in the Mount Isa Inlier, and its implications for ensialic rifting in the middle Proterozoic of Northwestern Queensland: *Precambrian Research*, v. 40/41, p. 487-507.
- Bell, T. H., 1983, Thrusting and duplex formation at Mount Isa: *Nature*, v. 304, p. 493-497.
- Bell, T. H., and Hickey, K. A., 1998, Multiple deformations with successive sub-vertical and sub-horizontal axial planes: their impact on geometric development and significance for mineralization and exploration in the Mt Isa region: *Economic Geology*, v. 93, p. 1369-1389.
- Betts, P. J., Ailleres, D., Giles, D., and others, 2000, Deformation history of the Hampden Synform in the Eastern Fold Belt of the Mt Isa terrane: *Australian Journal of Earth Sciences*, v. 47, p. 1113-1125.
- Biot, M. A., 1965, Mechanics of incremental deformations: New York, Wiley.
- Blake, D. H., 1987, Geology of the Mt Isa Inlier and environs, Bulletin 225: Canberra, Bureau of Mineral Resources, Geology and Geophysics.
- Blake, D. H., Bultitude, R. J., and Donchak, P. J. T., 1982, Proterozoic intrusive breccia bodies near Duchess, Northwestern Queensland: *BMR Journal of Australian Geology and Geophysics*, v. 7, p. 135-140.
- Blake, D. H., and Stewart, A. J., 1992, Stratigraphic and tectonic framework, Mount Isa Inlier, *in* Stewart, A. J., and Blake, D. H., eds., Detailed studies of the Mount Isa Inlier, Bulletin 243: Canberra, Australian Geological Survey Organisation.

References

- Blake, K. L., Pollard, P. J., and Xu, G., 1997, Alteration and mineralization in the Mount Fort Constantine volcanics, Cloncurry district, northwest Queensland, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Institute of Mining and Metallurgy.
- Blenkinsop, T. G., and Rutter, E. H., 1986, Cataclastic deformation of quartzite in the Moine thrust zone: *Journal of Structural Geology*, v. 8, p. 669-681.
- Bobillo-Ares, N. C., Bastida, F., and Aller, J., 2000, On tangential longitudinal strain folds: *Tectonophysics*, v. 319, p. 53-68.
- Bodon, S. B., 1998, Paragenetic relationships and their implications for ore genesis at the Cannington Ag-Pb-Zn deposit, Mount Isa Inlier, Queensland, Australia: *Economic Geology*, v. 93, p. 1463-1488.
- Bons, P. D., 2001, The formation of large quartz veins by rapid ascent of fluids in mobile hydrofractures: *Tectonophysics*, v. 336, p. 1-17.
- Bottinga, Y., and Javoy, M., 1973, Comments on oxygen isotope geothermometry: *Earth and Planetary Science Letters*, v. 20, p. 250-265.
- Bowers, T. S., and Helgeson, H. C., 1983, Calculation of the thermodynamic and geochemical consequences of nonideal mixing in the system H₂O-CO₂-NaCl on phase relations in geologic systems: metamorphic equilibria at high pressures and temperatures: *American Mineralogist*, v. 68, p. 1059-1075.
- Brodie, K. H., and Rutter, E. H., 2000, Deformation mechanisms and rheology: why marble is weaker than quartzite: *Journal of the Geological Society of London*, v. 157, p. 1093-1096.
- Burnham, C. W., 1985, Energy release in subvolcanic environments: implications for breccia formation: *Economic Geology*, v. 80, p. 1515-1522.
- Candela, P. A., 1997, A review of shallow, ore-related granites: textures, volatiles and ore metals: *Journal of Petrology*, v. 38, p. 1619-1633.
- Candela, P. A., and Blevin, P. L., 1995, Do some miarolitic cavities preserve evidence of magmatic volatile phase permeability?: *Economic Geology*, v. 90, p. 2310-2316.

References

- Cannell, J., and Davidson, G. J., 1998, A carbonate-dominated copper-cobalt breccia-vein system at the Great Australia deposit, Mount Isa Eastern Succession: *Economic Geology*, v. 93, p. 1406-1421.
- Carter, E. K., Brooks, J. H., and Walker, K. R., 1961, The Precambrian mineral belt of northwestern Queensland, Bulletin 51: Canberra, Bureau of Mineral Resources, Geology and Geophysics.
- Cartwright, I., 1994, The two-dimensional pattern of metamorphic fluid flow at Mary Kathleen, Australia: Fluid focusing, transverse dispersion, and implication for modeling fluid flow: *American Mineralogist*, v. 79, p. 526-535.
- Cartwright, I., and Oliver, N. H. S., 1994, Fluid flow during contact metamorphism at Mary Kathleen, Queensland, Australia: *Journal of Petrology*, v. 35, p. 1493-1519.
- Chapman, L. H., and Williams, P. J., 1998, Evolution of pyroxene-pyroxenoid-garnet alteration at the Cannington Ag-Pb-Zn deposit, Cloncurry District, Queensland, Australia: *Economic Geology*, v. 93, p. 1390-1405.
- Choy, D. K. W., 1994, The geology, structure, petrology, alteration and mineralisation of Tick Hill, Northwest Queensland, Unpublished MSc thesis: Melbourne, Monash University.
- Clayton, R. N., and Mayeda, T. K., 1963, The use of bromine pentafluoride in the extraction of oxygen from oxides and silicates for isotopic analysis: *Geochimica et cosmochimica Acta*, v. 27, p. 43-52.
- Cleverley, J. S., Yardley, W. D., Banks, D. A., and others, 2000, Using minerals to trace Cl during the crystallisation and hydrothermal alteration of two contrasting arc plutons; implications for mineralisation?, *GSA Abstracts with programs*, p. 112.
- Connors, K. A., and Page, R. W., 1995, Relationships between magmatism, metamorphism and deformation in the western Mount Isa Inlier, Australia: *Precambrian Research*, v. 71, p. 131-153.

References

- Corbett, G., Leach, T., Stewart, R., and others, The Porgera gold deposit; structure, alteration and mineralization, Proceedings of the 1995 PACRIM congress; Exploring the rim, p. 151-156.
- Cosgrove, J. W., and Ameen, M. S., 2000, A comparison of the geometry, spatial organization and fracture patterns associated with forced folds and buckle folds, *in* Cosgrove, J. W., and Ameen, M. S., eds., Forced Folds and Fractures: London, Geological Society.
- Coulson, I. M., Dipple, G. M., and Raudsepp, M., 2001, Evolution of HF and HCl activity in magmatic volatiles of the gold-mineralized Emerald Lake pluton, Yukon Territory, Canada: Mineralium Deposita, v. 36, p. 594-606.
- Coward, M., 2001, Structural controls on ore formation and distribution at the Ernest Henry Cu-Au deposit, NW Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Cox, S. F., 1995, Faulting processes at high fluid pressure: An example of fault valve behavior from the Wattle Gully Fault, Victoria, Australia: Journal of Geophysical Research, v. 100, p. 12,841-12,859.
- Cox, S. F., Etheridge, M. A., and Wall, V. J., 1991a, Fluid pressure regimes and fluid dynamics during deformation of low-grade metamorphic terranes: Implications for the genesis of mesothermal gold deposits, *in* Robert, F., Sheahan, P. A., and Green, S. B., eds., Greenstone gold and crustal evolution. Geological Association of Canada NUNA conference proceedings, p. 46-53.
- Cox, S. F., Knackstedt, N. A., and Braun, J., 2001, Principles of structural controls on permeability and fluid flow in hydrothermal systems, *in* Richards, J. P., and Tosdal, R. M., eds., Structural controls on ore genesis, Reviews in Economic Geology, v. 14: Boulder, Society of Economic Geologists, p. 1-24.
- Darvall, M., 1998, Sodic-calcic alteration in the Roxmere igneous complex of the Cloncurry District, Unpublished BSc (Honours) thesis: Townsville, James Cook University.

References

- Davidson, G. J., 1989, Starra and Trough Tank, iron-formation-hosted gold-copper deposits of north-west Queensland, Australia, Unpublished PhD thesis: Hobart, The University of Tasmania.
- Davidson, G. J., 1998, Variation in copper-gold styles through time in the Proterozoic Cloncurry goldfield, Mt Isa Inlier: a reconnaissance view: Australian Journal of Earth Sciences, v. 45, p. 445-462.
- Davidson, G. J., and Garner, A., Advances in the understanding of the Cloncurry Cu-Au field, *in* Pollard, P. J., ed., AMIRA P438: Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Mining Industry Research Association, p. 14-1 - 14-11.
- Davis, B. K, 1997, Structural perspectives of mineralization in the Eastern Fold Belt, Mount Isa Inlier - controls and concepts , *in* Pollard, P. J., ed., AMIRA P438: Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Mining Industry Research Association, p. 9-1 - 9-36.
- Davis, B. K., Pollard, P. J., Lally, J. H., and others, 2001, Deformation history of the Naraku Batholith, Mt Isa Inlier, Australia: implications for pluton ages and geometries from structural study of the Dipvale Granodiorite and Levian Granite: Australian Journal of Earth Sciences, v. 48, p. 113-129.
- de Jong, G., 1995, Post metamorphic alteration and mineralization in a highly deformed Proterozoic deformed terrain, the eastern Selwyn Range, Cloncurry district, NW Queensland, Unpublished PhD thesis: Townsville, James Cook University.
- de Jong, G., and Williams, P. J., 1995, Giant metasomatic system formed during exhumation of mid-crustal Proterozoic rocks in the vicinity of the Cloncurry fault, northwest Queensland : Australian Journal of Earth Sciences, v. 42, p. 281-290.
- Deer, W. A., Howie, R. A., and Zussman, J., 1992, An introduction to the rock-forming minerals: Cambridge, Harlow, Longman Scientific Technical.
- Derrick, G. M., 1969, Reconnaissance in the Mary Kathleen - Cloncurry area. Australia, Bureau of Mineral Resources, Geology and Geophysics, unpublished record.

References

- Des Marais, D.J., 2001, Isotopic evolution of the biogeochemical carbon cycle during the Precambrian, *in* Valley, J. W. and Cole, D.R., eds., Stable isotope geochemistry, Reviews in Mineralogy and Geochemistry, v.43: Washington, Mineralogical Society of America, p. 555-578.
- Dieterich, J. H., 1970, Computer experiments on mechanisms of finite amplitude folds: Canadian Journal of Earth Sciences, v. 7, p. 467-476.
- Dixon, G., and Davidson, G. J., 1996, Stable isotope evidence for thermochemical sulfate reduction in the Dugald River (Australia) strata-bound shale-hosted zinc-lead deposit: Chemical Geology, v. 129, p. 227-246.
- Drummond, B. J., Goleby, B. R., Goncharov, A. G., and others, 1998, Crustal-scale structures in the Proterozoic Mount Isa Inlier of north Australia: their seismic response and influence on mineralisation: Tectonophysics, v. 288, p. 43-56.
- Elliott, D., 1965, The quantitative mapping of directional minor structures: Journal of Geology, v. 73, p. 865-880.
- Engelder, T., and Peacock, D. C. P., 2001, Joint development normal to regional compression during flexural-flow folding: the Lilstock buttress anticline, Somerset, England: Journal of Structural Geology, v. 23, p. 259-277.
- Ernst, W. G., and Liu, J., 1998, Experimental phase-equilibrium study of Al- and Ti-contents of calcic amphibole in MORB; a semiquantitative thermobarometer: American Mineralogist, v. 83, p. 952-969.
- Etheridge, M. A., 1983, Differential stress magnitudes during regional deformation and metamorphism: Upper bound imposed by tensile fracturing: Geology, v. 11, p. 231-234.
- Etheridge, M. A., and Wall, V., 1994, Tectonic and structural evolution of the Australian Proterozoic, *in* Freeman, M. J., editor, Geoscience Australia; 1994 and beyond, p. 102.
- Etheridge, M. A., Wall, V. J., Cox, S. F., and others, 1984, High fluid pressures during regional metamorphism and deformation: implications for mass transport and deformation mechanisms: Journal of Geophysical Research, v. 89, p. 4344-4358.

References

- Fenn, P. M., 1977, The nucleation and growth of alkali feldspars from hydrous melts: Canadian Mineralogist, v. 15, p. 135-161.
- Fletcher, C., 1999, Geology, mineralization and metamorphism of the Plume prospect, Northwest Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Fortowski, D. B., and McCracken, S. J. A., 1998, Mount Elliott copper-gold deposit, *in* Berkman, D. A., and Mackenzie, D. H., eds., Geology of Australian and Papua New Guinean deposits, AUSIMM Monograph 22: Melbourne, Australian Institute of Mining and Metallurgy, p. 775-781.
- Foster, D. R. W., 1995, Paragenesis, fluid inclusion and stable isotope characterisation of mineralising fluids at the Brumby Cu-Au prospect, eastern fold belt, northwest Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Foster, D. R. W., and Rubenach, M. J., 2001, Low temperature, high pressure metamorphism of the Eastern Fold Belt, Mount Isa Block, *in* Mark, G., Oliver, N. H. S., Foster, D. R. W., and others, eds., Mineralisation, alteration and magmatism in the Eastern Fold Belt, Mount Isa Block Australia: Townsville, Geological Society of Australia, p. 15-29.
- French, T., 1997, Genesis of albites and anthophyllite-bearing lithologies of the Osborne Cu-Au deposit, Cloncurry District, Mount Isa Inlier, Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Frietsch, R., Tuisku, P., Martinsson, O., and others, 1997, Early Proterozoic Cu-(Au) and Fe ore deposits associated with regional Na-Cl metasomatism in northern Fennoscandia: Ore Geology Reviews, v. 12, p. 1-34.
- Gairola, V. K., 1978, Strain distribution across an experimental single-layer fold: Tectonophysics, v. 44, p. 27-40.
- Gairola, V. K., and Kern, H., 1984, Microstructure and texture in experimentally folded single-layer rock salt: Journal of Structural Geology, v. 6, p. 201-213.

References

- Gauthier, L., Hall, G., Stein, H., and others, 2001, The Osborne deposit, Cloncurry District: a 1595 Ma Cu-Au skarn deposit, *in* Williams, P. J., ed., 2001: A Hydrothermal Odyssey, Extended Conference Abstracts, EGRU Contribution 59.
- Giles, D., and MacCready, T., 1997, The structural and stratigraphic position of the Soldiers Cap Group in the Mount Isa Inlier, *in* Ailleres, L., and Betts, P., eds., Structural elements of the Eastern Successions, a field guide illustrating the structural geology of the Eastern Mount Isa terrane, Australia: Melbourne, Australian Geodynamics Cooperative Research Centre.
- Giles, D., and Nutman, A. P., 2002, SHRIMP U-Pb monazite dating of 1600-1580 Ma amphibolite facies metamorphism in the southeastern Mt Isa Block, Australia: Australian Journal of Earth Sciences, v. 49, p. 455-466.
- Glikson, A. Y., 1972, Structural setting and origin of Proterozoic calc-silicate megabreccias, Cloncurry region, Northwestern Queensland: Journal of the Geological Society of Australia, v. 19, p. 53-63.
- Goleby, B. R., Drummond, B. J., MacCready, T., and others, 1996, The Mount Isa deep seismic transect, *in* Baker, T., Rotherham, J., Richmond, J., and others, eds., New developments in metallogenic research: The McArthur, Mt Isa, Cloncurry minerals province, EGRU Contribution 55: Townsville, Economic Geology Research Unit, p. 51-55.
- Golyshev, S. I., Padalko, N. L., and Pechenkin, S. A., 1981, Fractionation of stable isotopes in carbonate systems: *Geochem. Int'l.*, v. 10, p. 85-99.
- Goscombe, B. D., and Passchier, C. W., 2001, Boudin trains as a kinematic tool kit, *in* Davidson, G., and Pongratz, J., eds., 2001: A Structural Odyssey. GSA Abstracts Number 64.
- Goscombe, B. D., and Passchier, C. W., 2003, Asymmetric boudins as shear sense indicators; an assessment from field data: *Journal of Structural Geology*, v. 25, p. 575-589.
- Gulson, B. L., 1985, Shale-hosted lead-zinc deposits in northern Australia: lead isotope variations: *Economic Geology*, v. 80, p. 2001-2012.

References

- Habermann, P., 1999, Alteration and mineralisation at the Lady Clayre Cu-Au prospect, Mount Isa, Eastern Succession NW Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Hadizadeh, B., and Rutter, E. H., 1983, The low-temperature brittle-ductile transition in quartzite and the occurrence of cataclastic flow in nature: *Geologische Rundschau*, v. 72, p. 493-509.
- Hand, M., and Rubatto, D., 2002, The scale of the thermal problem in the Mt Isa Inlier, *in* Preiss, V. P., ed., Geoscience 2002: Expanding Horizons. Abstracts of the 16th Australian Geological Convention.
- Handin, J., Friedman, M., Logan, J. M., and others, 1972, Experimental Folding of Rocks under Confining Pressure; Buckling of Single-Layer Rock Beams, *in*, Flow and Fracture of Rocks. Geophysical Monograph 16: Washington, American Geophysical Union, p. 1-28.
- Haynes, D. W., 2000, Iron oxide copper (-gold) deposits: their position in the ore spectrum and modes of origin, *in* Porter, T. M., ed., Hydrothermal iron-oxide copper-gold & related deposits: a global perspective: Adelaide, Australian Minerals Foundation, p. 71-90.
- Haynes, D. W., Cross, K. C., Bills, R. T., and others, 1995, Olympic Dam ore genesis: a fluid mixing model: *Economic Geology*, v. 90, p. 281-307.
- Hill, D. P., 1977, A model for earthquake swarms: *Journal of Geophysical Research*, v. 82, p. 347-352.
- Hills, S. E., 1963, Elements of Structural Geology: London, Methuen & Co Ltd.
- Hingst, R., 2002, Geology and geochemistry of the Cloncurry Fault, north-west Queensland, Australia, Unpublished BSc thesis: Townsville, James Cook University.
- Hitzman, M. W., Oreskes, N., and Einaudi, M. T., 1992, Geological characteristics and tectonic setting of Proterozoic iron oxide (Cu-U-Au-REE) deposits: *Precambrian Research*, v. 58, p. 241-287.
- Hobbs, B. E., Means, W. D., and Williams, P. F., 1976, An outline of structural geology: New York, John Wiley and Sons.

References

- Holcombe, R. J., Pearson, P. J., and Oliver, N. H. S., 1991, Geometry of a Middle Proterozoic extensional decollement in northeastern Australia: *Tectonophysics*, v. 191, p. 255-274.
- Holcombe, R. J., Pearson, P. J., and Oliver, N. H. S., 1992, Structure of the Mary Kathleen Fold Belt, *in* Sinclair, A. J., and Blake, D. H., eds., Detailed studies of the Mt Isa Inlier, Australian Geological Survey Organisation Bulletin 243: Canberra, p. 257-287.
- Holcombe, R. J., and Stewart, A. J., 1992, Note on deformation terminology *Stewart, A. J., and Blake, D. H., eds., Detailed studies of the Mt Isa Inlier, Australian Geological Survey Organisation Bulletin 243: Canberra*, p. 13-14.
- Holland, T., and Blundy, J., 1994, Non-ideal interactions in calcic amphiboles and their bearing on amphibole-plagioclase thermometry: Contributions to Mineralogy and Petrology, v. 116, p. 433-447.
- Honman, C. S., Clappison, R. J. S., and Rayner, E. O., 1939, The Soldiers Cap area, Cloncurry District. Aerial, Geol. & Geophys. Surv. N. Australia Report (Queensland).
- Hudleston, P. J., and Lan, L., 1994, Rheological controls on the shapes of single-layer folds: *Journal of Structural Geology*, v. 16, no. 7, p. 1007-1021.
- Hudleston, P. J., Treagus, S. H., and Lan, L., 1996, Flexural flow folding: Does it occur in nature?: *Geology*, v. 24, p. 203-206.
- Hulin, C. D., 1929, Structural controls of ore deposition: *Economic Geology*, v. 24, p. 14-49.
- Ismat, Z., and Mitra, G., 2001, Folding by cataclastic flow at shallow crustal levels in the Canyon Range, Sevier orogenic belt, west-central Utah: *Journal of Structural Geology*, v. 23, p. 355-378.
- Jacobs, D. C., and Parry, W. T., 1976, A comparison of the geochemistry of biotite from some Basin and Range stocks: *Economic Geology*, v. 71, p. 1029-1035.

References

- Knill, J. L., A classification of cleavages, with special references to the Craignish District of the Scottish Highlands, Report of the 21st International Geological Congress, p. 317-325.
- Krcmarov, R. L., 1995, Proterozoic geology and mineralisation of the Greenmount Cu-Au-Co deposit, Cloncurry District, Unpublished MSc thesis: Hobart, University of Tasmania.
- Laing, W. P., 1998, Structural-metasomatic environment of the East Mt Isa Block base-metal-gold province: Australian Journal of Earth Sciences, v. 45, p. 413-428.
- Lally, J. H., 1997, The structural history of the Central Eastern Fold Belt, Mount Isa Inlier, northwest Queensland, Australia, Unpublished PhD thesis: Townsville, James Cook University.
- Laznicka, P., 1988, Breccias and Coarse Fragmentites, Developments in Economic Geology, 25: Amsterdam, Elsevier, 832 p.
- Leake, B. E., Woolley, A. R., Arps, C. E. S., and others, 1997, Nomenclature of amphiboles: report of the subcommittee on amphiboles of the international mineralogical association, commission on new minerals and mineral names: American Mineralogist, v. 82, p. 1019-1037.
- Lemiszki, P. J., Landes, J. D., and Hatcher, R. D. Jr., 1994, Controls on hinge parallel extension fracturing in single-layer tangential longitudinal strain folds: Journal of Geophysical Research, v. 99, p. 22 027-22 041.
- Lewthwaite, K. J., 2000, The structural and metamorphic development of the Soldiers Cap group SE of Cloncurry; implications for the orogenic development of the Eastern Fold Belt of the Mount Isa Inlier, Australia, Unpublished PhD thesis: Townsville, James Cook University.
- Little, G. A., 1997, Structural evolution and paragenesis of alteration and mineralisation at the Mount Elliott Cu-Au mine, Northwest Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- London, D., 1992, The application of experimental petrology to the genesis and crystallisation of granitic pegmatites: Canadian Mineralogist, v. 30, p. 499-540.

References

- MacCready, T., Goleby, B. R., Goncharov, A., and others, 1998, A framework of overprinting orogens based on interpretation of the Mount Isa deep seismic transect: *Economic Geology*, v. 93, p. 1422-1434.
- Mares, V. M., 1998, The structural development of the Soldiers Cap Group within a portion of the eastern fold belt of the Mount Isa Inlier: a succession of near-horizontal and near vertical deformational events and large scale shearing: *Australian Journal of Earth Science*, v. 45, p. 373-387.
- Mark, G., 1998, Granites and regional alteration in the Cloncurry district, NW Queensland, Unpublished PhD thesis: Townsville, James Cook University.
- Mark, G., Carew, M. J., and Oliver, N. H. S., 2001, The interplays between ironstones and Cu-Au mineralisation in the Cloncurry District, *in* Mark, G., Oliver, N. H. S., Foster, D. R. W., and others, eds., Mineralisation, alteration and magmatism in the Eastern Fold Belt, Mount Isa Block, Australia. Specialist Group in Economic Geology, Publication No. 5, Geological Society of Australia, p. 85-102.
- Mark, G., and Crookes, R. A., 1999, Epigenetic alteration at the Ernest Henry Fe-oxide-(Cu-Au) deposit, Australia, *in* Stanley et al., eds., Mineral Deposits: Processes to Processing, Society for Geology Applied to Mineral Deposits (SGA), p. 185-188.
- Mark, G., and de Jong, G., 1996, Synchronous granite emplacement and episodic sodic-calcic alteration in the Cloncurry district: Styles, timing and metallogenetic significance, *in* Baker, T., Rotherham, J., Richmond, J., and others, eds., New developments in metallogenetic research: The McArthur, Mt Isa, Cloncurry minerals province. EGRU Contribution 55: Townsville, Economic Geology Research Unit, p. 77-80.
- Mark, G., and Foster, D. R. W., 2000, Magmatic-hydrothermal albite-actinolite-apatite-rich rocks from the Cloncurry district, NW Queensland, Australia : *Lithos*, v. 51, p. 223-245.

References

- Mark, G., Oliver, N.H.S., Williams, P.J., Crookes, R., Valenta, R., and Gow, P., 1999, Characteristics and origins of the Ernest Henry iron oxide-copper-gold hydrothermal system: Results of the 1999 Collaborative SPIRT research project: Townsville, James Cook University.
- McCallum, M. E., 1985, Experimental evidence for fluidization processes in breccia pipe formation: Economic Geology, v. 80, p. 1523-1543.
- McCrae, J. M., 1950, On the isotope chemistry of carbonates and a paleotemperature scale: Journal of Chemical Physics, v. 18, p. 849-857.
- McIntyre, D. B., and Weiss, L. E., 1956, Construction of block diagrams to scale in orthographic projection: Proceedings of the Geologists' Association, v. 67, p. 142-155.
- Molyneux, S. J., and Hutton, D. H. W., 2000, Evidence for significant granite space creation by the ballooning mechanism: The example of the Ardara pluton, Ireland: Geological Society of America Bulletin, v. 112, p. 1543-1558.
- Munoz, J. L., 1992, Calculation of HF and HCl fugacites from biotite compositions; revised equations, GSA, Abstracts with programs, p. 221.
- Munro, S. W., 1997, Alteration and mineralisation at the Bull Creek Cu-Au prospect, NW Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Nabelek, P. I., 1991, Stable isotope monitors, *in* Kerrick, D. M., ed., Contact Metamorphism. Reviews in Mineralogy, v. 26: Washington, Mineralogical Society of America, p. 395-435.
- Newberry, S. P., 1990, The middle Proterozoic Maronan supergroup, Soldiers Cap belt, eastern Mount Isa Inlier: a rationalisation of the geology and mineralisation of a complexly deformed and metamorphosed terrane, Unpublished PhD thesis: Townsville, James Cook University.
- Newberry, S. P., Carswell, J. T., Allnutt, S. L., and others, 1993, The Dugald River zinc-lead-silver deposit; an example of a tectonised Proterozoic stratabound sulphide deposit, *in* Matther, I., ed., World Zinc '93. , AUSIMM Publication Series, v.7, p. 7-21.

References

- Norman M.D., Griffin W. L., Pearson N. J., and others, 1998, Quantitative analysis of trace element abundances in glasses and minerals: a comparison of laser ablation ICPMS, solution ICPMS, proton microprobe, and electron microprobe data: *Journal of Analytical Atomic Spectroscopy* , v. 13, p. 477-482.
- Norman, M. D., Pearson, N. J., Sharma, A, and others, 1996, Quantitative analysis of trace elements in geological materials by laser ablation ICPMS: instrumental operating conditions and calibration values of NIST glasses: *Geostandards Newsletter*, v. 20, p. 247-252.
- O'Dea, M. G., Lister, G. S., MacCready, T., and others, 1997, Geodynamic evolution of the Proterozoic Mount Isa terrain, *in* Burg, J.-P., and Ford, M., eds., Orogeny Through Time, Geological Society Special Publication No. 121: London, Geological Society of London, p. 99-122.
- O'Neil, J. R., Clayton, R. N., and Mayeda, T. K., 1969, Oxygen isotope fractionation in divalent metal carbonates: *Journal of Chemical Physics*, v. 51, p. 5547-5558.
- Ohmoto, H., and Rye, R. O., 1979, Isotopes of sulphur and carbon, *in* Barnes, H. L., ed., Geochemistry of hydrothermal ore deposits: New York, John Wiley & Sons, p. 509-567.
- Oliver, N. H. S., 1995, Hydrothermal history of the Mary Kathleen Fold Belt, Mt Isa Block, Queensland: *Australian Journal of Earth Sciences*, v. 42, no. 3, p. 267-280.
- Oliver, N. H. S., 2001, Linking of regional and local hydrothermal systems in the mid-crust by shearing and faulting: *Tectonophysics*, v. 335, p. 147-161.
- Oliver, N. H. S., Cartwright, I., Wall, V. J., and others, 1993, The stable isotope signature of kilometre-scale fracture-dominated metamorphic fluid pathways, Mary Kathleen, Australia: *Journal of Metamorphic Geology*, v. 11, p. 705-720.

References

- Oliver, N. H. S., Holcombe, R. J., Hill, E. J., and others, 1991, Tectono-metamorphic evolution of the Mary Kathleen Fold Belt, northwest Queensland: a reflection of mantle plume processes?: *Australian Journal of Earth Sciences*, v. 38, p. 425-456.
- Oliver, N. H. S., Mark, G., Pollard, P. J., and others, in revision, Geochemistry and geochemical modelling of fluid-rock interaction in the eastern Mt Isa Block, Australia: the role of sodic alteration in the genesis of iron oxide-copper-gold deposits: *Economic Geology*.
- Oliver, N. H. S., Mark, G., Rubenach, M. J., and others, 2001b, Albitisation as a chemical precursor to ironstone-Cu-Au mineralisation in the Cloncurry district - geochemical and isotopic evidence, *in* Mark, G., Oliver, N. H. S., Foster, D. R. W., and others, eds., Mineralisation, alteration and magmatism in the Eastern Fold Belt, Mount Isa Block, Australia. Specialist Group in Economic Geology, Publication No. 5: Townsville, Geological Society of Australia, p. 64-84.
- Oliver, N. H. S., Ord, A., Valenta, R. K., and others, 2001a, Deformation, fluid flow, and ore genesis in heterogeneous rocks, with examples and numerical models from the Mount Isa district, Australia, *in* Richards, J. P., and Tosdal, R. M., eds., Structural Controls on ore genesis, *Reviews in Economic Geology*, v. 14: Boulder, Society of Economic Geologists, p. 51-74.
- Oliver, N. H. S., Pearson, P. J., Holcombe, R. J., and others, 1999, Mary Kathleen metamorphic-hydrothermal uranium - rare-earth element deposit: ore genesis and numerical model of coupled deformation and fluid flow: *Australian Journal of Earth Science*, v. 46, p. 467-484.
- Oliver, N. H. S., Rawling, T. R., Cartwright, I., and others, 1994, High temperature fluid-rock interaction and scapolitization in a large extension-related hydrothermal system, Mary Kathleen, Australia: *Journal of Petrology*, v. 35, p. 1455-1491.

References

- Oliver, N. H. S., Valenta, R. K., and Wall, V. J., 1990, The effect of heterogeneous stress and strain on metamorphic fluid flow, Mary Kathleen, Australia, and a model for large-scale fluid circulation: *Journal of Metamorphic Geology*, v. 8, p. 311-331.
- Oliver, N. H. S., and Wall, V. J., 1987, Metamorphic plumbing system in Proterozoic calc-silicates, Queensland, Australia: *Geology*, v. 15, p. 793-796.
- Oliver, N. H. S., Wall, V. J., and Cartwright, I., 1992, Internal control of fluid composition in amphibolite-facies scapolitic calc-silicates, Mary Kathleen, Australia: *Contributions to Mineralogy and Petrology*, v. 111, p. 94-112.
- Page, R. W., 1983a, Timing of superposed volcanism in the Proterozoic Mount Isa Inlier, Australia: *Precambrian Research*, v. 21, p. 223-245.
- Page, R. W., 1983b, Chronology of magmatism, skarn formation, and uranium mineralization, Mary Kathleen, Queensland, Australia: *Economic Geology*, v. 78, p. 838-853.
- Page, R. W., and Sun, S-S., 1998, Aspects of geochronology and crustal evolution in the Eastern Fold Belt, Mt Isa Inlier: *Australian Journal of Earth Sciences*, v. 45, p. 343-361.
- Page, R. W., Sun, S. S., and MacCready, T., 1997, New geochronological results in the central and eastern Mount Isa Inlier and implications for mineral exploration. Abstracts, Geodynamics and Ore Deposits conference, Australia geodynamics Cooperative Research Centre, p. 46-48.
- Parrish, D. K., Krivz, A. L., and Carter, N., 1976, Finite-element folds of similar geometry: *Tectonophysics*, v. 32, p. 183-207.
- Paterson, S. R., and Fowler, T. K. Jr., 1993, Re-examining pluton emplacement processes: *Journal of Structural Geology*, v. 15, p. 191-206.
- Paterson, S. R., and Tobisch, O. T., 1988, Using pluton ages to date regional deformations: Problems with commonly used criteria: *Geology*, v. 16, p. 1108-1111.

References

- Pearson, P. J., Holcombe, R. J., and Page, R. W., 1992, Synkinematic emplacement of the Middle Proterozoic Wonga Batholith into a mid-crustal extensional shear zone, Mount Isa Inlier, Queensland, Australia, *in* Sinclair, A. J., and Blake, D. H., eds., Detailed studies of the Mt Isa Inlier, AGSO Bulletin 243: Canberra, Australian Geological Survey Organisation.
- Perkins, C., and Wyborn, L. A. I., 1998, Age of Cu-Au mineralisation, Cloncurry district, eastern Mt Isa Inlier, Queensland, as determined by 40Ar/39Ar dating: Australian Journal of Earth Sciences, v. 45, p. 233-246.
- Perring, C. S., Pollard, P. J., Dong, G., and others, 2000, The Lightning Creek Sill Complex, Cloncurry district, northwest Queensland: a source of fluids for Fe oxide Cu-Au mineralization and sodic-calcic alteration: Economic Geology, v. 95, p. 1067-1089.
- Perring, C. S., Pollard, P. J., and Nunn, A. J., 2001, Petrogenesis of the Squirrel Hills granite and associated magnetite-rich sill and vein complex: Lightning creek prospect, Cloncurry district, Northwest Qneesland : Precambrian Research, v. 106, p. 213-238.
- Phillips, W. J., 1972, Hydraulic fracturing and mineralization: Journal of the Geological Society of London, v. 128, p. 337-359.
- Pollard, D.D. and Aydin, A., 1988, Progress in understanding jointing over the past century: Geological Society of America Bulletin, v. 100, p. 1181-1204.
- Pollard, P. J., 1997, Synthesis and conclusions, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Mining Industry Research Association, p. 20-1 - 20-8.
- Pollard, P. J., 2001, Sodic(-calcic) alteration in Fe-oxide-Cu-Au districts: an origin via unmixing of magmatic H₂O-CO₂-NaCl +- CaCl₂-KCl fluids: Mineralium Deposita, v. 36, p. 93-100.

References

- Pollard, P. J., Blake, K. L., and Dong, G., 1997c, Proterozoic Cu-Au-Co and Pb-An-Ag mineralization in the Cloncurry district, eastern Mount Isa Inlier, Australia: constraints on fluid sources from mineralogical, fluid inclusion and stable isotope data, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Mining Industry Research Association, p. 7-1 - 7-50.
- Pollard, P. J., Blake, K. L., and Xu, G., 1997b, Sodic-(calcic) alteration styles in the Cloncurry district, eastern Mount Isa Inlier, Australia: fluid inclusion and stable isotope constraints on fluid sources, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Institute of Mining and Metallurgy, p. 6-1 - 6-44.
- Pollard, P. J., Davis, B. K., and Williams, P. J., 1997a, Structural and physiochemical controls on ore formation in Cloncurry Cu-Au deposits, eastern Mount Isa Inlier, Queensland, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville, Australian Institute of Mining and Metallurgy, p. 2-1 - 2-41.
- Pollard, P. J., Mark, G., and Mitchell, L. C., 1998, Geochemistry of Post-1540 Ma Granites in the Cloncurry district, Northwest Queensland: Economic Geology, v. 93, p. 1330-1344.
- Pollard, P. J., and McNaughton, N. J., 1997, U/Pb geochronology and Sm/Nd isotope characteristics of Proterozoic intrusive rocks in the Cloncurry district, Mount Isa Inlier, Australia, *in* Pollard, P. J., ed., AMIRA P438, Cloncurry Base Metals and Gold, Final Report: Townsville.
- Porter, S., 1990, The Dugald River lead-zinc deposit, Unpublished BSc (Honours) thesis: Brisbane, University of Queensland.
- Price, N. J., and Cosgrove, J. W., 1990, Analysis of geological structures: Cambridge, Cambridge University Press.
- Ramberg, H., 1963, Fluid dynamics of viscous buckling applicable to folding of layered rocks: Bulletin of the American Association of Petroleum Geologists, v. 47, p. 484-505.

References

- Ramsay, C. R., and Davidson, L. R., 1970, The origin of scapolite in regionally metamorphosed rocks, Mary Kathleen, Queensland, Australia: Contributions to Mineralogy and Petrology, v. 25, p. 41-51.
- Ramsay, J. G., 1967, Folding and fracturing of rocks: New York, McGraw-Hill Book Company.
- Reinhardt, J., 1992, The Corella Formation of the Rosebud Syncline (central Mount Isa Inlier): deposition, deformation, and metamorphism, *in* Stewart, A. J., and Blake, D. H., eds., Detailed studies of the Mt Isa Inlier, AGSO Bulletin 243: Canberra, Australian Geological Survey Organisation, p. 229-255.
- Reynolds, D., 1954, Fluidization as a geological process, and its bearing on the problem of intrusive granites: American Journal of Science, v. 252, p. 577-613.
- Rotherham, J. F., 1997, A metasomatic origin for the iron-oxide Au-Cu Starra orebodies, Eastern Fold belt, Mount Isa Inlier: Mineralium Deposita, v. 32, p. 205-218.
- Rotherham, J. F., Blake, K. L., Cartwright, I., and others, 1998, Stable isotope evidence for the origin of the Mesoproterozoic Starra Au-Cu deposit, Cloncurry district, northwest Queensland: Economic Geology, v. 93, p. 1435-1449.
- Rubenach , M. J., and Barker, A. J., 1998, Metamorphic and metasomatic evolution of the Snake Creek Anticline, eastern succession, Mt Isa Inlier: Australian Journal of Earth Sciences, v. 45, p. 363-372.
- Rubenach, M. J., and Lewthwaite, K. A., 2002, Metasomatic albitites and related biotite-rich schists from a low-pressure polymetamorphic terrane, Snake Creek Anticline, Mount Isa Inlier, north-eastern Australia: microstructures and P-T-d paths: Journal of Metamorphic Geology, v. 20, p. 191-202.
- Rubenach, M., Adshead, N., Oliver, N., and others, 2001, The Osborne Cu-Au deposit: Geochronology, and genesis of mineralization in relation to host albitites and ironstones, *in* Williams, P. J., ed., 2001: A Hydrothermal Odyssey, Extended Conference Abstracts, EGRU Contribution 59, p. 172-173.

References

- Rutter, E. H., 1983, Pressure solution in nature, theory and experiment: Journal of the Geological Society of London, v. 140, p. 725-740.
- Ryan, A. J., 1998, Ernest Henry copper-gold deposit, *in* Berkman, D. A., and Mackenzie, D. H., eds., Geology of Australian and Papua New Guinean deposits, AUSIMM Monograph 22: Melbourne, Australian Institute of Mining and Metallurgy, p. 759-768.
- Ryburn, R. J., Grimes, K. G., and others, 1988b, Cloncurry, Queensland, 1:100 000 scale map: Canberra, Bureau of Mineral Resources.
- Ryburn, R. J., Wilson, I. H., Grimes, K. G., and others, 1988a, Cloncurry, Queensland, 1:100 000 geological map commentary: Canberra, Bureau of Mineral Resources.
- Schaubs, P. M., and Wilson, C. J. L., 2002, The relative roles of folding and faulting in controlling gold mineralization along the Deborah Anticline, Bendigo, Victoria, Australia: Economic Geology, v. 97, p. 351-370.
- Secor, D. T. Jr., 1969, Mechanics of natural extension fracturing at depth in the earth's crust. Paper 3-47, Research in tectonics: Ottawa, Geological Survey of Canada.
- Secor, D. T. Jr., 1965, Role of fluid pressure in jointing: American Journal of Science, v. 263, p. 633-646.
- Secor, D. T. Jr., and Pollard, D. D., 1975, On the stability of open hydraulic fractures in the Earth's crust: Geophysical Research Letters, v. 2, p. 510-513.
- Shannon, J. R., Walker, B. M., Carten, R. B., and others, 1982, Unidirectional solidification textures and their significance in determining relative ages of intrusions at the Henderson Mine, Colorado : Geology, v. 10, p. 293-297.
- Sharp, Z. D., 1989, An in-situ laser-based microanalytical method for analysis of oxygen isotope ratios in silicates and oxides, GSA Abstracts with Programs, p. 11-12.
- Shields, G., and Veizer, J., 2002, Precambrian marine carbonate isotope database; Version 1.1: Geochemistry, Geophysics, Geosystems - G3, v. 3.
- Sibson, R. H., 1977, Fault rocks and fault mechanisms: Journal of the Geological Society of London, v. 133, p. 191-213.

References

- Sibson, R. H., 1986, Brecciation processes in fault zones: Inferences from earthquake rupturing: Pure and Applied Geophysics, v. 124, p. 159-175.
- Sibson, R. H., 1996, Structural permeability of fluid-driven fault-fracture meshes: Journal of Structural Geology, v. 18, no. 8, p. 1031-1042.
- Sibson, R. H., 2001, Seismogenic framework for hydrothermal transport and ore deposition, *in* Richards, J. P., and Tosdal, R. M., eds., Structural controls on ore genesis, Reviews in Economic Geology, v. 14: Boulder, Society of Economic Geologists, p. 25-50.
- Sibson, R. H., Robert, F., and Poulsen, K. H., 1988, High-angle reverse faults, fluid-pressure cycling, and mesothermal gold-quartz deposits: Geology, v. 16, p. 551-555.
- Sibson, R. H., and Scott, J., 1998, Stress / Fault controls on the containment and release of overpressured fluids: Examples from gold-quartz vein systems in Juneau, Alaska; Victoria, Australia; and Otago, New Zealand: Ore Geology Reviews, v. 13, p. 293-306.
- Sillitoe, R. H., 1985, Ore-related breccias in volcanoplutonic arcs: Economic Geology, v. 80, p. 1467-1514.
- Spikings, R. A., Foster, D. A., Kohn, B. P., and others, 2001, Post-orogenic (<1500 Ma) thermal history of the Proterozoic Eastern Fold belt, Mt Isa Inlier, Australia: Precambrian Research, v. 109, p. 103-144.
- Spurr, J. E., 1925, The Camp Bird compound veindike: Economic Geology, v. 20, p. 115-152.
- Stearns, D. W., 1968, Fracture as a mechanism of flow in naturally deformed layered rocks, GSC Paper 68-52, Geological Survey of Canada, p. 585-600.
- Swanson, S. E., and Fenn, P. M., 1986, Quartz crystallization in igneous rocks: American Mineralogist, v. 71, p. 331-342.
- Taylor, R. G., and Pollard, P. J., 1993, Mineralized Breccia Systems: Methods of recognition and interpretation, EGRU Contribution 46: Townsville, Economic Geology Research Unit.

References

- Thorkelson, D. J., Mortensen, J. K., Davidson, G. J., and others, 2001, Early Mesoproterozoic intrusive breccias in Yukon, Canada: the role of hydrothermal systems in reconstructions of North America and Australia: *Precambrian Research*, v. 11, p. 31-55.
- Tolman, J. L., 1998, Origin and formation of complexly textured albite-, actinolite-, apatite-rich rocks within the Central Mount Angelay igneous complex, Cloncurry district, Northwest Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.
- Tunks, A., 1987, Breccias and metasomatism in the Corella Formation, Cloncurry, Queensland, Unpublished BSc (Honours) thesis: Melbourne, Monash University.
- Twiss, R. J., and Moores, E. M., 1992, Structural Geology: New York, W.H. Freeman and Company.
- Twyerould, S. C., 1997, The geology and genesis of the Ernest Henry Fe-Cu-Au deposit, Northwest Queensland, Australia, Unpublished PhD thesis: The University of Oregon.
- Valley, J. W., 1986, Stable isotope geochemistry of metamorphic rocks, *in* Valley, J. W., Taylor, H. P., and O'Neil, J. R., eds., Stable isotopes in high temperature geological processes, *Reviews in Mineralogy*, v.16: Washington, Mineralogical Society of America, p. 445-489.
- Van Hise, C. R., 1896, Principles of North American pre-Cambrian geology: USGS 16th Annual Report, Part 1: United States Geological Survey.
- Walters, S., and Bailey, A., 1998, Geology and mineralization at the Cannington Ag-Pb-Pb deposit: An example of Broken Hill-type mineralization in the Eastern Succession, Mount Isa Inlier, Australia: *Economic Geology*, v. 93, p. 1307-1329.
- Weston, R., 2000, An overview of the structure, metamorphism, petrology, paragenesis and geochemistry of the Houdini Prospect, Cloncurry District, Mount Isa Inlier, NW Queensland, Unpublished BSc (Honours) thesis: Townsville, James Cook University.

References

- Whittle, M. A., 1998, Aspects of the Dugald River (Zn-Pb) deposit, NW Queensland, Australia, Unpublished MSc thesis: Townsville, James Cook University.
- Williams, P. J., 1998, Metalliferous economic geology of the Mt Isa Eastern Succession, Queensland: Australian Journal of Earth Sciences, v. 45, p. 329-341.
- Williams, P. J., and Blake, K. L., 1993, Alteration in the Cloncurry district, EGRU Contribution 49: Townsville, Economic Geology Research Unit.
- Williams, P. J., Dong, G., Ryan, C. G., and others, 2001, Geochemistry of hypersaline fluid inclusions from the Starra (Fe oxide)-Au-Cu deposit, Cloncurry district, Queensland: Economic Geolgy, v. 96, p. 875-883.
- Williams, P. J., Pendegast, W. J., and Dong, G., 1998, Late orogenic alteration in the wall rocks of the Pegmont Pb-Zn deposit, Cloncurry District, Australia: Economic Geology, v. 93, p. 1180-1189.
- Windh, J., 1995, Saddle reef related gold mineralization, Hill End gold field, Australia: Evolution of an auriferous vein system during progressive deformation: Economic Geology, v. 90, p. 1764-1775.
- Wohletz, K. H., and Sheridan, M. F., 1979, A model of pyroclastic surge, GSA Special Paper 180 : Geological Society of America.
- Wolfe, J. A., 1980, Fluidization versus phreatomagmatic explosions in breccia pipes: Economic Geology, v. 75, p. 1105-1111.
- Wyborn, L. A. I., Page, R. W., and McCulloch, M. T., 1988, Petrology, geochronology and isotope geochemistry of the post-1820 Ma granites of the Mount Isa Inlier: Mechanisms for the generation of Proterozoic anorogenic granites: Precambrian Research, v. 40/41, p. 509-541.
- Xu, G., 1997, Microstructural evidence for an epigenetic origin of a Proterozoic zinc-lead-silver deposit, Dugald River, Mount Isa Inlier, Australia: Economic Geology, v. 32, p. 58-69.
- Zagorcev, I. S., 1993, The geometrical classification of folds and distribution of fold types in natural rocks: Journal of Structural Geology, v. 15, p. 243-251.

References

- Zheng, Y.-F., 1991, Calculation of oxygen isotope fractionation in metal oxides: *Geochimica et cosmochimica Acta*, v. 55, p. 2299-2307.
- Zheng, Y.-F., 1993, Calculation of oxygen isotope fractionation in hydroxyl-bearing silicates: *Earth and Planetary Science Letters*, v. 120, p. 247-263.
- Zheng, Y.-F., 1999, Oxygen isotope fractionation in carbonate and sulfate minerals : *Geochemical Journal*, v. 33, p. 109-126.
- Zhu, C., and Sverjensky, D. A., 1992, F-Cl-OH partitioning between biotite and apatite: *Geochimica et cosmochimica Acta*, v. 56, p. 3435-3467.

APPENDICES

**APPENDIX A
SAMPLE LIST**

The following list of samples, including JCU collection reference numbers has also been included as a Microsoft Excel Spreadsheet entitled “**Appendix A - Sample List**” on the enclosed CD.

Appendices

APPENDIX A: Sample List

JCU Sample #	LM Sample #	Analytical data		JCU Sample Collection			Rock type
		Easting	Northing	Hand sample	Thin section off-cut	Polished thick section	
67997	0004c	464283	7708535				CS
67998	0016	-----	-----		1	1M	
67999	0029	460840	7717430	2	2	1	BT
68000	0035b	461949	771722			1BR	
68001	0036	462118	7717759	2	2		M
68002	0038	463126	7717307	2	1	1	1M
68003	0059	461086	7715591		1	1	CS
68004	0082b	-----	-----		1	1	CS
68005	0082c	-----	-----	4			CSV3
68006	0086	462611	7714486	2	2	1	VR
68007	0112	459859	7713836		1	1	V3
68008	0118	459316	7713483		1	1	M
68009	0135	458828	7713410	3	y	y	CS/M
68010	0139	458967	7713142	1		1	CS
68011	0140	459040	7713095	1	1	1	M
68012	0158	459737	7718288	2	2		BH
68013	0163	459066	7717598		1	1	G
68014	0178	458379	7715963		1	1	G
68015	0185	458096	7716990		1	1	G
68016	0194	457720	7716665		1	1	1BT
68017	0202	457991	7715388	1	y	y	VH
68018	0205	457590	7715692				G
68019	0228	457884	7714545				G
68020	0250	459614	7715839				BT
68021	0255	459235	7715667				1BT
68022	0282	457053	7713247	2	y		M
68023	0286	457713	7713438	2		2	1B2/VR
68024	0293	457857	7713460			1	G
68025	0316	459067	7712519			1	BT
68026	0319	458965	7711929			1	G
68027	0325	461447	7713601	2		2	CSV3
68028	0340	459732	7711219			1	BR
68029	0345	459530	7711766	1	2	1	BR
68030	0347	459535	7711989			1	G
68031	0349	461356	7713996			1	G
68032	0352	461928	7713825	1		1	M
68033	0404	457463	7711191				1M
68034	0428	457949	7710141	1		1	BH
68035	0432	458366	7710420	1		1	SC
68036	0433	458388	7710453	2		2	M
68037	0441	461777	7712021	2		2	CSV3
68038	0480	460180	7710075				M
68039	0494	459182	7709881	3	y	y	1M
68040	0601	462649	7708188			1	BT
68041	0604	462816	7708039				CS
68042	0606a	462939	7707994				BR
68043	0606b	462939	7707994	1	y		1BR
68044	0607	463014	7707974	4	y	4	1CS/M
68045	0612	463443	7707965			1	BR
68046	0621	463661	7707442			1	BR
68047	0707b	465709	7711990			1	BH
68048	0783	464361	7708824			1	CS
68049	0804	462155	7707030	2		1	CSV3
68050	0810	463513	7707015			1	BR
68051	0815	463459	7706260			1	BR
68052	0824	464421	7706142			1	BR
68053	0825	464415	7705958				1BR
68054	0858	466211	7706778			1	SC
68055	0865	464872	7705565	3		3	1M
68056	0886	464697	7704024			1	BR

Rock type codes	
BH	High T, Na-Ca breccia
BT	Transitional breccia
BR	Retrograde breccia
VH	High T, Na-(Ca) vein
VT	Transitional vein
VR	Retrograde vein
V3	Rock buffered vein
CS	Calco-silicate rocks and siltstone
M	Marble
G	Granitoids and intrusive rocks
SC	Soldier's Cap Group
RQ	Roxmere Quartzite
I	Metasomatic Ironstone
EH	Ernest Henry
Eloise	
ME	Mt Elliott

Appendices

JCU Sample				LM Sample				Analytical data		JCU Sample Collection				Hand sample	Rock type	
#	#	Easting	Northing					C-O sample	Mineral separates (unsorted)	Thin section off-cut	Polished thick section	Thin sections				
68057	0895	464000	7705357							1	1				BR	
68058	0904	463804	7703488								1					BR
68059	0910	462511	7703686							1	1				G	
68060	0963	461875	7704431							1	1				RQ	
68061	0980	462762	7706229							1	1				VH	
68062	1035	455483	7701603												VT	
68063	1047	457108	7702814	2	1	y		2			1	1				VR
68064	1078	456705	7701433													V3
68065	1085	457181	7701532													CS
68066	1127	456755	7699413													M
68067	1132	456399	7700122													G
68068	1150	457120	7698871	1				1		1	1					SC
68069	1151	457101	7698867									1				Marble
68070	1185	455454	7696903													Granitoids and intrusive rocks
68071	1207	457490	7696554	1				1			1	1				Soldier's Cap Group
68072	1214	455541	7695205	2				2			1	1				Roxmere Quartzite
68073	1215	455568	7694835													Metasomatic Ironstone
68074	1220	454632	7694162													Ernest Henry
68075	1257	461993	7702055													Eloise
68076	1260	462278	7701124	1												Mt Elliott
68077	1263	462389	7701118	1												
68078	1264	462510	7701193	1												
68079	1266b	462369	7701349	2												
68080	1281	461996	7703159													
68081	1307	462281	7701943	2		y	y			1	1	1				High T, Na-Ca breccia
68082	1310a	462333	7702021	2		y	y			1	1	1				Transitional breccia
68083	1311	462356	7702012													Retrograde breccia
68084	1314	462403	7702068	1	2	y	y			1	1	1				High T, Na-(Ca) vein
68085	1321b	462152	7702089	1						1						Transitional vein
68086	1340	462113	7702432													Retrograde vein
68087	1342a	462147	7702541													Rock buffered vein
68088	1342b	462147	7702541													Calc-silicate rocks and siltstone
68089	1351a	462173	7702558	1	3	1	y	y		1	1	1				Marble
68090	1351c	462173	7702558	1						1						Granitoids and intrusive rocks
68091	1356a	462135	7702371	2				y		1	1	1				Soldier's Cap Group
68092	1356b	462135	7702371													Roxmere Quartzite
68093	1358	462167	7702432	1						1						Metasomatic Ironstone
68094	1374	463044	7702273	1			y			1						Ernest Henry
68095	1375.04	449800	7708850	1	3		y	y		1	1	1				Eloise
68096	1375.05a	449800	7708850							1						Mt Elliott
68097	1375.05b	449800	7708850	3						3						
68098	1375.06c	449800	7708850	1						1	1	1				
68099	1375.06d	449800	7708850	1	4		y	y		1	1	1				
68100	1375.06e	449800	7708850													
68101	1375.09	449800	7708850	5						4	1	1				
68102	1375.10	449800	7708850	1						1	1	1				
68103	1377b	460047	7716929													
68104	1380b	459540	7716871	2						1	1	1				
68105	1383.02	458176	7712420													
68106	1383.03	458176	7712420													
68107	1383.04b	458176	7712420													
68108	1383.11	458176	7712420													
68109	1384a	448590	7693790	2	1					2	1					
68110	1384b	448590	7693790	2		y	y			1	1	1				
68111	1384d	448590	7693790													
68112	1384f	448590	7693790													
68113	1384g	448590	7693790	1						1						
68114	1394	453220	7695611	1			y									
68115	1409	453926	7695195													
68116	1426	453899	7693852	2						2	1	1				

Rock type codes	
BH	High T, Na-Ca breccia
BT	Transitional breccia
BR	Retrograde breccia
VH	High T, Na-(Ca) vein
VT	Transitional vein
VR	Retrograde vein
V3	Rock buffered vein
CS	Calc-silicate rocks and siltstone
M	Marble
G	Granitoids and intrusive rocks
SC	Soldier's Cap Group
RQ	Roxmere Quartzite
I	Metasomatic Ironstone
BH	Ernest Henry
BL	Eloise
ME	Mt Elliott

Appendices

JCU Sample #	LM Sample #	Easting	Northing	Analytical data			JCU Sample Collection			Rock type
				Laser ablation data	Microprobe data: silicates	Microprobe data: carbonates	Thin sections	Polished thick section	Hand sample	
68117	1432b	453892	7693358							BR
68118	1433	453853	7693307							BR
68119	1441a	453713	7692975	2			2	1	1	M
68120	1441b	453713	7692975	1			1	1	1	M
68121	1441c	453713	7692975							G
68122	1446	453690	7692824							BR
68123	1447b	453661	7692815				1	1		VH
68124	1448	453600	7692775	1			1	1	1	G
68125	1450a	453109	7692755	2	1	y	1	1	1	V3
68126	1452	453147	7692526							VT
68127	1457b	453741	7692480					1	1	VR
68128	1477	456774	7692577					1	1	BR
68129	1478	456914	7692507					1	1	CS
68130	1488	457471	7691305					1	1	M
68131	1502	454352	7693595	1			2	1	1	SC
68132	1506	454013	7692391	2			1	1	1	RQ
68133	1510	454072	7691715							I
68134	1529	453107	7696678							BH
68135	1545	457998	7690115					1	1	EL
68136	1561a	460135	7692025	1				1	1	ME
68137	1561b	460135	7692025	1	2	y	y	1	1	
68138	1608	465330	7707762							
68139	1684	447956	7695547							
68140	1685	447854	7695798							
68141	1686a	447883	7695908							
68142	1686b	447883	7695908	1			y	1	1	
68143	1686c	447883	7695908				y	1	1	
68144	1714a	448152	7696123	1				1	1	
68145	1714b	448152	7696123				y	1	1	
68146	1735	452603	7697136				y	1	1	
68147	1739	451809	7696898				y	1	1	
68148	1785	457573	7688676				y	1	1	
68149	1801	459401	7688172					1	1	
68150	1808	448433	7693886	2			y	1	1	
68151	1845	458637	7685201	1			y	1	1	
68152	1864	458572	7684879					1		
68153	BUDa	451066	7667029							
68154	BUDb	451066	7667029					1		
68155	BUDd	451066	7667029					1		
68156	BUDe	451066	7667029							
68157	BUDf	451066	7667029					1		
68158	BUDg	451066	7667029				y	1	1	
68159	BUDh	451066	7667029					1	1	
68160	BUDi	451066	7667029					1		
68161	BUD40	450397	7667892							
68162	BUD42	450814	7667505	1	2	1	y	1	1	
68163	BUD67	451350	7667623	2			y	1	1	
68164	spinifex-bp	456893	7690274					1	1	
68165	T72b	399138	7716024	1	1			1	1	CS
68166	T72c	399138	7716024	1	2	1	y	1	1	VH
68167	T72d	399138	7716024							BH
68168	T72e	399138	7716024		1		y	1	1	CS
68169	T72f	399138	7716024	1	1			1	1	VH
68170	T72g	399138	7716024		2			1	1	BH
68171	T72h	399138	7716024				y	1	1	BH
68172	T72i	399138	7716024	1				1	1	VH
68173	T58	398982	7716029				y			CS
68174	MA001a	463742	7657505							G
68175	MA001b	463742	7657505				y			G
68176	MA002	463534	7657746							G

Rock type codes	
BH	High T, Na-Ca breccia
BT	Transitional breccia
BR	Retrograde breccia
VH	High T, Na-(Ca) vein
VT	Transitional vein
VR	Retrograde vein
V3	Rock buffered vein
CS	Calo-silicate rocks and siltstone
M	Marble
G	Granitoids and intrusive rocks
SC	Soldier's Cap Group
RQ	Roxmere Quartzite
I	Metasomatic Ironstone
BH	Ernest Henry
EL	Eloise
ME	Mt Elliott

Appendices

JCU Sample #	LM Sample #	Easting	Northing	Analytical data				Rock type
				Laser ablation data	Microprobe data: carbonates	Microprobe data: silicates	C-O sample	
68195	MP011a	393336	7679381	1		1		G/BT
68196	MP011d	393336	7679381	2	y	1	1	BT
68197	MP022b	392771	7682927	1	y	1		I
68198	MP024a	390379	7680990		y		1	I
68199	MP035	390388	7676129	1			1	BT
68177	EH01			2		2		EH
68178	EH02			4		3		EH
68179	EH03			1		1		1 EH
68180	EH04			3		3		EH
68181	EH05			2		2		EH
68182	EH06	Ernest Henry		1		1		EH
68183	EH07			1		1		EH
68184	EH08			1		1		1 EH
68185	EH09			1	1	y	1	EH
68186	EH10			2	1	y	y	EH
68187	EL01			1			1	EL
68188	EL02			1			1	EL
68189	EL03			1			1	EL
68190	EL04			2			1	EL
68191	ME01			2			1	ME
68192	ME02			1			1	ME
68193	ME03			2			1	ME
68194	ME04			1			1	ME

34 0 2 28 0 0 2 0 4

Rock type codes	
BH	High T, Na-Ca breccia
BT	Transitional breccia
BR	Retrograde breccia
VH	High T, Na-(Ca) vein
VT	Transitional vein
VR	Retrograde vein
V3	Rock buffered vein
C3	Calco-silicate rocks and siltstone
M	Marble
G	Granitoids and intrusive rocks
SC	Soldier's Cap Group
RQ	Roxmere Quartzite
I	Metasomatic Ironstone
EH	Ernest Henry
EL	Eloise
ME	Mt Elliott

APPENDIX B

ISOTOPE DATA

All isotope data collected for this study, including oxygen, carbon and strontium isotopes has been presented in tables following **Chapters 6 and 7**. This data, as well as isotope data compiled from other sources and employed in this study is included as a Microsoft Excel spreadsheet entitled “**Appendix B – Isotope Data**” on the enclosed CD.

APPENDIX C
MICROPROBE DATA

All microprobe analyses that form the basis of interpretations in this study are included as a Microsoft Excel spreadsheet entitled “**Appendix C – Microprobe Data**” on the enclosed CD. Representative silicate analyses are also given in the form of tables following **Chapter 6**. Analyses that could not be made stoichiometric following the criteria outlined in the text have not been included. Where published analyses were used in this study, these have been included on the enclosed CD, with data sources noted appropriately.

APPENDIX D
LA-ICPMS DATA

All laser ablation inductively coupled mass spectrometer (LA-ICPMS) analyses of magnetite and hematite collected for this study are included as a Microsoft Excel spreadsheet entitled “**Appendix D – LA-ICPMS Data**” on the enclosed CD. Where analyses have been disregarded in interpretation, following criteria outlined in the text, these have been included and denoted by an asterisk (*).