

JCU ePrints

This file is part of the following reference:

Ali, Asghar (2009) *Tectono-metamorphic evolution of the Cambro-Ordovician Balcooma Metamorphic Group, Greenvale Province, north-eastern Australia*. PhD thesis, James Cook University.

Access to this file is available from:

<http://eprints.jcu.edu.au/10429>



**Tectono-metamorphic evolution of the Cambro-Ordovician
Balcooma Metamorphic Group, Greenvale Province, north-eastern
Australia**

**Volume II
(Figures, Tables and Appendixes)**

**Thesis submitted by
Asghar Ali (BSc (Hons), MSc, University of Peshawar, Pakistan)
In October, 2009**

**For the degree of Doctor of Philosophy
School of Earth and Environmental Sciences,
James Cook University, Townsville, Australia**

Table of contents, volume II

Table of contents	i
List of figures and tables	ii-vii
Figures and tables (Section A)	1-15
Figures and tables (Section B)	1-21
Figures and tables (Section C)	1-23
Figures and tables (Section D)	1-17
Appendix A	1-2
Appendix B (Section B)	1-12
Appendix C (Section C)	1-15

List of figures and tables

Section A

Figure 1. Geological map of the study area _____	1
Figure 2. Diagram demonstrating the asymmetry method by which a FIA is measured _____	2
Table 1. A list of FIA trends measurement _____	3
Figure 3. Equal area rose diagrams of total FIA trends _____	4
Figure 4. Representative photomicrographs of vertical thin sections of different samples from the Balcooma region and the Pit area illustrating the variation in inclusion trail geometry, truncation and continuity with the matrix foliations and other textural criteria used to determine the relative timing of FIAs _____	5
Table 2. Electron microprobe monazite weighted mean ages for each grain plus the total age for a sample recorded in porphyroblasts of FIA 2 (a), FIA 3 (b) and FIA 4 (c) and from the matrix of sample AH 143(d). _____	6
Figure 5. Photomicrograph of a vertical thin section and a line diagram showing the subvertical inclusion trails preserved in garnet _____	7
Figure 6. Photomicrograph of andalusite that has grown across the matrix _____	8
Figure 7. FIA trends for successive FIA sets in the Pit area versus the Balcooma region _____	9
Figure 8. Stereo plots showing the effects of rotation of FIA sets up to 45° either way about successive FIA sets _____	10
Figure 9. A schematic diagram shows deformation partitioning at the scale of a porphyroblast. _____	11
Figure 10. Photomicrographs show crystallization sequence of kyanite, andalusite and sillimanite _____	12

Figure 11. Photomicrograph of vertical thin section shows the breakdown of biotite to andalusite _____	13
Figure 12. P-T-t-D path for the Balcooma Metamorphic Group _____	14
Appendix A (Section-A). JCU thin sections catalogue numbers _____	15

Section B

Figure 1. Major geological divisions of the Tasman Orogenic Zone _____	1
Figure 2. Regional geological map shows the exposed parts of the Thomson Fold Belt in the Greenvale and Charters Towers Provinces _____	2
Figure 3. Geological map of the study area _____	3
Table 1. FIA trends, for each sample from the Balcooma region _____	4
Figure 4. Horizontal oriented block and 3 dimensional sketches showing the asymmetry method used for FIA determination _____	5
Figure 5. Photomicrographs of vertical thin sections illustrating the textural interrelationship between inclusion trails preserved in porphyroblasts and the matrix that can be effectively used as a tool to established the relative timing among different tectonic events across the region _____	6
Figure 6. Photomicrograph and line diagram of staurolite porphyroblast and matrix showing sub-horizontal and sub-vertical foliations in the rims and core respectively. _____	7
Figure 7. Photomicrograph and diagram showing differentiated crenulation cleavage overgrown by andalusite. _____	8
Figure 8. Equal area rose diagrams showing all FIA tends _____	9
Figure 9. Backscatter image of sulphides in the matrix from the surface sample _____	10

Figure 10. Backscatter image of sulphides within staurolite porphyroblasts containing inclusion trails defining FIA 3 _____	11
Figure 11. Sulphide ore minerals lying on a fractures in garnets _____	12
Table 2. Analytical set up for monazite analyses _____	13
Table 3. Electron microprobe monazite weighted mean ages for each grain plus the total age for a sample recorded in porphyroblasts _____	14
Table 4. Monazite weighted mean ages for each grain in the matrix _____	15
Figure 12. Histogram and probability plots showing monazite ages of FIA 2, FIA 3 and FIA 4 _____	16
Figure 13. Backscatter images and composition maps of homogeneous monazite grains _____	17
Figure 14. Backscatter electron image of monazite grain on a fracture in garnet _____	18
Figure 15. Regional geological map of the Greenvale Province. _____	19
Figure 16. FIA trends for locally developed FIA sets in the Balcooma region _____	20
Appendix B (Section B). Electron microprobe chemical analyses and calculated ages for each spot on a monazite grains _____	21

Section C

Figure 1. Regional geological map showing the exposed parts of the Thomson Fold Belt in the Greenvale, Charters Towers Provinces and the Broken River Province _____	1
Figure 2. Detailed geological map of the Balcooma Metamorphic Group _____	2
Figure 3. Photomicrograph of a vertical thin section showing the remnant of garnet in staurolite and partial staurolite pseudomorph after garnet _____	3

Figure 4. Photomicrographs of vertical thin sections illustrating pseudomorph structures preserved in porphyroblasts of staurolite and kyanite _____	4
Figure 5. Photomicrograph of vertical thin section showing kyanite, which is overgrown by a staurolite rim _____	5
Figure 6. Photomicrograph of vertical thin section illustrating plagioclase pseudomorphs after muscovite _____	6
Figure 7. photomicrographs of vertical thin sections showing respectively the breakdown of biotite, staurolite and kyanite to andalusite _____	7
Figure 8. Photomicrograph shows euhedral andalusite pseudomorph after staurolite _____	8
Figure 9. Photomicrographs of vertical thin sections showing respectively the remnants of garnet, staurolite, kyanite and andalusite preserved in cordierite _____	9
Figure 10. Nucleation of fibrolitic sillimanite within a biotite porphyroblast _____	10
Figure 11. Schematic diagrams showing the method by which a horizontal block is cut into a series of vertical thin sections for FIA determination _____	11
Figure 12. Equal area rose diagrams showing all FIA trends _____	12
Table 1. FIA trends measured for each sample from the Balcooma region _____	13
Table 2. Representative mineral analyses of selected samples used for P-T calculation using the average P-T mode of THERMOCALC _____	14
Table 3. Representative microprobe analyses of garnet core used for isopleths intersection _____	15
Figure 13. Backscatter images of garnet porphyroblasts used for chemical profiles across _____	16

Figure 14. MnNCKFMASH P-T pseudosections for samples AH 146 and AH120 _____	17
Table 4. Bulk rock chemical composition of selected samples used for MnNCKFMASH pseudosections construction and geothermobarometry using the average P-T mode of THERMOCALC _____	18
Figure 15. Average pressure-temperature estimates for samples AH146, AH120 and AH105 using the average P-T mode of THERMOCALC _____	19
Table 5. Mineral end-member activities _____	20
Figure 16. P-T-t-D path for the Balcooma Metamorphic Group _____	21
Figure 17. A schematic diagram and photomicrograph illustrating deformation partitioning _____	22
Appendix C (Section-C). Mineral compositions used for geothermobarometry _____	23

Section D

Figure 1. Map of eastern Australia showing the major tectonic-elements of the Tasman Orogenic Zone _____	1
Figure 2. Magnetic anomaly map of Northern Thomson Fold Belt and central Australia ____	2
Figure 3. Map showing the tectonic evolution of the Tasman Orogenic zone in Early to Middle Ordovician (490-460 Ma) _____	3
Figure 4. Regional geological map shows the exposed parts of the Northern Thomson Fold Belt in the Greenvale, Charters Towers and Broken River Provinces _____	4
Figure 5. Geological map of the study area _____	5
Table 1. FIA trends measured for each sample from the Balcooma region _____	6
Figure 6. 3D diagrams showing the asymmetry method used for FIA determination _____	7

Figure 7. Equal area rose diagrams showing total FIA trends _____	8
Figure 8. Textural and microstructural criteria that were used to established relative timing among the different generation of FIA sets _____	9
Figure 9. FIAs 2, 3 and 4 monazite ages histograms and probability plots _____	10
Figure 10. Photomicrograph and line diagram of andalusite with straight and continuous inclusion trails _____	11
Figure 11. Stereo plots showing the rotation of FIA sets up to 45° either way about the successive trends of later FIA sets _____	12
Figure 12. Schematic diagrams showing how each period of horizontal bulk shortening in an orogen is followed by gravitational collapse _____	13
Figure 13. Map and rose diagrams of FIA set 1 _____	14
Figure 14. Schematic a, b, c, d representation of the progressive northwards displacement of the Balcooma Metamorphic Group and the Oasis Metamorphics _____	15
Figure 15. Very schematic diagrams showing tectonic evolution of the Northern Thomson Fold Belt _____	16
Figure 16. Very schematic sketch shows the location of E-W trending subduction zone in the east and extension in the west _____	17