Index

| A | Angular-grained soil, shear modulus for, 463, 464 |
|--|--|
| AASHTO soil classification system, 37, 39-40, 41, 46 | Angular grains, 31 |
| ABAQUS, 6 | Angular resonant frequency, 462 |
| Acceleration, 470 | Anisotropic soils, flow net in, 85-86 |
| Acid sulphate soils, 1 | Anisotropy, 203 |
| Active state, lateral earth pressures, 225, 231, 232, 233- | Applied normal stress, 323 |
| 235, see also Lateral earth pressures | Applied pressure, settlement in footings and, 310 |
| Activity, 37 | Archimedes principle, 13 |
| Adhesion, earth retaining structures, 381, see also Earth | Artificial slopes, 421 |
| retaining structures | AS, see Australian Standards |
| Adhesive resistance, 239 | Atomic force microscope, 33 |
| Aeolian soil, 2 | Atomic structure of clay minerals, 32, 33 |
| Air, 11, 12 | At-rest state, 225, 226-230, 271, 273, 275 |
| mass of, 11 | Attapulgite, 33 |
| stresses and, 67 | Atterberg, A., 34 |
| normai, 6572 | Atterberg limits, 34-37, 38, 39, 41, 44, 256, 277 |
| Air content, 55, 62 | Auger drilling, 254 |
| Airflow, 6 | Australian Standards (AS), 27 |
| AIR/W, 6 | Average degree of consolidation, 156 |
| Allowable bearing capacity, 292, 305, 307, 326 | Average hydraulic gradient, 75 |
| Allowable pressures, 317, 318 | Average vertical strain, 141 |
| Alluvial soil, 2 | Axisymmetric loading, 313, 315 |
| Aluminum, 32, 33 | |
| American Association of State Highway Transportation | В |
| Officials (AASHTO) soil classification system, 37, | Backfills |
| 39-40, 41, 46 | compaction and, 49, see also Compaction |
| American Society of Civil Engineers, 5 | inclined granular, 235-236 |
| Amplitude, 459, 461, 463, 482, 483, 285 | shear failure, 181 |
| decrease in, 455 | Backhoe, 49, 252 |
| low strain, 463 | Backpressure, 194, 195, 196, 197, 205, 208, 210, 216 |
| maximum, 460 | Base circles, 425, 426 |
| Amplitude of vibration, 466, 467, 468, 469, 470, 471 | Base failure, 425 |
| at resonance, 460 | Basements, 299 |
| Anchored sheet piles, 385, 395-399 | lateral earth pressures, 230, see also Lateral earth |
| Angle of internal friction, 187 | pressures |
| Angle of shearing resistance, 187 | Batter pile, 341, 342 |
| Angular deflection at resonance | Bearing capacity |
| Angular distortion, 290, 291 | allowable, see Allowable bearing capacity |
| | |

| equation, 291 | shallow foundations, 289, 290, 298, 310, 325, see also |
|--|---|
| shallow foundations, 290, 291-301, 305, 324, 325- | Shallow foundations |
| 326, 332-334 | British Standards (BS), 27, 37 |
| Meyerhof's equation, 295-299, 324 | Brittle solid state, 34, 35 |
| presumptive, 292-293 | Brucite, 32 |
| Terzaghi's equation, 294-295, 296, 324 | Buildings, compaction and, 49, see also Compaction |
| water table effects, 301 | Bulk density, 13, 16, 50 |
| Bearing capacity equation, 291 | Bulk unit weight, 13, 19 |
| Bearing pressures | Burland and Burbidge method for predicting settlement |
| deep foundations, see Deep foundations | of a shallow foundation in granular soil, 315–317 |
| earth retaining structures, 379, 382-384, see also | 318 |
| Earth retaining structures | |
| presumptive, see Presumptive bearing pressures | С |
| shallow foundations, 292–293, see also Shallow | |
| foundations | Canadian Foundation Engineering Manual, 6, 267 |
| Bedrock, 252, 437 | Cantilever retaining walls, 377, 379 |
| Belled pier, 341, 342 | horizontal loading, 225, 226 |
| | Cantilever sheet piles, 385–395 |
| Bending moment | in cohesive soils, 393–395 |
| earth retaining structures, 387, 388 | in granular soils, 386–393 |
| shallow foundations, 307 | horizontal loading, 225, 226 |
| Bentonite, 202, 379 | Capillary effects, 68-69, 70 |
| Bernoulli's equation, 73, 75-76 | Capillary pressures, 69 |
| Bishop's simplified method of slices, 434–435, 437–441, | Capillary rise, 69 |
| 443 | Capillary zone, 69 |
| Block sample, 256 | Casagrande, Arthur, 34, 37 |
| Blow count, 259–262, 263, 267, 268, 261, 276, 281, 282, 283, 310–312 | Casagrande's log time method, 156, 157–158, 159, 161–164 |
| Boddy Dam, U.S., 86 | Casagrande's percussion cup method, 35, 36 |
| Bored piles, 343, 344, 345, 356 | Casagrande's PI-LL chart, 38, 43 |
| Borehole diameter correction, 261 | Casagrande's procedure to determine preconsolidation |
| Borehole shear test, 273, 274, 280 | pressure, 148, 149 |
| Boreholes, 251-252, 253, see also Site investigation | Cast-in-place piers, 341, 343 |
| depth of, 254 | Cementation, 40 |
| sampling, 256 | Chlorite, 33 |
| soil testing, 3, 5 | Circular footings, 294, 297 |
| spacing of, 254 | Circular frequency of vibration, 458 |
| Bore log, 276, 278, 279 | Circular load, flexible, stress increase beneath the center |
| Borrow area, 17 | of, 125-126, see also Newmark's chart |
| Borrow pit, 19, 20 | Clayey soils, 37, 38, see also Clays |
| Bottom heave in soft clays, 402-403 | compaction, 55 |
| Boulders, classification of, 27 | Clavs |
| Boundary conditions, 6 | atomic structure, 32, 33 |
| Boussinesq equation, 116-117, 118, 123, 124, 133 | classification of, 27, 37, 38, 39, 40, 41 |
| Braced excavations, 3, 399-403 | based on unconfined compressive strength, 199, 210 |
| lateral earth pressures, 230, see also Lateral earth | compaction, 55, see also Compaction |
| pressures | comparison with nonclays, 40–41 |
| Breadth | consolidation, 139, see also Consolidation |
| deep foundations, 341, see also Deep foundations | effective stresses, 69 |
| | |

| lateral earth pressures, 227-230 | earth retaining structures, 381, see also Earth |
|--|--|
| mineralogy, 31-33, 34, 45 | retaining structures |
| permeability, 71 | settlement in, 319-324 |
| shallow foundations, 291, 292, 295, 299, 300, 305, | shear strength, 200 |
| 321, 323, see also Shallow foundations | site investigation, 256, 262, 264, 280 |
| elastic moduli for, 321 | slope stability, 431 |
| shear modulus for, 464-465 | standard penetration test in, 262 |
| shear strength, 201, 203, 204 | Colluvial soil, 2 |
| site investigation, 256, 261, 262, 264, 265, 266, 267, | Column load |
| 268, 269-270, 280, see also soft, bottom heave in, | deep foundations, 341, 347, see also Deep |
| 402-403 | foundations |
| slope stability, 423-427, see also Slope stability | shallow foundations, 306-309, see also Shallow |
| in trial pit, 3 | foundations |
| triaxial tests, 194 | Combined footings, 289 |
| vibration of foundations and, 484 | Compacted clay, triaxial tests, 194 |
| void ratio, 12 | Compaction, 3, 19, 40, 49-63 |
| water content, 12 | field tests, 55-58 |
| Coarse-grained soils | laboratory tests, 52-55, 277 |
| AASHTO classification, 39-40 | relative, see Relative compaction |
| capillary rise and, 69 | shallow foundations and, 292, see also Shallow |
| compaction, 57 | foundations |
| grain shape, 31, 40 | variables in, 50-52 |
| grain size distribution, 28-30, 37, 40, 41 | Compaction piles, 342 |
| permeability, 77, 78, 79, 93 | Compactive effort, 50-53, 55, 57 |
| relative density, 30, 31 | Compensated foundation, 299 |
| USCS classification, 37-39 | Composite piles, 344, 345 |
| visual identification, 40 | Compound failure, 423 |
| Cobbles, classification of, 27 | Compressibility, coefficient of volume, 141-142, 171-172 |
| Coefficient of consolidation, 155, 161-164 | Compression |
| laboratory determination of, 156-159 | bearing capacity and, 297 |
| Coefficient of curvature, 29, 30, 42 | earth retaining structures, 382, 383 |
| Coefficient of earth pressure at rest, 226 | secondary, 159-164, 169, 321, 324 |
| Coefficient of permeability, 77 | Compression index, 143, 144, 165-166, 169-170, 171- |
| Coefficient of subgrade reaction, 307 | 172, 330 |
| Coefficient of uniformity, 29, 30, 42 | Compression settlement, 321, 324 |
| Coefficient of volume compressibility, 141-142, 149, | Compression test, undrained, 198-200, 219 |
| 171~172 | Compressive strength, 181, 198, 199, 210, 283 |
| Cofferdams, 85 | Compressive stresses, 181, 203 |
| Cohesion, 187, 210, 214 | Computation of final settlement, 150-153 |
| bearing capacity and, 294 | consolidation test, 143~150 |
| direct shear test, 201 | Concentric line load, 301-303 |
| slope stability and, 427-431 | Concrete, 257 |
| earth retaining structures, 381, see also Earth | earth retaining structures, 377, 379, 385 |
| retaining structures | footings, 295 |
| triaxial tests, 194, 195, 196 | shear strength, 181, see also Shear strength |
| Cohesive resistance, 239 | unit weight, 325 |
| Cohesive soils, 32 | Concrete piles, 341, 343, 344, 345 |
| bearing capacity, 293 | Cone penetration test, 3, 257, 259, 260, 262, 263-269, |
| cantilever sheet piles in, 393-395 | 280, 283, 310 |
| | |

| Cone resistance, 263, 264, 265, 267, 268 | Critical slip circle, 425-427, 428-429 |
|--|--|
| Confining pressure, 190, 193, 194, 195, 198, 218, 221. | Critical void ratio, 201 |
| 222 | CTRAN/W, 6 |
| pore water pressure increase and, 203 | Current void ratio, 30 |
| Consolidated drained triaxial test, 194, 197, 211-212, | Curvilinear squares, 84, 85 |
| 217, 218, 277, 297 | Cyclic loading, vibration of foundations and, see |
| Consolidated undrained triaxial test, 194, 195, 208, 209, | Vibrations of foundations |
| 210-211, 212, 217-218, 219, 220, 221, 277, 297 | |
| Consolidation pressure, 211 | D |
| Consolidation settlement, 321, 323, 332 | Damped natural circular frequency, 456 |
| Consolidation tests, 143-150, 172-175, 256, 276, see also | Damped natural frequency of vibration, 456, 457, 458, |
| specific tests | 483 |
| Consolidation, 139-180, 208 | Damped resonant frequency, 463 |
| defined, 139 | Damping, 482 |
| fundamentals, 139-140 | defined, 455 |
| laboratory tests, 277 | steady-state forced vibration with, 458-463 |
| one-dimensional, 140-142, 226 | viscous, free vibration with, 455-458 |
| review exercises, 175-179 | Damping coefficient, 482 |
| secondary compression, 159-164 | Damping ratio, 456, 457, 459, 462, 466, 467, 470, 471, |
| settlement, 321, 323, 332 | 478, 482, 483 |
| shallow foundations, 323 | Dams, 3 |
| site investigation, 268 | failures due to piping, 85, 86 |
| time rate of, 153-159 | seepage beneath, 73, 74, 82, 85, 101-103 |
| triaxial tests, 193-200 | Danish pile driving formula, 355 |
| worked examples, 165-175 | Darcy, Henry, 76 |
| Constant force excitation, 466 | Darcy's law, 76-77, 78, 98, 100, 153 |
| vibration of foundations and | Dashpot coefficient, vibration of foundations and, 456, |
| rocking, 469-471, 472 | The majoral problem profiles authors province agencies agreement. All of |
| sliding, 477 | 458, 463, 466, 470, 476, 478, 483 |
| torsional, 478, 479 | Dashpot, 482 |
| vertical, 465–468 | free vibration with viscous damping, 455–457 |
| Constant head | steady-state forced vibration with damping, 458 |
| laboratory tests, 277 | Deadman anchor, 398–399 |
| permeability test, 77, 78, 93 | Deep foundations, 289, 290, 341–376 |
| Constitutive model, 6 | applications of, 341, 342 |
| Constrained modulus, 149, 273 | breadth to depth ratio, 341 |
| Contact pressure, 302–304, 305, 306–307e, 326 | defined, 341 |
| Containment wall, 3 | load carrying capacity of a pile, static analysis, |
| Contaminant transport, 6 | 347–354 |
| Continuous media, 115 | pile driving formulae, 354-355 |
| Continuum, 115 | pile group, 361–364 |
| Coulomb's earth pressure theory, 230, 237-239, 377 | pile installation, 345–346 |
| Core box, 252 | pile load test, 355-357 |
| Creep, 159, 310, 320, 324 | pile materials, 342–345 |
| The state of the s | review exercises, 373-375 |
| Creosotes, 343 Crib walls, 377, 378 | settlement of a pile, 342-345 |
| Critical damping coefficient, 456 | types of, 341 |
| | worked examples, 365-372 |
| Critical hydraulic gradient, 82, 83 | Deformations, 6 |
| Critically damped system, 455, 457, 458 | Degree of consolidation, 156 |

| Degree of mechanical disturbance, 256 | Dry density, 13, 14, 16, 45 |
|--|--|
| Degree of saturation, 12-13, 14, 15, 20, 54, 203, 204 | compaction and, 49-52, 55, 57, 58, 60-61 |
| Dense sands, 201, 203 | Dry granular soil, slope stability, 431 |
| Dense soil, 30, 31 | Dry mass, 16 |
| Density, 13, 14, 15, 22, 58 | Dry of optimum, 51, 55, 58 |
| laboratory tests, 277 | Dry soils, 11 |
| vibrations of foundations and, 466 | stresses within, 66, 67 |
| Density index, 30 | Dry strength, 40 |
| Depth, shallow foundations, 289, 290, see also Shallow | Dry unit weight, 13, 14, 21 |
| foundations | Dump truck, 49 |
| footings, 296-297, 300, 310 | Dutch cone penetration test, 263 |
| lateral earth pressures and, see Lateral earth pressures | Dynamic loading, 6 |
| Desk study, 251 | |
| Deviator stress, 193, 194, 195, 202, 203, 210, 211, 213, | E |
| 216, 218, 219, 220, 221 | Earth, crust of, 32 |
| Diaphragm walls, 377, 378, 379 | Farthmoving machinery, 49 |
| Diesel hammer, 345, 346 | Earthquakes, 421 |
| Differential settlement, 290 | Earth retaining structures, 377-420, see also specific |
| Dilatancy, 40 | types |
| Dilation, 201 | anchored sheet piles, 395–399 |
| Dilatometer, 226 | braced excavations, 399-403 |
| Dilatometer test, 271-273 | cantilever sheet piles, 385-395 |
| Direct shear test, 200-202, 277 | in cohesive soils, 393–395 |
| Discharge velocity, 76 | in granular soils, 386-393 |
| Dispersed fabrics, 33, 34, 202 | retaining walls, design of, 379-385 |
| Displacement, 6, 7, 459 | review exercises, 415–420 |
| damping and, 456, 457 | types of, 377-379 |
| Displacement pile, 345 | worked examples, 404-415 |
| Distortion settlement, 321 | Earthworks, laboratory tests, 277 |
| Double-acting hammer, 345 | Eccentrically loaded footings, pressure distributions |
| Doubly drained clay, 155, 156, 162 | beneath, 301-304 |
| Downward flow, 81, 82 | Eccentricity, 382, 383 |
| Drainage, 140, | Eccentric line load, 301-303 |
| consolidation and, 153 | Eccentric loading, 298–299, 326 |
| earth retaining structures and, 379, see also Earth | Effective friction angle, 211-212, 218, 219, 273 |
| retaining structures | lateral earth pressures, 227, 228 |
| triaxial tests, 193-200 | standard penetration test, 261, 265, 281-283 |
| Drainage path, maximum length of, 155 | Effective grain size, permeability and, 77 |
| Drained loading, 191-193, 194, 200, 203, 214 | Effective stress |
| Dredge, 18 | lateral earth pressures, 226, see also Lateral earth |
| Drilled piers, 341 | pressures |
| Drilled shafts, 341 | location of the water table and, 257 |
| Drill hole, 3 | permeability and, 82 |
| Drilling, 251, 253-254, 255 | principle, 65-72 |
| Drilling fluid, 254 | seepage and, 85, see also Seepage |
| Drill rig, 3, 5 | shallow foundations, 301, 323, 324 |
| Drill rod length correction, 261 | shear strength and, 181, 214, 218, 223, see also Shear |
| Driving moment, 382 | strength |
| Drop hammer, 343, 344 345, 346 | slope stability and, 427429-431, 432-434 |

| standard penetration test, 259 | retaining walls, 379, see also Earth retaining |
|--|---|
| stress paths, 208 | structures |
| triaxial tests, 194 | shallow foundations, 291-292, see also Shallow |
| Effective stress friction angle, 484 | foundations |
| Effective vertical stress, 83, 94 | shear, see Shear strength |
| consolidation and, 139, 140, see also Consolidation | slope, see also Slope stability |
| flow and, 81, 82 | stress relationships at, 205-206 |
| Elastic half space, 116, 117, 124, 311 | Failure circles, 422, 423 |
| Elasticity, theory of, 321 | Failure envelope, 186, 187, 188, 190, 195, 196, 205, 218, |
| Elastic medium, vibration of foundations and, 453, see | 227, 231 |
| Vibrations of foundations | direct shear test, 201 |
| Elastic moduli for clays, 321 | Mohr circles and, 190-191, 192 |
| Elastic perfectly plastic diagram, 115 | principal stresses at failure, 205–206 |
| Elastic settlement, 321 | stress paths, 208 |
| Elevation head, 73, 75, 76, 84, 93 | Failure load, shallow foundations, 291, 292, see also |
| Embankments, 6, 7, 17 | Shallow foundations |
| compaction and, 49, see also Compaction | Failure plane, 188, 189 |
| settlement, 139 | slope stability, 429-431 |
| shear failure, 181, 182, see also Shear strength | Failure surface, shallow foundations, 291, 292, 294, see |
| slope stability, 421, 422, see also Slope stability | also Shallow foundations |
| vane shear test, 270 | Fall cone method, 35, 36 |
| vertical stresses beneath, see Vertical stresses, | Falling head |
| beneath loaded areas | laboratory tests, 277 |
| End-bearing piles, 341, 342, 343 | permeability test, 77, 78-80, 93 |
| End-product specification, 55 | Fellenius method of slices, 433-434, 439-440 |
| Engineering geology, 1 | Fiber-reinforced polymers, 345 |
| Engineering News Record pile driving formula, 354 | Field compaction, 55-58 |
| Environmental geomechanics, I | Field density, laboratory tests, 277 |
| Equation of motion, 454, 456, 458, 461, 475 | Field tests, 3, 251, see also In situ tests; specific tests |
| Equipotential line, 83, 84, 85, 86, 90, 91, 93, 99-100 | consolidation, 147-150 |
| Equivalent permeabilities for one-dimensional flow, | permeability, 77-81 |
| 87-88, 89 | Fill, 2, 19, 20 |
| Erosion, 379, 421 | Filters, design of, 86-87 |
| Excavations | Final consolidation settlement |
| braced, see Braced excavations | computation of, 150-153, 166-169, 172-175 |
| earth retaining structures, 377, 386-390, see also | time rate of, 153-159 |
| Earth retaining structures | Fine-grained soils, 27, 30, 32-34 |
| horizontal earth pressures, 225, 226, see also Lateral | AASHTO classification, 39-40 |
| earth pressures | Atterberg limits, 34-37, 38, 49, 41 |
| slope stability, 421, 422, see also Slope stability | çlay mineralogy, 32–33, 34 |
| vane shear test, 270 | grain size distribution, 28, 41 |
| Excavator, 49 | permeability, 77, 78, 79, 93 |
| Excess pore water pressure, 154, 155, 156, 159 | USCS classification, 37-39 |
| Expansive clays, 33 | visual identification, 40 |
| #F) # # # | Fines content, 38-39, 40, 41, 43, 44, 268 |
| F | Finite difference analysis, 6, 307 |
| Fabrics, 33, 34 | Finite element analysis, 6, 7, 91, 307 |
| Failure | FLAC, 6 |
| Mohr-Coulomb criterion, 186-187 | Flexible circular load, stress increase beneath the center |
| Meanwaste wastering 100-107 | of, 125-126, see also Newmark's chart |

| Flexible footing, 301 | Free undamped vibration, 482 |
|---|--|
| Flexible method of raft foundation design, 307-309 | Free vibration of a spring-mass system, 454-455 |
| Flexible square footings, 124, 125 | Free vibration with viscous damping, 455 458 |
| Flexible uniform load, pressure isobars under, 124, 125 | Frequency, 482 |
| Floating foundation, 299 | Frequency of vibration, 455-456, 483 |
| Flocculated fabrics, 33, 202 | Friction, 187, 210 |
| Flow | bearing capacity and, 294, 295, see also Bearing |
| horizontal, see Horizontal flow | capacity |
| stresses in soils due to, 80-81 | slope stability and, 427-431 |
| vertical, see Vertical flow | Friction angle, 187 190, 204, 205, 214, 217, 219, 220, |
| Flow channel, 83 | 281, see also specific topics |
| Flow line, 82 83 | bearing capacity and, 294, 297, 298, 324 |
| Flow net, 83, 84, 85 | direct shear test, 201 |
| in anisotropic soils, 85-86 | earth retaining structures, 381, 387, see also Earth |
| construction, 85 | retaining structures |
| drawing using SEEP/W, 89, 92, 101-103 | effective, see Effective friction angle |
| Flow rate, 78, 79, 80, 82, 84, see also Seepage | for granular soils, 201, 202 |
| computation using SEEP/W, 89, 91, 92 | shallow foundations, 301 |
| Fly ash, 13, 21, 22 | shear strength and, 211-212, 218 |
| Footing breadth, 310 | slope stability and, 427-431, 432 |
| Footing depth, 310 | standard penetration test, 262, 263 |
| Footing shape, 310 | stress paths and, 208 |
| Footings, 3, see also specific types | triaxial tests, 194, 195, 196 |
| bearing capacity, 295-301 | vibration of foundations and, 483, 484 |
| deep foundations, see Deep foundations | Friction piles, 341, 342, 343 |
| design criteria, 292 | Friction ratio, 264, 265, 280 |
| earth retaining structures, 382, see also Earth | |
| retaining structures | G |
| eccentrically loaded, pressure distributions beneath, | Gabion wall, 3, 4 |
| 301 - 304 | Gap-graded soils, 30, 43 |
| shallow foundations, see also Shallow foundations | General shear failure, 291, 292, 294 |
| settlement, 290, 310-319 | Geoengineering, 1, 8 |
| Forced vibration, 482 | Geoenvironmental engineering, 1 |
| Foundation engineering, I | Geofabrics, 86 |
| Foundations, 3 | Geomaterials, 1 |
| classes of, 289 | Geomechanics, 1, 8 |
| deep, see Deep foundations | Geophone, 268-269 |
| defined, 289 | Geophysical surveys, 251 |
| settlement, 139, 262 | GEO-SLOPE International, 6, 89, 129, 436 |
| shallow, see Shallow foundations | GeoStudio 2007, 6, 89, 129, 436, 443 |
| site investigation, 275 | Geosynthetics, 3 |
| vane shear test, 270 | Geotechnical engineering, defined, 1 |
| vertical stresses beneath, see Vertical stresses, | Gibbsite, 32 |
| beneath loaded areas | Glacial soil, 2 |
| vibration of, 453-485, see also Vibrations of | Grain shape, 27, 31 |
| foundations | Grain size |
| Fractional resistance, 75 | capillary rise and, 69 |
| Franki pile, 341, 345 | classification of soils, see Soil classification |
| Free damped vibration, 482 | Grain size distribution, 27, 28-30, 37, 40, 41-43, 44 |
| Free earth support method, 396-398 | 10000 10000 |

| design of filters and, 87, 100, 101 | hydraulic gradient and, 75, 76 |
|--|---|
| laboratory tests, 277 | lateral earth pressures and, see Lateral earth pressures |
| Grain size distribution curve, 28, 29, 43, 45, 100-101 | permeability, 87 |
| Granular backfills, inclined, 235-236 | slope stability, 422, see also Slope stability |
| Granular filters, design of, 86-87, 100-101 | Homogeneous undrained slopes, stability of, 423-425 |
| Granular soils, see also specific topics | Hooke's law, 6 |
| bearing capacity, 293 | Horizontal effective stress, 225, 226 |
| cantilever sheet piles in, 386-393 | Horizontal flow, 87, 88 |
| classification of, 263 | Horizontal loading, 225, see also Lateral earth pressures |
| cohesion, 210 | Horizontal normal stress, 65 |
| compression, 160 | Horizontal permeability, 85 |
| earth retaining structures and, see Earth retaining | Horizontal pressure, 275 |
| structures | Horizontal stresses, 225-250, 271, 272 |
| friction angle, 201, 202 | at-rest state, 226-230 |
| piping in, 85, 86 | Coulomb's earth pressure theory, 237, 239 |
| shallow foundations, 290, 291, 324, see also Shallow | earth retaining structures, see Earth retaining |
| foundations | structures |
| settlement in, 310-319 | Rankine's earth pressure theory, 230-237 |
| shear strength, 200 | active state, 231, 232 |
| site investigation, 254-256, 261, 263, 264 | applications, 225, 226 |
| slope stability, 431, 432 | effects of uniform surcharge, 236-237 |
| strength, 187 | inclined granular backfills, 235-236 |
| upward flow, 82 | lateral pressure distributions, 233-235 |
| Gravelly sand, 70 | passive state, 231-233, 234 |
| Gravels | review exercises, 246-250 |
| classification of, 27, 37, 38, 39, 41 | worked examples, 240-246 |
| earth retaining structures and, 377, 379, see also | H-piles, 341, 345 |
| Earth retaining structures | Hydraulic conductivity, 73, 77, 78, see also Permeability |
| friction angle, 202 | Hydraulic gradient, 75, 76, 78, 80, 81, 82, 88 |
| grain size distribution, 30 | average, 75 |
| permeability, 71, 73 | seepage and, 85, see also Seepage |
| site investigation, 254, 259, 268 | Hydrometer analysis, 28, 30, 279 |
| Gravity retaining walls, 377-379, 380 | The Branch Annick Annick Control of the Control of |
| Gross pressures, 299 | |
| Gross ultimate bearing capacity, 299-301 | Igneous rocks, 1, 2 |
| Ground improvement, 3 | Illite, 32, 33, 45 |
| Ground subsidence, 421 | Immediate settlement, 320, 321–323, 330–331 |
| Ground water contamination, 1 | Impact roller, 55, 56 |
| Group index, 39 | In situ tests, 3, 251, 257, 259-276, 280, see also Field |
| ♣ . 102 | tests; specific tests |
| H | borehole shear test, 273, 274 |
| Halloysite, 33 | cone penetration test, 259, 263-269 |
| Hammer efficiency, 260-262, 281-282 | dilatometer test, 271–273 |
| Handy, Richard, 273 | granular soils, 254-256 |
| Hazardous waste disposal, 1 | K _a stepped-blade test, 273, 275 |
| Heterogeneous soils, hydraulic gradient and, 75 | plate load test, 275–276 |
| High-rise building, 290 | pressuremeter test, 270–271 |
| Highways, 379 | standard penetration test, 259-263 |
| Homogeneous soils | vane shear test, 269-270 |
| © | - House Advisory reacts account to |

| Inclination, 382, 383 | Rankine's earth pressure theory, 230-237 |
|---|--|
| Inclination of footing, 296, 297, 299, 300 | active state, 231, 232 |
| Inclined granular backfills, 235–236 | applications, 225, 226 |
| Index properties, 256, 276, see also specific properties | effects of uniform surcharge, 236-237 |
| Indian Standards (IS), 37 | inclined granular backfills, 235-236 |
| Inertia ratio, 471 | lateral pressure distributions, 233-235 |
| Infinite slopes, 429-432 | passive state, 231–233, 234 |
| Initial settlement, 321 | review exercises, 246-250 |
| Intergranular stress, 65 | worked examples, 240-246 |
| Internal friction, angle of, 187 | Lateral pressure |
| IS, see Indian Standards | cantilever sheet piles, 386-395 |
| Isobars, pressure, under flexible uniform loads, 124, 125 | earth retaining structures, 389, see also Earth |
| Isolated footings, 304-305 | retaining structures |
| Isotropic loading, 202, 203, 219 | Lateral pressure distribution, 228 |
| Itaipu Dam, Brazil, 3, 4 | earth retaining structures, 386-387, see also Earth |
| map a bann, brasin, b, 1 | retaining structures |
| J | Lava, 1 |
| | Lifts, 52 |
| Janbu method of slices, 437-441 | Limit equilibrium methods, 435, 443, see also Slope |
| Jetties, 341 | stability |
| Jetting, 345 | Linear elastic continuum, 115 |
| 14 | Linear elastic diagram, 115, 116 |
| K | Linear shrinkage, 35, 36, 277 |
| Key, 384-385 | Line loads, stresses due to, 118 |
| K_0 state, 225–228 | Line of optimum, 51 |
| $K_{\rm e}$ stepped-blade test, 226, 273, 275 | Liquefaction, 82 |
| Kaolinite, 32, 33, 45 | Liquidity index, 35 |
| Kentledge, 276, 356 | |
| Kern, 302, 303 | Liquid limit, 34, 35, 36, 37, 38, 49, 41, 43, 144 |
| Kneading, 55 | laboratory tests, 277 |
| | Liquid state, 34, 35 |
| L | Load carrying capacity |
| Laboratory tests | deep foundations, 343, see also Deep foundations |
| compaction, 52-55 | of a pile, 341, 347-353, see also Piles |
| consolidation, 143 | equations for estimating, 354-355 |
| granular soils, 256 | negative skin friction, 353 |
| permeability, 77–81 | ultimate bearing capacity at the tip, 343, 350 |
| site investigation, 251, 276, 277, 280 | ultimate shear resistance among the shaft, 349–353 shallow foundations, see Shallow foundations |
| Lacustrine soil, 2 | Loaded area, vertical stresses beneath, see Vertical |
| Laminar flow, 77, 79 | the control of the co |
| Landfills, 1, 49 | stresses, beneath loaded areas |
| Landslides, 421 | Loading, 6 |
| Laplace's equation, 83 | direct shear test, 200–202 |
| Laser sizing, 28 | drained and undrained, 191-193, 194-195, 208, 214 |
| Lateral earth pressures, 225–250 | shear strength and, 187-190, see also Shear strength |
| at-rest state, 226-230 | Skempton's pre pressure parameters, 203 |
| Coulomb's earth pressure theory, 237, 239 | stress paths and, 206-209 |
| earth retaining structures, see Earth retaining | triaxial tests, 193-200 |
| structures | Local shear failure, 291, 292, 294 |
| of fictures | Long-term loading, 193 |

| Loose sands, direct shear test, 201 | Mohr-Coulomb failure criterion, 186-187 |
|---|---|
| Loose soil, 30, 31 | Moist density, 13 |
| Low strain amplitude, 463 | Moment of inertia, 388, 478, 485 |
| | Montmorillonite, 32, 33, 45 |
| M | Morgenstern-Price method of slices, 435, 439-441, 443 |
| Magma, 1 | 446-447 |
| Magnesium, 32, 33 | Muskeg, 160 |
| Marchetti, Silvano, 271 | |
| Marine clays, 12 | N |
| Marine soil, 2 | Nakheel Tower, Dubai, 257 |
| Masonry, 377 | Natural frequency, 460 |
| Mass, 11, 12, 13, 14, 15, 16, 17, 19, 20, 22, 58 | Natural slopes, 421 |
| vibrations of foundations and, 465, 466, 468, 469 | Naval Facility Design Manual, 6 |
| Mass moment of inertia, 478, 485 | Navy-McKay pile driving formula, 354 |
| Mass ratio, 468 | Negative skin friction, 353 |
| Mass-spring system, 483 | Net pressures, 299 |
| Mass-spring-dashpot system, 469-471, 475-478, 483 | Net ultimate bearing capacity, 299-301 |
| Mat foundations, 289, 304-309 | Neutral stress, 65, 69 |
| Maximum amplitude, 460 | Newmark's chart, 124-128, 133 |
| Maximum dry density, 51, 52-53, 55, 57, 58, 62 | Newton's second law of motion, 454 |
| Maximum void ratio, 30 | Noncohesive soils, 32 |
| Mechanical disturbance, 256 | Nondisplacement pile, 345 |
| Mechanically stabilized earth wall, 378, 379 | Normally consolidated clay, 330-332 |
| Mechanics, 1 | cohesion, 210 |
| Medium dense soil, 31 | compression, 160 |
| Mesh, 6, 7 | consolidation, 144 |
| Mesh size, 91 | final consolidation settlement, 150, 172-175 |
| Metamorphic rocks, 1, 2 | lateral earth pressures, 227-228 |
| Method of slices, 7, 432-435, 439-441, 443, 446-447 | shear strength, 201, 203, 204, 217, 219 |
| Method of specification, 55 | time rate of consolidation, 155 |
| Meyerhof's bearing capacity equation, 295-299, 324 | triaxial tests, 194, 195, 199 |
| Michigan State Highway Commission pile driving | Nuclear density meter, 57 |
| formula, 354 | Numerical modeling, 6-7 |
| Micro piles, 341 | N-value, 259, 310 |
| Midpoint circles, 425, 426, 444, 445 | |
| Minimum void ratio, 30 | 0 |
| Modified Proctor compaction test, 52, 53, 61 | Octahedral sheet, 32, 33 |
| Modulus of elasticity, 273 | Octahedrons, 32 |
| Modulus of subgrade reaction, 275, 307 | Oedometer modulus, 149 |
| Mohr circles, 181-186, 187, 205, 210, 211, 214, 216, 217, | Oedometer ring, 140 |
| 218, 221, 226, 227, 231, 232, 259, see also Shear | Oedometer test, 151, 160-161 |
| strength | One-dimensional consolidation, 140-142, 226 |
| at failure, 206 | One-dimensional flow, equivalent permeabilities for, |
| failure envelopes in terms of stresses and, 190-191, | 87-88, 89 |
| 192, see also Failure envelope | Optimum water content, 51, 52, 57, 58, 59, 62 |
| loading and, 187190 | Ordinary method of slices, 433-434, 439-441, 443 |
| stress paths and, 206-209 | Organic clays, compression, 160 |
| triaxial tests, 195, 196-107, 298 | Organic soils, 12, 37, 38, 39 |
| Mohr-Coulomb envelope, 273 | specific gravity, 13 |
| | w 🗷 malatan salam 🚅 kan uman a 🕾 - Namar |

| 1 | |
|--|---|
| void ratio, 12 | site investigation, 268 |
| Oriented fabrics, 33 | typical values of, 77 |
| Oscillation, frequency of, 455 | worked examples, 94–103 |
| Ouches Breche Dam, France, 86 | Permeability criterion, 87, 101 |
| Overburden, vertical normal stresses due to, 66-67 | Perspex cell, 193 |
| Overburden pressure, 66, 265, 299, 313 | Phase diagram, 11, 12, 13, 14, 15 |
| Overburden pressure correction, 260–262 | compacted soil, 51-52 |
| Overconsolidated clays, 144, 149, 330–332 | Phase relations, 11-27, 47-48, see also Air; Soil grains; |
| compression, 160 | Water |
| final consolidation settlement, 150-151, 172-175 | laboratory tests, 277 |
| shear strength, 199, 201, 203 time rate of consolidation, 155 | Piers, 341 |
| Overconsolidated soils, lateral earth pressures, 228 | Piezocones, 169, 263, 264, 265 Piezometric line, 437 |
| | |
| Overconsolidation ratio, 144, 145, 164, 170, 203, 228, | Pile-driving analyzer, 356–357 |
| 273, 322, 330, 464, 484 | Pile group, 341, 361-364 |
| triaxial tests, 199 | Pile hammer, 345, 354 |
| Overdamped system, 456, 457, 458 | Pile load test, 355-357 Piles, 3, 341-376 |
| Overturning, 379, 381 -382, 383-384 Oxides, 32, 33 | |
| | applications of, 341, 342 breadth to depth ratio, 341 |
| Oxygen, 32 | composite, 344, 345 |
| n e | concrete, 342, 343, 344 |
| P | defined, 341 |
| Packing density, 27, see also Relative density | installation, 345-346 |
| Pad footings, 289, 290, 291, 327, 341 | load carrying capacity, static analysis, 347–354 |
| Palace of Fine arts, Mexico City, 290 | at the tip, 349, 350 |
| Parent rock, soil formation and, 2 | negative skin friction, 353 |
| Partially saturated soil, stresses within, 67 | ultimate shear resistance along the shaft, 349–353 |
| Particulate media, 65 | load test, 355-357 |
| Passive state, lateral earth pressures, 225, 231–233, | pile driving formulae, 354–355 |
| 234–235 | pile group, 361–364 |
| Pavement, 275 | review exercises, 373-375 |
| Peak shear strength, 201 | settlement of, 357–361 |
| Peat, 37, 39, 160 | steel, 342, 343 |
| Penetration number, 259 | timber, 342-343, 344 |
| Penetration resistance, 3 | types of, 341 |
| Penetrometer, 198, 252, 265 | worked examples, 365–372 |
| Percussion cup method, 35, 36 | PI-LL chart, 38, 43 |
| Percussion drilling, 254 | Pipelines, 3, 225 |
| Permeability Rernoulli's equation, 73, 75–76 | Piping |
| The state of the s | in granular soils, 85, 86 |
| compaction and, 49, 51, 52, 57, 62, see also | safety factor, 85, 96, 97 |
| Compaction consolidation test, 164 | Piston sampler, 256, 276 |
| | Pitching, 453 |
| Darcy's law, 76-77, 78 | Plane-strain compression test, 297 |
| defined, 73 | Plane-strain friction angle, 297 |
| equivalent for one-dimensional flow, 87–88, 89 | Plane-strain loading |
| laboratory and field tests, 77–81 review exercises, 103–113 | shallow foundations, 297, 313, 315 |
| seepage and, see Seepage | slope stability, 422, see also Slope stability |
| sechase area sechase | STREET, WINDOWS CD D. |

| Plasters, 290 | earth retaining structures, see Earth retaining |
|--|--|
| Plastic clays, 160 | structures |
| Plasticity, 35, 37, 38, 39 | lateral earth, see Lateral earth pressures |
| Plasticity index, 34, 35, 38, 39, 43, 194, 227, 228, 265- | shallow foundations, see Shallow foundations |
| 266, 282, 322, 464, 465, 484 | Pressure distributions beneath eccentrically loaded |
| Plastic limit, 34, 35, 38, 41 | footings, 301-304 |
| laboratory tests, 277 | Pressure head, 73, 75, 76, 84, 93 |
| Plastic solid state, 34, 35 | Pressure isobars, 124, 126 |
| Plate load test, 275-276, 309, 310 | Pressuremeter, 257, 258 |
| PLAXIS, 6 | Pressuremeter test, 226, 270-271 |
| Point loads, stresses due to, 116-117 | Presumptive bearing pressures, 292-293 |
| Poisson's ratio, 116, 150, 227, 228, 309, 466 | Principal planes, 183, 186, 188 |
| shear modulus and, 463-465 | Principal stress difference, 188 |
| Poorly graded soil, 30, 37, 38 | Principal stresses, 183, 184, 186, 188, 189, 202, 216, 221 |
| Pore air pressure, 67 | 230 |
| Pore channels, 86–87 | relationship at failure, 205-206 |
| Pore pressure dissipation test, 268 | stress paths, 206-209 |
| Pore water, 33 | Probabilistic charts for settlement prediction, 318–319 |
| total normal stress and, 65, 67 | Proctor, R.R., 52 |
| Pore water pressure, 6572, 93, 230 | Protective filters, 86 |
| computation using SEEP/W, 89, 91, 101–103 | 100 February 2000 (2000 2000 2000 2000 2000 2000 20 |
| The second of th | Pumping out test, 80, 81 |
| cone penetration test, 263-264 | Punching shear failure, 291, 292 |
| consolidation and, 139, 140, see also Consolidation | Pycnometers, 13 |
| design of filters and, 87 | - |
| flow and, 81, 82 | Q . |
| permeability and, 75, 76 | QUAKE/W, 6 |
| retaining wall design, 379, see also Earth retaining | Quick condition, 82 |
| structures | Quicksand, 82 |
| seepage and, 82, 84, 85 | |
| shallow foundations, 323 | R |
| shear strength and, 190, 202-205, 210, 211, 212, 213, | Radius, 476 |
| 222, see also Shear strength | Raft footings, 326 |
| Skempton's parameters, 202-205 | Raft foundation, 289, 290, 299 |
| slope stability and, 429-431, 432-434, 437 | design, 304–309 |
| standard penetration test, 259 | flexible method, 307–309 |
| triaxial tests, 193-200, 206, 208 | rigid method, 305–307 |
| Porosity, 12, 14, 15 | |
| Porous medium, 73 | Raker pile, 341, 345, 346 |
| Potassium, 32, 33 | Rankine's coefficient of passive earth pressure, 233 |
| Poulas and David method for estimating settlement of a | Rankine's earth pressure theory, 230–237 |
| pile, 358 | active state, 231, 232 |
| Prandtl-Reissner plastic-limit equilibrium plane-strain | earth retaining structures, 377, 379, 380, see also |
| analysis | Earth retaining structures |
| Precast piles, 343, 344 | effect of uniform surcharge, 236–237 |
| Preconsolidation pressure, 143, 144-146 | inclined granular backfills, 235-236 |
| Casagrande's procedure to determine, 148, 149, | lateral pressure distributions, 233-235 |
| 165–166 | passive state, 231-233, 234 |
| ?reloading, 151 | Reactive clays, 33 |
| Pressure | Recompression index, 143, 144, 169-170, 330 |

| Reconstituted sample, 256 | rocking, 471–475 |
|---|---|
| Rectangular footings, 298, 302-303, 310, 313, 315, 326 | sliding, 477 |
| Rectangular load, uniform, see Uniform rectangular load | torsional, 478, 480 |
| Reinforced earth, 3 | vertical, 468-469 |
| Reinforced earth walls, 377 | Rotational failure, 422, 423 |
| Reinforcement bar, 3 | Round-grained soil, 31 |
| Reinforcement cage, 379 | shear modulus for, 463 |
| Relative compaction, 55, 56, 57, 59-60, 63 | |
| Relative density, 30, 31, 187, 281 | S |
| standard penetration test, 261, 262, 263, 281-283 | Safety factor, 2 |
| Remolded clay, 202, 155 | deep foundations, 355, 355 |
| Residual shear strength, 201 | earth retaining structures, 381, 382, 383-384, 385, |
| Residual soils, 2 | 388 |
| Resistance | for piping, 85, 95, 96 |
| adhesive, 239 | shallow foundations, 290, 292, 299, 302, 305, 324, 325 |
| cohesive, 239 | slope failure , 422–423 |
| earth retaining structures, 382, 383, see also Earth | slope stability, 424, 427, 428, 432–435, 440–441, |
| retaining structures | 443-445, 447, 449, 450, 451 |
| Resisting moment, 382 | Sampling, 251, 253, 254, 256–257, 258 |
| Resonant frequency, 462, 463, 466, 467, 468, 470, 471, | Sand cone test, 57 |
| 482, 485 | Sand replacement test, 57 |
| Resonant frequency of vibration with damping, 460 | Sands, 21, 22 |
| Retaining walls, see also Earth retaining structures | classification of, 27, 37, 38, 39, 41 |
| design of, 379-285 | friction angle, 202 |
| lateral earth pressures, 255, see also Lateral earth | grain size distribution, 30 |
| pressures | lateral carth pressures, 227–230 |
| shear failure, 181 | permeability, 71 |
| Retention criterion, 86, 87, 101 | shallow foundations, 292, 305, see also Shallow |
| Reynolds number, 77, 79 | foundations |
| Rigid method of raft foundation design, 305-307, 308, | shear modulus for, 463-464 |
| 309 | shear strength, 201 |
| Rigid perfectly plastic diagram, 115 | site investigation, 259, 261, 262, 266, 273, 280 |
| Roads, compaction and, 49, see also Compaction | specific gravity, 13 |
| Roadwork, 31, 39 | stresses, 70 |
| Rocking vibration of foundations, 453, 469-475, 484 | in trial pit, 3 |
| constant force excitation, 469-471, 472 | void ratio, 12 |
| rotating mass excitation, 471-475 | Sandy gravel, 70 |
| Rock mechanics, 1 | Saturated clays |
| Rocks, 1 | consolidation, 139, see also Consolidation |
| bearing capacity, 293 | shear strength, 203, 210, 216, 217, 221 |
| drilling, 254 | Saturated density, 13, 14 |
| earth retaining structures, 377 | Saturated soil, 11 |
| parent, see Parent rock | lateral earth pressures, see Lateral earth pressures |
| soil formation and, 1-2 | stresses within, 65–66, 67, 69 |
| Rollers, 49, 55, 62 | Saturated unit weight, 13, 14 |
| Root piles, 341 | Saturation, 203, 204 |
| Rotary drilling, 254 | degree of, see Degree of saturation |
| Rotating mass excitation, vibration of foundations and, | triaxial tests, 194 |
| 461-463 | Scanning electron microscope, 33 |
| | Commence of the second |

| Schmertmann et al. method for predicting settlement of | Meyerhof's equation, 295-299 |
|--|--|
| a shallow foundation in granular soils, 310 | presumptive, 292-293 |
| Schmertmann's procedure to determine virgin | Terzaghi's equation, 294-295, 296 |
| consolidation line, 148 | water table effects, 301 |
| Screw pile, 345 | design criteria, 290-291 |
| Secondary compression, 159-164, 169, 321, 324 | pressure distribution beneath eccentrically loaded |
| Section modulus, 388 | footings, 301 - 304 |
| Sedimentary deposits, 87 | raft foundation design, 304-309 |
| Sedimentary rocks, 1-2 | review exercises, 334-338 |
| Seepage, 6, 82-86 | settlement in a cohesive soil, 319-324 |
| analysis using SEEP/W, 89-93, 101-105 | settlement in granular soil, 310-319 |
| beneath a dam, 73, 74, 75, 82, 85, 101-103 | types of, 289-290 |
| beneath a sheet pile, 73, 74, 82, 85, 101-103 | worked examples, 325-334 |
| Bernoulli's equation, 73, 75-76 | Shape of footing, 296, 298, 300, 310 |
| Darcy's law, 76-77, 78 | Shear box, 200, 201 |
| defined, 73 | Shear failure, 181, 186, see also Shear strength |
| design of granular filters, 86-87 | shallow foundations, 290, 291-292, see also Shallov |
| flow net construction, 85 | foundations |
| flow net in anisotropic soils, 85-86 | Shear forces |
| laboratory tests, 277 | earth retaining structures, 387 |
| piping in granular soils, 85, 86 | shallow foundations, 307 |
| review exercises, 103–113 | slope stability and, 432-434 |
| slope stability and, 431 | Shearing, 205 |
| velocity, 75 | Shearing, 200 Shearing resistance, angle of, 187 |
| worked examples, 94–103 | Shear modulus |
| SEEP/W, 46, 43 | of clay, 464-465 |
| | of sand, 463 -464 |
| seepage analysis using, 89–93, 101–105 | |
| Seismic cone, 269 | vibration of foundations and, 466, 483, 484 |
| Semi-solid state, 34, 35 | Shear resistance, 294 |
| Sensitivity, 202 | deep foundations, 341, 349, 350 |
| Settlement, 139, 275 | earth retaining structures, 381-384, see also Earth |
| compaction and, 49, see also Compaction | retaining structures |
| computation of final consolidation, 150-153, 166- | shallow foundations, 291, see also Shallow |
| 169, 172-175 | foundations |
| consolidation, 321, 323, 332, see also Consolidation | Shear strength, 181–224, see also specific topics |
| foundations, 262 | of clays, 264–265, 266, 269–270, 282–283 |
| Immediate, 320, 321–323, 330–331 | common loading situation, 187-190 |
| laboratory tests, 277 | dilatometer test, 273 |
| limits, 290 | direct shear test, 200-202 |
| of a pile, 357–361 | drained and undrained loading, 191-193, 194-195, |
| probabilistic charts for predicting, 318-319 | 208 |
| shallow foundations, 290, 291, 299, 305, 324, see also | effects of stress relief on, 257, 258 |
| Shallow foundations | in situ tests, 257, 258 |
| in cohesive soil, 319-324 | Mohr circles, 181–186, 187, 210, 211, 214, 216, 217 |
| in granular soil, 310–319 | 218, 221 |
| worked examples, 325-334 | failure envelopes in terms of stresses and, 190-191, |
| Shallow foundations, 289-339, 341 | 192 |
| bearing capacity, 290, 291-301 | Mohr-Coulomb failure criterion, 186-187 |
| gross and net pressures, 299-301 | Skempton's pore pressure parameters, 202-205, 208 |

| slope stability and, 422, see also Slope stability | cone penetration test, 259, 263-269, 280, 283 |
|--|--|
| slope stability and, 422, 423-424, 427-428, 429-431, | dilatometer test, 271-273 |
| 444–445, see also Slope stability | K_a stepped-blade test, 273, 275 |
| stress relationships at failure, 205-206 | plate load test, 275–276 |
| triaxial tests, 193-200, 206, 208, 210-217 | pressuremeter test, 270-271 |
| vane shear test, 269-270 | standard penetration test, 259-263, 280, 281-282 |
| Shear stress, 181-185, 188, see also Shear strength | 283 |
| direct shear test, 201 | vane shear test, 269-270, 280, 282-283 |
| lateral earth pressures and, 230 | laboratory tests, 276, 277, 280 |
| shallow foundations, 290, 291, see also Shallow | locating the water table, 257 |
| foundations | report, 276, 278, 279 |
| slope stability and, 422, 423, 444, see also Slope | review exercises, 283-286 |
| stability | sampling, 253, 254, 256-257, 258 |
| Shear wave velocity, 269 | site reconnaissance, 251 |
| Sheepsfoot roller, 55 | subsoil profile, 251 |
| Sheet piles, 3, 377, 378, 379 | worked examples, 280-283 |
| anchored, see Anchored sheet piles | Site investigation report, 276, 278, 279 |
| cantilever, see Cantilever sheet piles | Site reconnaissance, 251 |
| lateral earth pressures, 230, see also Lateral earth | Skempton, Alec, 202 |
| pressures | Skempton's pore pressure parameters, 202-205, 208, 210 |
| seepage beneath, 73, 74, 75, 82, 85, 101-103 | 211, 212, 214, 216, 217, 219, 220, 222, 223 |
| Shelby tube", 256, 257, 276 | Skin friction, negative, 353 |
| Short-term loading, 192 | Sleeve friction, 264, 265, 280 |
| Short-term stress analysis, 427 | Slices, 432, 433, see also Method of slices |
| Shrinkage, 35 | Sliding, 379, 381, 383-384, 385 |
| Shrinkage limit, 34, 35 | Sliding vibration of foundations, 475-478, 485 |
| Sieve, laboratory tests, 277 | Slip circles, 422, 423–427, 428, 432–433, 436–442, 443 |
| Sieve analysis, 28, 30, 39 | Slip surface, 423, 424, 427, 435, 437–442, 443, see also |
| Sieve number, 28, 45 | Slope stability |
| Sieve shaker, 28 | Slope circles, 425, 426 |
| SIGMA/W, 6, 7, 443 | Slope height, 422 |
| stress computations using, 129-132, 135-136 | Slope stability, 3, 6, 115, 421–452 |
| Silicon, 32, 33 | analysis using SLOPE/W, 435-442 |
| Silts | failure and safety factor, 422-423 |
| classification of, 27, 37, 38, 39, 40, 41 | homogeneous undrained slopes, 423-427 |
| friction angle, 202 | Taylor's chart for undrained clays, 425-427 |
| permeability, 73 | infinite slopes, 429-432 |
| plasticity of, 34 | method of slices, 432-435 |
| Siltstones, 257 | Bishop's simplified, 434–435 |
| Silty clay, 71 | ordinary, 433-434 |
| Silty soils, 37, 38 | review exercises, 447–452 |
| Single-acting hammer, 345 | Taylor's chart for soils with cohesion and friction, |
| Site characterization, 251 | 427-429 |
| Site investigation, 251–288, see also specific topics | worked examples, 443–449 |
| | 107.3 |
| boreholes and trial pits, 251–252 | SLOPE/W, 6, 7 slope stability analysis, 435–442, 443, 445–449 |
| desk study, 251 drilling, 253–254, 255 | |
| The second secon | Sherry walt 379 |
| in situ tests, 257, 259-276, 280, see also specific tests borehole shear test, 273, 274 | Slurry wall, 379 |
| Difference affect (est, 473, 474 | Smectites, 33 |

| Smooth-wheeled roller, 55 | permeability, see Permeability |
|--|---|
| Soft clays, 12 | phase relations, see Phase relations |
| bottom heave in, 402-403 | saturated, 11 |
| Soil classification, 27-48, see also specific topics | scepage, see Seepage |
| AASHTO, 39-40 | site investigation, see Site investigation |
| coarse-grained soils, 27-31 | slope stability, see Slope stability |
| grain shape, 31 | specific gravity, 13 |
| grain size distribution, 28-30 | stiffness, 3 |
| relative density, 30, 31 | strength, 3 |
| fine-grained soils, 32-34 | stresses in, 6572, 81-82 |
| Atterberg limits, 34–37 | testing, 3, 5 |
| clay mineralogy, 32-33, 34 | transporting agents, 2 |
| laboratory tests, 277 | types of, 2 |
| major soil groups, 27 | water content, 11–12 |
| review exercises, 44-46 | Solids, 11, 12 |
| USCS, 37-39 | Specific gravity, 13, 14, 15, 16, 17, 18, 20, 21, 256 |
| visual identification, 40, 41 | laboratory tests, 277 |
| worked examples, 41-44 | vibration of foundations and, 483, 484 |
| Soil conditions, 3 | Specific surface, 32, 45 |
| Soil cover, 6 | clay minerals, 33 |
| Soil grains, 11, 12, 13, 15, 18, see also Soils | Split-barrel sampler, 259, 276 |
| consolidation and, 153 | Split-spoon samplet, 256, 259 |
| failure and, 181, see also Shear strength | Spreader, 49 |
| normal stresses and, 65-72 | Spread footing, 299 |
| specific gravity, 13 | Spring constant, 463, 466, 470, 471, 476, 478, 483 |
| stresses and, 67 | Spring-mass system, free vibration of, 454–455 |
| ACTION AND ACTION AND ACTION AND ACTION AND ACTION AND ACTION ACTION AND ACTION | |
| Soil mass, 11, 12 | SPT, see Standard penetration test |
| normal stresses and, 65–72 | Square footings, 294, 295, 297, 310, 312, 313 |
| slope stability and, see Slope stability | Stability |
| Soil mechanics, 1, 2, 8 | compaction and, 49, see also Compaction |
| Soil nailing, 3, 4, 377, 378, 379 | earth retaining structures, 377, 381-385, see also |
| Soil pressure beneath a footing, 301-304 | Earth retaining structures |
| Soils, I, see also specific types; specific topics | laboratory tests, 277 |
| anisotropic, 85–86 | retaining wall design, 379-385, see also Earth |
| capillary effects in, 68-69 | retaining structures |
| classification of, see Soil classification | slope, see Slope stability |
| coarse-grained, see Coarse-grained soils | Stability charts, Taylor's, 425–429 |
| compared to other engineering materials, 2, 8 | Standard penetration test (SPT), 3, 256, 257, 259-263, |
| consolidation, see Consolidation | 266, 276, 280, 281–282, 283, 310, 313, 316, 324 |
| damping characteristic, 456 | Standard Proctor compaction test, 52, 53, 57, 59-61, 62 |
| dry, 11 | Static deflection, 454, 455, 483 |
| drying, 12 | Steady-state forced vibration with damping, 458-463 |
| earth retaining structures, see Earth retaining | Steel sheet piles, 3 |
| structures | Steel, 2 |
| failure in shear, 181, see also Shear strength | earth retaining structures, 377, 385 |
| fine-grained, see Fine-grained soils | shear strength, 181, see also Shear strength |
| formation of, 1–2 | Steel piles, 341, 343, 345 |
| in situ tests, 257, 258 | Stokes' law, 28 |
| numerical modeling, 6–7 | Strain, 140 |

| consolidation and, 153 | Tensile stresses, 181 |
|--|--|
| Strain hardening, 115 | Terzaghi, Karl, 1 |
| Strain influence factor, 312-313 | Terzaghi and Peck method for predicting settlement of |
| Strain rate, 203 | a shallow foundation in granular soils, 310-311, |
| Strain softening, 115 | 317, 318 |
| Strap foolings, 289 | Terzaghi's bearing capacity equation, 291, 294-295, 296, |
| Streamline, 76, 82-84, 85, 86, 93, 99-100 | 299, 324 |
| Strength, laboratory tests, 277 | Terzaghi's consolidation theory, 159 |
| Stress contour, 124 | Terzaghi's one-dimensional consolidation theory, 139, |
| Stresses, 6, see also specific types | 153 |
| computations using SIGMA/W, 129-132, 135-136 | Fest pit, 252 |
| effective and total, 65-72 | Tetrahedral sheet, 32, 33 |
| horizontal, see Horizontal stress; Lateral earth | Tetrahedrons, 32 |
| pressures | Theory of elasticity, 321 |
| increase in, 141 | Thixotropic clay, 202 |
| principal, see Principal stresses | Three-dimensional consolidation, 140 |
| shear, 181, see also Shear strength | Thrust, 228, 381384, 385 |
| in soils due to flow, 81-82 | Tiebacks, 379 |
| vertical, see Vertical stresses | Timber, |
| Stress paths, 203, 206-209, 210, 215, 220 | earth retaining structures, 377, 385 |
| Stress point, 206, 217, 218, 222 | shear strength, 181 |
| Stress relief, 256, 257, 258 | Timber piles, 3, 342-343, 344, 345, 354 |
| Stress-strain plots, 115 | Time rate of consolidation, 153-159, 166-169, 172-175 |
| Strip footings, 124, 125, 289, 290, 291, 294, 295, 296, 297, | Toe circles, 425, 426, 444, 445 |
| 298, 301-302, 310, 313, 325, 382, see also Shallow | Torque, 269, 280, 282, 282, 478, 485 |
| foundations | Torsional vibration of foundations, 475-482, 485 |
| Struts, 225, 226 | Torvane, 198 |
| Subangular grains, 31 | Total density, 13 |
| Subgrade modulus, 307 | Total head, 73, 75, 76, 78, 81, 82, 83, 84, 90, 91, 93 |
| Submerged density, 13, 14 | Total head loss, 75, 76, 83 |
| Submerged unit weight, 13 | Total horizontal stress, 228, see also Horizontal stress |
| Subrounded trains, 31 | Total normal stress, 65 |
| Subsoil profile, site investigation, 251, see also Site | Total principal stresses, 202 |
| investigation | Total stress, 65–72, 82 |
| Subsurface exploration, 251 | consolidation and, 139, 140, see also Consolidation |
| Superposition, 120 | lateral earth pressures, 226, see also Lateral earth |
| Surcharge, 139, 140, 151, 152, 154 | pressures |
| uniform, 236–237 | shallow foundations, 299, 324 |
| Surface tension, 68 | shear strength and, 190, 215, 218, see also Shear |
| Swedish fall cone method, 35 | strength |
| Swedish method of slices, 433 | triaxial tests, 194, 195 |
| Swelling, 33 | Total stress analysis, 427 |
| 571 444 45 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | Total vertical stress, 82 |
| T | Translational failure, 423 |
| | Transported soils, 2 |
| Taylor's slope stability charts, 427-429, 443, 444, 445 | Tremie pipe, 379 |
| Taylor's square root of time method, 156, 158-159, | Trial pits, 3, 5, 251-252, 253, 256, see also Site |
| 161-164 | investigation |
| TEMP/W, 6 | Triaxial tests, 193–200, 206, 208, 228, 276, 277, 297, 298 |
| Tensile strength, 181 | 111aA1a1 (C515) 175 |

| consolidated drained, 194, 197, 211-212, 217, 218 | Upward flow, 81, 82 |
|--|---|
| consolidated undrained, 194, 195, 208, 209, 210-211, | U.S. Army Corps of Engineers, 6, 37 |
| 212, 217-218, 219, 220, 221 | U.S. Bureau of Reclamation, 37 |
| site investigation, 256 | USCS, see Unified Soil Classification System |
| unconsolidated undrained, 194, 195-197, 210, 218 | was |
| worked examples, 210-217 | V |
| Tube sample, 253, 256 | Vadose zone, 6 |
| Tunbridge Dam, Australia, 86 | VADOSE/W, 6 |
| 2:1 distribution method, 123, 135 | van der Waals forces, 33 |
| 2B-0.6 distribution, 312 | Vane shear test, 269-270, 280, 282-283 |
| | Velocity head, 73, 75, 93 |
| U | Vermiculite, 33 |
| Ultimate bearing capacity, | Vertical effective stress, 225, 226 |
| deep foundations, 341, 349, 350 | Vertical flow, 87, 88, 89 |
| earth retaining structures, 382, see also Earth | Vertical normal stress, 65, 116, 118, see also Vertical |
| retaining structures | stresses |
| shallow foundations, 292, 294, 299, 301, 305, 325 | computations using SIGMA/W, 129-132 |
| Ultimate shear resistance, deep foundations, 341, 349, | due to overburden, 66-67 |
| 350 | increase in, 116, 117, 118-121 |
| Unconfined compression test, 198-200, 219, 277 | Newman's chart, 124-128 |
| Unconfined compressive strength, 198 | 2:1 distribution method, 123 |
| Unconsolidated undrained triaxial test, 194, 195-106, | worked examples, 133-136 |
| 210, 218, 277 | Vertical permeability, 85 |
| Undamped free vibration, 454–455, 483 | Vertical pressures, shallow foundations, 301, see also |
| Undamped natural circular frequency, 455 | Shallow foundations |
| Undamped natural frequency, 482 | Vertical strain, 141 |
| Undamped natural frequency of vibration, 455, 457, 459 | Vertical stress, 81–82 |
| Underdamped system, 456, 457, 458 | beneath loaded areas, 115-138 |
| Underreamed pier, 341, 342 | Newmark's chart, 124–128 |
| Undrained clays, Taylor's stability chart, 425–427, 443, | pressure isobars under flexible uniform loads, |
| 444, 445 | 124, 125 |
| Undrained loading, 191–193, 194, 195–106, 200 | review exercises, 136-138 |
| clays, 295 | stress computations using SIGMA/W, 129-133 |
| shallow foundations, 299, 321 | stresses due to line loads, 118 |
| Undrained shear strength, 196 | stresses due to point loads, 116-117 |
| Undrained slopes, homogeneous, stability, 423-425 | stresses under the corner of a uniform rectangula |
| Uniaxial compression test, 198 | load, 118-123 |
| Unified Soil Classification System (USCS), 27 | 2:1 distribution method, 123 |
| Uniform load, flexible, see Flexible uniform load | worked examples, 133-136 |
| Uniformly graded soils, 30, 41, 43 | shear strength and, 189, 214, 219, see also Shear |
| Uniform rectangular load, stresses under the corner of, | strength |
| 118–123, 133 | stress paths, 206-209 |
| Uniform surcharge, 236-237 | triaxial tests, 193-200, 206, 208 |
| Unit thickness, 432 | Vertical vibration of foundations, 453, 465-469, 483, 484 |
| Unit weight, 13, 14, 15, 18, 58 | constant force excitation, 465-468 |
| bearing capacity and, 294 | rotating mass excitation, 468-469 |
| relative density and, 30 | Very dense soil, 31 |
| shallow foundations, 301 | Very loose sands, 292 |
| Uplift thrust, 84 | Very loose soil, 31 |
| a I come account (17). X.A | is judge may or |

| Vesic method for estimating settlement of a pile, 358-361 | Atterberg limits, 34-37 |
|---|---|
| Vibrations of foundations, 453-485 | classification of soils, see Soil classification |
| modes of, 453 | compaction and, 50-53, 55, 57, 58, 59-61, 63, see |
| review exercises, 483-485 | also Compaction |
| rocking, 469-475 | consolidation and, 144 |
| shear modulus and Poisson's ratio, 463-465 | laboratory tests, 277 |
| sliding, 475–478 | Water displacement, 20, 21 |
| torsional, 478-482 | Water table, 11, 17, 276 |
| vertical, analog solution, 465-469 | earth retaining structures and, 386 |
| vibration theory, 454-463 | effects on bearing capacity of shallow foundations, |
| free vibration of a spring-mass system, 454-455 | 301 |
| free vibration with viscous damping, 455-458 | locating, 257 |
| rotating mass-type excitation, 461-463 | piles and, 345 |
| steady-state forced vibration with damping, | slope stability and, 429-431, 432 |
| 458-461 | stresses and, 67 |
| Vibratory hammer, 345, 346 | Water truck, 56 |
| Vibratory plates, 55 | Weathering, 2 |
| Virgin consolidation line, 143-144, 150, 164, 169-170 | Weight, 11, 12, 13, 14, 15, 58, see also Mass |
| Schmertmann's procedure to determine, 148–149, | vibrations of foundations and, 465 |
| 165-166 | Well-graced soils, 30, 37, 38, 43 |
| Viscosity of water, 77 | Wells, 257 |
| Viscous damping, free vibration with, 455–458 | Westergaard equation, 116, 117, 133 |
| Visual identification and classification of soils, 40–41 | Wet density, 13 |
| | Wet mass, 50 |
| Void ratio, 12, 15, 16, 17, 19, 20, 30, 45, 62, 330 | |
| compaction and, 49, see also Compaction | Wet of optimal, 51, 55, 58 |
| consolidation and, 139, 144, see also Consolidation | Wet sieving, 30 |
| direct shear test, 201 | Wharves, 341 |
| permeability and, 77 | Wind load, deep foundations and, 341, see also Deep |
| vibration of foundations and, 463, 464, 483, 484 | foundations |
| Voids, 11, 12, 13 | Winkler beam, 308 |
| capillary effects and, 68-69 | Winkler hypothesis, 307 |
| Volume, 11, 12, 13, 14, 17, 20, 22 | |
| Volumetric strain, 141 | Y |
| | Yawing, 453 |
| W | Yield stress, 115 |
| Wash boring, 254 | Young's modulus, 257, 281, 308, 309, 310, 312, 313, 321, |
| Waste disposal, hazardous, t | 324 |
| Water, 11, 12, 13, 15, see also specific topics | standard penetration test, 261, 262, 281-283 |
| clay mineralogy and, 33 | |
| compaction and, 49, see also Compaction | Z |
| consolidation and, 153 | Zero air void curve, 53-55, 59-61, 62 |
| degree of saturation, 12-13 | 93 - 2 1332 COC 160 3 COM COM COM COLY COLS 107 € COM COLUMN (COLUMN COLUMN CO |
| density of, 13 | |
| normal stresses and, 65-72 | |
| permeability, see Permeability | |
| specific gravity, 13 | |
| stresses and, 67 | |
| unit weight, 13 | |
| Water content, 11-12, 14, 15, 16, 19, 20, 21, 256 | |