

References.

- Abensperg-Traun M. and Steven D. (1997). Ant- and termite-eating in Australian mammals and lizards: a comparison. *Australian Journal of Ecology* **22**: 9-17.
- Abrahams, H., Mulvaney, M., Glasco, D., and Bugg, A. (1995) *Areas of conservation significance on Cape York Peninsula*. Australian Heritage Commission and Environmental Resources Information Network, Canberra.
- Abramski, Z.N. and Rosenzweig, M.L. (1984). Tilman's predicted productivity-diversity relationship shown by desert rodents. *Nature* **309**: 150-151.
- Accad, A., Neldner, V.J., Wilson, B.A. and Neihus, R.E. (2001). *Remnant Vegetation in Queensland. Analysis of Pre-clearing Remnant 1997-1999 Regional Ecosystem Information Brisbane*. Queensland herbarium, Environmental Protection Agency, Brisbane.
- Allen Consulting Group (2001). *Repairing the Country: Leveraging Private Investment*. Report to Business Leaders Roundtable, Canberra.
- AHC (1996). *Lake Buchanan, Lake Galilee, Caukingburra Swamp, Pentland Qld*. Register of the National Estate, Australian Heritage Commission, Canberra.
- AHC (2001). *White Mountains National Park and Resources Reserve, Pentland Qld*. Register of the National Estate, Australian Heritage Commission, Canberra.
- Andersen A.N. (1990). The use of ant communities to evaluate change in Australian terrestrial ecosystems: a review and a recipe. Pp. 347-357. In 'Australian Ecosystems. 200 years of Utilisation, Degradation and Reconstruction'. (Eds. D.A. Saunders, A.J.M. Hopkins and R.A. How). *Proceedings of the Ecological Society of Australia* 16. Surrey, Beatty and Sons, Chipping Norton.
- Andersen A.N. (1991). Responses of ground-foraging ant communities to three experimental fire regimes in a savanna forest of tropical Australia. *Biotropica* **23**: 575-585.
- Andersen A.N. (1995). A classification of Australian ant communities, based on functional groups which parallel plant life forms in relation to stress and disturbance. *Journal of Biogeography* **22**: 15-29.
- Andersen A.N. (1995). Measuring more of biodiversity: genus richness as a surrogate for species richness in Australian ant faunas. *Biological Conservation* **73**: 39-43.
- Andersen A.N. (2000) *The Ants of Northern Australia: a Guide to the Monsoonal Fauna*. CSIRO Publications, Melbourne.
- Andersen A.N. and Lonsdale W.M. (1990) Herbivory by insects in Australian tropical savannas: a review. *Journal of Biogeography* **17**: 433-44.

References.

- Andersen A.N. and Morrison S. (1998). Myrmecochory in Australia's seasonal tropics: effects of disturbance on distance dispersal. *Australian Journal of Ecology* **23**: 483-91.
- Andersen A.N., Azcárate F.M. and Cowie I.D. (2000). Seed selection by an exceptionally rich community of harvester ants in the Australian seasonal tropics. *Journal of Animal Ecology* **69**: 975-84.
- Andersen, A.N., Hoffmann B.D., Müller, W.J. and Griffiths, A.D. (2002) Using ants as bioindicators in land management: simplifying assessment of ant community responses. *Journal of Applied Ecology* in press.
- Anderson, S. and Marcus, L.F. (1992). Aerography of Australian tetrapods. *Australian Journal of Zoology* **40**: 627-651.
- ANZECC and ARMCANZ (1999). *Managing Australia's rangelands: National principles and guidelines for rangeland management*. Australian and New Zealand Environment and Conservation Council (ANZECC) and Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ), Canberra.
- Archer, M. (1984). Origins and early radiations of mammals. Pp. 477-516. In 'Vertebrate Zoogeography and Evolution in Australasia: Animals in Space and Time'. (eds M. Archer and G. Clayton). Hesperian Press, Carlisle, Western Australia.
- Archer, M. and Clayton, G. (eds) (1984). *Vertebrate Zoogeography and Evolution in Australasia: Animals in Space and Time*. Hesperian Press, Carlisle, Western Australia.
- Archer, M. and Fox, M. (1984). Background to vertebrate zoogeography in Australia. Pp. 1-16. In 'Vertebrate Zoogeography and Evolution in Australasia: Animals in Space and Time'. (eds M. Archer and G. Clayton). Hesperian Press, Carlisle, Western Australia.
- Archer, M., Burnley, I., Dodson, J., Harding, R., Head, L., and Murphy, A. (1998). *From Plesiosaurs to People: 100 million years of Australian Environmental History*. State of the Environment Australia Technical Paper, Department of the Environment, Canberra.
- Arthington, A.H., Bunn, S. and Catterall, C.P. (1993). The Ecological Roles of Riparian Vegetation. in 'The role of buffer strips in the management of waterway pollution from diffuse urban and rural sources'. Land and Water Research Development Corporation, Occasional Paper Series, No 01/93.
- Ash, A. J. (ed) (1996). *The Future of Tropical Savannas: an Australian Perspective*. CSIRO, Australia.
- Ash, A.J., Bellamy, J.A. and Stockwell, T.G.H. (1994). State and transition models for rangelands. 4. Application of state and transition models to rangelands in northern Australia. *Tropical Grasslands* **28**: 223-228.

References.

- Ash A.J., McIvor J.G., Mott J.J. and Andrew M.H. (1997). Building grass castles: integrating ecology and management of Australia's tropical tallgrass rangelands. *Rangeland Journal* **19**: 123-144.
- Ash, A., Corfield, J. and Ksiksi, T. (2002). *The ECOGRAZE Project: developing guidelines to better manage grazing country*. CSIRO Sustainable Ecosystems, Townsville.
- Balmford, A. (1998). On hotspots and the use of indicators for reserve selection. *Trends in Evolution and Ecology* **13**: 409.
- Barker, W.R. and Greenslade, P.J.M. (eds) (1982). *Evolution of the Flora and Fauna of Arid Australia*. Peacock Publications, South Australia.
- Barrett, G. (2000). *Birds on Farms. Ecological Management for Agricultural Sustainability*. Supplement to *Wingspan* 10 (4). Birds Australia, Hawthorn East.
- Baverstock, P.R. (1982). Adaptations and evolution of the mammals of arid Australia. Pp. 175-178. In '*Evolution of the Flora and Fauna of Arid Australia*'. (eds W.R. Barker and P.J.M. Greenslade). Peacock Publications, South Australia.
- Baverstock, P.R. (1984). Australia's living rodents: a restrained explosion. Pp. 913-920. In '*Vertebrate Zoogeography and Evolution in Australasia: Animals in Space and Time*'. (eds M. Archer and G. Clayton). Hesperian Press, Carlisle, Western Australia.
- Baverstock, P.R., Watts, C.H.S, Adams, M. and Cole, S.R. (1981). Genetic relationships among Australian rodents. *Australian Journal of Zoology* **28**: 553-574.
- Beadle, N.C.W. (1981). *The Vegetation of Australia*. Cambridge University Press, Cambridge.
- Beckwith, J.A. and Moore, S.A. (2001). The influence of recent changes in public sector management on biodiversity conservation. *Pacific Conservation Biology* **7**: 45-54.
- Bedward M., Pressey R.L. and Keith D.A. (1992). A new approach for selecting fully representative reserve networks: addressing efficiency, reserve design and land suitability with an iterative analysis. *Biological Conservation* **62**: 115-125.
- Belbin L. (1987). The use of non-hierarchical allocation methods for clustering large sets of data. *Australian Journal of Ecology* **19**: 32-39.
- Belbin L. (1991). Semi-strong hybrid scaling, a new ordination algorithm. *Journal of Vegetation Science* **2**: 491-496.
- Belbin L. (1993). Environmental representativeness: regional partitioning and reserve selection. *Biological Conservation* **66**: 223-230.
- Belbin, L. (1995). *PATN Technical Reference*. CSIRO, Canberra.
- Bennett, M.M. (1928). *Christison of Lammermoor*. Alston Rivers, London.

References.

- Benson, J.S., and Redpath, P.A. (1997). The nature of pre-European native vegetation in south-eastern Australia: a critique of Ryan, D.G., Ryan, J.R. and Starr, B.J. (1995) *The Australian landscape - observations of explorers and early settlers. Cunninghamia* **5**: 285-328.
- BIOGRAZE (2000). *Biograzed: Waterpoints and Wildlife*. CSIRO, Alice Springs.
- Blacket, M.J., Adams M., Krajewski C. and Westerman M. (2000). Genetic variation within the dasyurid marsupial genus *Planigale*. *Australian Journal of Zoology*, **48**: 443-459.
- Blackman, J.G., Lawrie, B.C. and Locke, D.K. (1987). *Dalrymple Shire Fauna Survey Data Report*. Unpublished report to Queensland Parks and Wildlife Service, Townsville.
- Blackman, J.G., Perry, T.W., Ford, G.I., Craven, S.A., Gardiner, S.J. and De Lai, R.J. (1999). Characteristics of Important Wetlands in Queensland. EPA, Brisbane.
- Blakers, M., Davies, S.J.J.F. and Reilly, P.N. (1984). *The Atlas of Australian Birds*. Royal Australian Ornithologists Union, Melbourne University Press.
- Bolton, B.L. and Latz P.K. (1987). The western hare-wallaby *Lagorchestes hirsutus* (Gould) (Macropodidae) in the Tanami Desert. *Wildlife Research* **5**: 285-293.
- Bowman, D.M.J.S. (1996). Diversity patterns of woody species on a latitudinal transect from the monsoon tropics to desert in the Northern Territory, Australia. *Australian Journal of Botany* **44**: 571-580.
- Bowman, D.M.J.S. (2001). Future eating and country keeping: what role has environmental history in the management of biodiversity? *Journal of Biogeography* **28**: 549-564.
- Bowman, D.M.J.S., Wilson, B.A., and Dunlop, C.R. (1988). Preliminary biogeographic analysis of the Northern Territory vascular flora *Australian Journal of Botany* **36**: 503-517.
- Bowman, D.M.J.S., Wilson, B.A., and Fensham, R.J. (1990). Vegetation patterns on the Arnhem Land Plateau, Northern Territory, Australia. *Australian Journal of Ecology* **15**: 163-174.
- Bowman, D.M.J.S., and Panton, W.J. (1993) Decline of *Callitris intratropica* in the Northern Territory: implications for pre- and post-colonisation fire regimes. *Journal of Biogeography* **20**: 373-381.
- Bowman, D.M.J.S., Woinarski J.C.Z. and Menkhorst K.A. (1993). Environmental correlates of tree species diversity in Stage III of Kakadu National Park, northern Australia. *Australian Journal of Botany* **41**: 649-660.
- Bowman, D.M.J.S., Latz, P.K., and Panton, W.J. (1994). Pattern and change in an *Acacia aneura* shrubland and *Triodia* hummock grassland mosaic on rolling hills in central Australia. *Australian Journal of Botany* **43**: 25-37.

References.

- Bowman, D.M.J.S. and Woinarski J.C.Z. (1994). Biogeography of Australian monsoon rainforest mammals: implications for the conservation of rainforest mammals. *Pacific Conservation Biology* **1**: 98-106.
- Bradshaw, S.D. and Main, A.R. (1968). Behavioural attitudes and regulation of temperature in *Amphibolurus* lizards. *Journal of Zoology* **154**: 193-221.
- Braithwaite, R.W. (1987). Effects of fire regimes on lizards in the wet-dry tropics of Australia. *Journal of Tropical Ecology* **3**: 265-275.
- Braithwaite, R.W., Dudzinski, M.L., Ridpath, M.G., and Parker, B.S. (1984). The impact of water buffalo on the monsoon forest ecosystem in Kakadu National Park. *Australian Journal of Ecology* **9**: 309-322.
- Braithwaite, R.W., and Estbergs, J.A. (1985). Fire patterns and woody vegetation trends in the Alligator Rivers region of northern Australia. In *'Ecology and Management of the World's Savannas.'* (eds J.C. Tothill and J.J. Mott). Australian Academy of Sciences, Canberra.
- Braithwaite, R.W., Miller, L., and Wood, J.T. (1988). The structure of termite communities in the Australian tropics. *Australian Journal of Ecology* **13**: 375-392.
- Braithwaite, R.W. and Griffiths A.D. (1994). Demographic variation and range contraction in the northern Quoll *Dasyurus hallucatus* (Marsupialia: Dasyuridae). *Wildlife Research* **21**: 203-218.
- Braithwaite, R.W., and Griffiths, A.D. (1996). The paradox of *Rattus tunneyi*: endangerment of a native pest. *Wildlife Research* **23**: 1-21.
- Braithwaite, R.W., and Muller, W.J. (1997). Rainfall, groundwater and refuges: predicting extinctions of Australian tropical mammal species. *Australian Journal of Ecology* **22**: 57-67.
- Braithwaite, R. W. and Brady, P. (1993). The Delicate Mouse, *Pseudomys delicatulus*: a continuous breeder waiting for the good times. *Australian Mammalogy* **16**: 93-96.
- Breckwoldt, R. (1990). *Living Corridors*. Greening Australia, Canberra.
- Brock C. (2000). *Biogeography of birds and plants in chenopod shrublands in the Barkly Tableland Northern Territory*. Unpublished Honours thesis, Faculty of Science, Northern Territory University, Darwin.
- Brown, J. H. (1995). *Macroecology*. University of Chicago Press, Chicago.
- Brown, J. H. and Lomolino M. V. (1998). *Biogeography*. Sinauer Associates, Massachusetts.
- Buchanan, G. (1933). *Packhorse and Waterhole*. Hesperian Press, Sydney.

References.

- Burbidge A.A. and McKenzie N.L. (1989). Patterns in the modern decline of Western Australia's vertebrate fauna: causes and conservation implications. *Biological Conservation* **50**: 143-198.
- Burbidge, N. T. (1960). The phytogeography of the Australian region. *Australian Journal of Botany* **8**: 75-211.
- Bureau of Meteorology. (2000). Queensland Rainfall Data, Data Services, National Climate Centre. Bureau of Meteorology: <http://www.bom.gov.au>.
- Burgman, M.A. (1987). An analysis of the distribution of plants on granite outcrops in southern Western Australia using Mantel tests. *Vegetatio* **71**: 79-86.
- Burgman, M.A. (1988). Spatial analysis of vegetation patterns in south Western Australia: implications for reserve design. *Australian Journal of Ecology* **13**: 415-429.
- Burgman, M.A. (2000). Turner Review No. 5. Are listed threatened plant species actually at risk? *Australian Journal of Botany* **50**: 1-13.
- Burrough, P.A. and McDonald, R.A. (1998). *Principles of Geographic Information Systems*. Oxford University Press, Oxford.
- Burrows, W.H., Carter, J.O., Scanlan, J.C., and Anderson, E.R. (1990). Management of savannas for livestock production in north-east Australia: contrasts across the tree-grass continuum. *Journal of Biogeography* **17**: 503-512.
- Carstairs J.L. (1974). The distribution of *Rattus villosissimus* (Waite) during plague and non-plague years. *Australian Wildlife Research* **1**: 95-106.
- Catling, P.C. and Newsome, A.E. (1981). Responses of the Australian vertebrate fauna to fire. Pp. 273-310. In 'Fire and the Australian Biota.' (eds A.M. Gill, R.H. Groves and I.R. Noble). Australian Academy of Science, Canberra.
- Catterall C.P., Kingston, M.B. and Park, K. (1997a). Use of remnant forest habitat by birds during winter in subtropical Australia: patterns and processes. *Pacific Conservation Biology* **3**: 262-274.
- Catterall C.P., Kingston, M.B., Park, K. and Sewell, S. (1997b). Deforestation, urbanisation and seasonality: interacting effects on a regional bird assemblage. *Biological Conservation* **84**: 65-81.
- Catterall C.P., Piper S.D., Bunn S.E. and Arthur J.M. (2001). Flora and fauna assemblages vary with local topography in a subtropical eucalypt forest. *Austral Ecology* **26**: 56-69.
- Caughley, J. (1985). The effect of fire on the reptile fauna of the Mallee. Pp. 31-34. In 'The Biology of Australian Frogs and Reptiles'. (eds G. Grigg, R. Shine and H. Ehmann). Surrey, Beatty and Sons, Chipping Norton.

References.

- Christensen, P.E. and Kimber, P.C. (1975). Effect of prescribed burning on the flora and fauna of south-west Australian forests. *Proceedings of the Ecological Society of Australia* **9**: 85-106.
- Christidis, L. and Boles, W.E. (1994). *The Taxonomy and Species of Birds of Australia and its Territories*. RAOU Monograph 2, Royal Australasian Ornithologist's Union, Melbourne.
- Christidis, L. and Schodde, R. (1997). Relationships within Australo-Papuan Fairywrens (Aves: Malurinae): an evaluation of the utility of allozyme data. *Australian Journal of Zoology* **45**: 113-129.
- Clarke K.R. (1993). Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology* **18**: 117-43.
- Clarke K.R. and Gorley R.N. (2001). PRIMER v5: User Manual/Tutorial. Primer-E, Plymouth.
- Clarke K.R. and Green R.H. (1988). Statistical design and analysis for a 'biological effects' study. *Marine Ecology Progress Series* **46**: 213-226.
- Clarke K.R. and Ainsworth, M. (1993). A method of linking multivariate community structure to environmental variables. *Marine Ecological Progressive Series* **92**: 213-226.
- Clarke K.R. and Warwick, R.M. (1994). Similarity-based testing for community pattern: the two-way layout with no replication. *Marine Biology* **118**: 167-176.
- Cody M.L. (1993). Bird diversity components within and between habitats in Australia. Pp. 147-158. In 'Species Diversity in Ecological Communities.' (eds R.E. Ricklefs, and D. Schluter). University of Chicago Press, Chicago.
- Cody M.L. (1994). Mulga bird communities. I. Species composition and predictability across Australia. *Australian Journal of Ecology* **19**: 206-219.
- Cogger H.G. (2000). *Reptiles and Amphibians of Australia*. Reed New Holland, Sydney.
- Cogger H.G. and Heatwole H. (1981). The Australian reptiles: origins, biogeography, distribution patterns and island evolution. Pp. 1331-1373. In 'Ecological Biogeography of Australia.' (ed A. Keast). Dr W. Junk, The Hague.
- Cogger H.G., Cameron E.E., Sadler R.A. and Egger P. (1993). *The Action Plan for Australian Reptiles*. Australian Nature Conservation Agency, Canberra.
- Cole, J. R. and Woinarski, J. C. Z. (2002). *A Field Guide to the Rodents and Dasyurids of the Northern Territory*. Surrey, Beatty and Sons, Chipping Norton, NSW.
- Commonwealth Government. (1996a). *National Strategy for the Conservation of Australia's Biological Diversity*. Australian Government Printing Service, Canberra.

References.

- Commonwealth Government. (1996b). *Report on the Implementation of the National Strategy for Ecologically Sustainable Development*. Australian Government Printing Service, Canberra.
- Cook, G.D. and Heerdegen, R.G. (2001). Spatial variation in the duration of the rainy season in monsoonal Australia. *International Journal of Climatology* **21**: 1723-1732.
- Couper, P.J., Amey, A.P. and Kutt, A.S. (2002). A new species of *Ctenotus* (Scincidae) from central Queensland. *Memoirs of the Queensland Museum* **48**: 85-91.
- Covacevich, J. and Easton, A. (1974). *Rats and Mice in Queensland*. Queensland Museum Booklet No. 9. Queensland Museum, Brisbane.
- Covacevich J.A., Couper P.J. and McDonald K.R. (1998). Reptile diversity at risk in the Brigalow Belt, Queensland. *Memoirs of the Queensland Museum* **42**: 475-486.
- Craig, J.L., Mitchell, N. and Saunders, D.A. (2000). *Nature Conservation 5. Conservation in Production Environments: Managing the Matrix*. Surrey, Beatty and Sons, Chipping Norton.
- Crawley, M.J. (1993). *GLIM for ecologists*. Blackwell Scientific Publications, Oxford.
- Crisp, M.D., West, J.G. and Lindner, H.P. (1999). Biogeography of terrestrial flora. *Flora of Australia* **1**: 321-369.
- Crossman, D.G., and Reimer, D.S. (1986). Mammals, birds, reptiles and amphibians of the Taroom Shire, central Queensland. *Queensland Journal of Agricultural and Animal Sciences* **43**: 55-72.
- Crowley, G.M. and Garnett S.T. (1998). Vegetation change in the grasslands and grassy woodlands of east-central Cape York Peninsula, Australia. *Pacific Conservation Biology* **4**: 132-148.
- Crowley, G.M, and Garnett, S.T. (2000), Changing fire management in the pastoral lands of Cape York Peninsula of northeast Australia 1623 to 1996. *Australian Geographical Studies* **38**: 10-26.
- Csuti B., Polasky S., Williams P.H., Pressey R.L., Camm J.D., Kershaw M., Kiester A.R., Downs B., Hamilton R., Huso M. and Sahr K. (1997). A comparison of reserve design algorithms using data on terrestrial vertebrates in Oregon. *Biological Conservation* **80**: 83-98.
- Currie, D.J. (1991). Energy and large-scale patterns of animal and plant species richness. *American Naturalist* **137**: 27-49.
- Curry, P.J., and Hacker, R.B. (1990). Can pastoral grazing management satisfy endorsed conservation objectives in arid Western Australia? *Journal of Environmental Management* **30**: 295-320.
- Diamond, J.M. (1975). The island dilemma: lessons of modern biogeographic studies for the design of nature reserves. *Biological Conservation* **7**: 129-146.

References.

- Dickman, C.R. (1989). Patterns in the structure and diversity of marsupial carnivore communities. Pp. 241-251. In, ' *Patterns in the Structure of Mammalian Communities*'. (eds D.W. Morris, Z. Abramsky, B.J. Fox and M.R. Willing). Texas Technical University Press.
- Dickman, C. R. (1993). *The Biology and Management of Native Rodents of the Arid Zone in NSW*. Species management Report No. 12. NSW National Parks and Wildlife Service, Hurstville NSW.
- Dickman, C. R., Mahon, P. S., Masters, P., and Gibson, D. F. (1999). Long-term dynamics of rodent populations in arid Australia: the influence of rainfall. *Wildlife Research* **26**: 389-403.
- DNRM (2002). *Draft Regional Vegetation Management Plan – Southern Desert Uplands 2002*. Queensland Department of Natural Resources and Mines, Queensland Government, Brisbane.
- Doherty, M., Kearns, A., Barnett, G., Sarre, A., Hochuli, D., Gibb, H. and Dickman, C. (2000). *The Interaction Between Habitat Conditions, Ecosystem Processes and Terrestrial Biodiversity – a review*. Australia State of the Environment technical paper series 2. No. 2. Department of Environment and Heritage, Canberra.
- Dorracott K.E., Voller P.J. and Lawrie B.C. (1998). *Balancing Production with Nature Conservation. Case Studies from Southern Inland Queensland*. Queensland Department of Environment, Brisbane.
- Duncan, A., G.B. Baker, G.B. and Montgomery, N. (1999). *The Action Plan for Australian Bats*. Australian Government Printing Service, Canberra.
- Dyne, G.R. and Walton, D.W. (eds) (1987). *Fauna of Australia. Vol. 1A. General Articles*. AGPS, Canberra.
- Ellis, B.A., Russell, E.M., Dawson, T.J., and Harrop, C.J.F. (1977). Seasonal changes in diet preferences of free-ranging red kangaroos, euros and sheep in western New South Wales. *Australian Wildlife Research* **4**: 127-144.
- Environmental Protection Agency (2002). *Biodiversity Assessment and Mapping Methodology*. Draft report, EPA Planning Assessment Unit, Brisbane.
- Fairfax, R.J., and Fensham, R.J. (2000). The effect of exotic pasture development on floristic diversity in central Queensland, Australia. *Biological Conservation* **94**: 11-21.
- Faith D.P. and Walker P.A. (1996). How do indicator groups provide information about the relative biodiversity of different sets of areas?: on hotspots, complementarity and pattern-based approaches. *Biodiversity Letters* **3**: 18-25.
- Fensham, R.J. (1997). Aboriginal fire regimes in Queensland, Australia: analysis of the explorers' record. *Journal of Biogeography* **24**: 11-22.

References.

- Fensham, R.J. (1998a). The influence of cattle grazing on tree mortality after drought in savanna woodland in north Queensland. *Australian Journal of Ecology* **23**: 405-407.
- Fensham R.J. (1998b). The grassy vegetation of the Darling Downs, south-eastern Queensland, Australia: floristics and grazing effects. *Biological Conservation* **84**: 301-310.
- Fensham R.J., McCosker J.C. and Cox M.J. (1998). Estimating clearance of *Acacia*-dominated ecosystems in central Queensland using land-system mapping data. *Australian Journal of Botany* **46**: 305-319.
- Fensham, R.J., and Holman, J.E. (1999). Temporal and spatial patterns in drought related tree dieback in Australian savanna. *Journal of Applied Ecology* **36**: 1-17.
- Fensham R.J. and Skull S.D. (1999) Before cattle: a comparative floristic study of *Eucalyptus* savanna grazed by macropods and cattle in north Queensland, Australia. *Biotropica* **31**: 37-47.
- Fensham R.J., Minchin P.R., Fairfax R.J., Kemp J.E., Purdie R.W., McDonald W.J.F. and Neldner V.J. (2000). Broad-scale environmental relations of floristic gradients in the Mitchell (*Astrelba*) grasslands of Queensland. *Australian Journal of Botany* **48**: 27-38.
- Ferrier S. and Watson G. (1997). *An Evaluation of the Effectiveness of Environmental Surrogates and Modelling Techniques in Predicting the Distribution of Biological Diversity*. Environment Australia, Canberra.
- Ferrier S., Gray M.R., Cassis G.A. and Wilkie L. (1999). Spatial turnover in species composition of ground-dwelling arthropods, vertebrates and vascular plants in north-east New South Wales: implications for selection of forest reserves. Pp. 68-76. In 'The Other 99%. The Conservation and Biodiversity of Invertebrates.' (eds W. Ponder and D. Lunney). Royal Zoological Society of New South Wales, Mosman.
- Ferrier S., Pressey R.L. and Barrett T.W. (2000). A new predictor of the irreplaceability of areas for achieving a conservation goal, its application to real-world planning, and a research agenda for further refinement. *Biological Conservation* **93**: 303-325.
- Finlayson, H.H. (1934). On mammals from the Dawson and Fitzroy valleys: central coastal Queensland. - Part II. *Transactions of the Royal Society of South Australia* **58**: 218-231.
- Fisher, A. (2001a). *Biogeography and conservation of Mitchell grasslands in northern Australia*. Thesis submitted for the degree of Doctor of Philosophy, Northern Territory University.
- Fisher, A.M. (2001b). Avifauna changes along a *Eucalyptus* regeneration gradient. *Emu* **101**: 25-32.

References.

- Fischer, J. and Lindenmayer, D.B. (2002). Small patches can be valuable for biodiversity conservation: two case studies on birds of south-eastern Australia. *Biological Conservation* **106**: 129-136.
- Flannery, T.F. (1994). *The Future Eaters: An Ecological History of the Australasian Lands and People*. Reed, Sydney.
- Flather C.H., Wilson K.R., Dean D.J. and McComb W.C. (1997). Identifying gaps in conservation networks: of indicators and uncertainty in geographic-based analyses. *Ecological Applications* **7**: 531-542.
- Fleischner T.L. (1994). Ecological costs of livestock grazing in western north America. *Conservation Biology* **8**: 629-644.
- Ford H.A., Barrett G.W., Saunders D.A. and Recher H.F. (2001). Why have birds in the woodlands of southern Australia declined? *Biological Conservation* **97**: 71-88.
- Ford, J. (1974). Speciation in Australian birds adapted to arid habitats. *Emu* **74**: 161-168.
- Ford, J. (1986). Avian hybridisation and allopatry in the region of the Einasleigh Uplands and Burdekin-Lynd divide, north-eastern Queensland. *Emu* **86**: 87-110.
- Ford, J. (1987). Minor isolates and minor geographical barriers in avian speciation in continental Australia. *Emu* **87**: 90-102.
- Ford, J. and Parker, S.A. (1974). Distribution and taxonomy of some birds from south-western Queensland. *Emu* **74**: 177-194.
- Fox, I.D., Wilson, V.J., Wilson, G.W. and Bannink, P.J. (2001). *The Vegetation of the Tropical Savannas*. Environmental protection Agency, Brisbane.
- Frakes, L.A., McGowran, B. and Bowler, J.M. (1987). Evolution of Australian Environments. Pp. 1-16. In 'Fauna of Australia. General Articles'. (eds G.R. Dyne and D.W. Walton). AGPS, Canberra.
- Frakes, L.A. (1999). Evolution of Australian Environments. *Flora of Australia* **1**: 163-203.
- Franklin D.C. (1999) Evidence of disarray amongst granivorous bird assemblages in the savannas of northern Australia, a region of sparse human settlement. *Biological Conservation* **90**: 53-68.
- Franklin D.C., Woinarski, J.C.Z. and Noske, R.A. (1999) Geographical patterning of species richness among granivorous birds in Australia. *Journal of Biogeography* **27**: 829-842
- French K. (1999). Spatial variability in species composition in birds and insects. *Journal of Insect Conservation* **3**: 183-189.

References.

- Friedel M.H., Foran B.D. and Stafford-Smith D.M. (1990). Where the creeks run dry or ten feet high: pastoral management in arid Australia. *Proceedings of the Ecological Society of Australia* **16**: 185-194.
- Friend, G. (1993). The impact of fire on small vertebrates in Mallee woodlands and heathlands of temperate Australia: a review. *Biological Conservation* **65**: 99-114.
- Fyfe, G. (1980). The effect of fire on lizard communities in central Australia. *Herpetofauna* **12**: 1-9.
- Gardener, C.J., McIvor, J.G., and Williams, J. (1990). Dry tropical rangelands: solving one problem and creating another. *Proceedings of the Ecological Society of Australia* **16**: 279-286.
- Garnett S.T. and Crowley G.M. (2000). *The Action Plan for Australian Birds*. Environment Australia, Canberra.
- Garnett, S. and Crowley, G. (1995). The decline of the Black Treecreeper *Climacteris picumnus melanota* on Cape York Peninsula. *Emu* **95**: 66-68.
- Gaston, K.J. and Blackburn, T.M. (2001). *Patterns and Process in Macroecology*. Blackwell Science, Oxford.
- Gibson, D. F. (1986). *A Biological Survey of the Tanami Desert in the Northern Territory*. Conservation Commission of the Northern Territory Technical Report No. 40.
- Gill, A.M., Woinarski, J.C.Z. and York, A. (1999). *Australia's Biodiversity: Response to Fire*. Biodiversity Technical Paper No. 1. Environment Australia, Canberra.
- Gordon, G. (1984). Fauna of the Brigalow Belt. Pp. 61-70. In 'The Brigalow Belt of Australia.' (ed. A. Bailey). Royal Society of Queensland, Brisbane.
- Greer, A.E. (1989). *The Biology and Evolution of Australian Lizards*. Surrey, Beatty and Sons Pty, Chipping Norton.
- Greer, A.E. (1997). *The Biology and Evolution of Australian Snakes*. Surrey, Beatty and Sons, Chipping Norton.
- Griffin, G.F., and Friedel, M.H. (1984). Effects of fire on central Australian rangelands. II Changes in tree and shrub populations. *Australian Journal of Ecology* **9**: 395-403.
- Griffiths, M., Barker, R., and MacLean, L. (1974). Further observations on the plants eaten by kangaroos and sheep grazing together in a paddock in south-western Queensland. *Australian Wildlife Research* **1**: 27-43.
- Groves R. H. (1994). *Australian Vegetation*. Cambridge University Press, Cambridge.

References.

- Gunn, R. H., Galloway, R. W., Pedley, L. and Fitzpatrick, E. A. (1967). *Lands of the Nogoa-Belyando Area, Queensland*. Land Research Series No. 18, CSIRO, Australia.
- Hale P. and Lamb D. (1997). *Conservation Outside Nature Reserves*. Centre for Conservation Biology, University of Queensland, Brisbane.
- Hale, P., Petrie, A., Moloney, D. and Sattler, P. (2000). *Management for Sustainable Ecosystems*. Centre for Conservation Biology, University of Queensland, Brisbane.
- Hall B.P. (1974). *Birds of the Harold Hall Expeditions 1962-1970*. British Museum of Natural History, London.
- Hallam, S.J. (1985). The history of Aboriginal firing. In, '*Fire ecology and management of Western Australian ecosystems*'. (Ed. J.R. Ford). Western Australian Institute of Technology, Perth.
- Hannah, D. and Thurgate, N. 2001. Lands of strips and patches. *Wildlife Australia Autumn*: 38-41.
- Hanski, I. and Gilpin, M. 1991. Metapopulation dynamics: brief history and conceptual domain. *Biological Journal of the Linnean Society* **42**: 3-16.
- Harrington G.N., Wilson A.D. and Young M.D. (1984). *Management of Australia's Rangelands*. CSIRO, Australia.
- Harrington, G.N., and Sanderson, K.D. (1994). Recent contractions of wet sclerophyll forest in the wet tropics of Queensland due to invasion by rainforest. *Pacific Conservation Biology* **1**: 319-327.
- Heatwole, H. (1987). Major components and distributions of the terrestrial fauna. Pp. 101-135. In '*Fauna of Australia. General Articles*'. (eds G.R. Dyne and D.W. Walton). AGPS, Canberra.
- Heatwole, H. and Taylor, J. (1987). *Ecology of Reptiles*. Surrey Beatty and Sons, Chipping Norton, N.S.W.
- Heywood V.H. (1995). *Global Biodiversity Assessment*. Cambridge University Press, Cambridge.
- Hill, R., Smyth, D., Shipton, H. and Fischer, P. (2002). Cattle, mining or fire? The historical causes of recent contractions of open forest in the wet tropics of Queensland through invasion of rainforest. *Pacific Conservation Biology* **7**: 185-194.
- Hobbs, R.J. and Yates, C.J. (2000). *Temperate Eucalypt Woodlands in Australia: Biology, management, Conservation and Restoration*. Surrey, Beatty and Sons, Chipping Norton.

References.

- Hodgkinson, K.C., and Griffin, G.F. (1982). Adaptation of shrub species to fires in the arid zone. In *'Evolution of the Flora and Fauna of Arid Australia.'* (eds W.R. Barker and P.J.M. Greenslade). Peacock Publications, Adelaide.
- Hoffmann B.D. (2000). Changes in ant species composition and community organisation along grazing gradients in semi-arid rangelands of the Northern Territory. *Rangelands Journal* **22**: 171-189.
- Hoffmann, B.D., Andersen, A.N. and Hill, G.J.E. (1999). Impact of an introduced ant on native rain forest invertebrates: *Pheidole megacephala* in monsoonal Australia. *Oecologia* **120**: 595-604.
- Hoffmann B.D., Griffiths A.D. and Andersen A.N. (2000). Responses of ant communities to dry sulphur deposition from mining emissions in semi-arid tropical Australia, with implications for the use of functional groups. *Austral Ecology* **25**: 653-663.
- Holmes, J.H. (1990). Ricardo revisited: submarginal land and non-viable cattle enterprises in the Northern Territory Gulf district. *Journal of Rural Studies* **6**: 45-65.
- Holmes, J.H. (1996). Regional restructuring of the tropical savannas: impacts on lands, peoples and human settlement. Pp. 5-19. In *'The Future of Tropical Savannas: an Australian Perspective.'* (ed A. Ash). CSIRO, Canberra.
- Holmes J.H. (1997). Adapting leasehold tenures to meet emerging conservation needs. , pp. 136-142. In *'Conservation Outside Nature Reserves.'* (eds P. Hale and D. Lamb). Centre for Conservation Biology, Brisbane
- Horsup, A. (1996). The Northern Hairy-nosed Wombat recovery program: trials and triumphs. Pp. 150-154. In *'Back from the Brink: Refining the Threatened Species Recovery Process.'* (eds S Stephens and S. Maxwell). Surrey, Beatty and Sons, Chipping Norton.
- Horton, D. (2000). *The Pure State of Nature*. Allen and Unwin, Sydney.
- Houghton, S. (1998). Mount Buffalo and the Field Naturalists Club of Victoria: an historical account. *Victorian Naturalist* **115**: 160-163.
- Howard, P.C., Viskanic, P., Davenport, T.R.B., Kigenyi, F.W., Baltzer, M., Dickinson, C.J., Lwanga, J.S., Matthews, R.A. and Balmford, A. (1998). Complementarity and the use of indicator groups for reserve selection in Uganda. *Nature* **394**: 472-475.
- Hutchinson, G.E. (1959). Homage to Santa Rosalia, or why there are so many kinds of animals? *American Naturalist* **93**: 145-159.
- Hutchinson, M.N. and Donnellan, S.C. (1993). Biogeography and phylogeny of the Squamata. Pp. 210-220. In, *'Fauna of Australia. Vol 2A Amphibia and Reptilia.'* (eds C.J. Glasby, G.J.B. Ross and P.L. Beesley). AGPS, Canberra.

References.

- Ingleby, S. (1991). Distribution and status of the Spectacled Hare-wallaby *Lagorchestes conspicillatus*. *Wildlife Research* 18: 501-19.
- Ingram, G.J. and Raven, R.J. (ed) (1991) *An Atlas of Queensland's Frogs, Reptiles, Birds and Mammals*. Queensland Museum, Brisbane.
- Isbell, R.F., Thompson, C.H., Hubble, G.D., Beckmann, G.G., and Paton, T.R. (1967). *Atlas of Australian Soils. Sheet 4. Brisbane-Charleville-Rockhampton-Clermont area. With explanatory data*. CSIRO and Melbourne University Press, Melbourne.
- James, C. (1991). Temporal variation in diets and trophic partitioning of co-existing lizards (*Ctenotus*: Scincidae) in central Australia. *Oecologia* 85: 553-561
- James, C.D., Landsberg J. and Morton S.R. (1995). Ecological functioning in arid Australia and research to assist conservation of biodiversity. *Pacific Conservation Biology* 2: 126-142.
- James, C.D., Landsberg J. and Morton S.R. (1999). Provision of watering points in the Australian arid zone: a review of effects on biota. *Journal of Arid Environments* 41: 87-121.
- James, C.D., Stafford Smith D.M., Landsberg J., Fisher A., Tynan R., Maconichie J. and Woinarski J.C.Z. (2000). Biograzing - melding off-reserve conservation of native species with animal production in Australian rangelands. Pp. 290-300. In 'Nature Conservation 5. Conservation in Production Environments: Managing the Matrix'. (eds. D. Saunders and J. Craig). Surrey Beatty and Sons, Chipping Norton.
- James, C.D. and Saunders, D.A. (2001). *A Framework for Terrestrial Biodiversity Targets in the Murray-Darling Basin*. CSIRO and Murray-Darling Basin Commission, Canberra.
- JANIS 1997. *Nationally Agreed Criteria for the Establishment of a Comprehensive, Adequate and Representative Reserve System for Forests in Australia*. ANZECC, Canberra.
- Johnson, R. (1997). *The Vertebrate Fauna of the Mitchell Grass Downs Biogeographic Region of Queensland*, Queensland Department of Environment and Heritage, Toowoomba.
- Jones R. and Bowler J. (1980). Struggle for the savanna: northern Australia in ecological and prehistoric perspective. Pp. 3-31. In, 'Northern Australia: options and implications'. (ed R. Jones). Research School of Pacific Studies, Australian National University, Canberra,
- Joseph, L., Moritz, C. and Hugall, A. (1993). A mitochondrial DNA perspective on historical biogeography of mideastern Queensland rainforest birds. *Memoirs of the Queensland Museum* 34: 201-214.

References.

- Joseph, L., Moritz, C. and Hugall, A. (1995). Molecular support for vicariance as a source of diversity in rainforest. *Proceedings of the Royal Society of London B*. **260**: 177-182.
- Keast, A. (1958). The relationship between seasonal movements and the development of geographic variation in the Australian Chats *Epthianura* Gould and *Ashbyia* North (Passerines: Muscicapidae, Malurinae). *Australian Journal of Zoology* **6**: 51-68.
- Keast, A. (1961). Bird speciation on the Australian continent. *Bulletin of the Museum of Comparative Zoology* **123**: 307-495.
- Keast A. (1981). Evolutionary biogeography of Australian birds. Pp. 1585-1763. In, 'Ecological Biogeography of Australia'. (ed A. Keast). Junk, The Hague.
- Kerle, J.A. (1998). The population dynamics of a tropical possum, *Trichosurus vulpecula arnhemensis* Collett. *Wildlife Research* **25**:171-182.
- Kershaw, A.P., Clark, J.S., Gill, A.M., and D'Costa, D.M. (2002). A history of fire in Australia. Pp. 3-25. In 'Flammable Australia.' (eds. R.A. Bradstock, J.E. Williams and A.M. Gill). Cambridge University Press, Cambridge.
- Keto, A. and Scott, K. (1986). *Tropical Rainforests of North Queensland: their Conservation Significance*. Special Australian Heritage Publication Series no. 3, Canberra.
- Kikkawa, J., and Pearse, K. (1969). Geographical distribution of land birds in Australia - a numerical analysis. *Australian Journal of Zoology* **17**: 821-840.
- Kikkawa, J., Monteith, G.B., and Ingram, G. (1981). Cape York Peninsula: major region of fauna interchange. In 'Ecological Biogeography of Australia.' (ed A. Keast). Dr W. Junk, The Hague.
- Kirkpatrick, T. H. and Lavery, H.J. (1979). Fauna surveys in Queensland. *Queensland Journal of Agriculture and Animal Science* **36**: 181-188.
- Kreff, G. (1866). On the vertebrated animals of the lower Murray and Darling, their habits, economy, and geographical distribution. *Transactions of the Philosophical Society of New South Wales* **1862-1865**: 1-33.
- Kutt, A.S. and Skull, S.D. (1995) Evidence for decreased diversity and/or potential local species extinctions in degraded riparian habitat at Charters Towers, Queensland. *Memoirs of the Queensland Museum* **38**: 446.
- Kutt, A.S. (2003a) New records of the Julia Creek Dunnart *Sminthopsis douglasi* in central-north Queensland. *Australian Zoologist* **32**: 257-260.
- Kutt, A.S (2003b) The Spinifexbird *Eremiornis carteri* (North, 1900) in the Desert Uplands Bioregion, central-north Queensland: another isolate or nomadic metapopulation? *Australian Zoologist* **32**: 246-251.

References.

- Kutt, A.S., Eddie, C. and Johnson, R. (2003c) Eastern range extension of the Sandy Inland Mouse *Pseudomys hermannsburgensis* in central Queensland. *Australian Zoologist* **32**: 252-260.
- Kutt, A.S., D.S. Hannah and N.Y. Thurgate (2003d) Distribution, habitat and conservation status of the Brigalow scaly-foot *Paradelma orientalis* (Gunther 1876). *Australian Zoologist* **32**: 261-264.
- Kutt, A.S., Thurgate, N. and Hannah, D.S. (2003) Distribution and habitat of *Pseudomys desertor* Troughtoni in Queensland. *Wildlife Research* in press
- Lambeck, R.J. (1999). *Landscape Planning for Biodiversity Conservation in Agricultural Regions: a Case Study from the Wheatbelt of Western Australia*. Biodiversity Technical Paper No. 2, Biodiversity Unit, Department of Environment, Sport and Territories, Canberra.
- Landres, P.B., Verner J. and Thomas J.W. (1988). Ecological uses of vertebrate indicator species: a critique. *Conservation Biology* **2**: 316-328.
- Landsberg, J., and Gillieson, D. (1996). Looking beyond the biospheres to locate biodiversity reference areas in Australia's rangelands. *Proceedings of the Fifth International Rangeland Congress*, vol. 1. Society for Range Management, Denver.
- Landsberg, J., James C.D., Morton S.R., Hobbs T., Stol J., Drew A. and Tongway H. (1997). *The Effects of Artificial Sources of Water on Rangeland Biodiversity*. Environment Australia and CSIRO, Canberra.
- Landsberg, R.G., Ash A.J., Shepherd R.K. and McKeon G.M. (1998). Learning from history to survive in the future: management evolution on Trafalgar Station, north-east Queensland. *Rangelands Journal* **20**: 104-118.
- Landsberg, J., O'Connor, T., and Freudenberger, D. (1999). The impacts of livestock grazing on biodiversity in natural ecosystems. In '*Nutritional Ecology of Herbivores: Proceedings of the Vth International Symposium on the nutrition of herbivores.*' (eds H.-J.G. Jung and G.C. Fahey Jr.). American Society of Animal Science, Savoy, Illinois.
- Landsborough, W. (1862). *Journal of Landsborough's, Expedition from Carpentaria in Search of Burke and Wills*. Melbourne.
- Lavery, H.J. (1968). Mammals and birds of the Townsville district, North Queensland. 2. Birds. *Queensland Journal of Agriculture and Animal Science*. **25**: 243-54.
- Lavery, H.J. and Johnson, P.M. (1968). Mammals and birds of the Townsville district, North Queensland. 1. Introduction and mammals. *Queensland Journal of Agriculture and Animal Science*. **25**: 29-37.
- Lavery, H.J. and Johnson, P.M. (1974) Mammals and birds of the Lower Burdekin River District, North Queensland. 1. Introduction and mammals. *Queensland Journal of Agriculture and Animal Science* **31**: 97-104.

References.

- Lavery, H.J. and Seton, D. (1974) Mammals and birds of the Lower Burdekin River District, North Queensland. 2. Birds. *Queensland Journal of Agriculture and Animal Science* **31**: 371-382.
- Lavery H.J., Kirkpatrick T.H., Foote D.M., Gatenby A.W.N. and Ritchie M.W. (1997). On the process of extending conservation beyond nature reserves. Pp. 89-92. In, 'Conservation Outside Nature Reserves'. (eds. P. Hale and D. Lamb). Centre for Conservation Biology, University Of Queensland
- Lee, A.K. 1995. *The Action Plan for Australian Rodents*. Australian Nature Conservation Agency Endangered Species Program Project Number 130. Australian Nature Conservation Agency: Canberra.
- Leeper, G. W. (Ed.) (1970). *The Australian Environment*. CSIRO and Melbourne University Press, Melbourne.
- Legendre, P. (1993). Spatial autocorrelation: trouble or a new paradigm? *Ecology* **74**: 1659-1673.
- Legendre, P. and Legendre, L. (1998). *Numerical Ecology*. Elsevier Science B.V., Amsterdam.
- Le Soeuf, W.H.D. (1920). Northern notes. *Emu* **19**: 233-236.
- Levins, R. (1968). *Evolution in Changing Environments*. Monographs in Population Ecology. Volume 2. Princeton University Press: New Jersey.
- Lobry de Bruyn, L.A. and Conacher A.J. (1990). The role of termites and ants in soil modification: a review. *Australian Journal of Soil Research* **28**: 55-93.
- Lobry de Bruyn, L.A. and Conacher A.J. (1994). The bioturbation activity of ants in agricultural and naturally vegetated habitats in semi-arid environments. *Australian Journal of Soil Research* **32**: 555-570.
- Lombard, A.T. (1995). The problems with multi-species conservation: do hotspots, ideal reserves and existing reserves coincide? *South African Journal of Zoology* **30**: 145-163.
- Longmore, J. (1986). *Atlas of Elapid Snakes of Australia*. Australian Flora and Fauna Series, Australian Government Publishing Service, Canberra.
- Lonsdale, W.M. (1994). Inviting trouble: introduced pasture species in northern Australia. *Australian Journal of Ecology* **19**: 345-354.
- Lonsdale, W.M. and Braithwaite, R.W. (1991). Assessing the effects of fire on vegetation in tropical savannas. *Australian Journal of Ecology* **16**: 303-314.
- Lorimer, M. S. (1998). *Catchment management in the Desert Uplands. Volume 2. A land resource description and evaluation*. Queensland Department of Environment, Brisbane.

References.

- Loyn, R.H. (1985). Ecology, distribution and density of birds in Victorian forests. Pp. 33-46. In, *'Birds of Eucalypt Forests and Woodlands: Ecology, Conservation, Management'*. (Eds. A. Keast, H.F. Recher, H. Ford and D. Saunders). Surrey, Beatty and Sons, Chipping Norton, New South Wales.
- Ludwig, J., Tongway, D., Freudenberger, D., Noble, J. and Hodgkinson, K. (1997). *Landscape Ecology: Function and Management*. CSIRO, Collingwood.
- Ludwig, J.A., Eager, R.W., Williams, R.J., and Lowe, L.M. (1999a). Declines in vegetation patches, plant diversity, and grasshopper diversity near cattle watering-points in the Victoria River District, northern Australia. *Rangeland Journal* **21**: 135-149.
- Ludwig, J.A., Tongway, D.J., Eager, R.W., Williams, R.J., and Cook, G.D. (1999b). Fine-scale vegetation patches decline in size and cover with increasing rainfall in Australian savannas. *Landscape Ecology* **14**: 135-149.
- Ludwig, J.A., Eager, R.W., Liedloff, A.C., McCosker, J.C., Hanna, D., Thurgate, N.Y., Woinarski, J.C.Z., and Catterall, C.P. (2000). Impact of clearing and grazing on vegetation patch structures and fauna counts in eucalypt woodland, central Queensland. *Pacific Conservation Biology* **6**: 254-272.
- Lunney, D. (2001). Causes of the extinction of native mammals of the Western Division of New South Wales: an ecological interpretation of the nineteenth century historical record. *Rangeland Journal* **23**: 44-70.
- Male, B. (1996). Recovery of Australian threatened species – a national perspective. Pp. 23-27. In *'Back from the Brink: Refining the Threatened Species Recovery Process.'* (eds. S Stephens and S. Maxwell). Surrey, Beatty and Sons, Chipping Norton.
- Margules, C.R., Higgs, A.J. and Rafe, R.W. (1982). Modern biogeographic theory: are there any lessons for nature reserve design? *Biological Conservation* **24**: 115-128.
- Margules, C.R. and Nicholls A.O. (1987). Assessing the conservation value of remnant habitat 'islands': Mallee patches on the western Eyre Peninsula, South Australia. Pp. 89-102 in *'Nature Conservation: the Role of Remnant Vegetation'*. (eds D.A. Saunders, G.W. Arnold, A.A. Burbidge and A.J.M. Hopkins). Surrey, Beatty and Sons, Chipping Norton.
- Margules, C.R., Nicholls A.O. and Pressey R.L. (1988). Selecting networks of reserves to maximise biological diversity. *Biological Conservation* **43**: 63-76.
- Margules, C.R. and Pressey R.L. (2000). Systematic conservation planning. *Nature* **405**: 243-253.
- Masters, P. (1993). The effects of fire-driven succession and rainfall on small mammals in spinifex grassland at Uluru National Park, Northern Territory. *Wildlife Research* **20**: 803-813.

References.

- Masters, P. (1996). The effects of fire-driven succession on reptiles in spinifex grassland at Uluru National Park, Northern Territory. *Wildlife Research* 23: 39-48.
- Maxwell, S., Burbidge, A., and Morris, K. (1996) *The 1996 Action Plan for Australian Marsupials and Monotremes*. Endangered Species Program Project 500, Environment Australia, Canberra.
- May, D. (1984). The North Queensland beef cattle industry: an historical overview. *Lectures on North Queensland History* 4: 121-159.
- McCullagh, P. and Nelder, J.A. (1983). *Generalised Linear Models*. Chapman and Hall, London.
- McFarland, D. (1991). *Fauna of the Channel Country Biogeographic Region, South West Queensland*. Queensland National Parks and Wildlife Service, Department of Environment and Heritage, Brisbane.
- McFarland, D. (1993). *Fauna of the Cape York Peninsula Biogeographic Region*. Queensland Department of Environment and Heritage, Brisbane.
- McGreevy, M. (1987). Bulloo Shire Arid Zone, Fauna Survey. Report to ANPWS. Queensland National Parks and Wildlife Service.
- McIvor, J. (1998). Pasture management in semi-arid tropical woodlands: effects on species diversity. *Australian Journal of Ecology* 23: 349-364.
- McKenzie, N.L. (1981). Mammals of the Phanerozoic South-west Kimberley, Western Australia: biogeography and recent changes. *Journal of Biogeography* 8: 263-280.
- Menkhorst, P.W. and Knight, F. 2001. *A Field Guide to the Mammals of Australia*. Oxford University Press, Melbourne.
- Menkhorst, K.A. and Woinarski, J.C.Z. (1992). Distribution of mammals in monsoon rainforests of the Northern Territory. *Wildlife Research* 19: 295-316.
- Mitchell, T.L. (1969). *Journal of an Expedition into the Interior of Tropical Australia in Search of the Route from Sydney to the Gulf of Carpentaria*. Longmans, London.
- Monamy, V. and Fox B. J. (2000). Small mammal succession is determined by vegetation density rather than time elapsed since disturbance. *Austral Ecology* 25, 580-587.
- Morgan, G., Lorimer, M., Morrison, A. and Kutt, A. (2002). *The Conservation of Biodiversity in the Desert Uplands*. Environmental Protection Agency, Townsville.
- Moritz, C., Joseph, L., Cunningham, M. and Schneider, C. (1997). Molecular perspectives on historical fragmentation of Australian tropical and subtropical rainforests: implications for conservation. Pp. 442-454 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented*

References.

- Communities*, edited by W.F. Laurence and R.O. Bierregaard Jr. University of Chicago Press, Chicago.
- Moritz, C., Richardson, K.R., Ferrier, S., Monteith, G.B., Stanisci, J., Williams, S.E. and Whiffin, T. (2001). Biogeographical concordance and efficiency of taxon indicators for establishing conservation priority in a tropical rainforest biota. *Proceedings of the Royal Society B* **268**: 1875-1881.
- Morton, S.R. (1990). The impact of European settlement on the vertebrate animals of arid Australia: a conceptual model. Pp. 201-213. In '*Australian Ecosystems. 200 years of Utilisation, Degradation and Reconstruction*'. (Eds. D.A. Saunders, A.J.M. Hopkins and R.A. How). *Proceedings of the Ecological Society of Australia* 16. Surrey, Beatty and Sons, Chipping Norton.
- Morton, S.R. (1993). Determinants of diversity in animal communities of arid Australia. Pp. 159-169. In '*Species Diversity in Ecological Communities*.' (eds R.E. Ricklefs, and D. Schluter). University of Chicago Press, Chicago.
- Morton, S.R., and James, C.D. (1988). The diversity and abundance of lizards in arid Australia: a new hypothesis. *American Naturalist* **132**: 237-256.
- Morton, S.R., Short, J., and Barker, R.D. (1995a). *Refugia for Biological Diversity in Arid and Semi-arid Australia*. Biodiversity Series Paper no. 4, Department of Environment, Sport and Territories, Canberra.
- Morton, S.R., Stafford Smith D.M., Friedel, M.H., Griffin, G.F., and Pickup, G. (1995b). The stewardship of arid Australia: ecology and landscape management. *Journal of Environmental Management* **43**: 195-218.
- Munks, S. A. (1993). *Arboreal mammals in the Prairie-Torrens Creek Alluvials Province of the Desert Uplands: Distribution and Habitat Preference*. Environmental Protection Agency, Townsville.
- Myers, N. (1988). Threatened biotas: "hotspots" in tropical forests. *Environmentalist* **8**: 1-20.
- Myers, N. (1990). The biodiversity challenge: expanded hotspot analysis. *Environmentalist* **10**: 243-256.
- Nicholls, A.O. and Margules, C.R. (1993). An upgraded reserve selection algorithm. *Biological Conservation* **64**: 165-169.
- Nix, H. (1982). Environmental determinants of biogeography and evolution in *Terra Australis*. Pp. 47-66. In '*Evolution of the Flora and Fauna of Arid Australia*'. (eds W.R. Barker and P.J.M. Greenslade.) Peacock Publications, South Australia.
- Nix, H. (1986). A biogeographic analysis of Australian elapid snakes. Pp. 4-15. In '*Snakes: atlas of elapid snakes in Australia*.' (ed by R. Longmore). Australian Flora and Fauna Series No. 7. Australian Government Printing Service, Canberra.

References.

- Nix, H. and Switzer, M.A. (1991). *Rainforest Animals. Atlas of Vertebrates Endemic to Australia's Wet Tropics. Kowari 1*. ANPWS, Canberra.
- Noble, I.R. (1977). Long-term biomass dynamics in an arid chenopod shrub community at Koonamore, South Australia. *Australian Journal of Botany* **25**: 639-653.
- Oliver, I., Beattie A.J. and York A. (1998). Spatial fidelity of plant, vertebrate, and invertebrate assemblages in multiple-use forest in eastern Australia. *Conservation Biology* **12**: 822-835.
- Perry, R. A., Sleeman, J. R., Twidale, C. R., Prichard, C. E., Slatyer, R. O., Lazarides, M. and Collins, F. H. (1964). *General Report on Lands of the Leichhardt-Gilbert Area, Queensland, 1953-54*. Land Research Series No. 11, CSIRO, Australia.
- Pharo, E.J. and Beattie, A.J. (1997). Bryophyte and lichen diversity: a comparative study. *Australian Journal of Ecology* **22**: 151-162.
- Pharo, E.J., Beattie A.J. and Binns D. (1999). Vascular plant diversity as a surrogate for bryophyte and lichen diversity. *Conservation Biology* **13**: 282-292.
- Pharo, E.J., Beattie A.J. and Pressey R.L. (2000). Effectiveness of using vascular plants to select reserves for bryophytes and lichens. *Biological Conservation* **96**: 371-378.
- Pharo, E.J. and Beattie, A.J. (2001). Management of forest types as a surrogate for vascular plant, bryophyte and lichen diversity. *Australian Journal of Botany* **49**: 23-40.
- Pianka, E.R. (1969). Habitat specificity, speciation, and species density in Australian desert lizards. *Ecology* **50**: 498-502.
- Pianka, E.R. (1981). Diversity and adaptive radiations of Australian desert lizards. In *'Ecological Biogeography of Australia.'* (ed A. Keast). Dr W. Junk, The Hague.
- Pianka, E.R. (1986). *Ecology and Natural History of Desert Lizards: Analyses of the Ecological Niche and Community Structure*. Princeton University Press, Princeton N.J.
- Pianka, E.R. (1989). Desert lizard diversity: additional comments and some data. *American Naturalist* **134**: 344-364.
- Pianka, E.R. (1996). Long-term changes in lizard assemblages in the Great Victoria Desert. Dynamic habitat mosaics in response to wildfires. Pp191–215. In *'Long-term studies of vertebrate communities'*. (eds M.L. Cody and J.A. Smallwood). Academic Press, San Diego.
- Pickup, G. and Stafford-Smith D.M. (1993). Problems, prospects and procedures for assessing the sustainability of pastoral land management in arid Australia. *Journal of Biogeography* **20**: 471-487.

References.

- Pimm, S.L. and Lawton, J.H. (1998). Planning for biodiversity. *Science* **279**: 2068-2069.
- Prendergast, J.R., Quinn R.M., Lawton J.H., Eversham S.C. and Gibbons D.W. (1993). Rare species, the coincidence of diversity hotspots and conservation strategies. *Nature* **365**: 335-337.
- Prendergast, J.R., Quinn R.M. and Lawton J.H. (1999). The gaps between theory and practice in selecting nature reserves. *Conservation Biology* **13**: 484-492.
- Pressey, R.L. (1994a). Land classifications are necessary for conservation planning but what do they tell us about fauna? Pp. 31-41. In ' *Future of Fauna in Western New South Wales* ' (eds. D. Lunney, S. Hand, P. Reed and D. Butcher). Surrey, Beatty and Sons, Chipping Norton.
- Pressey, R.L. (1994b). *Ad hoc* reservations: forward or backward steps in developing representative reserve systems? *Conservation Biology* **8**: 662-668.
- Pressey, R.L. and Nicholls A.O. (1989a). Application of a numerical algorithm to the selection of reserves in semi-arid New South Wales. *Biological Conservation* **50**: 263-278.
- Pressey, R.L. and Nicholls A.O. (1989b). Efficiency in conservation evaluation: scoring versus iterative approaches. *Biological Conservation* **50**: 199-218.
- Pressey, R.L. and Nicholls A.O. (1991). Reserve selection in the Western Division of New South Wales: developing a new procedure based on land system mapping. Pp. 98-105. In, ' *Nature Conservation: Cost effective Biological Surveys and Data Analysis.* ' (eds C.R. Margules and M.P. Austin). CSIRO, Canberra.
- Pressey, R.L., Humphries C.J., Margules C.R., Vane-Wright R.I. and Williams P.H. (1993). Beyond opportunism: key principles for systematic reserve selection. *Trends in Ecology and Evolution* **8**: 124-128.
- Pressey, R.L. and Tully, S.L. (1994). The cost of ad hoc reservation: a case study in western New South Wales. *Australian Journal of Ecology* **19**: 375-384.
- Pressey, R.L. and Taffs, K.H. (2001a). Scheduling conservation action in production landscapes: priority areas in western New South Wales defined by irreplaceability and vulnerability to vegetation loss. *Biological Conservation* **100**: 355-376.
- Pressey, R.L. and Taffs, K.H. (2001b). Sampling of land types by protected areas: three measures of effectiveness applied to western New South Wales. *Biological Conservation* **101**: 105-117.
- Pressey, R.L. and Cowling, R.M. (2001). Reserve selection algorithms and the real world. *Conservation Biology* **15**: 275-277.
- Price, O., Woinarski J.C.Z., Liddle D.L. and Russell-Smith J. (1995). Patterns of species composition and reserve designs for a fragmented estate: monsoon rainforests in the Northern Territory, Australia. *Biological Conservation* **74**: 9-19.

References.

- Price, O.F., Woinarski, J.C.Z., & Robinson, D. (1999). Very large area requirements for frugivorous birds in monsoon rainforests of the Northern Territory, Australia. *Biological Conservation* **91**: 169-180.
- Price, O., Milne, D., Connors, G., Harwood, B. and Woinarski, J.C.Z. (2000). *A Conservation Plan for the Daly Basin Bioregion*. Report to Natural Heritage Trust. Parks and Wildlife Commission of the Northern Territory, Darwin.
- Productivity Commission. (2001). *Constraints on Private Conservation of Biodiversity*. Commission Research Paper, AusInfo, Canberra.
- Productivity Commission. (2003). *Impacts of Native Vegetation and Biodiversity Regulations*. Productivity Commission Draft Report Paper. AusInfo, Canberra.
- Purdie, R.W., Blick, R., and Bolten, M.P. (1986). Selection of a conservation reserve network in the Mulga Biogeographic Region of south-western Queensland, Australia. *Biological Conservation* **38**: 369-384.
- Pusey, B.J., Arthington, A.H. and Read, M.G. (1998). Freshwater fishes of the Burdekin River, Australia: biogeography, history and spatial variation in community structure. *Environmental Biology of Fishes* **51**: 303-318.
- Queensland Government, (1994). Queensland Nature Conservation Wildlife Regulation 1994. SL No. 474 of 1994. Queensland Government: Brisbane.
- Queensland Government, (1995). *Draft Conservation of the Mahogany Glider *Petaurus gracilis**. Queensland Department of Environment and Heritage, Brisbane.
- Queensland Government, (1997). *Systematic Vertebrate Fauna Survey Project. Stage 1. Vertebrate Fauna Survey in the SEQ Bioregion*. Queensland Department of Environment Forest Assessment Unit report.
- Queensland Government, (2000). *Broadscale Tree Clearing Policy for State Lands*. Queensland Government, Brisbane.
- Queensland Government, (2001). *Masterplan for Queensland's Parks System*. Environmental Protection Agency, Brisbane.
- Queensland Government, (2002). *Biodiversity Assessment and Mapping Methodology*. Biodiversity Planning Unit, Environmental Protection Agency, Brisbane.
- Queensland Government, (2003a). *Draft State Rural Leasehold Land Strategy*. Department of Natural Resources and Mines, Brisbane.
- Queensland Government, (2003b). *Property Resource Management Planning: Guidelines for Landholders Land Management and Use*. Department of Natural Resources and Mines, Brisbane.
- Read, J. L. (1995). Subhabitat variability: a key to the high reptile diversity in chenopod shrublands. *Australian Journal of Ecology* **20**: 617-501.

References.

- Read, J.L. (1998). The ecology of sympatric scincoid lizards (*Ctenotus*) in arid South Australia. *Australian Journal of Zoology* **46**: 617–629.
- Read, J.L. (2002). Experimental trial of Australian arid zone reptiles as early warning indicators of overgrazing by cattle. *Austral Ecology* **27**: 55-66.
- Read, J.L. and Andersen A.N. (2000) The value of ants as early warning bioindicators: responses to pulsed cattle grazing at an Australian arid zone locality. *Journal of Arid Environments*. **45**: 231-51.
- Recher, H.F. and Holmes, R.T. (1985). Foraging ecology and seasonal patterns of abundance in a forest avifauna. Pp. 79-86. In '*Birds of Eucalypt Forests and Woodlands*'. (eds A. Keast, H.F. Recher, H. Ford and D. Saunders). Surrey, Beatty and Sons, Chipping Norton.
- Recher, H.F. and Lim L. (1990). A review of current ideas of the extinction, conservation and management of Australia's terrestrial vertebrate fauna. *Proceedings of the Ecological Society of Australia* **16**: 287-301.
- Recher, H.F., Kavanah, J.M., Shields, J.M., and Linds, P. (1991). Ecological associations of birds and habitats during the breeding season in south-eastern New South Wales. *Australian Journal of Ecology* **16**: 337-352.
- Recher, H.F., Majer, J.D. and Ganesh, S. (1996). Eucalypts, arthropods and birds: on the relation between foliar nutrients and species richness. *Forest Ecology and Management* **85**: 177-196.
- Reid, W.V. (1998). Biodiversity hotspots. *Trends in Evolution and Ecology* **13**: 275-280.
- Reid, J., and Fleming, M. (1992). The conservation status of birds in arid Australia. *Rangelands Journal* **14**: 65-91.
- Reid, J.R.W., Kerle, J.A. and Morton, S.R. (1993). *Uluru Fauna: the Distribution and Abundance of Vertebrate Fauna of Uluru (Ayers Rock-Mount Olga) National Park, N.T.* Kowari 4. ANPWS, Canberra.
- Reid, J.R.W. (1999). *Threatened and Declining Birds in the New South Wales Sheep-wheat Belt. II Landscape Relationships – Modelling Bird Atlas Data Against Vegetation Cover*. Report to NSW National Parks and Wildlife Service, CSIRO, Canberra.
- Rice, B., and Westoby, M. (1999). Regeneration after fire in *Triodia* R. Br. *Australian Journal of Ecology* **24**: 563-572.
- Ricklefs, R.E. and Schluter, D. (1993). Species diversity: regional and historical influences. Pp. 350-364. In '*Species Diversity in Ecological Communities*.' (eds R.E. Ricklefs, and D. Schluter). University of Chicago Press, Chicago.
- Ricketts, T.H., Daily, G.C. and Ehrlich, P.R. (2002). Does butterfly diversity predict moth diversity? Testing a popular indicator taxon at local scales. *Biological Conservation* **103**: 361-370.

References.

- Roberts, J.D. and Watson, G.F. (1993). Biogeography and phylogeny of Anura. Pp. 35-40. In, 'Fauna of Australia. Vol 2A Amphibia and Reptilia. (eds C.J. Glasby, G.J.B. Ross and P.L. Beesley). AGPS, Canberra.
- Robinson, D., and Traill, B.J. (1996). Conserving woodland birds in the wheat and sheep belts of southern Australia. *Wingspan* **6**: 1-16.
- Rolfe, J.C., Blamey, R.K., and Bennett, J.W. (2001). Valuing the preservation of rangelands: tree-clearing in the Desert Uplands region of Queensland. *Rangelands Journal* **22**: 205-219.
- Rosenzweig, M.L. (1995). *Species Diversity in Time and Space*. Cambridge University Press, Cambridge.
- Russell-Smith, J., and Bowman, D.M.J.S. (1992). Conservation of monsoon rainforest isolates in the Northern Territory, Australia *Biological Conservation* **59**: 51-63.
- Russell-Smith, J., Ryan, P.G., Klesa, D., Waight, G., and Harwood, R. (1998). Fire regimes, fire-sensitive vegetation and fire management of the sandstone Arnhem Plateau, monsoonal northern Australia. *Journal of Applied Ecology* **35**: 829-846.
- Russell-Smith, J., Ryan, P.G. and Cheal, D.C. (2002). Fire regimes and the conservation of sandstone heath in monsoonal northern Australia: frequency, interval, patchiness. *Biological Conservation* **104**: 91-106.
- Ryti, R.T. (1992). Effect of the focal taxon on the selection of nature reserves. *Ecological Applications* **2**: 404-410.
- Sadler, R. (1987). Distribution by habitat of six *Ctenotus* species in SW N.S.W. *Herpetofauna* **17**: 1-2.
- Sattler, P.S. (1993). Towards a nationwide biodiversity strategy: the Queensland contribution. Pp. 313-325. In 'Conservation Biology in Australia and Oceania.' (eds C. Moritz and J. Kikkawa). Surrey Beatty and Sons, Sydney.
- Sattler, P. and Williams, R. (1999). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane.
- Saunders, D.A., and Curry, P.J. (1990). The impact of agricultural and pastoral industries on birds in the southern half of Western Australia: past, present and future. *Proceedings of the Ecological Society of Australia* **16**: 303-321.
- Saunders, D.A., Craig, J.L. and Mattiske, E.M. (eds) (1996). *Nature Conservation 4: the Role of Networks*. Surrey, Beatty and Sons, Chipping Norton.
- Schlesinger, C.A., Noble, J.C. and Wier, T. (1997). Fire studies in mallee (*Eucalyptus* spp) communities in western New South Wales: reptile and beetle populations in sites of differing fire history. *Rangelands Journal* **19**: 190-205.
- Schlesinger, C.A. (1999). The effect of a temporally variable environment and grazing on lizards in mulga (*Acacia aneura*) shrublands of central Australia, PhD thesis, Northern Territory University, Darwin.

References.

- Schluter, D. and Ricklefs, R.E. (1993). Species diversity: an introduction to the problem. Pp. 1-12 In '*Species Diversity in Ecological Communities.*' (eds R.E. Ricklefs, and D. Schluter). University of Chicago Press, Chicago.
- Schmida, A. and Wilson M.V. (1985). Biological determinants of species diversity. *Journal of Biogeography* **12**: 1-20.
- Schodde, R. (1982). Origin, adaptation and evolution of birds in arid Australia. Pp. 191-224. In '*Evolution of the Flora and Fauna of Arid Australia.*' (eds W.R. Barker and P.J.M. Greenslade) Peacock Publications, South Australia.
- Schodde, R. (1989). Origins, radiations and sifting in the Australasian biota: changing concepts from new data to old. *Australian Systematic Botany Society Newsletter* **60**: 2-11.
- Schodde, R. and Calaby, J.H. (1972). The Biogeography of the Austro-Papuan bird and mammal faunas in relation to Torres Strait. Pp. 257-300 in '*Bridge and Barrier: the natural and cultural History of Torres Strait.*' (ed. D. Walker) Australian National University, Canberra.
- Schodde, R., and Mason, I.J. (1980). *Nocturnal Birds of Australia*. Lansdowne Press, Melbourne.
- Schodde, R., and Mason, I.J. (1997). Aves (Columbidae to Coraciidae). In, '*Zoological Catalogue of Australia, Vol 37.2.*' (eds K.K.W. Houston and A. Wells). CSIRO, Melbourne.
- Schodde, R. and Mason, I. (1999). *The Directory of Australian Birds: Passerines*. CSIRO, Canberra.
- Sewell, S.R. and Catterall, C.P. (1998). Bushland modification and styles of urban development: their effects on birds in south-east Queensland. *Wildlife Research* **25**: 41-63.
- Short, J. and Smith, A. (1994). Mammal decline and recovery in Australia. *Journal of Mammalogy* **75**: 288-297.
- Sibley, G.C. and Alquist, J.E. (1985). The phylogeny and classification of Australo-Papuan passerine birds. *Emu* **85**: 1-14.
- Simberloff, D., Farr, J.A., Cox, J. and Mehlman, D.W. (1991). Movement corridors: conservation bargains or poor investments? *Conservation Biology* **6**: 74-85.
- Smith, A., and Quin, D.G. (1996). Patterns and causes of extinction and decline in Australian Conilurine rodents. *Biological Conservation*. **77**: 243-267.
- Smith, P., and Smith, J. (1994). Historical changes in the bird fauna of western New South Wales: ecological patterns and conservation implications. In '*Future of the Fauna of Western New South Wales.*' (eds D. Lunney, S. Hand, P. Reed and D. Butcher). Royal Zoological Society of New South Wales, Sydney.

References.

- Smith, P.J., Pressey, R.L., and Smith, J.E. (1994). Birds of particular conservation concern in the Western Division of New South Wales *Biological Conservation* **69**: 315-338.
- Smith, A. (1994). *This El Dorado of Australia*. Studies in North Queensland History No. 20. Department of History and Politics, James Cook University of Queensland.
- Smouse, P.E., Long, J.C. and Sokal, R.R. (1986). Multiple regression and correlation extensions of the Mantel test of matrix correspondence. *Systematic Zoology* **35**: 627-632.
- Solbrig, O.T. and Young, M.D. (eds) (1993). *The World's Savannas. Man and Biosphere Series Volume 12*. United Nations Educational, Scientific and Cultural Organisation, Paris.
- Southgate, R.L., and Masters, P. (1996). Fluctuations of rodent populations in response to rainfall and fire in a central Australian hummock grassland dominated by *Plectrarchne schinzii*. *Wildlife Research* **23**: 289-303.
- Southwood, T.R.E. (1996). Natural communities: structure and dynamics. *Philosophical Transactions of the Royal Society of London* **351**: 1113-1129.
- Spencer, W. B. (1896). *Summary of the Zoological, Botanical and Geological results of the Expedition*. Report of the Horn Expedition to Central Australia. London, Dulau.
- Stafford-Smith, D.M. and Morton S.R. (1990). A framework for the ecology of arid Australia. *Journal of Arid Environments*, 18, 255-278.
- Stanger, M., Clayton, M., Schodde, R., Wombey, J. and Mason, I. (1998). CSIRO list of Australian Vertebrates. CSIRO, Canberra.
- Stanton, J.P and Morgan, M.G. (1977) *The Rapid Selection and Appraisal of Key and Endangered Sites: The Queensland Case Study*. Report No. P.R.4, School of Natural Resources, The University of New England.
- Storr, G.M., Smith, L.A and Johnstone, R.E. (1999). *Lizards of Western Australia. I Skinks*. Western Australian Museum, Perth.
- Stuart-Fox, D.M., Hugall, A.F. and Moritz, C. (2002). A molecular phylogeny of rainbow skinks (Scincidae: *Carlia*): taxonomic and biogeographic implications. *Australian Journal of Zoology* **50**: 39-51.
- Sutherland, E. F. and Dickman, C. R. (1999). Mechanisms of recovery after fire by rodents in the Australian environment: a review. *Wildlife Research* **26**: 405-419.
- Thackway R. and Cresswell I.D. (1995). *An Interim Biogeographic Regionalisation for Australia. Version 2.0*. Australian Nature Conservation Agency, Canberra.
- Thomas, M.B. and McDonald, W.J.F. (1983). *Rare and Threatened Plants of Queensland*. Queensland Department of Primary Industries, Brisbane.

References.

- Thurgate, N.Y. (1997). *The Impact of Cattle Grazing on the Reptiles of the Great Basalt Wall*, B.Sc. Thesis, James Cook University.
- Tilman, D. and Pacala, S. (1993). The maintenance of species richness in plant communities. Pp. 13-25. In 'Species Diversity in Ecological Communities.' (eds R.E. Ricklefs, and D. Schluter). University of Chicago Press, Chicago.
- Tongway, D.J. and Ludwig J.A. (1997b). The nature of landscape dysfunction in rangelands. Chapter 5. In: Landscape ecology, function and management, J. Ludwig, D. Tongway, D. Freudenberger, D. Nobel and K. Hodgkinson (eds), CSIRO Publishing, Melbourne, pp. 49-61.
- Trainor, C.R., and Woinarski, J.C.Z. (1994). Responses of lizards to three experimental fires in the savanna forests of Kakadu National Park. *Wildlife Research* **21**: 131-148.
- Turner, E. J., McDonald, W. J. F., Ahern, C. R. and Thomas, M. B. (1993). *Western Arid Region Land Use Study Part 5*. Queensland Department of Primary Industries, Division of Land Utilisation Technical Bulletin No. 30.
- Twigg, L.E., How, R.A., Hatherly, R.L. and Dell, J. (1996). Comparison of the diet of three sympatric species of *Ctenotus* skinks. *Journal of Herpetology* **30**: 561-566.
- Tyler, M.J. (1997). *The Action Plan for Australian Frogs*. Environment Australia, Canberra.
- Tyler, M.J., Watson, G.F. and Martin, A.A. (1981). The Amphibia. Diversity and Distribution. Pp. 1275-1302. In 'Ecological Biogeography of Australia'. (ed A. Keast). Junk, The Hague.
- Van Dyck, S. and Birch, J. (1996) *Pebble-mound mice Pseudomys_patrius and Pseudomys sp (Rodentia: Muridae) in Queensland*. A report to the Australian Nature Conservation Agency.
- Vane-Wright, R.I., Humphries C.J. and Williams P.H. (1991). What to protect - systematics and the agony of choice. *Biological Conservation* **55**: 235-254.
- Vigilante, T. (2001). Analysis of explorers' records of Aboriginal landscape burning in the Kimberley region of Western Australia. *Australian Geographic Studies* **39**: 135-155.
- Walker, B.H. (1997). Functional types in non-equilibrium systems. Pp. 91-103. In 'Plant Functional Types: Their Relevance to Ecosystem Properties and Global Change.' (Eds. T.M. Smith, H.H. Shugart and F.I. Woodward). Cambridge University Press, Cambridge.
- Wallace, A.R. (1876). *The Geographical Distribution of Animals*. Reprint. Hafner, New York.
- Watkins, D. (1993) *A National Action Plan for Shorebird Conservation in Australia*. RAOU report no. 80. Royal Australian Ornithologists Union, Australian Wader Studies Group and the World Wide Fund for Nature.

References.

- Watts, C. H. S. and Aslin, H. J. (1981). *The Rodents of Australia*. Angus and Robertson Publishers, Sydney.
- Weins, J.A. (1984). On understanding a non-equilibrium world: myth and reality in community patterns and processes. Pp. 439-457. In '*Ecological Communities: Conceptual Issues and the Evidence.*' (eds. D.R. Strong Jr., D. Simberloff, L.G. Abele and A. Thistle). Princeton University Press, Princeton.
- Weins, J.A. (1989). *The Ecology of Bird Communities. Volume 1 Foundation and Patterns. Volume 2 Processes and Variations*. Cambridge University Press, Cambridge.
- Whelan, R.J. (1995). *The Ecology of Fire*. Cambridge University Press, Cambridge.
- Whitehead P.J., Bowman D.M.J.S. and Tidemann S.C. (1992). Biogeographic patterns, environmental correlates and conservation of avifauna in the Northern Territory, Australia. *Journal of Biogeography* **19**: 151-161.
- Whitehead, P.J., Woinarski, J.C.Z., Jacklyn, P., Fell, D. and Williams, D. (2000). *Defining and measuring the health of savanna landscapes: a north Australian perspective*. Tropical Savanna CRC, Darwin.
- Whittaker, R.H. (1972). Evolution and measurement of species diversity. *Taxon* **21**: 213-251.
- Wilkins, Capt. Sir G.H. (1929). *Undiscovered Australia*. Knickerbocker Press, London.
- Williams, J.E. and Gill, A.M. (1995). *The Impact of Fire Regimes on Native Forests in Eastern New South Wales*. Environmental Heritage Monograph Series No. 2. NSW National Parks and Wildlife Service, Hurstville.
- Williams, P.H. and Gaston, K.J. (1994). Measuring more of biodiversity: can higher taxon richness predict wholesale species richness? *Biological Conservation* **64**: 211-217.
- Williams, P.H., Gibbons D., Margules C., Rebelo A., Humphries C. and Pressey R. (1996a). A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Conservation Biology* **10**: 155-174.
- Williams, R.J., Duff, G.A., Bowman, D.M.J.S., and Cook, G.D. (1996b). Variation in the composition and structure of tropical savannas as a function of rainfall and soil texture along a large-scale climatic gradient in the Northern Territory, Australia. *Journal of Biogeography*. **23**: 747-756.
- Williams, S.E. (1997). Patterns of mammalian species richness in the Australian tropical rainforests: are extinctions due to historical contractions of the rainforest the primary determinants of current regional patterns in biodiversity? *Wildlife Research* **24**: 513-30.

References.

- Williams, S.E, Pearson, R. and Walsh, P. (1996c). Distributions and biodiversity of the terrestrial vertebrates of Australia's Wet Tropics: a review of current knowledge. *Pacific Conservation Biology* **2**:327-362.
- Williams, S.E. and Pearson, R.G. (1997). Historical rainforest contractions, localised extinctions and patterns of vertebrate endemism in the rainforests of Australia's wet tropics. *Proceedings of the Royal Society of London B* **264**: 709-16.
- Williams, S.E., and Hero, J-M. (2001). Multiple determinants of Australian tropical frog biodiversity. *Biological Conservation* **98**: 1-10.
- Williams, S.E., Marsh, H. and Winter, J. (2002). Spatial scale, species diversity and habitat structure: small mammals in an Australian tropical rainforest. *Ecology* **83**: 1317-1329.
- Willis, J.C. (1922). *Age and Area. A Study in the Geographical Distribution and Origin of Species*. Cambridge University Press, Cambridge.
- Wilson, A.D. (1990). The effect of grazing on Australian ecosystems. Pp. 235-244. In, 'Australian Ecosystems. 200 years of Utilisation, Degradation and Reconstruction'. (Eds. D.A. Saunders, A.J.M. Hopkins and R.A. How). *Proceedings of the Ecological Society of Australia* **16**. Surrey, Beatty and Sons, Chipping Norton.
- Wilson, B.A. (1996). Fire effects on vertebrate fauna and implications for fire management and conservation. Pp. 131-147. In, 'Fire and Biodiversity.' Proceedings of conference held in October 1994, Footscray, Melbourne. Department of Environment, Sport and Territories, Canberra.
- Wilson, B.A., Neldner, V.J. and Accad, A. (2002). The extent and status of remnant vegetation in Queensland and its implications for statewide vegetation management and legislation. *Rangelands Journal* **24**: 6-35.
- Wilson, S.K. and Knowles, D.G. (1988). *Australia's reptiles: a photographic reference to the terrestrial reptiles of Australia*. Collins, Sydney.
- Winter, J.W. (1997). Responses of non-volant mammals to Late Quaternary climatic changes in the wet tropics region of north-eastern Australia. *Wildlife Research* **24**: 493-512.
- Winter, J.W. and Atherton, R.G. (1985). *Survey of the Mammals and Other Vertebrates of the Weipa Region, Cape York Peninsula*. Report to Comalco Ltd, Queensland National Parks and Wildlife Service, Brisbane.
- Winter, J.W., Bell, F.C., Pahl, L.I. and Atherton, R.G., (1991). The distribution of selected north-eastern Australian rainforest mammals. Pp. 155-176. In 'The Rainforest Legacy. Australian National Rainforests Study: Flora and fauna of the Rainforests. Volume 2'. (ed G.L. Werren and A.P. Kershaw). Australian Government Printing Service, Canberra.

References.

- Winter, J.W. and Lethbridge, R.G. (1995). *Terrestrial Vertebrate Fauna of Cape York Peninsula*. Queensland Department of Environment and Heritage and CYPLUS, Brisbane. Parks and Wildlife Service, Brisbane.
- Winter, W.H. (1990). Australia's northern savannas: a time for change in management philosophy. *Journal of Biogeography* **17**: 525-529.
- Woinarski, J.C.Z. (1990). Effects of fire on bird communities of tropical woodlands and open forests in northern Australia. *Australian Journal of Ecology* **15**: 1-22.
- Woinarski, J.C.Z. (1992). Biogeography and conservation of reptiles, mammals and birds across north-western Australia: an inventory and base for planning an ecological reserve system. *Wildlife Research* **19**: 665-705.
- Woinarski, J.C.Z. (1993). A cut-and-paste community: birds of monsoon rainforests in Kakadu National Park, Northern Territory. *Emu* **93**: 100-120.
- Woinarski, J.C.Z. (1999a). Fire and Australian birds: an annotated bibliography. Pp. 133-180. In 'Australia's biodiversity - responses to fire'. (eds A.M. Gill, J.C.Z. Woinarski, and A. York), Biodiversity Technical Paper No. 1, Biodiversity Unit, Department of Environment, Sport and Territories, Canberra.
- Woinarski, J.C.Z. (1999b). Prognosis and framework for the conservation of biodiversity in rangelands: building on the north Australian experience. Pp. 639-645. In 'People and Rangelands. Building the Future.' (eds D. Eldridge and D. Freudenberger). Proceedings of the VI International Rangeland Congress, Aitkenville.
- Woinarski, J.C.Z. (2000). The conservation status of rodents in the Top End of the Northern Territory. *Wildlife Research* **27**: 421-435.
- Woinarski, J.C.Z., Tidemann S.C. and Kerin S. (1988). Birds in a tropical mosaic: the distribution of bird species in relation to vegetation patterns. *Australian Wildlife Research*. **15**: 171-96.
- Woinarski, J.C.Z. and Braithwaite R.W. (1990) Conservation foci for Australian birds and mammals. *Search* **21**: 65-68.
- Woinarski, J.C.Z. and Tidemann, S.C. (1991). The bird fauna of a deciduous woodland in the wet-dry tropics of Northern Australia. *Wildlife Research* **18**: 479-500.
- Woinarski, J.C.Z., Braithwaite R.W., Menkhorst K.A., Griffin S., Fisher A. and Preece N. (1992a). Gradient analysis of the distribution of mammals in Stage 3 of Kakadu National Park, with a review of the distribution patterns of mammals across north-western Australia. *Wildlife Research* **19**: 233-262.
- Woinarski, J.C.Z. and Gambold, N. (1992). Gradient analysis of the tropical herpetofauna: distribution patterns of terrestrial reptiles and amphibians in Stage III of Kakadu National Park, Australia. *Wildlife Research* **19**: 105-127.
- Woinarski, J.C.Z., Menkhorst, K., Gambold, N., and Braithwaite, R. (1992b). Mammals of the Bungle Bungle area. In *The Wildlife and Vegetation of Purnululu (Bungle*

References.

- Bungle) National Park and adjacent area.* (ed. J.C.Z. Woinarski) Wildlife Research Bulletin No. 6, Dept. of Conservation and Land Management, Perth.
- Woinarski, J.C.Z., Whitehead P.J., Bowman D.M.J.S. and Russell-Smith, J. (1992c). Conservation of mobile species in a variable environment: the problem of reserve design in the Northern Territory, Australia. *Global Ecology and Biogeography Letters* **92**: 1-10.
- Woinarski, J.C.Z. and Fisher, A. (1995a). Wildlife of lancewood (*Acacia shirleyi*) thickets and woodlands in northern Australia. 1. Variation in vertebrate species composition across the environmental range occupied by lancewood vegetation in the Northern Territory. *Wildlife Research* **22**: 379-412.
- Woinarski, J.C.Z. and Fisher, A. (1995b). Wildlife of lancewood (*Acacia shirleyi*) thickets and woodlands in northern Australia. 2. Comparisons with other environments of the region (*Acacia* woodlands, *Eucalyptus* savanna woodlands and monsoon rainforests). *Wildlife Research* **22**: 413-444.
- Woinarski, J.C.Z., Price O. and Faith, D.P. (1996). Application of a taxon priority system for conservation planning by selecting areas which are most distinct from environments already reserved. *Biological Conservation* **76**: 147- 159.
- Woinarski, J.C.Z. and Recher H.F. (1997). Impact and response: a review of the effects of fire on the Australian avifauna. *Pacific Conservation Biology* **3**:183-205.
- Woinarski, J.C.Z., Brock C., Fisher, A., Milne, D. and Oliver, B. (1999a). Response of birds and reptiles to fire regimes on pastoral land in the Victoria River District, Northern Territory. *Rangeland Journal* **21**: 24-38.
- Woinarski, J.C.Z., Fisher, A., and Milne, D. (1999b). Distribution patterns of vertebrates in relation to an extensive rainfall gradient and variation in soil texture in the tropical savannas of the Northern Territory. *Journal of Tropical Ecology* **15**: 381-398.
- Woinarski, J.C.Z., Gambold, N., Wurst, D., Flannery, T.F., Smith, A.P., Chatto, R., and Fisher, A. (1999c). Distribution and habitat of the Northern Hopping Mouse *Notomys aquilo*. *Wildlife Research* **26**: 495-511.
- Woinarski, J.C.Z., Horner P., Fisher A., Brennan K., Lindner D., Gambold N., Chatto R. and Morris I. (1999d). Distributional patterning of terrestrial herpetofauna on the Wessel and English Company Island groups, north-eastern Arnhem Land, Northern Territory, Australia. *Australian Journal of Ecology* **24**: 60-79.
- Woinarski, J.C.Z., Brock C., Armstrong M., Hempel C., Cheal D. and Brennan K. (2000a). Bird distribution in riparian vegetation in the extensive natural landscape of Australia's tropical savanna: a broad-scale survey and analysis of a distributional data base. *Journal of Biogeography* **27**: 843-868.
- Woinarski, J.C.Z., Connors, G. and Franklin, D.C. (2000b). Thinking honeyeater: nectar maps for the Northern Territory, Australia. *Pacific Conservation Biology* **6**: 61-80.

References.

- Woinarski, J.C.Z., Fensham R., Whitehead P. and Fisher A. (2001a). Background paper 1. A review of changes in status and threatening processes. In 'Developing an analytical framework for monitoring biodiversity in Australia's rangelands.' (eds J.C.Z. Woinarski, P. Whitehead, A. Fisher, R. Fensham, and K. Beggs). Report to the National Land and Water Resources Audit. Cooperative Research Centre for the Sustainable Development of Tropical Savannas, Darwin.
- Woinarski, J.C.Z. and Milne, D. J. and Wanganeen, G. (2001b). Changes in the mammal populations in relatively intact landscapes of Kakadu National Park, Northern Territory, Australia. *Austral Ecology* **26**: 360-370.
- Woinarski, J.C.Z., Brennan, K, Hempel, C., Firth, R. and Watt, F. (2001c). *Biodiversity Conservation on the Tiwi Islands. Plants, Vegetation types and Terrestrial Vertebrates on Melville Island*. A report to the Tiwi Land Council.
- Woinarski, J.C.Z., and Ash, A. (2002) Responses of vertebrates to pastoralism, military land use and landscape position in a tropical savanna near Townsville, Australia. *Austral Ecology* **27**: 311-323.
- Woinarski, J.C.Z., Andersen A.N., Churchill T. and Ash A.J. (2002). Response of ant and terrestrial spider assemblages to pastoral and military land-use, and to landscape position, in a tropical savanna woodland in northern Australia. *Austral Ecology* **27**: 324-333.
- Woolley, P. 1992. New records of the Julia Creek Dunnart, *Sminthopsis douglasi* (Marsupialia: Dasyuridae). *Wildlife Research* **19**: 779-783.
- Yibarbuk, D., Whitehead, P.J., Russell-Smith, Jackson, D., Godjuwa, C., Fisher, A., Cooke, P., Choquenot and Bowman D.M.J.S. (2001). Fire ecology and Aboriginal land management in central Arnhem Land, northern Australia: a tradition of ecosystem management. *Journal of Biogeography* **28**: 325-343.