

JCU ePrints

This file is part of the following reference:

Mamangkey, Noldy (2009) *Improving the quality of pearls from *Pinctada maxima. PhD thesis, James Cook University.**

Access to this file is available from:

<http://eprints.jcu.edu.au/11722>



References

- Acosta-Salmon, H., Southgate, P.C., 2005. Mantle regeneration in the pearl oysters *Pinctada fucata* and *Pinctada margaritifera*. *Aquaculture* 246, 447-453.
- Acosta-Salmon, H., Southgate, P.C., 2006. Wound healing after excision of mantle tissue from the Akoya pearl oyster, *Pinctada fucata*. *Comp. Biochem. Physiol.*, A 143, 264–268.
- Acosta-Salmon, H., Davis, M., 2007. Inducing relaxation in the queen conch *Strombus gigas* (L.) for cultured pearl production. *Aquaculture* 262, 73-77.
- Acosta-Salmon, H., Martinez-Fernandez, E., Southgate, P.C., 2004. A new approach to pearl oyster broodstock selection: can saibo donors be used as future broodstock? *Aquaculture* 231, 205-214.
- Acosta-Salmon, H., Martinez-Fernandez, E., Southgate, P.C., 2005. Use of relaxants to obtain saibo tissue from the blacklip pearl oyster (*Pinctada margaritifera*) and the Akoya pearl oyster (*Pinctada fucata*). *Aquaculture* 246, 167-172.
- Acosta-Salmón, H., 2004. Broodstock management and egg quality of the pearl oysters *Pinctada margaritifera* and *Pinctada fucata*. PhD Thesis, James Cook University. Townsville, Australia. 142 pp.
- Addadi, L., Weiner, S., 1997. Biomineralization - A pavement of pearl. *Nature* 389, 912.
- Agatonovic-Kustrin, S., Tucker, I.G., Schmierer, D., 1999. Solid state assay of ranitidine HCl as a bulk drug and as active ingredient in tablets using DRIFT spectroscopy with artificial neural networks. *Pharmaceutical Research* 16, 1477-1482.
- Alagarwami, K., 1976. Results of multiple implantation of nuclei in production of cultured pearls. *Indian J. Fish.* 21, 601-604.
- Alvarado, A.S., 2000. Regeneration in the metazoans: why does it happen? *Bioessays* 22, 578-590.
- Alvarado, A.S., 2004. Regeneration and the need for simpler model organisms. *Philos Trans R Soc Lond B Biol Sci* 359, 759-763.
- Alvarado, A.S., 2006. Planarian regeneration: Its end is its beginning. *Cell* 124, 241-245.
- Anon, 2007a. The pearl book: natural, cultured & imitation pearls — terminology & classification. CIBJO/GEM materials, Pearl Commission. CIBJO, The World Jewellery Confederation, Milano, Italy. 47 pp.
- Anon, 2007b. Pearl market expands. *Modern Jeweler* 106, 20.
- Aquilina, B., Roberts, R., 2000. A method for inducing muscle relaxation in the abalone, *Haliotis iris*. *Aquaculture* 190, 403-408.
- Araujo, R., Remon, J.M., Moreno, D., Ramos, M.A., 1995. Relaxing techniques for fresh-water mollusks - trials for evaluation of different methods. *Malacologia* 36, 29-41.
- Armstrong, D.A., 1971. Experimental wound repair in the black abalone, *Haliotis cracherodii*. *J Invertebr Pathol* 17, 216-227.
- Awaji, M., Suzuki, T., 1995. The pattern of cell proliferation during pearl sac formation in the pearl oyster. *Fish Sci* 61, 747-751.

- Barthelat, F., Espinosa, H.D., 2007. An experimental investigation of deformation and fracture of nacre-mother of pearl. *Experimental Mechanics* 47, 311-324.
- Bauer, G., 1988. Threats to the freshwater pearl mussel *Margaritifera margaritifera* L. in Central Europe. *Biol. Conserv.* 45, 239-253.
- Beasley, C.R., Roberts, D., 1996. The current distribution and status of the freshwater pearl mussel *Margaritifera margaritifera* L. 1758 in north-west Ireland. *Aquat. Conserv.: Mar. Freshwat. Ecosyst.* 6, 169-177.
- Behzadi, S., Parivar, K., Roustaian, P., 1997. Gonadal cycle of pearl oyster, *Pinctada fucata* (Gould) in Northeast Persian Gulf, Iran. *J. Shellfish Res.* 16, 129-135.
- Bekkum, D.W.V., 2004. Phylogenetic aspects of tissue regeneration: role of stem cells, a concise overview. *Blood Cells Mol Dis* 32, 11-16.
- Bely, A.E., 2006. Distribution of segment regeneration ability in the Annelida. *Integr Comp Biol* 46, 508-518.
- Bevelander, G., Nakahara, H., 1966. Correlation of lysosomal activity and ingestion by the mantle epithelium. *Biol Bull* 131, 76-82.
- Blank, S., Arnoldi, M., Khoshnavaz, S., Treccani, L., Kuntz, M., Mann, K., Grathwohl, G., Fritz, M., 2003. The nacre protein perlucin nucleates growth of calcium carbonate crystals. *Journal of Microscopy-Oxford* 212, 280-291.
- Bondad-Reantaso, M.G., McGladdery, S.E., Berthe, F.C.J., 2007. Pearl oyster health management: a manual. *FAO Fisheries Technical Paper*, Rome, pp. 119.
- Brockes, J.P., Kumar, A., Velloso, C.P., 2001. Regeneration as an evolutionary variable. *J Anat* 199, 3-11.
- Bubel, A., 1984. Mollusca: Epidermal Cells. In: Bereiter-Hahn, J., Matolsty, A.G., Richards, K.S. (Eds.), *Biology of the Integument 1, Invertebrates*. Springer-Verlag, Berlin, pp. 400-440.
- Burger, T., Ploss, H.J., Kuhn, J., Ebel, S., Fricke, J., 1997. Diffuse reflectance and transmittance spectroscopy for the quantitative determination of scattering and absorption coefficients in quantitative powder analysis. *Applied Spectroscopy* 51, 1323-1329.
- Carlson, B.M., 2007. *Principles of Regenerative Biology*. Elsevier, Michigan, 379 pp.
- Carriker, M.R., Zandt, D.V., 1972. Regeneration of the accessory boring organ of muricid gastropods after excision. *Transactions of the American Microscopical Society* 91, 455-466.
- Che, L.M., Campion-Alsumard, T.L., Boury-Esnault, N., Payri, C., Golubic, S., Bezac, C., 1996. Biodegradation of shells of the black pearl oyster, *Pinctada margaritifera* var. *cumingii*, by microborers and sponges of French Polynesia. *Marine Biology (Berlin)* 126, 509-519.
- Checa, A.G., Rodriguez-Navarro, A.B., 2005. Self-organisation of nacre in the shells of Pterioda (Bivalvia : Mollusca). *Biomaterials* 26, 1071-1079.
- Chen, L., Xie, L., Dai, Y., Xiong, X., Fan, W., Zhang, R., 2004. Cloning and characterization of an mRNA encoding a novel G protein (alpha)-subunit abundant in mantle and gill of pearl oyster *Pinctada fucata*. *Comp Biochem Physiol B Biochem Mol Biol* 139, 669-679.
- Cosgrove, P., Hastie, L., Young, M., 2000. Freshwater pearl mussels in peril. *Br. Wildl.* 11, 340-347.
- Cosgrove, P.J., Hastie, L.C., 2001. Conservation of threatened freshwater pearl mussel populations: river management, mussel translocation and conflict resolution. *Biol. Conserv.* 99, 183-190.

- Culling, C.F.A., Allison, R.T., Barr, W.T., 1985. Cellular pathology technique. 4th Ed., Butterworths, London, 642 pp.
- Dakin, W.J., 1913. Pearls. Cambridge University Press, Cambridge, vi, 143 pp.
- Dall, W.H., 1883. Pearls and Pearl Fisheries. The American Naturalist 17, 579-587.
- De Nys, R., Ison, O., 2008. Biofouling. In: Southgate, P.C., Lucas, J.S. (Eds.), The pearl oyster. Elsevier, Amsterdam, pp. 527-554.
- DesVoigne, D.M., 1968. The process of wound healing in the pacific oyster, *Crassostrea gigas*. J Invertebr Pathol 12, 53-65.
- Dix, T.G., 1973. Histology of the mantle and pearl sac of the pearl oyster *Pinctada maxima* (Lamellibranchia). J Malacol Soc Aust 2, 365-375.
- Doroudi, M.S., 1994. Infestation of the pearl oyster by the boring and fouling organisms in the pearl culture farm and natural beds from northern coast of Persian Gulf. J. Shellfish Res. 13, 333.
- Elen, S., 2001. Spectral reflectance and fluorescence characteristics of natural-color and heat-treated "golden" south sea cultured pearls. Gems & Gemology 37, 114-123.
- Elen, S., 2002. Identification of yellow cultured pearls from Black-lipped oyster *Pinctada margaritifera*. Gems & Gemology 38, 66-72.
- Falini, G., Albeck, S., Weiner, S., Addadi, L., 1996. Control of aragonite or calcite polymorphism by mollusk shell macromolecules. Science 271, 67-69.
- Fang, Z., Feng, Q.L., Chi, Y.Z., Xie, L.P., Zhang, R.Q., 2008. Investigation of cell proliferation and differentiation in the mantle of *Pinctada fucata* (Bivalve, Mollusca). Mar Biol 153, 745-754.
- Fiske, D., Shepherd, J., 2007. Continuity and change in Chinese freshwater pearl culture. Gems & Gemology 43, 138-145.
- Fleury, C., Marin, F., Marie, B., Luquet, G., Thomas, J., Josse, C., Serpentin, A., Lebel, J.M., 2008. Shell repair process in the green ormer *Haliotis tuberculata*: A histological and microstructural study. Tissue and Cell 40, 207-218.
- Fong, Q.S.W., Ellis, S.C., Haws, M., 2004. Economic feasibility of small-scale, commercial culture of black pearls in rural communities in the Central Pacific. J. Shellfish Res. 23, 291.
- Fougerouse, A., Rousseau, M., Lucas, J.S., 2008. Soft tissue anatomy, shell structure and biomineralization. In: Southgate, P.C., Lucas, J.S. (Eds.), The pearl oyster. Elsevier, Amsterdam, pp. 77-102.
- Fowler, J., Cohen, L., Jarvis, P., 2004. Practical statistics for field biology, second edition. John Wiley & Sons, Chichester, England, 259 pp.
- Franchini, A., Ottaviani, E., 2000. Repair of molluscan tissue injury: role of PDGF and TGF- β . Tissue Cell 32, 312-321.
- Fromont, J., Craig, R., Rawlinson, L., Alder, J., 2005. Excavating sponges that are destructive to farmed pearl oysters in Western and Northern Australia. Aquacult. Res. 36, 150-162.
- Fuller, W.A., 1996. Introduction to statistical time series. Wiley, New York, 698 pp.
- Garcia-Gasca, A., Ochoa-Baez, R.I., Betancourt, M., 1994. Microscopic anatomy of the mantle of the pearl oyster *Pinctada mazatlanica* (Hanley, 1856). J Shellfish Res 13, 85-91.
- George, C.D., 1967. The cultured pearl: Its history and development to the present day. South Pacific Post, Port Moresby, 16 pp.
- George, C.D., 1996. The pearling industry in Australia and Papua New Guinea, 1949-1977, Cairns, 128 pp.

- Gervis, M.H., Sims, N.A., 1992. The biology and culture of pearl oysters (Bivalvia: Pteriidae). ICLARM, Manila (Philippines), 49 pp.
- Goss, R.J., 1969. Principles of Regeneration. Academic Press, Inc, New York, 287 pp.
- Grégoire, C., 1957. Topography of the organic components in mother-of-pearl. The Journal of Biophysical and Biochemical Cytology 3, 797-808.
- Guenther, J., Southgate, P.C., de Nys, R., 2006. The effect of age and shell size on accumulation of fouling organisms on the Akoya pearl oyster *Pinctada fucata* (Gould). Aquaculture 253, 366-373.
- Haws, M., 2002. The basic methods of pearl farming: a layman's manual. Hawaii Sea Grant.
- Haws, M.C., 1998. Nucleus implantation for cultivation of black pearls: review of current technology and constraints for development of the industry. J Shellfish Res 17, 328.
- He, M.X., Huang, L.M., Shi, J.H., Jiang, Y.P., 2005. Variability of ribosomal DNA ITS-2 and its utility in detecting genetic relatedness of pearl oyster. Marine Biotechnology 7, 40-45.
- Hernandez-Olalde, L., Garcia-Dominguez, F., Arellano-Martinez, I., Ceballos-Vazquez, B.P., 2007. Reproductive cycle of the Pearl oyster *Pteria sterna* (Pteriidae) in the Ojo de Liebre lagoon, BCS, Mexico. J. Shellfish Res. 26, 543-548.
- Hillman, R.E., 1961. Formation of the periostracum in *Mercenaria mercenaria*. Science 134, 1754-1755.
- Hodgson, A.N., 1982. Studies on wound healing, and an estimation of the rate of regeneration, of the siphon of *Scrobicularia plana* (da Costa). J Exp Mar Bio Ecol 62, 117-128.
- Huang, Y., Cavinato, A.G., Mayes, D.M., Kangas, L.J., Bledsoe, G.E., Rasco, B.A., 2003. Nondestructive determination of moisture and sodium chloride in cured Atlantic salmon (*Salmo salar*) (Teijin) using short-wavelength near-infrared spectroscopy (SW-NIR). Journal of Food Science 68, 482-486.
- Humphrey, J.D., 2008. Disease and predation. In: Southgate, P.C., Lucas, J.S. (Eds.), The pearl oyster. Elsevier, Amsterdam, pp. 367-436.
- Humphrey, J.D., Norton, J.H., 2005. The pearl oyster *Pinctada maxima* (Jameson, 1901); An atlas of functional anatomy, pathology and hispathology. Northern Territory Department of Primary Industry, Fisheries and Mines, Queensland Department of Primary Industries and Fisheries Research and Development Corporation, 111 pp.
- Hynd, J.S., 1955. A revision of the Australian pearl shells, genus *Pinctada* (Lamellibranchia). Australian Journal of Marine and Freshwater 6, 98-137.
- Ito, M., Suzuki, T., Yada, S., Kusai, A., Nakagami, H., Yonemochi, E., Terada, K., 2008. Development of a method for the determination of caffeine anhydrate in various designed intact tables by near-infrared spectroscopy: A comparison between reflectance and transmittance technique. Journal of Pharmaceutical and Biomedical Analysis 47, 819-827.
- Jones, J.B., 2007. Review of pearl oyster mortalities and disease problems, pp. 59–68. In: Bondad-Reantaso, M.G., McGladdery, S.E. and Berthe, F.C.J. Pearl oyster health management: a manual. FAO Fisheries Technical Paper No. 503. Rome, FAO. 2007. 119p.
- Joyce, K., Addison, S., 1992. Pearls : ornament & obsession. Thames and Hudson, London, 253 pp.

- Karampelas, S., Fritsch, E., Mevellec, J.Y., Sklavounos, S., Soldatos, T., 2009. Role of polyenes in the coloration of cultured freshwater pearls. *Eur. J. Mineral.* 21, 85-97.
- Karampelas, S., Fritsch, E., Mevellec, J.Y., Gauthier, J.P., Sklavounos, S., Soldatos, T., 2007. Determination by Raman scattering of the nature of pigments in cultured freshwater pearls from the mollusk *Hyriopsis cumingi*. *Journal of Raman Spectroscopy* 38, 217-230.
- Katti, K.S., Katti, D.R., 2006. Why is nacre so tough and strong? *Materials Science and Engineering C*, 1317– 1324.
- Kemper, T., Sommer, S., 2002. Estimate of heavy metal contamination in soils after a mining accident using reflectance spectroscopy. *Environ. Sci. Technol.* 36, 2742-2747.
- Kennedy, S.J., 1998. Pearl Identification. *Australian Gemmologist* 20, 2-19.
- Kobayashi, I., Samata, T., 2006. Bivalve shell structure and organic matrix. *Mater. Sci. Eng. C-Biomimetic Supramol. Syst.* 26, 692-698.
- Komatsu, H., Akamatsu, S., 1978. Studies on differentiation of true and artificially coloured black and blue pearls. *Journal of Gemmological Society of Japan* 5, 3-8.
- Kremkow, C., 2005. Pearl production down, prices up. *Modern Jeweler* 104, 20.
- Kunz, G.F., Stevenson, C.H., 1908. *The book of the pearl: The history, art, science, and industry of the queen of gems.* Macmillan & Co Ltd, London, 548 pp.
- Lamprell, K., Healy, J., 1997. *Bivalves of Australia, vol. 2.* Backhuys Publisher, Leyden, 288 pp.
- Lin, A.Y.M., Chen, P.Y., Meyers, M.A., 2008. The growth of nacre in the abalone shell. *Acta Biomaterialia* 4, 131-138.
- Lowenstam, H.A., Weiner, S., 1989. *On biomineralization.* Oxford University Press, New York, 324 pp.
- Mao Che, L., Le Campion-Alsumard, T., Boury-Esnault, N., Payri, C., Golubic, S., Bezac, C., 1996. Biodegradation of shells of the black pearl oyster, *Pinctada margaritifera* var. *cumingii*, by microborers and sponges of French Polynesia. *Mar. Biol.* 126, 509-519.
- Matlins, A.L., 2002. *The Pearl Book: The definitive buying guide; how to select, buy, care for & enjoy pearls.* GemStone Press, Woodstock, Vermont, 198 pp.
- Matsushiro, A., Miyashita, T., Miyamoto, H., Morimoto, K., Tonomura, B., Tanaka, A., Sato, K., 2003. Presence of protein complex is prerequisite for aragonite crystallization in the nacreous layer. *Marine Biotechnology* 5, 37-44.
- McGinty, E.L., Evans, B.S., Taylor, J.U.U., Jerry, D.R. (2010). Xenografts and pearl production in two pearl oyster species, *P. maxima* and *P. margaritifera*: Effect on pearl quality and a key to understanding genetic contribution. *Aquaculture* (in press).
- Mills, D., Tlili, A., Norton, J., 1997. Large-scale anesthesia of the silver-lip pearl oyster, *Pinctada maxima* Jameson. *J. Shellfish Res.* 16, 573-574.
- Mount, A.S., Wheeler, A.P., Paradkar, R.P., Snider, D., 2004. Hemocyte-mediated shell mineralization in the Eastern oyster. *Science* 304, 297-300.
- Norton, J.H., Dashorst, M., Lansky, T.M., Mayer, R.J., 1996. An evaluation of some relaxants for use with pearl oysters. *Aquaculture* 144, 39-52.
- Norton, J.H., Lucas, J.S., Turner, I., Mayer, R.J., Newnham, R., 2000. Approaches to improve cultured pearl formation in *Pinctada margaritifera* through use of

- relaxation, antiseptic application and incision closure during bead insertion. *Aquaculture* 184, 1-17.
- O'Connor, W.A., Lawler, N.F., 2002. Propylene phenoxetol as a relaxant for the pearl oysters *Pinctada imbricata* and *Pinctada albina*. *Asian Fish. Sci.* 15, 51-57.
- O'Sullivan, D., 1992. A review of oyster farming techniques in Australia. *J. Shellfish Res.* 11, 204-205.
- O'Sullivan, D., Cropp, D., 1994. An overview of pearl production techniques in Australia. *J. Shellfish Res.* 13, 348.
- Pan, C.-M., Watabe, N., 1989. Periostracum formation and shell regeneration in the lingulid *Glottidia pyramidata* (Brachiopoda: Inarticulata). *Trans Am Microsc Soc* 108, 283-298.
- Pauley, G.B., 1966. Observations on experimental wound repair in the adductor muscle and the Leydig cells of the oyster *Crassostrea gigas*. *J Invertebr Pathol* 9, 298-309.
- Pouvreau, S., Prasil, V., 2001. Growth of the black-lip pearl oyster, *Pinctada margaritifera*, at nine culture sites of French Polynesia: synthesis of several sampling designs conducted between 1994 and 1999. *Aquatic Living Resources* 14, 155-163.
- Reed-Miller, C., 1983. Scanning electron microscopy of the regenerated shell of the marine archaeogastropod, *Tegula*. *Biological Bulletin* 165, 723-732.
- Rousseau, M., Lopez, E., Coute, A., Mascarel, G., Smith, D.C., Naslain, R., Bourrat, X., 2004. Multi-scale structure and growth of nacre: a new model for bioceramics. *Bioceramics* 16 254-2, 1009-1012.
- Ruiz-Rubio, H., Acosta-Salmon, H., Olivera, A., Southgate, P.C., Rangel-Davalos, C., 2006. The influence of culture method and culture period on quality of half-pearls ('mabe') from the winged pearl oyster *Pteria sterna*, Gould, 1851. *Aquaculture* 254, 269-274.
- Ryan, M., O'Sullivan, D., 2001. Culture techniques of the Australian pearl industry. *Austasia Aquacult.* June/July, 32-37.
- Saucedo, P., Rodriguez-Jaramillo, C., Monteforte, M., 2002a. Microscopic anatomy of gonadal tissue and specialized storage cells associated with oogenesis and spermatogenesis in the Calafia mother-of-pearl oyster, *Pinctada mazatlanica* (Bivalvia: Pteriidae). *J. Shellfish Res.* 21, 145-155.
- Saucedo, P., Racotta, I., Villarreal, H., Monteforte, M., 2002b. Seasonal changes in the histological and biochemical profile of the gonad, digestive gland, and muscle of the Calafia mother-of-pearl oyster, *Pinctada mazatlanica* (Hanley, 1856) associated with gametogenesis. *J. Shellfish Res.* 21, 127-135.
- Saucedo, P.E., Southgate, P.C., 2008. Reproduction, development and growth. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 131-186.
- Scarratt, K., Moses, T.M., Akamatsu, S., 2000. Characteristics of nuclei in Chinese freshwater cultured pearls. *Gems & Gemology* 36, 98-109.
- Scoones, R.J.S., 1996. The development of the pearl sac in *Pinctada maxima* (Jameson, 1901) (Lamellibranchia: Pteriidae) and the implications for the quality of cultured pearls. Unpublished Master Thesis, The University of Western Australia, Perth. 89 pp.
- Shirai, S., 1994. Pearls and pearl oysters of the world. Marine Planning Co., Nagano, Japan, 108 pp.

- Simkiss, K., 1988. Molluscan skin (excluding Cephalopods). In: Wilbur, K.M., Trueman, E.R., Clarke, M.R. (Eds.), *The Mollusca*, pp. 11-35.
- Simkiss, K., Wada, K., 1980. Cultured pearls- commercialised biomineralisation. *Endeavour* 4, 32-37.
- Simkiss, K., Wilbur, K.M., 1989. *Biomineralization: cell biology and mineral deposition*. Academic Press, San Diego, 337 pp.
- Snow, M.R., Pring, A., Self, P., Losic, D., Shapter, J., 2004. The origin of the color of pearls in iridescence from nano-composite structures of the nacre. *American Mineralogist* 89, 1353-1358.
- Southgate, P.C., 2007. Overview of the cultured marine pearl industry. In: Bondad-Reantaso, M.G., McGladdery, S.E., F.C.J., B. (Eds.), *Pearl oyster health management: a manual*. FAO Fisheries Technical Paper No. 503, Rome, pp. 7-17.
- Southgate, P.C., 2008. Pearl oyster culture. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 231-272.
- Southgate, P.C., Lucas, J.S., Torrey, R.D., 2008a. Future developments. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 555-566.
- Southgate, P.C., Strack, E., Hart, A., Wada, K.T., Monteforte, M., Cariño, M., Langy, S., Lo, C., Acosta-Salmón, H., Wang, A., 2008b. Exploitation and culture of major commercial species. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 303-356.
- Spencer, G.E., Syed, N.I., Lukowiak, K., Winlow, W., 1995. Halothane-induced synaptic depression at both in vivo and in vitro reconstructed synapses between identified *Lymnaea neurons*. *J. Neurophysiol.* 74, 2604-2613.
- Strack, E., 2006. *Pearls*. Ruhle-Diebener-Verlag, Stuttgart, Germany, 707 pp.
- Streeter, E.E., 1886. *Pearls and pearling life*. George Bell & Sons, Yorks Street, Covent Garden.
- Taylor, J., Strack, E., 2008. Pearl production. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 273-302.
- Taylor, J.J.U., 1999. Juvenile production and culture of the silver-lip pearl oyster, *Pinctada maxima* (Jameson). PhD Thesis, James Cook University. Townsville, Australia. 222 pp.
- Taylor, J.J.U., 2002. Producing golden and silver South Sea pearls from Indonesian hatchery reared *Pinctada maxima*. *POIB* 15, 30.
- Taylor, J.J.U., 2007. Atlas south sea pearl grading and coding matrix. Internal Company Document. 7 pp.
- Tsonis, P.A., 2000. Regeneration in vertebrates. *Dev Biol* 221, 273-284.
- Ubukata, T., 1994. Architectural constraints on the morphogenesis of prismatic structure in Bivalvia. *Palaeontology* 37, 241-261.
- Wada, K.T., Komaru, A., 1996. Color and weight of pearls produced by grafting the mantle tissue from a selected population for white shell color of the Japanese pearl oyster *Pinctada fucata martensii* (Dunker). *Aquaculture* 142, 25-32.
- Wada, K.T., Tëmkin, I., 2008. Taxonomy and Phylogeny. In: Southgate, P.C., Lucas, J.S. (Eds.), *The pearl oyster*. Elsevier, Amsterdam, pp. 37-76.
- Wang, Q., Wu, H., 1994. Pearl culture in China. *J. Shellfish Res.* 13, 353.
- Ward, F., 1995. *Pearls*. Gem Book Publishers, Bethesda, 64 pp.
- Watabe, N., 1988. Shell structure. In: Trueman, E.R., Clark, M.R. (Eds.), *The Mollusca* Vol. 11; Form and Function. Academic Press, Inc., San Diego, pp. 69-104.

- Webster, R., 1994. Gems: their sources, descriptions and identification, 1026 pp.
- Weiner, S., Traub, W., Parker, S.B., 1984. Macromolecules in mollusc shells and their functions in biomineralization. Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences, 304, 425-434.
- White, H.I., Hecht, T., Potgieter, B., 1996. The effect of four anaesthetics on *Haliotis midae* and their suitability for application in commercial abalone culture. Aquaculture 140, 145-151.
- Woodall, A.J., Naruo, H., Prince, D.J., Feng, Z.P., Winlow, W., Takasaki, M., Syed, N.I., 2003. Anesthetic treatment blocks synaptogenesis but not neuronal regeneration of cultured *Lymnaea neurons*. J. Neurophysiol. 90, 2232-2239.
- Xie, Y., 1990. A study on maximum pearl oysters *Pinctada maxima*. Bull. Mar. Sci. 47, 262-263.
- Young, M.R., 1991. Conserving the freshwater pearl mussel (*Margaritifera margaritifera* L.) in the British Isles and continental Europe. Aquat. Conserv.: Mar. Freshwat. Ecosyst. 1, 73-77.

Appendix 1: Publications resulting from this thesis

Mamangkey G.H., Acosta-Salmon, H., Southgate, P.C. 2009. Use of anaesthetics with the silver-lip pearl oyster, *Pinctada maxima* (Jameson). *Aquaculture* 288, 280-284.

Mamangkey, G.H., Southgate, P.C. 2009. Regeneration of excised mantle tissue by the silver-lip pearl oyster, *Pinctada maxima* (Jameson). *Fish and Shellfish Immunology* 27, 164-174.