## REFERENCES

2001. Climate change 2001: Synthesis report, Intergovernmental panel on climate change.

Ackers, P. and White, W.R., 1973. Sediment transport: new approach and analysis. Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers., 99: 2041-2060.

Anthony, E.J., 2000. Marine sand supply and Holocene coastal sedimentation in northern France between the Somme estuary and Belgium. In: K. Pye and J.R.L. Allen (Editors), Coastal and estuarine environments: sedimentology, geomorphology and geoarchaeology. Geological Society, London, Special Publications. The Geological Society of London, London, pp. 87-97.

Anthony, E.J., Lang, J. and Oyede, L.M., 1996. Sedimentation in a tropical, microtidal, wave-dominated coastal-plain estuary. Sedimentology, 43: 665-675.

Ash, J., 1981. Rainfall patterns in northeastern Queensland. In: J. Chappell and J. Grindrod (Editors), CLIMAZ. Department of Biogeography and Geomorphology, Research School of Pacific Studies, Australian National University, Victoria, Australia, pp. 90.

Baker, V.R. and Costa, J.E., 1987. Flood power. In: L. Mayer and D. Nash (Editors), Catastrophic flooding. Allen & Unwin, Great Britain, pp. 1-21.

Barker, R., Dixon, L. and Hooke, J., 1997. Use of terrestrial photogrammetry for monitoring and measuring bank erosion. Earth Surface Processes and Landforms, 22: 1217-1227.

Barusseau, J.P., Diop, E.H.S. and Saos, J.L., 1985. Evidence of dynamics reversal in tropical estuaries, geomorphological and sediementological consequences (Salum and Casamance Rivers, Sengal). Sedimentology, 32: 543-552.

Belperio, A.P., 1978. An inner shelf sedimentation model for the Townsville region, Great Barrier Reef Province. PhD Thesis, James Cook University, Townsville, 197 pp.

Belperio, A.P., 1979. The combined use of wash load and bed material load rating curves for the calculation of total load: an example from the Burdekin River, Australia. Catena, 6: 317-329.

Belperio, A.P., 1983. Terrigenous sedimentation in the central Great Barrier Reef lagoon: a model from the Burdekin region. BMR Journal of Australian Geology & Geophysics, 8: 179-190.

Bird, E.C.F., 1971. The origin of beach sediments on the north Queensland coast. Earth Science Journal, 5(2): 95-105.

Bird, E.C.F., 1973. Depositional evidence of fluvial sediment yield: an example from north Queensland. The Australian Geographer, 9(3): 250-253.

Bird, E.C.F., 1978. The Geomorphology of the Gippsland Lakes region, Ministry for Conservation, Victoria.

Bird, E.C.F., 1993. Submerging coasts. Coastal Morphology and Research. John Wiley & Sons, Great Britain, 184 pp.

Bird, E.C.F., 2000. Coastal geomorphology: an introduction. John Wiley & Sons, West Sussex, 322 pp.

Blott, S.J. and Pye, K., 2001. Gradistat: a grainsize distribution and statistics package for the analysis of unconsolidated sediments. Earth Surface Processes and Landforms, 26: 1237-1248.

Boyd, R., Dalrymple, R.A. and Zatlin, B.A., 1992. Classification of clastic coastal depositional environments. Sedimentary Geology, 80: 139-150.

BPA, 1996a. Wave data recording program: Abbot Point region 1977-1996., Beach Protection Authority, Brisbane.

BPA, 1996b. Wave data recording program: Townsville region 1975-1996., Beach Protection Authority, Brisbane.

Brodie, J., 1996. River flood plumes in the Great Barrier Reef lagoon. In: P. Larcombe, K.J. Woolfe and R.G. Purdon (Editors), Great Barrier Reef: terrigenous sediment flux and human impact, Townsville, pp. 33 - 39.

Bronk Ramsay, C., 2000. OxCal Program v3.5.

Brown and Root, 2001. Fluvial supply of sediments to the Queensland Coast, Environmental Protection Agency, Brisbane.

Bruun, P., 1962. Sea-level rise as a cause of shore erosion. Journal of Waterways and Harbours Division: Proceedings of the American Society of Civil Engineers., 88: 117-130.

Bruun, P., 1988. The Bruun rule of erosion by sea-level rise: A discussion on large-scale two- and threedimensional usages. Journal of Coastal Research, 4(4): 627-648.

Bryce, S., 2001. Controlling factors on sediment transport in mangrove creek systems of North-East Queensland. PhD Thesis, James Cook University, Townsville, 192 pp.

Bryce, S., Larcombe, P. and Ridd, P.V., 1998. The relative importance of landward-directed tidal sediment transport versus freshwater flood events in the Normanby River Estuary, Cape York Peninsula, Australia. Marine Geology, 149(1-4): 55-78.

Bryce, S., Larcombe, P. and Ridd, P.V., 2003. Hydrodynamic and geomorphological controls on suspended sediment transport in mangrove creek systems, a case study: Cocoa Creek, Townsville, Australia. Estuarine Coastal & Shelf Science, 56: 415-431.

Carter, R.W.G. and Woodroffe, C.D. (Editors), 1994. Coastal evolution: Late Quaternary shoreline morphodynamics. Cambridge University Press, United Kingdom, 517 pp.

Chapman, D.M., Geary, M., Roy, P.S. and Thom, B.G., 1982. Coastal evolution and coastal erosion in New South Wales, Coastal council of New South Wales, Sydney.

Chappell, J. and Grindrod, J., 1984. Chenier plain formation in Northern Australia. In: T. B.G. (Editor), Coastal Geomorphology In Australia. Academic Press Australia.

Coastal Engineering Solutions, 1998. Black River / Bohle River area: preliminary coastal engineering assessment, Townsville.

Cooper, J.A.G., 1990. Ephemeral stream-mouth bars at flood-breach river mouths on a wave-dominated coast: comparison with ebb-tidal deltas at barrier inlets. Marine Geology, 95: 57-70.

Cooper, J.A.G., 1993. Sedimentation in a river dominated estuary. Sedimentology, 40: 979-1017.

Cooper, J.A.G., 2002. The role of extreme floods in estuary-coastal behaviour: contrasts between riverand tide-dominated micro-tidal estuaries. Sedimentary Geology, 150: 123-137.

Cooper, J.A.G and Pilkey, O.H., 2004. Sea-level rise and shoreline retreat: time to abandon the Bruun Rule. Global And Planetary Change 43: 157

Coppus, R. and Imeson, A.C., 2002. Extreme events controlling erosion and sediment transport in a semiarid sub-andean valley. Earth Surface Processes and Landforms, 27: 1365-1375.

Costa, J.E. and O'Connor, J.E., 1995. Geomorphically effective floods. In: J.E. Costa, A.J. Miller, K.W. Potter and P.R. Wilcock (Editors), Natural and anthropogenic influences in fluvial geomorphology. American Geophysical Union, USA, pp. 45-55.

Cowell, P., J. and Thom, B.G., 1994. Chapter 2: Morphodynamics of coastal evolution. In: R.W.G. Carter and C.D. Woodroffe (Editors), Coastal Evolution: Late Quaternary shoreine morphodynamics. Cambridge University Press, United Kingdom, pp. 517.

Crowell, M.A., Fletcher, C.H. and Richmond, B.M., 1991. Historical shoreline change: Error analysis and mapping accuracy. Journal of Coastal Research, 7: 839-852.

Dalrymple, R.W., Knight, J., R., Zaitlin, B.A. and Middleton, G., V., 1990. Dynamics and facies model of a macrotidal sand-bar complex, Cobequid Bay-Salmon River Estuary (Bay of Fundy). Sedimentology, 37: 577-612.

Dalrymple, R.W., Zaitlin, B.A. and Boyd, R., 1992. Estuarine facies models: conceptual basis and stratigraphic implications. Journal of Sedimentary Petrology, 62(6): 1130-1146.

Davies, J., L., 1974. The coastal sediment compartment. Australian Geographical Studies, 12: 139-151.

Davis, A.J., 1968. Chiefly fine - A book of weather. Halls Book Store.

Devlin, M., Waterhouse, J., Talyor, J. and Brodie, J., 2001. Flood plumes in the Great Barrier Reef: Spatial and temporal patterns in composition and distribution, Great Barrier Reef Marine Park Authority, Townsville.

Dolan, R., Hayden, B.P., May, P. and May, S., 1980. The reliability of shoreline change measurements from aerial photographs. Shore & Beach, 48(2): 22-29.

Douglas, I., 1967. Natural and man-made erosion in the humid tropics of Australia, Malaysia and Singapore. Publications of International Association of Scientific Hydrology, 75: 17-30.

Dunbar, G.B., Dickens, G.R. and Carter, R.M., 2000. Sediment flux across the Great Barrier Reef shelf to the Queensland Trough over the last 300 ky. Sedimentary Geology, 133: 49-92.

Dyer, K.R., 1995. Sediment transport processes in estuaries. In: G.M.E. Perillo (Editor), Geomorphology and Sedimentology of Estuaries. Elsevier, Netherlands, pp. 423-449.

Engelund, F. and Hansen, E., 1967. A monograph of sediment transport in alluvial streams. Technisk Vorlag, Copenhagen.

Erskine, W.D., 1996. Response and recovery of a sand-bed stream to a catastrophic flood. Zeitschrift fur Geomorphologie, 40(3): 359-383.

Fairbridge, R.W., 1980. The estuary: its definition and geodynamic cycle. In: E. Olausson and I. Cato (Editors), Chemistry and Biogeochemistry of Estuaries. John Wiley & Sons, pp. 1-35.

Fielding, C.R. and Alexander, J., 1996. Sedimentology of the upper Burdekin River of north Queensland, Australia - an example of a tropical, variable discharge river. Terra Research, 8: 447-457.

Fielding, C.R., Trueman, J.D., Dickens, G.R. and Page, M., 2003. Anatomy of the buried Burdekin River channel across the Great Barrier Reef shelf: how does a major river operate on a tropical mixed siliciclastic/carbonate margin during sea level lowstand? Sedimentary Geology, 157(3-4): 291-301.

FitzGerald, D.M., Buynevich, M.S., Fenster, M.S. and MacKinlay, P.A., 2000. Sand dynamics at the mouth of a rock-bound, tide-dominated estuary. Sedimentary Geology, 131: 25-49.

Flood, P.G., 1986. Sensitivity of coral cays to climatic variations, southern Great Barrier Reef, Austraila. Coral Reefs, 5(13): 13-18.

Folk, R.L. and Ward, W.C., 1957. Brazos River bar: A study in the significance of grain size parameters. Journal of Sedimentary Petrology, 27: 1-19.

Fournier, F., 1960. Climat et erosion: la relation entre l'erosion du sol par l'eau et les precipitations atmospheriques, Paris.

Friedman, G.M., 1961. Distinction between dune, beach and river sands from their textural characteristics. Journal of Sedimentary Petrology, 31(4): 514-529.

Gadd, P.E., Lavelle, J.W. and Swift, D.J.P., 1978. Estimates of sand transport on the New York shelf using near-bottom current meter observations. Journal of Sedimentary Petrology, 48(1): 239-252.

Gagan, M.K., Johnson, D.P. and Crowley, G.M., 1994. Sea level control of stacked late Quaternary coastal sequences, central Great Barrier Reef. Sedimentology, 41: 329-351.

Galgano, F.A. and Douglas, B.D., 2000. Shoreline position prediction: methods and errors. Environmental Geosciences, 7(1): 23-31.

GBRMPA, 2001. Water quality action plan for the Great Barrier Reef Marine Park, Great Barrier Reef Marine Park Authority, Townsville.

GHD, 2000. Burdekin River extraction and sediment management plan. Report for Burdekin Shire Rivers Improvement Trust, Gutteridge Haskins Davey.

Gilmour, D.A., 1971. The effects of logging on streamflow and sedimentation in a north Queensland rainforest catchment. Commonwealth Forestry Review, 50(1): 38-48.

Gilmour, D.A., 1977. Effect of rainforest logging and clearing on water yield and quality in a high rainfall zone of north-east Queensland, Hydrology Symposium, Brisbane, pp. 156-160.

Goh, S., 1992. A morphological prediction of Cape Bowling Green, North Queensland, Australia. Honours Thesis, James Cook University of North Queensland, Townsville, 148 pp.

Goodbred, S.L. and Kuehl, S.A., 2000. Enormous Ganges-Brahmaputra sediment discharge during strengthened early Holocene monsoon. Geology, 28(12): 1083-1086.

Graham, T.L., 1993. Geomorphological response of continental shelf and coastal environments to the Holocene transgression - central Great Barrier Reef. PhD Thesis, James Cook University of North Queensland, Townsville, 191 pp.

Guy, H.P., Simons, D.B. and Richardson, E.V., 1966. Summary of alluvial channel data from flume experiments 1955-1961. Geological Survey Professional Paper U.S. Govt. Printing Office, Paper 462-I: 96.

Hacker, J.L.F., 1988. Rapid accumulation of the fluvially derived sands and gravels in a tropical macrotidal estuary: the Pioneer River at Mackay, North Queensland, Australia. Sedimentary Geology, 57: 299-315.

Hapke, C. and Richmond, B., 2000. Monitoring beach morphology changes using small-format aerial photography and digital softcopy photography. Environmental Geosciences, 7(1): 32-37.

Hardisty, J., 1983. An assessment and calibration of formulations for Bagnold's bedload equation. Journal of Sedimentary Petrology, 53: 1007-1010.

Harris, P.T., 1988. Large-scale bedforms as indicators of mutually evasive sand transport and the sequential infilling of wide-mouthed estuaries. Sedimentary Geology, 57: 273-298.

Harris, P.T., Heap, A., Bryce, S., Porter-Smith, R., Ryan, D. and Heggie, D., 2002. Classification of Australian clastic coastal depositional environments based upon a quantiative analysis of wave, tidal and river power. Journal of Sedimentary Research, 72(6): 858-870.

Harris, T. and Jones, M.R., 1988. Bedform movement in a marine tidal delta: air photo interpretations. Geological Magazine, 125(1): 31-49.

Hean, D.S. and Nanson, G.C., 1987. Serious problems in using equations to estimate bedload yields for coastal rivers in NSW. Australian Geographer, 18(2): 114-124.

Heap, A., Bryce, S., Ryan, D., Radlke, L., Smith, R., Harris, P. and Heggie, D., 2001. Australian estuaries & coastal waterways: A geoscience perspective for improved and intergrated resource management., Australian Geological Survey Organisation, Canberra.

Heap, A.D., Dickens, G.R., Stewart, L.K. and Woolfe, K.J., 2002. Holocene storage of siliciclastic sediment around islands on the middle shelf of the Great Barrier Reef Platform, north-east Australia. Sedimentology, 49: 603-621.

Heap, A.D., Larcombe, P. and Woolfe, K.J., 1999. Storm-dominated sedimentation in a protected basin fringed by coral reefs, Nara Inlet, Whitsunday Islands, Great Barrier Reef, Australia. Australian Journal of Earth Sciences, 46: 443-451.

Hjulstrom, F., 1935. Bulletin of the Geological Institute, 25.

Holmes, K.H., 1992. Townsville-Rollingstone coastal sector, Marine & Coastal Geology Unit Project Report MA50/2 Department of Minerals and Energy, Brisbane.

Hopley, D., 1967. A statistical approach to the relationship between coastal erosion and changes in wind patterns at Byron Bay, N.S.W. Australian Geographer, 10: 275-285.

Hopley, D., 1970a. Coastal geomorphology of the Townsville region. Ph.D Thesis, James Cook University, Townsville.

Hopley, D., 1970b. The geomorphology of the Burdekin Delta north Queensland. Monograph Series, 1. James Cook University of North Queensland, Townsville, 66 pp.

Hopley, D., 1974. Coastal changes produced by tropical cyclone Althea in Queensland; December 1971. The Australian Geographer, 12(5): 445-56.

Hopley, D., 1980. Sediment movement around a coral cay, Great Barrier Reef, Australia. Pacific Geology, 15: 17-36.

Hopley, D., 1983. Deformation of the north Queensland continental shelf in the Late Quaternary. In: D.E. Smith and A.G. Dawson (Editors), Shorelines and Isostasy. British Geomorphology Research Group, Academic Press, London.

Hopley, D., 1984. The Holocene 'High Energy Window' on the Central Great Barrier Reef. In: B.G. Thom (Editor), Coastal Geomorphology in Australia. Academic Press Australia, pp. 135-150.

Hopley, D., 1985. Geomorphological development of modern coastlines. In: A.F. Pitty (Editor), Themes in Geomorphology. Croon Helm, Great Britain, pp. 56-71.

Hopley, D., 1986. The Queensland coastline: attributes and issues. Queensland Geographical Journal 4th Series, 1: 73-94.

Hopley, D., Harvey, N. and Pye, K., 1980. The eastern coastal plains and continental shelf. In: R.A. Henderson and P.J. Stephenson (Editors), The Geology and Geophysics of Northeastern Australia. Geological Society of Australia, Queensland Division, Townsville, pp. 386-393.

Hopley, D. and Murtha, G.G., 1975. The Quaternary deposits of the Townsville coastal plain. Monograph Series. James Cook University of North Queensland, Townsville, 30 pp.

Hopley, D. and Rasmussen, C., 1995. Cungulla beach erosion review, James Cook University, Townsville.

Hopley, D., Smithers, S.G. and Parnell K.E., 2007. The geomorphology of the Great Barrier Reef: Development, diversity and change. Cambridge University Press, 532 pp.

Horn, A., Joo, M. and Poplawski, W., 1998. Queensland riverine sediment transport rates., Department of Natural Resources, Brisbane.

Isdale, P.J., Stewart, B.J., Tickle, K.S. and Lough, J.M., 1998. Palaeohydrological variation in a tropical river catchment: a reconstruction using flourescent bands in corals of the Great Barrier Reef, Australia. The Holocene, 8(1): 1-8.

Jennings, J.N. and Bird, E.C.F., 1967. Regional Geomorphological Characteristics of Some Australian Estuaries. In: G. Lauff, H, (Editor), Estuaries. American Association for the Advancement of Science, Washington D.C., pp. 121-128.

Johnson, D.P. and Searle, D.E., 1984. Post-glacial seismic stratigraphy, central Great Barrier Reef, Australia. Sedimentology, 31: 335-352. Johnson, D.P., Searle, D.E. and Hopley, D., 1982. Positive relief over buried Post-Glacial channels, Great Barrier Reef Province, Australia. Marine Geology, 46: 149-159.

Kana, T.W., Hayter, E.J. and Work, P.A., 1999. Mesoscale Sediment Transport at Southeastern U.S. Tidal Inlets: Conceptual Model Application to Mixed Energy Settings. Journal of Coastal Research, 15(2): 303-313.

Kapitzke, I.R., Pearson, R.G., Smithers, S.G., Crees, M.R., Sands, L.B., Skull, S.D. and Johnston, A.J., 1998. Stream stabilistation for rehabilitation in north-east Queensland. Land and Water Resources Research & Development Corporation, Canberra, 216 pp.

Kench, P.S., 1999. Geomorphology of Australian estuaries: review and prospect. Australian Journal of Ecology, 24: 367-380.

Kench, P. and Cowell, P., 2001. The Morphological Response of Atoll Islands to Sea-Level Rise. Part 2: Application of the Modified Shoreface Translation Model (STM). *Journal of Coastal Research*, Special Issue 2001.

Kershaw, A.P., 1975. Late Quaternary vegetation and climate in northeastern Australia. In: R.P. Suggate and M.M. Cresswell (Editors), Quaternary Studies. The Royal Society of New Zealand, Wellington, pp. 187-187.

Kershaw, A.P., 1978. Record of last interglacial-glacial cycle from northeastern Queensland. Science, 194: 1121-1132.

Kershaw, A.P., 1985. An extended late Quaternary vegetation record from north-eastern Queensland and its implications for the seasonal tropics of Australia. Proceedings of Ecological Society of Australia, 1985: 179-189.

Kershaw, A.P., 1986. Climatic change and Aboriginal buring in north-east Australia during the last tow glacial/interglacial cycles. Nature, 322(3 July): 47-49.

Kettle, B.T., Dalla Pozza, R. I., Collins, J. 2001. New Directions: A Review of the Impacts of Dredging in Cleveland Bay, and Research Priorities for the Next Decade. A report commissioned by the Townsville Port Authority.

Kidson, C. and Manton, M.M.M., 1973. Assessment of Coastal Change with the aid of Photogrammetric and Computer-aided Techniques. Estuarine and Coastal Marine Science, 1: 271-283.

King, C.A.M., 1972. Beaches and Coasts. Edward Arnold, London, 670 pp.

Kinhill, 1998. Sand supply investigations Black River, Townsville, Kinhill, Milton.

Kinhill, Cameron and McNamara, 1993. Townsville Thuringowa sand and gravel strategy study. BC2403, DPI - Water Resources City of Thuringowa and the Department of Transport, Townsville.

Kinhill, Cameron and McNamara, 1996. Proposed sand extraction operations: Haughton River, Burdekin Shire; environmental impact statement, Boral Resources (QLD) Pty Ltd.

Kirsch, A. and Larcombe, P., 1999. Evidence for the generation of very large dunes generated by cyclones in Halifax Bay, central Great Barrier Reef province, Australia. In: H.A. D. (Editor), North Queensland Sedimentologists' 1st Annual Workshop. James Cook University of North Queensland, School of Earth Sciences, James Cook University, pp. 89.

Knighton, D., 1984. Fluvial forms and processes. Edward Arnold, Great Britain.

Komar, P.D., 1998. Beach processes and sedimentation. Simon & Schuster, U.S.A., 544 pp.

Lambeck, A. and Woolfe, K.J., 2000. Composition and textural variability along the 10m isobath, Great Barrier Reef: evidence for pervasive northward sediment transport. Australian Journal of Earth Sciences, 47(2): 327-335.

Larcombe, P. and Carter, R.M., 1998. Sequence architecture during the Holocene transgression: an example from the Great Barrier Reef shelf, Australia. Sedimentary Geology, 117(1-2): 97-121.

Larcombe, P. and Carter, R.M., 2004. Cyclone pumping, sediment partitioning and the development of the Great Barrier Reef shelf system: a review. Quaternary Science Reviews, 23: 107-135.

Larcombe, P. and Ridd, P.V., 1995. Megaripple dynamics and sediment transport in a mesotidal mangrove creek: implications for palaeoflow reconstructions. Sedimentology, 42: 593-606.

Larcombe, P., Ridd, P.V., Prytz, A. and Wilson, B., 1995. Factors controlling suspended sediment on inner-shelf coral reefs, Townsville, Australia. Coral Reefs, 14: 163-171.

Larcombe, P., Woolfe, K.J., Amjad, N., Barnes, D.J., Brodie, J., Brunskill, G.J., Bryce, S., Carter, R.M., Costen, A., Crook, K.A.W., Crossland, C., Deacon, G.L., Ferland, M.A., Gorrie, A., Grindrod, J., Johnson, D.P., McIntyre, C.M., Neil, D.T., Okubo, C., Orpin, A.R., Purdon, R.G., Pye, K., Ridd, P.V., Shulmeister, J., Talyor, J. and Walker, G.S., 1996a. Terrigenous sediment fluxes and the central Great Barrier Reef shelf: the current state of knowledge. In: P. Larcombe, K.J. Woolfe and R.G. Purdon (Editors), Great Barrier Reef: terrigenous sediment flux and human impact. CRC Reef Research Centre, James Cook University of North Queensland, Townsville, pp. 7 - 23.

Larcombe, P., Woolfe, K.J. and Purdon, R.G. (Editors), 1996b. Great Barrier Reef: terrigenous sediment flux and human impacts. Current Research. CRC Reef Research Centre, James Cook University of North Queensland, Townsville, 174 pp.

Leenknecht, D.A., Szuwalski, A. and Sherlock, A.R., 1992. Automated coastal engineering system, user's guide. ACES version 1.07. U.S. Army Engineer Waterways Experiment Station, Coastal Engineering Research Centre., Mississippi.

Lindholm, R., 1987. A practical approach to sedimentology. Allen and Unwin, London, 276 pp.

Lyons, W.F. and Bonell, M., 1994. Regionalization of daily mesoscale rainfall in the tropical wet/dry climate of the Townsville area of north-east Queensland during the 1988-1989 wet season. international Journal of Climatology, 14: 135-163.

Magilligan, F.J., Phillips, J.D., James, A.L. and Gomez, B., 1998. Geomorphic and sedimentological controls on the effectiveness of an extreme flood. Journal of Geology, 106: 87-95.

Malvarez, G.C., Cooper, J.A.G. and Jackson, D.W.T., 2001. Relationships between wave-induced currents and sediment grain size on a sandy tidal-flat. Journal of Sedimentary Research, 71(5): 705-712.

McCulloch, M.T., Fallon, S., Wyndham, T., Hendy, E.J., Lough, J.M. and Barnes, D.J., 2003. Coral record of increased sediment flux to inner Great Barrier Reef since European settlement. Nature, 421: 727-728.

McIntyre, C.M., 1996. Holocene stratigraphy of Cleveland Bay, Central Great Barrier Reef, Australia. MSc Thesis, James Cook University, Townsville.

McIntyre and Associates, 1985. Cungulla water supply: Groundwater investigations, bore hole cross sections, Townville.

Miles, G., 1991. Transport of sand mixtures. In: R. Soulsby and R. Bettess (Editors), Sand Transport in Rivers, Estuaries and the Sea. A.A. Balkema, Rotterdam, Netherlands, pp. 253-257.

Miller, M.C., Williams, G.D., A., S.J. and Hibler, L.F., 2002. Fox Island laboratory shoreline change evaluation, Battelle Marine Science Laboratory, Washington.

Mitchell, A., W. and Furnas, M., J., 1996. Differences in suspended sediment flux to the Great Barrier Reef shelf between wet and dry catchments of north Queensland. In: P. Larcombe, K.J. Woolfe and R.G. Purdon (Editors), Great Barrier Reef: terrigenous sediment flux and human impact. CRC Reef Research Centre, James Cook University of North Queensland, Townsville, pp. 108-115.

Morton, R., A., Gibeaut, J., C. and Paine, J., G., 1995. Meso-scale transfer of sand during and after storms: implications for prediction of shoreline movement. Marine Geology, 126: 161-179.

Neil, D.T., Orpin, A.R., Ridd, P. and Yu, B., 2002. Sediment yield and impacts from river catchments to the Great Barrier Reef lagoon. Marine Freshwater Research, 53: 733-752.

Neil, D.T. and Yu, B., 1996a. Fluvial sediment yield to the Great Barrier Reef lagoon: spatial patterns and the effect of land use. In: H.M. Hunter, A.G. Eyles and G.E. Rayment (Editors), Downstream Effects of Land Use. Department of Natural Resources, pp. 281-286.

Neil, D.T. and Yu, B., 1996b. Simple climate models for estimating sediment input to the Great Barrier Reef Lagoon. In: P. Larcombe, K.J. Woolfe and R.G. Purdon (Editors), Great Barrier Reef: Terrigenous Sediment Flux and Human Impacts. CRC Reef Research Centre, James Cook University, Townsville, pp. 122-127.

Nicholas, A.P., Ashworth, P.J., Kirkby, M.J., Macklin, M.G. and Murray, T., 1995. Sediment slugs: largescale fluctuations in fluvial sediment transport rates and storage volumes. Progress in Physical Geography, 19(4): 500-519.

Nichols, G., 1999. Sedimentology & stratigraphy. Blackwell Science, Great Britain, 355 pp.

Nott, J.F., Price, D.M. and Nanson, G.C., 2002. Stream response to Quaternary climate change: evidence from Shoalhaven River catchment, southeastern highlands, temperate Australia. Quaternary Science Reviews, 21: 965-974.

Nott, J.F., Thomas, M.F. and Price, D.M., 2001. Alluvial fans, landslides and Late Quaternary climatic change in the wet tropics of northeast Queensland. Australian Journal of Earth Sciences, 48: 875-882.

Orpin, A.R., 1999. Sediment transport, partitioning, and unmixing relationships in the mixed terrigenouscabonate system of the Great Barrier Reef, Burdekin shelf sector, Australia. PhD Thesis, James Cook University, Townsville. Orpin, A.R. and Ridd, P.V., 1996. Sediment distribution and transport mechanisms, Burdekin region, central Great Barrier Reef lagoon. In: P. Larcombe, K.J. Woolfe and R.G. Purdon (Editors), Great Barrier Reef: Terrigenous Sediment Flux and Human Impacts. CRC Reef Research Centre, James Cook University, Townsville, pp. 128-143.

Orpin, A.R., Ridd, P.V. and Stewart, L.K., 1999. Assessment of the relative importance of major sediment-transport mechanisms in the central Great Barrier Reef lagoon. Australian Journal of Earth Sciences, 46: 883-896.

Orpin, A.R. and Woolfe, K.J., 1999. Unmixing relationships as a method of deriving a semi-quantitiative terrigenous sediment budget, central Great Barrier Reef lagoon, Australia. Sedimentary Geology, 129: 25-35.

Osterkamp, W.R. and Coasta, J.E., 1987. Changes accompaning an extraordinary flood on a sand-bed stream. In: L. Mayer and D. Nash (Editors), Catastrophic flooding. Allen & Unwin, Great Britain, pp. 201-224.

Osterkamp, W.R. and Friedman, J.M., 2000. The disparity between extreme rainfall events and rare floods - with emphasis on the semi-arid American West. Hydrological Processes, 14: 2817-2829.

Otvos, E.G., 2000. Beach ridges - definitions and significance. Geomorphology, 32(1-2): 83-108.

Page, M., Dickens, G.R. and Dunbar, G.B., 2003. Tropical view of Quaternary sequence statigraphy: Siliciclastic accumulation on sloped east of the Great Barrier Reef since the Last Glacial Maximum. Geology, 31(11): 1013-1016.

Perillo, G.M.E. (Editor), 1995. Geomorphology and sedimentology of estuaries. Developments in Sedimentology, 53. Elsevier, Netherlands, 471 pp.

Perry, C.T., 1999. Biofilm-related calcification, sediment trapping and constructive micrite envelopes: a criterion for the recognition of ancient grass-bed environments. Sedimentology, 46(1): 33-40.

Persson, A.C., 1997. Effect of river regulation on sediment supply from the Ross River to Cleveland Bay. Honours Thesis, James Cook University, Townsville, 139 pp.

Pringle, A., W., 1983. Sand spit and bar development along the east Burdekin Delta coast Queensland, Australia. In: D. Hopley (Editor), Monograph Series. Department of Geography, James Cook University of North Queensland, Townsville, pp. 34.

Pringle, A.W., 1984. Evolution of the east Burdekin Delta coast, Queensland, Australia 1940-1980. Z. Geomorph. N. F., 28(2): 129-154.

Pringle, A., W., 1986. Causes and effects of changes in fluvial sediment yield to the north-east Queensland coast, Australia. In: D. Hopley (Editor), Monograph series. Department of Geography, James Cook University of North Queensland, Townsville, pp. 128.

Pringle, A., W., 1989. The history of dredging in Cleveland Bay, Queensland and its effect on sediment movement and on the growth of mangroves, corals and seagrass, Great Barrier Reef Marine Park Authority, Townsville Port Authority, Townsville.

Pringle, A., W., 1991. Fluvial sediment supply to the north-east Queensland coast, Australia. Australian Geographical Studies, 29(1): 114-138.

Pringle, A.W., 2000. Evolution of the east Burdekin Delta coast, Queensland, Australia 1980-1995. Z. Geomorph. N. F., 44(3): 273-304.

Prosser, I., Hughes, A., Lu, H. and Stevenson, J., 2001a. Waterborne erosion - an Australian story: content for the Australian natural resources atlas storyboards, CSIRO Land and Water.

Prosser, I.P., Rutherford, I.D., Olley, J.M., Young, W.J., Wallbrink, P.J. and Maran, C.J., 2001b. Largescale patterns of erosion and sediment trasnsport in river networks with examples from Australia. Marine Freshwater Research, 52: 81-99.

Puotinen, M.L., Done, T.J. and Skelly, W.C., 1997. An atlas of tropical cyclones in the Great Barrier Reef Region, 1969-1997., CRC Reef Research Centre, James Cook University, Townsville.

Queensland Transport, 2003. The official tide tables and boating safety guide. Queensland Department of Transport, Brisbane.

Queensland Water Resources Commission. 1980. Report on establishment of Burdekin River project undertaking. Queensland Water Resources Commission.

Radlke, L., 2003. Land clearing swells sediment loads in WA estuaries, AUSGEO News, pp. 18-19.

Rasmussen, C. and Hopley, D., 1997. Warraber Island Beach erosion review, James Cook University, Brisbane.

Roy, P.S. and Crawford, E.A., 1977. Significance of sediment distribution in major coastal rivers, Northern NSW., Proceedings of the 3rd Australian Conference on Coastal and Ocean Engineering., pp. 177-184.

Roy, P.S., Thom B.G. and Wright, L.D., 1980. Holocene sequences on an embayed high-energy coast: An evolutionary model. Sedimentary Geology, 26: 1-19.

Roy, P.S., Williams, R.J., Jones, A.R., Yassini, I., Gibbs, P.J., Coates, B., West, R.J., Scanes, P.R., Hudson, J.P. and Nichol, S., 2001. Structure and function of south-east Australian estuaries. Estuarine, Coastal and Shelf Science, 53: 351-384.

Ryan, D.A., Heap, A.D., Radke, L. and Heggie, D.T., 2003. Conceptual models of Australia's estuaries and coastal waterways, Geoscience Australia, Canberra.

Searle, D.E., Harvey, N., Hopley, D. and Johnson, D.P., 1981. Significance of results of shallow seismic research in the Great Barrier Reef Province between 16°10'S and 20°05'S, Proceedings of the Forth International Coral Reef Symposium, Manila, pp. 531-539.

Short, A.D. (Editor), 1999. Handbook of beach and shoreface morphodynamics. John Wiley, New York, 368 pp.

Smith, G.L. and Zarillo, G.A., 1990. Calculating long-term shoreline recession rates using aerial photographic and beach profiling techniques. Journal of Coastal Research, 6(1): 111-120.

Smithers, S.G., 2002. Burdekin basin water resource plan: Current environmental conditions and impacts of existing water resource development, James Cook University, Townsville.

Stafford, D.B. and Langfelder, J., 1971. Air photo survey of coastal erosion. Photogrammetric Engineering, 37(6): 565-575.

Stewart, L.K., Heap, A.D. and Woolfe, K.J., 2000. Evaluating the influence of tidal currents on the distribution of silt in the Nara Inlet, central Great Barrier Reef, Australia. Sedimentary Geology, 136: 59-69.

Stoddart, D.R., 1969. World erosion and sedimentation. In: R.J. Chorley (Editor), Water, earth and man. Methuen & Co., London, pp. 473-485.

Stuiver, M., Reimer, P.J., Bard, e., Beck, J.W., Burr, G.S., Hughen, K.A., Kromer, B., McCormac, G., Van Der Plight, J. and Spurk, M., 1998. INTCAL98 radiocarbon age calibration, 24,000-0 cal BP. Radiocarbon, 40(3): 1041-1083.

Tanner, W.F., 1995. Origin of beach ridges and swales. Marine Geology, 129: 149-161.

Taylor, M. and Stone, G.W., 1996. Beach-ridges: a review. Journal of Coastal Research, 12(3): 612-621.

Thieler, E.R. and Danforth, W.W., 1994. Historical shoreline mapping (I): Improving techniques and reducing positioning errors. Journal of Coastal Research, 10(3): 549-563.

Thom, B.G., Bowman, G., M. and Roy, P.S., 1981. Late Quaternary evolution of coastal sand barriers, Port Stephens - Myall Lakes Area, Central New South Wales, Australia. Quaternary Research, 15: 345-364.

Thom, B.G. and Chappell, J., 1975. Holocene sea levels relative to Australia. Search, 6(3): 90-93.

Thom, B.G. and Roy, P.S., 1985. Relative sea levels and coastal sedimentation in southeast Australia in the Holocene. Journal of Sedimentary Petrology, 55(2): 257-264.

Thomas, M.F., 2003. Late Quaternary sediment fluxes from tropical watersheds. Sedimentary Geology, 162: 63-81.

Thomas, M.F., Nott, J.F. and Price, D.M., 2001. Late Quaternary stream sedimentation in the humid tropics: a review with new data from NE Queensland, Australia. Geomorphology, 39: 53-68.

Umitsu, M., Buman, M., Kawase, K. and Woodroffe, C.D., 2001. Holocene palaeoecology and formation of the Shoalhaven River deltaic-estuarine plains, southeast Australia. The Holocene, 11(4): 407-18.

USACE, 1984. Shore protection manual, U.S. Army Engineer Waterways Experiment Station, Coastal Engineering Research Centre, U.S., Washington.

Visher, G.S., 1969. Grain size distributions and depositonal processes. Journal of Sedimentary Petrology, 39(3): 1074-1106.

Walling, D.E., 1983. The sediment delivery problem. Journal of Hydrology, 65: 209-237.

Wasson, R.J., 1997. Run-off from the land to the rivers to the sea. In: N. Turia and C. Dalliston (Editors), The Great Barrier Reef: Science, use and management. Great Barrier Reef Marine Park Authority, Townsville, pp. 23-41.

Wasson, R.J., Olive, L.J. and Rosewell, C.J., 1996. Rates of erosion and sediment transport in Australia. In: D.E. Walling and B.W. Webb (Editors), Erosion and sediment yield: global and regional perspectives. IAHS, pp. 139-148.

Way, A.J., 1987. Post-glacial stratigraphy of Upstart Bay off the Burdekin River, north Queensland. MSc Thesis, James Cook University, Townsville.

Wohl, E.E., 1992. Bedrock benches and boulder bars: Floods in the Burdekin Gorge of Australia. Geological Society of America Bulletin, 104: 770-778.

Wolanski, E. and Chappell, J., 1996. The response of tropical Australian estuaries to a sea level rise. Journal of Marine Systems, 7: 267-279.

Wolman, M.G. and Miller, J.P., 1960. Magnitude and frequency of forces in geomorphic processes. Journal of Geology, 68: 54-74.

Woodroffe, C.D., Chappell, J., Thom, B.G. and Wallensky, E., 1986. Geomorphological dynamics and evolution of the South Alligator Tidal River and Plains, Northern Territory. NARU Monograph, ANU Press, Canberra, 190 pp.

Woodroffe, C.D., Chappell, J., Thom, B.G. and Wallensky, E., 1989. Depositional model of a macrotidal estuary and floodplain, South Alligator River, Northern Australia. Sedimentology, 36: 737-756.

Woodroffe, C.D., Mulrennan, M.E. and Chappell, J., 1993. Estuarine infill and coastal progradation, southern van Dieman Gulf, northern Australia. Sedimentary Geology, 83: 257-275.

Woolfe, K.J., Larcombe, P., Oprin, A.R., Purdon, R.G., Michaelsen, P., McIntyre, C.M. and Amjad, N., 1998. Controls upon inner-shelf sedimentation, Cape York Peninsula, in the region of 12 degrees S. Australian Journal of Earth Sciences, 45: 611-621.

Wright, L.D., 1970. The influence of sediment availability on patterns of beach ridge development in the vicinity of the Shoalhaven River Delta, NSW. The Australian Geographer, 3: 336-48.

Wright, L.D. and Coleman, J.M., 1973. Variations in morphology of major river deltas as functions of ocean wave and river discharge regimes. The American Association of Petroleum Geologists Bulletin (AAPG), 57(2): 370-398.

Young, R.W., White, K.L. and Price, D.M., 1996. Fluvial deposition on the Shoalhaven Deltaic Plain, Southern New South Wales. Australian Geographer, 27(2): 215-234.

Yu, B., 1998. Rainfall erosivity and its estimation for Australia's tropics. Australian Journal of Soil Research, 36: 143-165.