

JCU ePrints

This file is part of the following reference:

Muffley, Richard S. (1981) *Benthic fauna of a tropical sandy shore in the Townsville region.* Masters (Research) thesis, James Cook University.

Access to this file is available from:

<http://eprints.jcu.edu.au/17035>

LITERATURE CITED

- Anonymous. 1977. Official Tide Tables for the Coast of Queensland and Notes on Boating. Government Printing Office. Brisbane.
- Ansell, A.D., P. Sivadas, B. Narayanan, V.N. Sankaranarayanan, and A. Trevallion. 1972. The ecology of two sandy beaches in south west India. I. Seasonal changes in physical and chemical factors and in the macrofauna. *Mar. Biol.*, 17:38-62.
- Archibald S. and R. Kenny. 1980. A compilation of hydrological data for the Cleveland Bay area (Queensland). Zoology Department, James Cook University. Townsville, Queensland. 67 Pages.
- Bloom, S.A., J.L. Simon, and V.D. Hunter 1972. Animal-sediment relations and community analysis of a Florida estuary. *Mar. Biol.*, 13:43-56.
- Brafield, A.E. 1978. Life in Sandy Shores. Edward Arnold, Ltd. London. 60 Pages.
- Broad, A.C. 1976. Reconnaissance characterization of littoral biota, Beaufort and Chukchi Seas. Principal Investigators Report for the Environmental Assessment of the Alaskan Continental Shelf, Volume 2: Fish, Plankton, Benthos, Littoral. Pages 437-455.
- Buchanan, J.B. and J.M. Kain. 1971. Measurement of the physical and chemical environment. In Methods for the Study of Marine Benthos (I.P.B. Handbook No. 16), ed. N.A. Holme and A.D. McIntyre. Blackwell Scientific Publications. Oxford and Edinburgh. Pages 30-58.
- Carefoot, T. 1978. Pacific Seashores. A Guide to Intertidal Ecology. University of Washington Press. Seattle. 208 Pages.
- Clifford, H.T. and W. Stephenson. 1975. An Introduction to Numerical Classification. Academic Press. New York. 229 Pages.
- Colman, J.S. and F. Segrove. 1955. The fauna living in Stoupe Beck Sands, Robin Hood's Bay (Yorkshire, North Riding). *J. Anim. Ecol.*, 24:426-444.

- Connell, J.H. 1972. Community interactions on marine rocky intertidal shores. *Ann. Rev. Ecol. Syst.*, 3:169-192.
- Croker, R.A. 1977. Macro-infauna of northern New England marine sand: long-term intertidal community structure. In Ecology of Marine Benthos, ed. B.C. Coull. University of South Carolina Press. Columbia, South Carolina. Pages 439-450.
- Dahl, E. 1953. Some aspects of the ecology and zonation of the fauna of sandy beaches. *Oikos*, 4:1-27.
- Dakin, W.J. 1976. Australian Seashores. Angus and Robertson. London. 372 Pages. (Australian Natural History Library Edition of Dakin, W.J. 1952. Australian Seashores.)
- Dauer, D.M. and J.L. Simon. 1975. Lateral or along-shore distribution of the polychaetous annelids of an intertidal, sandy habitat. *Mar. Biol.*, 31:363-370.
- Dauer, D.M. and J.L. Simon. 1976. Habitat expansion among polychaetous annelids repopulating a defaunated marine habitat. *Mar. Biol.*, 37:169-177.
- Dexter, D.M. 1969. Structure of an intertidal sandy-beach community in North Carolina. *Chesapeake Sci.*, 10:93-98.
- Dexter, D.M. 1972. Comparison of the community structures in a Pacific and an Atlantic Panamanian sandy beach. *Bull. Mar. Sci.*, 22:449-462.
- Dexter, D.M. 1974. Sand-beach fauna of the Pacific and Atlantic coasts of Costa Rica and Colombia. *Rev. Biol. Trop.*, 22:51-66.
- Dexter, D.M. 1976. The sandy-beach fauna of Mexico. *SWest. Nat.*, 20:479-485.
- Dexter, D.M. 1979. Community structure and seasonal variation in intertidal Panamanian sandy beaches. *Est. coast. Mar. Sci.*, 9:543-558.
- Dwivedi, S.N., S.A. Nair, and A. Rahim. 1973. Ecology and production of intertidal macrofauna during monsoon in a sandy beach at Calangute, Goa. *J. mar. biol. Ass. India*, 15:274-284.
- Easton, A.K. 1970. The tides of the continent of Australia. Horace Lamb Centre for Oceanographical Research, 37:1-326.
- Elmhirst, R. 1933. Life by the Seashore. An Introduction to Natural History. George Allen and Unwin. London. 296 Pages.
- Eltringham, S.K. 1971. Life in Mud and Sand. The English Universities Press, Ltd. London. 218 Pages.
- Folk, R.L. 1961. Petrology of Sedimentary Rocks. Hemphill's. Austin, Texas. 154 Pages.

- Gauld, D.T. and J.B. Buchanan. 1956. The fauna of sandy beaches in the Gold Coast. *Oikos*, 7:293-301.
- Gibbs, P.E. 1978. Macrofauna of the intertidal sand flats on low wooded islands, northern Great Barrier Reef. *Phil. Trans. R. Soc., Lond. B.*, 284:81-97.
- Grassle, J.F. and J.P. Grassle. 1974. Opportunistic life histories and genetic systems in marine benthic polychaetes. *J. mar. Res.*, 32:253-284.
- Green, R.H. 1968. Mortality and stability in a low diversity subtropical intertidal community. *Ecology*, 49:848-854.
- Holland, A.F. and T.T. Polgar. 1976. Seasonal changes in the structure of an intertidal community. *Mar. Biol.*, 37:341-348.
- Holland, A.F. and J.M. Dean. 1977. The community biology of intertidal macrofaunal sandbars in the North Inlet area of South Carolina, U.S.A. In Ecology of Marine Benthos, ed. B.C. Coull. University of South Carolina Press. Columbia, South Carolina. Pages 423-438.
- Hughes, R.N. and J.C. Gamble. 1977. A quantitative survey of the biota of intertidal soft substrata on Aldabra Atoll, Indian Ocean. *Phil. Trans. R. Soc., Lond. B.*, 279(965):327-355.
- Jaramillo, E. 1978. Zonation and structure of the macrofaunistic community in sandy beaches of southern Chili (Mehuin, Valdivia). *Stud. Neotrop. Fauna Environ.*, 13(2):71-92.
- Jawed, M. and M.A.. Khan. 1974. Zonation in the macrofauna inhabiting the mudflats of Baba Island with special reference to Lingula murphiana. *J. Sci. (Karachi)*, 3(1/2):30-34.
- Johnson, R.G. 1965. Temperature variation in the infaunal environment of a sand flat. *Limnol. Oceanogr.*, 10:114-120.
- Johnson, R.G. 1967a. The vertical distribution of the infauna of a sand flat. *Ecology*, 48:571-578.
- Johnson, R.G. 1967b. Salinity of interstitial water in a sandy beach. *Limnol. Oceanogr.*, 12:1-7.
- Johnson, R.G. 1970. Variations in diversity within benthic marine communities. *Am. Nat.*, 104:285-300.
- Jones, D.A. 1979. The ecology of sandy beaches in Penang, Malaysia, with special reference to Excirolana orientalis (Dana). *Est. coast. mar. Sci.*, 9:677-682.
- Kenny, R. 1974. Inshore surface sea temperatures at Townsville. *Aust. J. mar. Freshwat. Res.*, 25:1-5.
- Kenny, R. 1979. Predicted, actual and effective tidal emersion at Townsville. *Proc. R. Soc. Qd.*, 90:113-116.

- King, C.A.M. 1972. Beaches and Coasts. Edward Arnold, Ltd. London. 570 Pages.
- Knox, G.A. 1963. The biogeography and intertidal ecology of the Australasian coasts. Oceanogr. Mar. Biol. Ann. Rev. 1:341-404.
- Krebs, C.J. 1978. Ecology. The Experimental Analysis of Distribution and Abundance. Harper and Row. New York. 678 Pages.
- Krumbein, W.C. 1934. Size frequency distribution of sediments. J. Sed. Petrol., 4:65-77.
- Krumbein, W.C. and F.J. Pettijohn. 1938. Manual of Petrology. Appleton-Century-Crofts, Inc. New York. 549 Pages.
- Lambert, J.M. and M.B. Dale. 1964. The use of statistics in phytosociology. Adv. ecol. Res., 2:59-99.
- MacNae, W. and M. Kalk. 1962. The fauna and flora of sand flats at Inhaca Island, Mocambique. J. Anim. Ecol., 31:93-128.
- McIntosh, R.P. 1967. The continuum concept of vegetation. Bot. Rev., 33:130-187.
- McIntyre, A.D. 1968. The meiofauna and macrofauna of some tropical beaches. J. Zool., 156:377-392.
- McLachlan, A. 1977. Composition, distribution, abundance and biomass of macrofauna and meiofauna of four sandy beaches. Zool. Afr., 12:279-306.
- Mathews, B.M. 1967. An Ecological Guide to the Littoral Fauna and Flora of Puerto Rico. Department of Education Press. San Juan, Puerto Rico. 72 Pages.
- Morton, J.E. and D.A. Challis. 1969. The biomorphology of Solomon Islands shores with a discussion of zoning patterns and ecological terminology. Phil. Trans. Roy. Soc., Lond. B., 255:459-516.
- Morton, J.E. and M.C. Miller. 1968. The New Zealand Sea Shore. Collins. London. 638 Pages.
- Newell, R.C. 1970. Biology of Intertidal Animals. American Elsevier Publishing Co., Inc. New York. 555 Pages.
- Ngan, Y. and I.R. Price. 1979. The intertidal algae of the mainland coast in the vicinity of Townsville, Queensland. Atoll Res. Bull., 237:1-29.
- Orloci, L. 1975. Multivariate Analysis in Vegetation Research. Dr. W. Junk B.V. The Hague. 276 Pages.
- Patterson, M.M. 1974. Intertidal microbiology of selected sandy beaches in southern California. USC-SG-9-74. Published by University of Southern California Sea Grant Program. 32 Pages.

- Pearse, A.S., H.J. Humm, and G.W. Wharton. 1942. Ecology of sand beaches at Beaufort, N.C. *Ecol. Monogr.*, 12:135-190.
- Pichon, M. 1967. Contribution a l'etude des peuplements de la zone intertidale sur sables fin et sables vaseux non fixes dans la region de Tulear. *Recl Trav. Stn mar. Endoume* (fasc. hors serie supplement), 7:57-100.
- Pielou, E.C. 1977. Mathematical Ecology. John Wiley and Sons. New York. 385 Pages.
- Reise, K. 1977. Predation pressure and community structure of an intertidal soft-bottom fauna. In Biology of Benthic Organisms, ed. B.F. Keegan, P.O. Ceidigh, and P.J.S. Boaden. Pergamon Press. Pages 513-519.
- Reish, D.J. 1959. A discussion of the importance of screen size in washing quantitative marine bottom samples. *Ecology*, 40:307-309.
- Rodriguez, G. 1959. The marine communities of Margarita Island, Venezuela. *Bull. Mar. Sci.*, 9:237-280.
- Rohlf, F.J. 1968. Stereograms in numerical taxonomy. *Systematic Zool.*, 17:246-255.
- Saloman, C.H. and S.P. Naughton. 1977. Effect of Hurricane Eloise on the benthic fauna of Panama City Beach, Florida, U.S.A. *Mar. Biol.*, 42(4):357-364.
- Saloman, C.H. and S.P. Naughton. 1978. Benthic macroinvertebrates inhabiting the swash zone of Panama City Beach, Florida. *Northeast Gulf Sci.*, 2(1):65-72.
- Sanders, H.L. 1968. Marine benthic diversity: a comparative study. *Am. Nat.*, 102:243-282.
- Sanders, H.L., P.C. Mangelsdorf, G.R. Hampson. 1965. Salinity and faunal distribution in the Pocasset River, Massachusetts. *Limnol. Oceanogr.*, 10 (Suppl.):R216-R229.
- Simon, J.L. and D.M. Dauer. 1977. Reestablishment of a benthic community following natural defaunation. In Ecology of Marine Benthos, ed. B.C. Coull. University of South Carolina Press. Columbia, South Carolina. Pages 139-154.
- Sneath, P.H.A. and R.R. Sokal. 1973. Numerical Taxonomy. W.H. Freeman and Co. San Francisco. 573 Pages.
- Stephenson, W. 1973. The validity of the community concept in marine biology. *Proc. R. Soc. Queensl.*, 84:73-86.
- Strauch, J.G., Jr., G.R. Tamm, W.H. Lippincott, B.R. Mate, and K.W. Fucik. 1980. Biology. Environmental Assessment of the Alaskan continental shelf. Kodiak interim synthesis report--1980. NOAA/BLM March 1980. Pages 101-249.

- Trevallion, A., A.D. Ansell, P. Sivadas, and B. Narayanan. 1970. A preliminary account of two sandy beaches in South West India. *Mar. Biol.*, 6:268-279.
- Vader, W.J.M. 1964. A preliminary investigation into reactions of the infauna of tidal flats to tidal fluctuations in water level. *Netherlands J. Sea Res.*, 2:189-222.
- Vohra, F.C. 1971. Zonation on a tropical sandy shore. *J. Anim. Ecol.*, 40:679-708.
- Wade, B.A. 1967. Studies on the biology of the West Indian beach clam, Donax denticulatus Linne. I. Ecology. *Bull. mar. Sci.*, 17:149-174.
- Webb, L.J., J.G. Tracey, W.T. Williams, and G.N. Lance. 1967. Studies in the numerical analysis of complex rain-forest communities. I. A comparison of methods applicable to site/species data. *J. Ecol.*, 55:525-538.
- Wharfe, J.R. 1977. An ecological survey of the benthic invertebrate macrofauna of the lower Medway Estuary, Kent. *J. Anim. Ecol.*, 46:93-113.
- Whitlatch, R.B. 1977 Seasonal changes in the community structure of the macrobenthos inhabiting the intertidal sand and mud flats of Barnstable Harbor, Massachusetts. *Biol. Bull.*, 152:275-294.
- Whittaker, R.H. 1962. Classification of natural communities. *Bot. Rev.*, 28:1-239.
- Wishart, D. 1978. Clustan 1C Release 2 User Manual. Program Library Unit, Edinburgh University. Edinburgh. 175 Pages.
- Withers, R.G. 1977. Soft-shore macrobenthos along the south-west coast of Wales. *Est. Coast. Mar. Sci.*, 5:467-484.
- Wood, D.H. 1968. An ecological study of a sandy beach near Aukland, New Zealand. *Trans. R. Soc. N.Z. (Zool.)*, 10:89-115.
- Yi, S.K. 1975. Studies on the intertidal macrofauna community at Yong-ho Bay, Busan, Korea. *Bull. Korean Fish Soc.*, 8(3):133-149.

APPENDIX A

Number of individuals of each species at each station for the collections not included in the main body of the text.

February 1977

	STATION								
	3	4	5	6	7	8	9	10	
<i>Donax faba</i>	19	4							
<i>Mesodesma altenae</i>	9	128	376	2775					
<i>Latona cuneata</i>	1								
<i>Pisidium oerstedi</i>		27							
Other Nereids		20							
<i>Perinereis vallata</i>	10		1						
<i>Saccocirrus</i>		4							
<i>Patinapta cf. ooplax</i>		3							
<i>Megalops larva</i>		2							
<i>Macra dissimilis</i>	1						4		
<i>Goniadopsis</i>	1								
<i>Tellina (Cadella) semen</i>	1								
<i>Polinices conicus</i>		1	18						
<i>Diogenes avarus</i>			15	1					
<i>Arachnoides placenta</i>			5	4					
<i>Polinices didymus</i>			2						
<i>Tellina (Macomona) australis</i>			1	1					

Lumbrinereis	1
Edwardsia elegans	1
Diopatra	1
Solidula cf. sulcata	1
Albunea symmysta	1
Atylus	1

March 1977

	STATION							
	3	4	5	6	7	8	9	10
<i>Donax faba</i>	18	66						
<i>Pseudolana brevimarginata</i>	6							
<i>Mesodesma altenae</i>	3	8	3	1				
<i>Perinereis vallata</i>	1	3						
<i>Saccocirrus</i>	1							
<i>Pisione oerstedi</i>		15						
Other Nereids		2						
<i>Cumacea</i>		1						
<i>Polinices conicus</i>			4	5				
<i>Tellina (Macomona) australis</i>			1	4	3			
<i>Diogenes avarus</i>				4	9			
<i>Albunea symmysta</i>				3	2			
Nemerteans (<i>Carinoma</i>)				1				
<i>Arachnoides placenta</i>					4			
cf. <i>Pseudopolydora kempfi</i>					1			
<i>Mactra dissimilis</i>					1			
<i>Phylyra</i>					1			

April 1977

	STATION								
	3	4	5	6	7	8	9	10	
<i>Donax faba</i>	1	56							
<i>Saccocirrus</i>	1	15							
<i>Megalops larva</i>	1	2							
<i>Pisione oerstedi</i>		29							
<i>Perinereis vallata</i>		14							
Other Nereids		9							
<i>Platyischnopus</i>		4							
<i>Diogenes avarus</i>	3	3	3		5				
<i>Pseudolana brevimarginata</i>	2								
<i>Mesodesma altenae</i>	1		2						
<i>Matuta</i>		4							
<i>Glycera A</i>	2	1							
<i>Polinices conicus</i>	1				1				
<i>Ceratonereis erythraeensis</i>		1							
<i>Dosinia kaspiewi</i>		1							
<i>Mactra dissimilis</i>			5	2					
<i>Albunea symmysta</i>			3						
<i>Diopatra</i>		2							
<i>Tellina (Macomona) australis</i>			1	3					
<i>Scoloplos (Leodamus)</i>			1						
<i>Glycera B</i>			1						
<i>Strigilla tomlinii</i>			1						
<i>Gastrosaccus cf. dakini</i>			1						
"Onuphis sp 4"				1					

May 1977

June 1977

STATION

	3	4	5	6	7	8	9	10
<i>Pseudolana brevimargine</i>	8							
<i>Saccocirrus</i>	4	10						
<i>Donax faba</i>	2	99	3					
<i>Mesodesma altenae</i>	2							
<i>Pisone oerstedi</i>		37						
<i>Perinereis vallata</i>		10						
Other Nereids		4						
<i>Diogenes avarus</i>		1		4	2	3		
Opheliid (n.g. n.sp.)			5					
<i>Urohaustorius</i>			5					
<i>Syllis</i> (Langerhansia)		3					1	
Glycera A		2	3					
<i>Mactra dissimilis</i>		1	1		5	4		1
<i>Platyischnopus</i>		1	1					
<i>Ceratonereis erythraeensis</i>		1						
Ostracod b		1						
<i>Arachnoides placenta</i>		1						
Scolelepis B			3					
Nemerteans (Carinoma)			1	1	2			
<i>Solidula</i> cf. <i>sulcata</i>				4	3	2		3
Glycera B				2	5	1		2
<i>Tellina</i> (Macomona) <i>australis</i>				2	2			
<i>Dosinia kaspiewi</i>				1	1	1		
Dispio A				1	1			
Magelona				1				
<i>Strigilla tomlinii</i>					2			
Diopatra					1	3		
Amphictene					1			
<i>Isanda coronata</i>					1			
Enteropneust					1			
<i>Albunea symmysta</i>					2			

<i>Polinices didymus</i>	1
<i>Matuta</i>	1
<i>Edwardsia elegans</i>	1
<i>Sthenelais</i>	1
<i>Sigalion</i>	1
<i>Polinices conicus</i>	1
<i>Eulimid</i>	1
<i>Gastrosaccus cf. dakini</i>	1
<i>Goby</i>	1

July (early) 1977

	STATION							
	3	4	5	6	7	8	9	10
<i>Perinereis vallata</i>	13	25						
<i>Donax faba</i>	8	38						
<i>Pseudolana brevimarginata</i>	3							
<i>Nemerteans (Carinoma)</i>	1				1	1		
Other Nereids		27						
<i>Pisione oerstedi</i>		4						
<i>Goniadopsis</i>		4						
<i>Ceratonereis erythraeensis</i>	3	1	1					
<i>Saccocirrus</i>	1							
<i>Callianassa australiensis</i>		4	5			1		
<i>Glycera A</i>		3						
<i>Scolelepis B</i>		2	3					
<i>Platyischnopus</i>		1	1					
Opheliid (n.g. n.sp.)		1						
<i>Syllis (Langerhansia)</i>		1						
<i>Urohaustorius</i>		1						
cf. <i>Exoidiceros</i>		1						
<i>Diogenes avarus</i>			5		3			1
<i>Glycera B</i>			1	1	2	3		
<i>Cumacea</i>			1		1			
<i>Dispio A</i>			1					
<i>Arachnoides placenta</i>				4	1	1		2
<i>Strigilla tomlinii</i>				1	1	1		
<i>Dosinia kaspiewi</i>				1		1		3
<i>Tellina (Macomona) australis</i>				1		1		1
<i>Mactra dissimilis</i>				1		1		
<i>Choncholestes</i>					7			1
<i>Gastrosaccus cf. dakini</i>					3	3	2	
<i>Solidula cf. sulcata</i>					2			1
Ostracods (<i>Leuroleberis</i>)					1	1		7
<i>Albunea symmysta</i>					1	1		

spiophanes	1
Scoloplos (Leodamus)	1
Magelona	1
Euchone	1
Tellina (Cadella) semen	1
Megalops larva	1
Sthenelais	

July (late) 1977

STATION

	3	4	5	6	7	8	9	10
Pseudolana brevimarginae	13							
Donax faba	12	10						
Other Nereids	3	25						
Mesodesma altenae		6						
Perinereis vallata		5						
Pisone oerstedi		3						
Urohaustorius	2		4					
Ceratonereis erythraeensis	2		2					
Goniadopsis	2							
Glycera A	1	6	2					
Solidula cf. sulcata	1			2		1		7
cf. Gondogeneia	1							
Diogenes avarus		8				5		1
Opheliid (n.g. n.sp.)		8						
Arachnoides placenta	7		2		2	7	9	19
Strigilla tomlini	6						3	
Callianassa australiensis	5							
Scolelepis B	4							
Nemerteans (Carinoma)	1	1			5			1
Glycera B		3	3		11		2	4
Tellina (Macomona) australis		1	3		5		2	
Hastula plumbea		1	1		1		2	1
Dosinia kaspiewi			1		3		3	6
Choncholestes				1	5		2	1
Mactra dissimilis				1	3		3	20
Albunea symmysta				1	1		2	3
Gastrosaccus cf. dakini				1		2		3
Taneid A				1				
Sthenelais					4	4		1
Scoloplos (Leodamus)					2			
Magelona					2			

Terebrid A	2			
cf. <i>Flosmaris</i>	2			
<i>Tellina (Cadella) semen</i>	1	1	1	
<i>Saccocirrus</i>	1			
<i>Naineris cf. grubei</i>	1			
<i>Polinices conicus</i>	1			
<i>Parapanaeopsis</i>	1			
<i>Orbinia</i>		1		
<i>Siliqua</i>		1		
<i>Tellina (Angulus) lanceolata</i>		1		
<i>Polinices didymus</i>		1		
Ogyrides				3
Amphipod E				3
<i>Nassarius luridus</i>				2
Megalops larva				2
Diopatra				1
Sigalion				1
Ostracods (<i>Leuroleberis</i>)				1
Branchiostoma				1

September 1977

	STATION							
	3	4	5	6	7	8	9	10
<i>Donax faba</i>	32	44	4					
<i>Mesodesma altenae</i>	18	94	1201	4				
<i>Pseudolana brevimarginata</i>	9							
Other Nereids	2	41						
<i>Arachnoides placenta</i>	1		1	44	18	14		
<i>Excirolana orientalis</i>	1							
<i>Perinereis vallata</i>		26						
<i>Pisione oerstedi</i>		20						
<i>Callianassa australiensis</i>		11	6	4				
<i>Urohaustorius</i>		9	4	2				
<i>Glycera A</i>		2	10	7				
<i>Ceratonereis erythraeensis</i>		1	5	4				
Nemerteans (Carinoma)		1	5	3	1	2		
<i>Scolelepis C</i>		1						
Amphipod E		1						
<i>Mictyris longicarpus</i>		1						
Goby		1						
<i>Scolelepis B</i>			4	4				
Amphipod C			4	2				
Opheliid (n.g. n.sp.)			3					
<i>Platyischnopus</i>			2	5	1	2		
<i>Dosinia kaspiewi</i>			1	2	3	6		
<i>Goniadopsis</i>			1	1				
<i>Polinices A</i>	1			2				
Terebrid A			1					
<i>Glycera B</i>				17	9	10		
<i>Diogenes avarus</i>				6				
<i>Magelona</i>				2		1		
<i>Solidula cf. sulcata</i>				1	2	6		
Ostracods (Leuroleberis)				1	2	1		
<i>Dispia A</i>				1	2			

<i>Choncholestes</i>	1	1	3
<i>Isanda coronata</i>	1	1	1
<i>Scoloplos (Leodamus)</i>	1	1	
<i>Nothria holobranchiata</i>	1	1	
<i>Tellina (Macomona) australis</i>	4		1
<i>Strigilla tomlinii</i>		3	
<i>Polinices conicus</i>		2	
<i>Mactra dissimilis</i>		1	4
<i>Diopatra</i>		1	1
<i>Sphaeromidae</i>		1	
<i>Magelona</i>		1	
" <i>Onuphis</i> sp 4"		1	
<i>Gastrosaccus</i> cf. <i>dakini</i>		1	
<i>Ogyrides</i>			1
<i>Sthenelais</i>			1
<i>Tellina (Cadella) semen</i>			1
<i>Mactra obesa</i>			1
<i>Hastula plumbea</i>			1
<i>Matuta</i>			1
cf. <i>Flosmaris</i>			1

October 1977

	STATION							
	3	4	5	6	7	8	9	10
Pseudolana brevimarginae	22							
Amphipod C	21	1	9	4				
Mesodesma altenae	14	570	1532	1				
Donax faba	13	66	16					
Platyischnopus	5		4	10	7	5		
Scolelepis B	3		2	6	2			
Cumacea	2		2		6	10		
Perinereis vallata	1	32						
Other Nereids	1	15	1					
Patinapta cf. ooplax	1							
Pisone oerstedi		5	1					
Callianassa australiensis		3	5					
Urohaustorius		3	2					
Scolelepis C	2							
Glycera B	1			11	23	20		
Taneid A	1							
Goniadopsis	1							
Gastrosaccus cf. dakini		6	3	2	2			
Nemerteans (Carinoma)		6	3	1		3		
Glycera A		5	16	1				
Ceratonereis erythraeensis		2	3					
Excirolana orientalis	1							
Arachnoides placenta			108	19	19			
Isanda coronata		4						
Polinices a		3		5	7			
Solidula cf. sulcata		2		4	7			
Megalops larva		2						
Armandia intermedia		1		1	1			
Ogyrides		1				1		
Diogenes avarus		1				1		
Polinices didymus		1						

<i>Strigilla tomlini</i>	6	6
Ostracods (<i>Leuroleberis</i>)	3	1
<i>Tellina (Macomona) australis</i>	2	5
<i>Choncholestes</i>	2	2
<i>Albunea symmysta</i>	1	2
Spionid C	1	1
<i>Magelona</i>	1	1
<i>Matuta</i>	1	
<i>Lumbrinereis</i>	1	
<i>Epicodakia</i>	1	
<i>Mactra dissimilis</i>	1	
Goby	1	
<i>Dosinia kaspiewi</i>		3
<i>Tellina (Cadella) semen</i>		2
<i>Microprotopus</i>		2
<i>Scoloplos (Leodamus)</i>		1
<i>Sphaeromidae</i>		1
<i>Glycera cf. americana</i>		1
Paraonid		1
<i>Sigalion</i>		1
cf. <i>Gondogeneia</i>		1
cf. <i>Flosmaris</i>		1

December 1977

STATION

	3	4	5	6	7	8	9	10
<i>Pseudolana brevimarginata</i>	6	104	3	2	1			
<i>Mesodesma altenae</i>	4	37	17					
<i>Perinereis vallata</i>	3	15						
<i>Donax faba</i>	1	58	1					
<i>Gastrosaccus cf. dakini</i>	1							
<i>Polygordius</i>		30						
Other Nereids		17						
<i>Saccocirrus</i>		1	7					
<i>Callianassa australiensis</i>		1	2					
Taneid A		1	1					
<i>Dosinia kaspiewi</i>				2	2	4		1
<i>Patinapta cf. ooplax</i>	1							
<i>Glycera A</i>		21	6					
<i>Pisione oerstedi</i>		14						
<i>Platyischnopus</i>		6	16					
Amphipod C		5		3				
<i>Goniadopsis</i>		2						
<i>Scolelepis C</i>		2						
<i>Arachnoides placenta</i>	1	109	44	27	6		3	
<i>Glycera B</i>	1	5	8	18	19		6	
<i>Solidula cf. sulcata</i>	1		2	3	2			
<i>Microprotopus</i>	1			4	1			
<i>Scolelepis B</i>	1							
<i>Glycera cf. americana</i>	1							
cf. <i>Gondogeneia</i>	1							
Nemerteans (Carinoma)			4	1	4	5		4
<i>Tellina (Macomona) australis</i>			3	9	9	6		
Matuta			3	3		1		2
<i>Strigilla tomlini</i>		2	8	2	5			
Ogyrides		2	1		1			
<i>Diogenes avarus</i>		2					1	

Polinices A	1	1	3	5	3
Mactra dissimilis	1	1	3	1	2
Lumbrinereis	1	1		1	
Dispio A	1		3	3	
Ostracods (Leuroleberis)	1		3	1	
Isanda coronata		1			
cf. Flosmaris		2	2		1
Tellina (Cadella) semen		2	1	2	2
Albunea symmysta		2		1	2
Branchiostoma		1			
Edwardsia elegans			3	1	1
Spionid C			3	1	
Hastula plumbea			2	1	
Choncholestes			2		12
Diopatra			1	1	
Naineris cf. grubei			1		2
Amphictene			1		
Pitar			1		
Ascidian			1		
Tellina (Angulus) lanceolata				2	2
Scoloplos (Leodamus)				1	1
Prionospio				1	
Orbinia				1	
Paraonid				1	
Pista typha				1	
Pilargus					3
Sigalion					2
Anemone B					2

January 1978

STATION

	3	4	5	6	7	8	9	10
Pseudolana brevimarginata	12	5						
Perinereis vallata	2	28						
Donax faba	1	60	2					
Other Nereids	1	3						
Cumacea	1							
Pisone oerstedi		11	17					
Patinapta cf. ooplax		6						
Scopimera inflata		3	2					
Goniadopsis		3						
Scolelepis C		2	4	1				
Saccocirrus		2	2					
Mesodesma altenae		1	5					
Sphaeromidae		1	2					
Nemerteans (Carinoma)	1		7	2			3	2
Amphipod E	1							1
Scolelepis A	1							
Urohaustorius	1							
Glycera A		4	6	2				
Tellina A		1		1			1	1
Ceratonereis erythraeensis		1						
Scolelepis B		1						
Syllis (Langerhansia)		1						
Arachnoides placenta			26	29	38	20	20	
Tellina (Macomona) australis			9	14	10	27	1	
Gastrosaccus cf. dakini			4	2				
Diogenes avarus			3	1	1			4
Strigilla tomlinii			2	3	1			
Mactra dissimilis			2	2			1	
Dosinia kaspiewi			2	1	1	1		
Polinices conicus			2	1				
Ogyrides			2			1		

<i>Platyischnopus</i>	2			
<i>Albunea symmysta</i>	1		1	1
<i>Matuta</i>	1			1
<i>Glycera B</i>		4	10	6
<i>Solidula cf. sulcata</i>	2		1	6
<i>Magelona</i>	2			1
<i>Dispia A</i>	1		4	3
<i>paracondylactis dawydoffi</i>	1			
<i>Microprotopus</i>		4		3
<i>Choncholestes</i>		2		4
<i>Opheliid (n.g. n.sp.)</i>		1		
<i>Scoloplos (Leodamus)</i>		1		
<i>Glycera cf. americana</i>		1		
<i>Tellina (Cadella) semen</i>		1		
<i>Hastula plumbea</i>		1		
<i>Taneid A</i>		1		
<i>Edwardsia elegans</i>			3	
<i>Polinices A</i>		1	1	
<i>cf. Flosmaris</i>			1	1
<i>Orbinia</i>			1	
<i>Epicodakia</i>			1	
<i>Amphictene</i>				2
<i>Sigalion</i>				1
<i>Pilargus</i>				1
" <i>Onuphis</i> sp 4"				1
<i>Taneid B</i>				1
<i>Amphipod C</i>				1

APPENDIX B

A list of floral species from the Pallarenda intertidal was compiled, but no attempt was made to record the seasonal changes in their distribution. At the top of the beach (landward of station 1), the beach dune was consolidated by the creeping vines, Ipomea pes-caprae and Canavalia rosea. Entwined within these vines was the wirelike creeper, Cassytha, and interspersed between runners of the vines was Tribulus. No floral species were present in the upper beach region, but several species of algae and seagrass were noted on the lower beach. The algae included Chondria tenuiesima, Solieria, Caulerpa taxifolia, Acetabularia caliculus, Ceramium, and Udotea (near Udotea argentea). The seagrasses present were Halodule uninervis and Halodule pinifolia, Halophila ovalis and Halophila ovata, and Halophila spinulosa.

APPENDIX C

Nearest neighbours from classification analysis of the 91 seasonal species.

Site	Nearest Neighbour											
	First			Second			Third			Fourth		
Aug 3	0.328	Nov 3		0.535	Feb 4		0.681	Feb 3		0.705	Nov 4	
Aug 4	0.324	May 4		0.610	Feb 4		0.654	Nov 4		0.754	Aug 3	
Aug 5	0.657	Feb 6		0.690	May 6		0.704	May 5		0.738	Feb 7	
Aug 6	0.435	Aug 7		0.488	Aug 8		0.500	Feb 8		0.505	Feb 6	
Aug 7	0.404	Feb 8		0.417	May 8		0.419	Aug 9		0.435	Aug 6	
Aug 8	0.450	Aug 9		0.485	Aug 10		0.488	Aug 6		0.489	Aug 7	
Aug 9	0.419	Aug 7		0.450	Aug 8		0.527	Aug 10		0.591	May 8	
Aug 10	0.436	May 8		0.476	Aug 7		0.485	Aug 8		0.488	Feb 9	

Nov 3	0.328	Aug 3	0.748	Feb 4	0.818	May 3	0.821	Nov 4
Nov 4	0.654	Aug 4	0.677	May 4	0.705	Aug 3	0.739	Nov 5
Nov 5	0.739	Nov 4	0.922	Aug 4	0.927	May 4	0.958	Aug 3
Nov 6	0.647	Nov 7	0.735	Nov 8	0.736	May 6	0.741	Feb 10
Nov 7	0.294	Nov 8	0.518	May 6	0.529	Feb 10	0.532	Feb 9
Nov 8	0.294	Nov 7	0.414	Nov 9	0.606	May 8	0.607	Feb 8
Nov 9	0.414	Nov 8	0.451	Nov 10	0.550	Nov 7	0.686	Aug 10
Nov 10	0.451	Nov 9	0.558	Aug 10	0.628	May 8	0.639	Aug 9
Feb 3	0.474	May 3	0.657	Feb 4	0.681	Aug 3	0.811	Aug 4
Feb 4	0.535	Aug 3	0.610	Aug 4	0.657	Feb 3	0.677	May 3
Feb 5	0.804	Feb 6	0.822	May 5	0.875	Feb 3	0.887	May 10
Feb 6	0.470	May 6	0.477	May 7	0.505	Aug 6	0.538	Feb 10
Feb 7	0.248	Feb 8	0.307	Feb 9	0.381	Feb 10	0.381	May 6
Feb 8	0.248	Feb 7	0.387	May 8	0.397	Feb 10	0.400	Feb 9
Feb 9	0.299	Feb 10	0.307	Feb 7	0.400	Feb 8	0.422	May 10
Feb 10	0.299	Feb 9	0.306	May 10	0.322	May 9	0.381	Feb 7
May 3	0.474	Feb 3	0.677	Feb 4	0.766	Aug 3	0.818	Nov 3
May 4	0.324	Aug 4	0.677	Nov 4	0.704	Feb 4	0.829	Aug 3

May 5	0.687	Feb 6	0.693	May 6	0.704	Aug 5	0.804	Nov 6
May 6	0.381	Feb 7	0.433	Feb 10	0.436	May 7	0.461	May 8
May 7	0.405	May 10	0.410	May 9	0.436	May 6	0.437	Feb 7
May 8	0.387	Feb 8	0.417	Aug 7	0.426	Feb 7	0.436	Aug 10
May 9	0.276	May 10	0.322	Feb 10	0.407	Feb 7	0.410	May 7
May 10	0.276	May 9	0.306	Feb 10	0.405	May 7	0.419	Feb 8

APPENDIX D

Some species were not easily recognizable as distinct species and were placed in polyspecific groups. There are three of these. They are nemerteans, ostracods, and other nereids.

Though the nemerteans were treated as a polyspecific group, one complete specimen was sent to Dr. Ray Gibson of Liverpool Polytechnic Institute. It was identified to the palaeonemertean genus, Carinoma, and is believed to be a new species.

The ostracod material examined was too limited to develop an impression of the species structure of ostracods at Pallarenda. Three individuals were submitted to Dr. Pat De Deckker of the University of Adelaide, and were identified by Dr. Louis Kornicker at the Smithsonian Institution. Each of the three individuals was a juvenile of the genus Leuroleberis.

The polyspecific group, "Other Nereids" consists of nereids other than those listed above and includes species of Neanthes and Ceratonereis.

The Opheliid (n.g. n.sp.) is similar to the genus, Euzonus.

Dr. Pat Hutchings of the Australian Museum has found a similar species in New South Wales and believes them to be a new genus and new species.

"Onuphis sp. 4" is the designation of this polychaete given by Hannelora Paxton of MacQuarie University.

Specific names for several of the amphipods (Urohaustorius, Platyischnopus, and Amphipod C) may be available soon, as they have been submitted to Margaret Drummond of the Ministry of Conservation in Victoria for identification. She has also examined the Choncholestes material, but was not certain that this was the correct genus. Though it may be Choncholestes, it was similar to a Western Port Bay species, Siphonoecetes. Drummond also "was inclined to think" that the species designated as cf. Gondogeneia may be a new species of the genus Tethygeneia, but was uncertain without viewing more material. She also was confident that the species here recorded as cf. Exoediceros was not that species, but may be a member of the genus Perioculodes, but was, again, in need of more material before making a decision.

Dr. Janet Haig of the Allan Hancock Foundation confirmed the identification of Albunea symmysta, and advised that, "although a number of spelling variations occur in the literature, symmysta is correct."