

# JCU ePrints

This file is part of the following reference:

**Rutkowski, Rachael (2005) *Genetic and cellular analysis of the novel cell proliferation regulator, deflated, in Drosophila*. PhD thesis, James Cook University.**

Access to this file is available from:

<http://eprints.jcu.edu.au/17563>

## Bibliography

- Andrade, M. A., Petosa, C., O'Donoghue, S. I., Muller, C. W. and Bork, P.** (2001). Comparison of ARM and HEAT protein repeats. *Journal of Molecular Biology* **309**, 1-18.
- Arbeitman, M. N., Furlong, E. E. M., Imam, F., Johnson, E., Null, B. H., Baker, B. S., Krasnow, M. A., Scott, M. P., Davis, R. W. and White, K. P.** (2002). Gene expression during the life cycle of *Drosophila melanogaster*. *Science* **297**, 2270-2275.
- Arnaoutov, A. and Dasso, M.** (2003). The Ran GTPase regulates kinetochore function. *Developmental Cell* **5**, 99-111.
- Asano, M., Nevins, J. R. and Wharton, R. P.** (1996). Ectopic E2F expression induces S phase and apoptosis in *Drosophila* imaginal discs. *Genes and Development* **10**, 1422-1432.
- Asha, H., Nagy, I., Kovacs, G., Stetson, D., Ando, I. and Dearolf, C. R.** (2003). Analysis of Ras-induced overproliferation in *Drosophila* hemocytes. *Genetics* **163**, 203-215.
- Ashburner, M.** (1989). *Drosophila*: a laboratory handbook. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.
- Avedisov, S. N., Krasnoselskaya, I., Mortin, M. and Thomas, B. J.** (2000). Roughex mediates G1 arrest through a physical association with Cyclin A. *Molecular and Cellular Biology* **20**, 8220-8229.
- Baker, N. E. and Yu, S.-Y.** (2001). The EGF receptor defines domains of cell cycle progression and survival to regulate cell number in the developing *Drosophila* eye. *Cell* **104**, 699-708.
- Bamba, C., Bobinnec, Y., Fukuda, M. and Nishida, E.** (2002). The GTPase Ran regulates chromosome positioning and nuclear envelope assembly in vivo. *Current Biology* **12**, 503-507.
- Baonza, A. and Garcia-Bellido, A.** (1999). Dual role of extra macrochaetae in cell proliferation and cell differentiation during wing morphogenesis in *Drosophila*. *Mechanisms of Development* **80**, 133-146.
- Bell, L. A. and Ryan, K. M.** (2004). Life and death decisions by E2F-1. *Cell Death and Differentiation* **11**, 137-142.
- Bender, W., Spierer, P. and Hogness, D. S.** (1983). Chromosomal walking and jumping to isolate DNA from the Ace and rosy loci and the bithorax complex in *Drosophila melanogaster*. *Journal of Molecular Biology* **168**, 17-33.

**Benmerah, A., Scott, M., Poupon, V. and Marullo, S.** (2003). Nuclear functions for plasma membrane-associated proteins? *Traffic* **4**, 503-511.

**Benzeno, S., Narla, G., Allina, J., Cheng, G. Z., Reeves, H. L., Banck, M. S., Odin, J. A., Diehl, J. A., Germain, D. and Friedman, S. L.** (2004). Cyclin-dependent kinase inhibition by the KLF6 tumor suppressor protein through interaction with Cyclin D1. *Cancer Research* **64**, 3885-3891.

**Blain, S. W., Scher, H. I., Cordon-Cardo, C. and Koff, A.** (2003). p27 as a target for cancer therapeutics. *Cancer Cell* **3**, 111-115.

**Bolatto, C., Chifflet, S., Megighian, A. and Cantera, R.** (2003). Synaptic activity modifies the levels of Dorsal and Cactus at the neuromuscular junction of *Drosophila*. *Journal of Neurobiology* **54**, 525-536.

**Bosco, G., Du, W. and Orr-Weaver, T. L.** (2001). DNA replication control through interaction of E2F-RB and the origin recognition complex. *Nature Cell Biology* **3**, 289-295.

**Brand, A. H. and Perrimon, N.** (1993). Targeted gene expression as a means of altering cell fates and generating dominant phenotypes. *Development* **118**, 401-415.

**Brumby, A., Secombe, J., Horsfield, J., Coombe, M., Amin, N., Coates, D., Saint, R. and Richardson, H.** (2004). A genetic screen for dominant modifiers of a *cyclin E* hypomorphic mutation identifies novel regulators of S-phase entry in *Drosophila*. *Genetics* **168**, 227-251.

**Cacace, A. M., Michaud, N. R., Therrien, M., Mathes, K., Copeland, T., Rubin, G. M. and Morrison, D. K.** (1999). Identification of constitutive and Ras-inducible phosphorylation sites of KSR: implications for 14-3-3 binding, Mitogen-Activated Protein Kinase binding, and KSR overexpression. *Molecular and Cellular Biology* **19**, 229-240.

**Calvi, B. R., Lilly, M. A. and Spradling, A. C.** (1998). Cell cycle control of chorion gene amplification. *Genes and Development* **12**, 734-744.

**Cantera, R., Kozlova, T., Barillas-Mury, C. and Kafatos, F. C.** (1999). Muscle structure and innervation are affected by loss of Dorsal in the fruit fly, *Drosophila melanogaster*. *Molecular and Cellular Neurosciences* **13**, 131-141.

**Carazo-Salas, R. E., Guaraguaglini, G., Gruss, O. J., Segref, A., Karsenti, E. and Mattaj, I. W.** (1999). Generation of GTP-bound Ran by RCC1 is required for chromatin-induced mitotic spindle formation. *Nature* **400**, 178-181.

**Carmena, A., Buff, E., Halfon, M. S., Gisselbrecht, S., Jimenez, F., Baylies, M. K. and Michelson, A. M.** (2002). Reciprocal regulatory interactions between the Notch and Ras signaling pathways in the *Drosophila* embryonic mesoderm. *Developmental Biology* **244**, 226-242.

- Carney, G. E., Robertson, A., Davis, M. B. and Bender, M.** (2004). Creation of *EcR* isoform-specific mutations in *Drosophila melanogaster* via local P element transposition, imprecise P-element excision, and male recombination. *Molecular and General Genomics* **271**, 282-290.
- Carrera, P., Abrell, S., Kerber, B., Walldorf, U., Preiss, A., Hoch, M. and Jackle, H.** (1998). A modifier screen in the eye reveals control genes for *Krüppel* activity in the *Drosophila* embryo. *Proceedings of the National Academy of Sciences of the United States of America* **95**, 10779-10784.
- Cayirlioglu, P., Bonnette, P. C., Dickson, M. R. and Duronio, R. J.** (2001). *Drosophila E2f2* promotes the conversion from genomic DNA replication to gene amplification in ovarian follicle cells. *Development* **128**, 5085-5098.
- Chan, T. A., Hermeking, H., Lengauer, C., Kinzler, K. W. and Vogelstein, B.** (1999). 14-3-3 sigma is required to prevent mitotic catastrophe after DNA damage. *Nature* **401**, 616-620.
- Chang, F., Steelman, L. S., Shelton, J. G., Lee, J. T., Navolanic, P. M., Blalock, W. L., Franklin, R. and McCubrey, J. A.** (2003). Regulation of cell cycle progression and apoptosis by the Ras/Raf/MEK/ERK pathway (Review). *International Journal of Oncology* **22**, 469-480.
- Chang, H. C. and Rubin, G. M.** (1997). 14-3-3 epsilon positively regulates Ras-mediated signaling in *Drosophila*. *Genes and Development* **11**, 1132-1139.
- Charles, J. F., Jaspersen, S. L., Tinker-Kulberg, R. L., Hwang, L., Szidon, A. and Morgan, D. O.** (1998). The polo-related kinase Cdc5 activates and is destroyed by the mitotic destruction machinery in *S. cerevisiae*. *Current Biology* **8**, 497-507.
- Chau, A. S.-S. and Shibuya, E. K.** (1999). Inactivation of p42 Mitogen-activated Protein Kinase is required for exit from M-phase after cyclin destruction. *Journal of Biological Chemistry* **274**, 32085-32090.
- Clarke, A. R., Maandag, E. R., van Roon, M., van der Lugt, N. M. T., van der Valk, M., Hooper, M. L., Berns, A. and te Riele, H.** (1992). Requirement for a functional *Rb-1* gene in murine development. *Nature* **359**, 328-330.
- Clarke, P. R., Hoffman, I., Draetta, G. and Karsenti, E.** (1993). Dephosphorylation of cdc25-C by a type-2A protein phosphatase: specific regulation during the cell cycle in *Xenopus* egg extracts. *Molecular Biology of the Cell* **4**, 397-411.
- Clarke, P. R., Klebe, C., Wittinghofer, A. and Karsenti, E.** (1995). Regulation of Cdc2/cyclin B activation by Ran, a Ras-related GTPase. *Journal of Cell Science* **108**, 1217-1225.
- Clifford, R. J. and Schubach, T.** (1989). Coordinately and differentially mutable activities of *torpedo*, the *Drosophila melanogaster* homolog of the vertebrate EGF receptor gene. *Genetics* **123**, 771-787.

- Confalonieri, S., Salcini, A. E., Puri, C., Tacchetti, C. and Di Fiore, P. P.** (2000). Tyrosine phosphorylation of Eps15 is required for ligand-regulated, but not constitutive, endocytosis. *Journal of Cell Biology* **150**, 905-911.
- Conley, C. A., Silburn, R., Singer, M. A., Ralston, A., Rohwer-Nutter, D., Olson, D. J., Gelbart, W. and Blair, S. S.** (2000). Crossveinless 2 contains cystein-rich domains and is required for high levels of BMP-like activity during the formation of the cross veins in *Drosophila*. *Development* **127**, 3947-3959.
- Cooley, L., Thompson, D. and Spradling, A. C.** (1990). Constructing deletions with defined endpoints in *Drosophila*. *Proceedings of the National Academy of Sciences of the United States of America* **87**, 3170-3173.
- Coqueret, O.** (2002). Linking cyclins to transcriptional control. *Gene* **299**, 35-55.
- Craig, A., Scott, M., Burch, L., Smith, G., Ball, K. and Hupp, T.** (2003). Allosteric effects mediate CHK2 phosphorylation of the p53 transactivation domain. *EMBO Reports* **4**, 787-792.
- Crespo, P. and Leon, J.** (2000). Ras proteins in the control if the cell cycle and cell differentiation. *Cellular and Molecular Life Sciences* **57**, 1613-1636.
- Cubas, P. and Modolell, J.** (1992). The *extramacrochaetae* gene provides information for sensory organ patterning. *EMBO Journal* **11**, 3385-3393.
- Culi, J., Martin-Bianco, E. and Modolell, J.** (2001). The EGF receptor and N signalling pathways act antagonistically in *Drosophila* mesothorax bristle patterning. *Development* **128**, 299-308.
- Dammai, V. and Hsu, T.** (2003). EGF-dependent and independent activation of MAP kinase during *Drosophila* oogenesis. *The Anatomical Record Part A* **272A**, 377-382.
- Daniels, S. B. and Chovnick, A.** (1993). P-element transposition in *Drosophila melanogaster*: an analysis of sister-chromatid pairs and the formation of intragenic secondary insertions during meiosis. *Genetics* **133**, 623-636.
- Dasso, M., Nishitani, H., Kornbluth, S., Nishimoto, T. and Newport, J.** (1992). RCC1, a regulator of mitosis, is essential for DNA replication. *Molecular and Cellular Biology* **12**, 3337-3345.
- Datar, S. A., Jacobs, H. W., de la Cruz, A. F. A., Lehner, C. F. and Edgar, B. A.** (2000). The *Drosophila* Cyclin D-Cdk4 complex promotes cellular growth. *EMBO Journal* **19**, 4543-4554.
- de Bruin, A., Maiti, B., Jakoi, L., Timmers, C., Buerki, R. and Leone, G.** (2003). Identification and characterization of E2F7, a novel mammalian E2F family member capable of blocking cellular proliferation. *Journal of Biological Chemistry* **278**, 42041-42049.

**de Celis, J. F.** (2003). Pattern formation in the *Drosophila* wing: the development of the veins. *BioEssays* **25**, 443-451.

**de Nooij, J., Letendre, M. A. and Hariharan, I. K.** (1996). A cyclin-dependent kinase inhibitor, Dacapo, is necessary for timely exit from the cell cycle during *Drosophila* embryogenesis. *Cell* **87**, 1237-1247.

**Denti, S., Sirri, A., Cheli, A., Rogge, L., Innamorati, G., Putignano, S., Fabbri, M., Pardi, R. and Bianchi, E.** (2004). RanBPM is a phosphoprotein that associates with the plasma membrane and interacts with the integrin LFA-1. *Journal of Biological Chemistry* **279**, 13027-13034.

**Di Guglielmo, G. M., Baass, P. C., Ou, W.-J., Posner, B. I. and Bergeron, J. J. M.** (1994). Compartmentalization of SHC, GRB2 and mSOS, and hyperphosphorylation of Raf-1 by EGF but not insulin in liver parenchyma. *EMBO Journal* **13**, 4269-4277.

**Diaz-Benjumea, F. J. and Garcia-Bellido, A.** (1990). Behaviour of cells mutant for an EGF receptor homologue of *Drosophila* in genetic mosaics. *Proceedings of the Royal Society of London*. **242**, 36-44.

**Dickson, B. and Hafen, E.** (1993). Genetic dissection of eye development in *Drosophila*. In *The development of Drosophila melanogaster*, vol. II (ed. M. Bate and A. M. Arias), pp. 1327-1362. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.

**Dienemann, A. and Sprenger, F.** (2004). Requirements of Cyclin A for mitosis are independent of its subcellular localisation. *Current Biology* **14**, 1117-1123.

**Dimova, D. K., Stevaux, O., Frolov, M. V. and Dyson, N. J.** (2003). Cell cycle-dependent and cell cycle-independent control of transcription by the *Drosophila* E2F/RB pathway. *Genes and Development* **17**, 2308-2320.

**Donzelli, M. and Draetta, G. F.** (2003). Regulating mammalian checkpoints through Cdc25 inactivation. *EMBO Reports* **4**, 671-677.

**Dougherty, M. K. and Morrison, D. K.** (2004). Unlocking the code of 14-3-3. *Journal of Cell Science* **117**, 1875-1884.

**Drier, E. A., Huang, L. H. and Steward, R.** (1999). Nuclear import of the *Drosophila* Rel protein Dorsal is regulated by phosphorylation. *Genes and Development* **13**, 556-568.

**Du, W.** (2000). Suppression of the *rbf* null mutants by a *de2f1* allele that lacks the transactivation domain. *Development* **127**, 367-379.

**Du, W. and Dyson, N.** (1999). The role of RBF in the introduction of G1 regulation during *Drosophila* embryogenesis. *EMBO Journal* **18**, 916-925.

**Du, W., Xie, J.-E. and Dyson, N.** (1996). Ectopic expression of dE2F and dDP induces cell proliferation and death in the *Drosophila* eye. *EMBO Journal* **15**, 3684-3692.

**Ducat, D. and Zheng, Y.** (2004). Aurora kinases in spindle assembly and chromosome segregation. *Experimental Cell Research* **301**, 60-67.

**Duman-Scheel, M., Weng, L., Xin, S. and Du, W.** (2002). Hedgehog regulates cell growth and proliferation by inducing Cyclin D and Cyclin E. *Nature* **417**, 299-304.

**Duronio, R. J., Bonnette, P. C. and O'Farrell, P. H.** (1998). Mutations of the *Drosophila dDP*, *dE2F* and *cyclin E* genes reveal distinct roles for the E2F-DP transcription factor and Cyclin E during the G1-S transition. *Molecular and Cellular Biology* **18**, 141-151.

**Duronio, R. J., Brook, A., Dyson, N. and O'Farrell, P. H.** (1996). E2F-induced S phase requires *cyclin E*. *Genes and Development* **10**, 2505-2513.

**Duronio, R. J., O'Farrell, P. H., Xie, J.-E., Brook, A. and Dyson, N.** (1995). The transcription factor E2F is required for S phase during *Drosophila* embryogenesis. *Genes and Development* **9**, 1445-1455.

**Edgar, B. A., Lehman, D. A. and O'Farrell, P. H.** (1994). Transcriptional regulation of *string (cdc25)*: a link between developmental programming and the cell cycle. *Development* **120**, 3131-3143.

**Edgar, B. A. and O'Farrell, P. H.** (1990). The three postblastoderm cell cycles of *Drosophila* embryogenesis are regulated in G2 by *string*. *Cell* **62**, 469-480.

**Fanger, G. R., Widmann, C., Porter, A. C., Sather, S., Johnson, G. L. and Vaillancourt, R. R.** (1998). 14-3-3 proteins interact with specific MEK kinases. *Journal of Biological Chemistry* **273**, 3476-3483.

**Fei, X., He, B. and Adler, P. N.** (2002). The growth of *Drosophila* bristles and laterals is not restricted to the tip or base. *Journal of Cell Science* **115**, 3797-3806.

**Findeisen, M., El-Denay, M., Kapitza, T., Graf, R. and Straufeld, U.** (1999). Cyclin A-dependent kinase activity affects chromatin binding of ORC, Cdc6, and MCM in egg extracts of *Xenopus laevis*. *European Journal of Biochemistry* **264**, 415-426.

**Fortini, M. E., Simon, M. A. and Rubin, G. M.** (1992). Signalling by the sevenless protein tyrosine kinase is mimicked by Ras1 activation. *Nature* **355**, 559-561.

**Fristrom, D. and Fristrom, J. W.** (1993). The metamorphic development of the adult epidermis. In *The Development of Drosophila melanogaster*, vol. II (ed. M. Bate and A. Martinez-Arias), pp. 843-897: Cold Spring Harbor Laboratory Press.

**Frolov, M. V., Huen, D. S., Stevaux, O., Dimova, D., Balczarek-Strang, K., Elsdon, M. and Dyson, N. J.** (2001). Functional antagonism between E2F family members. *Genes and Development* **15**, 2146-2160.

- Fung, S.-M., Ramsay, G. and Katzen, A. L.** (2002). Mutations in *Drosophila myb* lead to centrosome amplification and genomic instability. *Development* **129**, 347-359.
- Fung, T. K. and Poon, R. Y. C.** (2005). A roller coaster ride with mitotic cyclins. *Seminars in Cell and Developmental Biology* **16**, 335-342.
- Geng, Y., Yu, Q., Sicinska, E., Das, M., Schneider, J. E., Bhattacharya, S., Rideout III, W. M., Bronson, R. T., Gardner, H. and Sicinski, P.** (2003). Cyclin E ablation in the mouse. *Cell* **114**, 431-443.
- Ghaleb, A. M., Nandan, M. O., Chanchevalap, S., Dalton, W. B., Hisamuddan, I. M. and Yang, V. W.** (2005). Krüppel-like factors 4 and 5: the ying and yang regulators of cell proliferation. *Cell Research* **15**, 92-96.
- Ghoda, L., Lin, X. and Greene, W. C.** (1997). The 90-kDa ribosomal S6 kinase (pp90<sup>rsk</sup>) phosphorylates the N-terminal regulatory domain of IkB $\alpha$  and stimulates its degradation *in vitro*. *Journal of Biological Chemistry* **272**, 21281-21288.
- Giles, N., Forrest, A. and Gabrielli, B.** (2003). 14-3-3 acts as an intramolecular bridge to regulate cdc25B localization and activity. *Journal of Biological Chemistry* **278**, 28580-28587.
- Gloor, G. B., Preston, C. R., Johnson-Schlitz, D. M., Nassif, N. A., Phillis, R. W., K., B. W., Robertson, H. M. and Engels, W. R.** (1993). Type I repressors of P-element mobility. *Genetics* **135**, 81-95.
- Golan, A., Yudkovsky, Y. and Hershko, A.** (2002). The cyclin-ubiquitin ligasae activity of cyclosome/APC is jointly activated by protein kinases cdk1-Cyclin B and Plk. *Journal of Biological Chemistry* **277**, 15552-15557.
- Golic, K. G.** (1994). Local transposition of P-elements in *Drosophila melanogaster* and recombination between duplicated elements using a site-specific recombinase. *Genetics* **137**, 551-563.
- Golling, G., Amsterdam, A., Sun, Z., Antonelli, M., Maldonado, E., Chen, W., Burgess, S., Haldi, M., Artzt, K., Farrington, S. et al.** (2002). Insertional mutagenesis in zebrafish rapidly identifies genes essential for early vertebrate development. *Nature Genetics* **31**, 135-139.
- Golsteyn, R. M., Mundt, K. E., Fry, A. and Nigg, E. A.** (1995). Cell cycle regulation of the activity and subcellular localization of PLK1, a human protein kinase implicated in mitotic spindle function. *Journal of Cell Biology* **129**, 1617-1628.
- Grosshans, J. and Weischaus, E.** (2000). A genetic link between morphogenesis and cell division during formation of the ventral furrow in *Drosophila*. *Cell* **101**, 523-531.
- Guadagno, T. M. and Ferrell Jr., J. E.** (1998). Requirement for MAPK activation for normal mitotic progression in *Xenopus* egg extracts. *Science* **282**, 1312-1315.

- Hagting, A., Karlsson, C., Clute, P., Jackman, M. and Pines, J.** (1998). MPF localization is controlled by nuclear export. *EMBO Journal* **17**, 4127-4138.
- Halfar, K., Rommel, C., Stocker, H. and Hafen, E.** (2001). Ras controls growth, survival and differentiation in the *Drosophila* eye by different thresholds of MAP kinase activity. *Development* **128**, 1687-1696.
- Harbour, J. W. and Dean, D. C.** (2000). The Rb/E2F pathway: expanding roles and emerging paradigms. *Genes and Development* **14**, 2393-2409.
- Harel, A. and Forbes, D. J.** (2004). Importin  $\beta$ : conducting a much larger cellular symphony. *Molecular Cell* **16**, 319-330.
- Hayashi, S.** (1996). A Cdc2 dependent checkpoint maintains diploidy in *Drosophila*. *Development* **122**, 1051-1058.
- Hayashi, S., Hirose, S., Metcalfe, T. and Shirras, A. D.** (1993). Control of imaginal cell development by the *escargot* gene of *Drosophila*. *Development* **118**, 105-115.
- Hayne, C., Tzivion, G. and Luo, Z.** (2000). Raf-1/MEK/MAPK pathway is necessary for the G2/M transition induced by nocodazole. *Journal of Biological Chemistry* **275**, 31876-31882.
- Hoffmann, J. A.** (2003). The immune response of *Drosophila*. *Nature* **426**, 33-38.
- Horne, M. M. and Guadagno, T. M.** (2003). A requirement for MAP kinase in the assembly and maintenance of the mitotic spindle. *Journal of Cell Biology* **161**, 1021-1028.
- Horsfield, J., Penton, A., Secombe, J., Hoffman, F. M. and Richardson, H.** (1998). *decapentaplegic* is required for arrest in G1 phase during *Drosophila* eye development. *Development* **125**, 5069-5078.
- Hua, X. H., Yan, H. and Newport, J.** (1997). A role for Cdk2 kinase in negatively regulating DNA replication during S-phase of the cell cycle. *Journal of Cell Biology* **137**, 183-192.
- Huang, A. M., Rehm, E. J. and Rubin, G. M.** (2000). Recovery of DNA sequences flanking P-element insertions: inverse PCR and plasmid rescue. In *Drosophila Protocols*, (ed. W. Sullivan M. Ashburner and R. S. Hawley), pp. 429-437. Cold Spring Harbor: Cold Spring Harbor Press.
- Hung, K.-S., Hong, C.-Y., Lee, J., Lin, S.-K., Huang, S. C., Wang, T.-M., Tse, V., Sliverberg, G. D., Weng, S.-C. and Hsiao, M.** (2000). Expression of p16<sup>INK4A</sup> induces dominant suppression of glioblastoma growth *in situ* through necrosis and cell cycle arrest. *Biochemical and Biophysical Research Communications* **269**, 718-725.
- Hyman, J., Chen, H., Di Fiore, P. P., De Camilli, P. and Brunger, A. T.** (2000). Epsin 1 undergoes nucleocytosolic shuttling and its Eps15 interactor NH2-terminal homology (ENTH) domain, structurally similar to *Armadillo* and HEAT repeats,

interacts with the transcription factor Promyelocytic Leukemia Zn2+ Finger Protein (PLZF). *Journal of Cell Biology* **149**, 537-546.

**Hyun, J., Jasper, H. and Bohmann, D.** (2005). DREF is required for efficient growth and cell cycle progression in *Drosophila* imaginal discs. *Molecular and Cellular Biology* **25**, 5590-5598.

**Inoue, Y. H. and Glover, D. M.** (1998). Involvement of the *rolled/MAP kinase* gene in *Drosophila* mitosis: interaction between genes for the MAP kinase cascade and *abnormal spindle*. *Molecular and General Genetics* **258**, 334-341.

**Ishida, S., Huang, E., Zuzan, H., Spang, R., Leone, G., West, M. and Nevins, J. R.** (2001). Role for E2F in control of both DNA replication and mitotic functions as revealed from DNA microarray analysis. *Molecular and Cellular Biology* **21**, 4684-4699.

**Jacks, T., Fazeli, A., Schmitt, E. M., Bronson, R. T., Goodell, M. A. and Weinberg, R. A.** (1992). Effects of an *Rb* mutation in the mouse. *Nature* **359**, 295-300.

**Jacobs, H. W., Knoblich, J. A. and Lehner, C. F.** (1998). *Drosophila* Cyclin B3 is required for female fertility and is dispensable for mitosis like Cyclin B. *Genes and Development* **12**, 3741-3751.

**Jiang, W., Wells, N. J. and Hunter, T.** (1999). Multistep regulation of DNA replication by Cdk phosphorylation of HsCdc6. *Proceedings of the National Academy of Sciences of the United States of America* **96**, 6193-6198.

**Johnson, D. G., Schwarz, J. K., Cress, W. D. and Nevins, J. R.** (1993). Expression of transcription factor E2F1 induces quiescent cells to enter S phase. *Nature* **365**, 349-352.

**Johnston, L. A. and Shubiger, G.** (1996). Ectopic expression of *wingless* in imaginal discs interferes with *decapentaplegic* expression and alters cell determination. *Development* **122**, 3519-3529.

**Jones, L., Richardson, H. and Saint, R.** (2000). Tissue-specific regulation of *cyclin E* transcription during *Drosophila melanogaster* embryogenesis. *Development* **127**, 4619-4630.

**Joseph, J., Liu, S.-T., Jablonski, S. A., Yen, T. J. and Dasso, M.** (2004). The RanGAP1-RanBP2 complex is essential for microtubule-kinetochore interactions in vivo. *Current Biology* **14**, 611-617.

**Joseph, J., Tan, S.-H., Karpova, T. S., McNally, J. G. and Dasso, M.** (2002). SUMO-1 targets RanGAP1 to kinetochores and mitotic spindles. *Journal of Cell Biology* **156**, 595-602.

**Kamath, R. S., Fraser, A. G., Dong, Y., Poulin, G., Durbin, R., Gotta, M., Kanapin, A., Le Bot, N., Moreno, S., Sohrmann, M. et al.** (2003). Systematic functional analysis of the *Caenorhabditis elegans* genome using RNAi. *Nature* **421**, 231-237.

**Karim, F. D., Chang, H. C., Therrien, M., Wassarman, D. A., Laverty, T. and Rubin, G. M.** (1996). A screen for genes that function downstream of Ras1 during *Drosophila* eye development. *Genetics* **143**, 315-329.

**Karlsson, C., Katich, S., Hagting, A., Hoffmann, I. and Pines, J.** (1999). Cdc25B and Cdc25C differ markedly in their properties as initiators of mitosis. *Journal of Cell Biology* **146**, 573-583.

**Kastan, M. B. and Bartek, J.** (2004). Cell-cycle checkpoints and cancer. *Nature* **432**, 316-322.

**Keen, N. and Taylor, S.** (2004). Aurora-kinase inhibitors as anticancer agents. *Nature Reviews Cancer* **4**, 927-936.

**Kelly, T. J. and Brown, G. W.** (2000). Regulation of chromosome replication. *Annual Review of Biochemistry* **69**, 829-880.

**Khalsa, O., Yoon, J.-w., Torres-Schumann, S. and Wharton, K. A.** (1998). TGF-B/BMP superfamily members, Gbb-60A and Dpp, cooperate to provide pattern information and establish cell identity in the *Drosophila* wing. *Development* **125**, 2723-2734.

**Kidd, S.** (1992). Characterisation of the *Drosophila cactus* locus and analysis of interaction between cactus and dorsal proteins. *Cell* **71**, 623-635.

**Klein, T.** (2001). Wing disc development in the fly: the early stages. *Current Opinion in Genetics and Development* **11**, 470-475.

**Knoblich, J. A. and Lehner, C. F.** (1993). Synergistic action of *Drosophila* cyclins A and B during the G2-M transition. *EMBO Journal* **12**, 65-74.

**Knoblich, J. A., Sauer, K., Jones, L., Richardson, H., Saint, R. and Lehner, C. F.** (1994). Cyclin E controls S phase progression and its down-regulation during *Drosophila* embryogenesis is required for the arrest of cell proliferation. *Cell* **77**, 107-120.

**Kockel, L., Vorbruggen, G., Jackle, H., Mlodzik, M. and Bohmann, D.** (1997). Requirement for *Drosophila* 14-3-3 zeta in Raf-dependent photoreceptor development. *Genes and Development* **11**, 1140-1147.

**Komada, M. and Kitamura, N.** (1995). Growth factor-induced tyrosine phosphorylation of Hrs, a novel 115-kilodalton protein with a structurally conserved putative zinc finger domain. *Molecular and Cellular Biology* **15**, 6213-6221.

**Kornbluth, S., Dasso, M. and Newport, J.** (1994). Evidence for a dual role for TC4 protein in regulating nuclear structure and cell cycle progression. *Journal of Cell Biology* **125**, 705-719.

**Kramer, E. R., Scheuringer, N., Podtelejnikov, A. V., Mann, M. and Peters, J.-M.** (2000). Mitotic regulation of the APC activator proteins CDC20 and CDH1. *Molecular Biology of the Cell* **11**, 1555-1569.

**Kranenburg, O., Verlaan, I. and Moolenaar, W. H.** (1999). Dynamin is required for the activation of mitogen-activated protein (MAP) kinase by MAP kinase kinase. *Journal of Biological Chemistry* **274**, 35301-35304.

**Krek, W., Xu, G. and Livingston, D. M.** (1995). Cyclin A-kinase regulation of E2F-1 DNA binding function underlies suppression of an S-phase checkpoint. *Cell* **83**, 1149-1158.

**Kumar, J. P., Hsiung, F., Powers, M. A. and Moses, K.** (2003). Nuclear translocation of activated MAP kinase is developmentally regulated in the developing *Drosophila* eye. *Development* **130**, 3703-3714.

**Kurada, P. and White, K.** (1999). Epidermal growth factor receptor: its role in *Drosophila* eye differentiation and cell survival. *Apoptosis* **4**, 239-243.

**La Thangue, N. B.** (2003). The yin and yang of E2F-1: balancing life and death. *Nature Cell Biology* **5**, 587-589.

**Laman, H., Peters, G. and Jones, N.** (2001). Cyclin-mediated export of human Orc1. *Experimental Cell Research* **271**, 230-237.

**Lane, M. E., Elend, M., Heidmann, D., Herr, A., Marzodko, S., Herzig, A. and Lehner, C. F.** (2000). A screen for modifiers of *Cyclin E* function in *Drosophila melanogaster* identifies *Cdk2* mutations, revealing the insignificance of putative phosphorylation sites in *Cdk2*. *Genetics* **155**, 233-244.

**Lee, E. Y.-H. P., Chang, C.-Y., Hu, N., Wang, Y.-C. J., Lai, C.-C., Herrup, K., Lee, W.-H. and Bradley, A.** (1992). Mice deficient for Rb are nonviable and show defects in neurogenesis and haematopoiesis. *Nature* **359**, 288-294.

**Lee, J., Kumagai, A. and Dunphy, W. G.** (2001). Positive regulation of Wee1 by Chk1 and 14-3-3 proteins. *Molecular Biology of the Cell* **12**, 551-563.

**Lee, L. A. and Orr-Weaver, T. L.** (2003). Regulation of cell cycles in *Drosophila* development: intrinsic and extrinsic cues. *Annual Review of Genetics* **37**, 545-578.

**Lehner, C. F. and O'Farrell, P. H.** (1989). Expression and function of *Drosophila* cyclin A during embryonic cell cycle progression. *Cell* **56**, 957-968.

**Lenferink, A. E. G., Pinkas-Kramarski, R., van de Poll, M. L. M., van Vugt, M. J. H., Klapper, L. N., Tzahar, E., Waterman, H., Sela, M., van Zoelen, E. J. J. and Yarden, Y.** (1998). Differential endocytic routing of homo- and hetero-dimeric ErbB tyrosine kinases confers superiority to receptor heterodimers. *EMBO Journal* **17**, 3385-3397.

- Levkowitz, G., Waterman, H., Zamir, E., Kam, Z., Oved, S., Langdon, W. Y., Beguinot, L., Geiger, B. and Yarden, Y.** (1998). c-Cbl/Sli-1 regulates endocytic sorting and ubiquitination of the epidermal growth factor receptor. *Genes and Development* **12**, 3663-3674.
- Li, W., Skoulakis, E. M. C., Davis, R. L. and Perrimon, N.** (1997). The *Drosophila* 14-3-3 protein Leonardo enhances Torso signaling through D-Raf in a Ras1-dependent manner. *Development* **124**, 4163-4171.
- Lilly, M. A. and Spradling, A. C.** (1996). The *Drosophila* endocycle is controlled by Cyclin E and lacks a checkpoint ensuring S-phase completion. *Genes and Development* **10**, 2514-2526.
- Lindsley, D. L. and Zimm, G. G.** (1992). The genome of *Drosophila melanogaster*. San Diego: Academic Press.
- Liu, X. and Erikson, R. L.** (2003). Polo-like kinase 1 in the life and death of cancer cells. *Cell Cycle* **2**, 424-425.
- Lloyd, T. E., Atkinson, R., Wu, M. N., Zhou, Y., Pennetta, G. and Bellen, H. J.** (2002). Hrs regulates endosome membrane invagination and tyrosine kinase receptor signaling in *Drosophila*. *Cell* **108**, 261-269.
- Lorenzen, J. A., Baker, S. E., Denhez, F., Melnick, M. B., Brower, D. L. and Perkins, L. A.** (2001). Nuclear import of activated D-ERK by DIM-7, an importin family member encoded by the gene *moleskin*. *Development* **128**, 1403-1414.
- Lowe, S. W., Cepero, E. and Evan, G.** (2004). Intrinsic tumour suppression. *Nature* **432**, 307-315.
- Lowery, D. M., Mohammad, D. H., Elia, A. E. H. and Yaffe, M. B.** (2004). The polo-box domain: A molecular integrator of mitotic kinases cascades and polo-like kinase function. *Cell Cycle* **3**, 128-131.
- Lukas, C., Sorensen, C. S., Kramer, E., Santoni-Ruglu, E., Lindeneg, C., Peters, J.-M., Bartek, J. and Lukas, J.** (1999). Accumulation of cyclin B1 requires E2F and cyclin-A-dependent rearrangement of the anaphase-promoting complex. *Nature* **401**, 815-818.
- Lukas, J., Muller, H., Bartkova, J., Spitkovsky, D., Kjerulff, A. A., Jansen-Durr, P., Strauss, M. and Bartek, J.** (1994). DNA tumor virus oncoproteins and Retinoblastoma gene mutations share the ability to relieve the cell's requirement for Cyclin D1 function in G1. *Journal of Cell Biology* **125**, 625-638.
- Madhavan, M. M. and Madhavan, K.** (1980). Morphogenesis of the epidermis of adult abdomen of *Drosophila*. *Journal of Embryology and Experimental Morphology* **60**, 1-31.

- Margolis, S. S., Walsh, S., Weiser, D. C., Yoshida, M., Shenolikar, S. and Kornbluth, S.** (2003). PP1 control of M phase entry exerted through 14-3-3-regulated Cdc25 dephosphorylation. *EMBO Journal* **22**, 5734-5745.
- Maser, R. S., Mirzoeva, O. K., Wells, J., Olivares, H., Williams, B. R., Zinkel, R. A., Farnham, P. J. and Petrini, J. H. J.** (2001). Mre11 complex and DNA replication: linkage to E2F and sites of DNA synthesis. *Molecular and Cellular Biology* **21**, 6006-6016.
- Massague, J.** (2004). G1 cell-cycle control and cancer. *Nature* **432**, 298-306.
- Mata, J., Curado, S., Ephrussi, A. and Rorth, P.** (2000). Tribbles coordinates mitosis and morphogenesis in *Drosophila* by regulating String/CDC25 proteolysis. *Cell* **101**, 511-522.
- Matunis, M. J., Coutavas, E. and Blobel, G.** (1996). A novel ubiquitin-like modification modulates the partitioning of the Ran-GTPase-activating protein RanGAP1 between the cytosol and the nuclear pore complex. *Journal of Cell Biology* **135**, 1457-1470.
- Matyash, A., Chung, H.-R. and Jackle, H.** (2004). Genome-wide mapping of *in vivo* targets of the *Drosophila* transcription factor Krüppel. *Journal of Biological Chemistry* **279**, 30689-20696.
- Meraldi, P., Honda, R. and Nigg, E. A.** (2004). Aurora kinases link chromosome segregation and cell division to cancer susceptibility. *Current Opinion in Genetics and Development* **14**, 29-36.
- Meyer, C. A., Jacobs, H. W., Datar, S. A., Du, W., Edgar, B. A. and Lehner, C. F.** (2000). *Drosophila* Cdk4 is required for normal growth and is dispensable for cell cycle progression. *EMBO Journal* **19**, 4533-4542.
- Michel, B., Ehrlich, S. D. and Uzest, M.** (1997). DNA double-strand breaks caused by replication arrest. *EMBO Journal* **16**, 430-438.
- Milan, M.** (1998). Cell cycle control in the *Drosophila* wing. *BioEssays* **20**, 969-971.
- Moore, J. D.** (2001). The Ran-GTPase and cell-cycle control. *BioEssays* **23**, 77-85.
- Moore, J. D., Yang, J., Truant, R. and Kornbluth, S.** (1999). Nuclear import of Cdk/Cyclin complexes: identification of distinct mechanisms for import of Cdk2/Cyclin E and Cdc2/Cyclin B1. *Journal of Cell Biology* **144**, 213-224.
- Mousavi, S. A., Malerod, L., Berg, T. and Kjeken, R.** (2004). Clathrin-dependent endocytosis. *Biochemistry Journal* **377**, 1-16.
- Muller, H., Bracken, A. P., Vernell, R., Moroni, M. C., Christians, F., Grassilli, E., Prosperini, E., Vigo, E., Oliner, J. D. and Helin, K.** (2001). E2Fs regulate the expression of genes involved in differentiation, development, proliferation, and apoptosis. *Genes and Development* **15**, 267-285.

**Murphy, M., Stinnakre, M.-G., Senamaud-Beauford, C., Winston, N. J., Sweeney, C., Kubelka, M., Carrington, M., Brechot, C. and Sobczak-Thepot, J.** (1997). Delayed early embryonic lethality following disruption of the murine cyclin A2 gene. *Nature Genetics* **15**, 83-86.

**Myster, D. L., Bonnette, P. C. and Duronio, R. J.** (2000). A role for the DP subunit of the E2F transcription factor in axis determination during *Drosophila* oogenesis. *Development* **127**, 3249-3261.

**Nakamura, M., Masuda, H., Horii, J., Kuma, K.-i., Yokoyama, N., Ohba, T., Nishitani, H., Miyata, T., Tanaka, M. and Nishimoto, T.** (1998). When overexpressed, a novel centrosomal protein, Ran BPM, causes ectopic microtubule nucleation similar to gamma-tubulin. *Journal of Cell Biology* **143**, 1041-1052.

**Nandan, M. O., Yoon, H. S., Zhao, W., Ouko, L. A., Chanchevalap, S. and Yang, V. W.** (2004). Krüppel-like factor 5 mediates the transforming activity of oncogenic H-Ras. *Oncogene* **23**, 3404-3413.

**Neufeld, T. P., de la Cruz, A. F. A., Johnston, L. A. and Edgar, B. A.** (1998). Coordination of growth and cell division in the *Drosophila* wing. *Cell* **93**, 1183-1193.

**Nikitin, A. Y., Shan, B., Flesken-Nikitin, A., Chang, K.-H. and Lee, W.-H.** (2001). The retinoblastoma gene regulates somatic growth during mouse development. *Cancer Research* **61**, 3110-3118.

**Nishitani, H., Ohtsubo, M., Yamashita, K., Iida, H., Pines, J., Yasudo, H., Shibata, Y., Hunter, T. and Nishimoto, T.** (1991). Loss of RCC1, a nuclear DNA-binding protein, uncouples the completion of DNA replication from the activation of cdc2 protein kinase and mitosis. *EMBO Journal* **10**, 1555-1564.

**Nyberg, K. A., Michelson, R. J., Putnam, C. W. and Weinert, T. A.** (2002). Towards maintaining the genome: DNA damage and replication checkpoints. *Annual Review of Genetics* **36**, 617-656.

**Ohno, K., Hirose, F., Sakaguchi, K., Nishida, Y. and Matsukage, A.** (1996). Transcriptional regulation of the *Drosophila CycA* gene by the DNA replication-related element (DRE) and DRE binding factor (DREF). *Nucleic Acids Research* **24**, 3942-3946.

**Ohtsubo, M. and Roberts, J. M.** (1993). Cyclin-dependent regulation of G1 in mammalian fibroblasts. *Science* **259**, 1908-1912.

**Okamoto, C. T., McKinney, J. and Jeng, Y. Y.** (2000). Clathrin in mitotic spindles. *American Journal of Physiology: Cell Physiology* **279**, C369-C374.

**Okazaki, Y., Furuno, M., Kasukawa, T., Adachi, J., Bono, H., Kondo, S., Nikaido, I., Osato, N., Saito, R., Suzuki, H. et al.**, (2002). Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs. *Nature* **420**, 563-573.

- Oksvold, M. P., Skarpen, E., Lindeman, B., Roos, N. and Huitfeldt, H. S.** (2000). Immunocytochemical localization of Shc and activated EGF receptor in early endosomes after EGF stimulation of HeLa cells. *Journal of Histochemistry and Cytochemistry* **48**, 21-33.
- Ortgea, S., Prieto, I., Odajima, J., Martin, A., Dubus, P., Sotillo, R., Barbero, J. L., Malumbres, M. and Barbacid, M.** (2003). Cyclin-dependent kinase 2 is essential for meiosis but not for mitotic cell division in mice. *Nature Genetics* **35**, 25-31.
- Ory, S., Ming, Z., Conrads, T. P., Veenstra, T. D. and Morrison, D. K.** (2003). Protein phosphatase 2A positively regulates Ras signaling by dephosphorylating KSR1 and Raf-1 on critical 14-3-3 binding sites. *Current Biology* **13**, 1356-1364.
- Pandya, K. and Townes, T. M.** (2002). Basic residues within the Krüppel zinc finger DNA binding domains are the critical nuclear localisation determinants of EKLF/KLF-1. *Journal of Biological Chemistry* **277**, 16304-16312.
- Pankratz, M. J. and Jackle, H.** (1993). Blastoderm segmentation. In *The Development of Drosophila melanogaster*, vol. I (ed. M. Bate and A. Martinez-Arias), pp. 467-516: Cold Spring Harbor Laboratory Press.
- Pemberton, L. F. and Paschal, B. M.** (2005). Mechanisms of receptor-mediated nuclear import and nuclear export. *Traffic* **6**, 187-198.
- Petersen, B. O., Lukas, J., Sorensen, C. S., Bartek, J. and Helin, K.** (1999). Phosphorylation of mammalian CDC6 by Cyclin A/CDK2 regulates its subcellular localization. *EMBO Journal* **18**, 396-410.
- Pines, J. and Hunter, T.** (1991). Human Cyclins A and B1 are differentially located in the cell and undergo cell cycle-dependent nuclear transport. *Journal of Cell Biology* **115**, 1-17.
- Polager, S., Kalma, Y., Berkovich, E. and Ginsberg, D.** (2002). E2Fs up-regulate expression of genes involved in DNA replication, DNA repair and mitosis. *Oncogene* **21**, 437-446.
- Poupon, V., Polo, S., Vecchi, M., Martin, G., Dautry-Varsat, A., Cerf-Bensussan, N., Di Fiore, P. P. and Benmerah, A.** (2002). Differential nucleocytoplasmic trafficking between the related endocytic proteins Eps15 and Eps15R. *Journal of Biological Chemistry* **277**, 8941-8948.
- Preston, C. R. and Engels, W. R.** (1996). P-element-induced male recombination and gene conversion in *Drosophila*. *Genetics* **144**, 1611-1622.
- Preston, C. R., Sved, J. A. and Engels, W. R.** (1996). Flanking duplication and deletions associated with P-induced male recombination in *Drosophila*. *Genetics* **144**, 1623-1638.
- Prober, D. A. and Edgar, B. A.** (2000). Ras1 promotes cellular growth in the *Drosophila* wing. *Cell* **100**, 435-446.

- Quadrini, K. J. and Bieker, J. J.** (2002). Krüppel-like zinc fingers bind to nuclear import proteins and are required for efficient nuclear localization of Erythroid Krüppel-like Factor. *Journal of Biological Chemistry* **277**, 32243-32252.
- Rajan, S., Plant, L. D., Rabin, M. L., Butler, M. H. and Goldstein, S. A. N.** (2005). Sumoylation silences the plasma membrane leak K<sup>+</sup> channel K2P1. *Cell* **121**, 37-47.
- Ralston, A. and Blair, S. S.** (2005). Long-range Dpp signaling is regulated to restrict BMP signaling to a crossvein competent zone. *Developmental Biology* **280**, 187-200.
- Rape, M. and Kirschner, M. W.** (2004). Autonomous regulation of the anaphase-promoting complex couples mitosis to S-phase entry. *Nature* **432**.
- Ren, B., Cam, H., Takahashi, Y., Volkert, T., Terragni, J., Young, R. A. and Dynlacht, B. D.** (2002). E2F integrates cell cycle progression with DNA repair, replication, and G2/M checkpoints. *Genes and Development* **16**, 245-256.
- Ren, M., Coutavas, E., D'Eustachio, P. and Rush, M. G.** (1994). Effects of mutant Ran/TC4 proteins on cell cycle progression. *Molecular and Cellular Biology* **14**, 4216-4224.
- Resnitzky, D., Gossen, M., Bujard, H. and Reed, S. I.** (1994). Acceleration of the G1/S transition by expression of cyclins D1 and E using an inducible system. *Molecular and Cellular Biology* **8**, 1669-1679.
- Richardson, H., O'Keefe, L., Marty, T. and Saint, R.** (1995). Ectopic cyclin E expression induces premature entry into S phase and disrupts pattern formation in the *Drosophila* eye imaginal disc. *Development* **121**, 3371-3379.
- Richardson, H. E., O'Keefe, L., Reed, S. I. and Saint, R.** (1993). A *Drosophila* G1-specific cyclin E homolog exhibits different modes of expression during embryogenesis. *Development* **119**, 673-690.
- Robertson, H. M., Preston, C. R., Phillis, R. W., Johnson-Schlitz, D. M., Benz, W. K. and Engels, W. R.** (1988). A stable genomic source of P-element transposase in *Drosophila melanogaster*. *Genetics* **118**, 461-470.
- Rorth, P.** (1998). Gal4 in the *Drosophila* female germline. *Mechanisms of Development*. **78**, 113-118.
- Roy, S., McPherson, R. A., Apolloni, A., Yan, J., Lane, A., Clyde-Smith, J. and Hancock, J. F.** (1998). 14-3-3 facilitates Ras-dependent Raf-1 activation in vitro and in vivo. *Molecular and Cellular Biology* **18**, 3947-3955.
- Royle, S. J., Bright, N. A. and Lagnado, L.** (2005). Clathrin is required for the function of the mitotic spindle. *Nature* **434**, 1152-1157.

**Royzman, I., Austin, R. J., Bosco, G., Bell, S. P. and Orr-Weaver, T. L.** (1999). ORC localization in *Drosophila* follicle cells and the effects of mutations in *dE2F* and *dDP*. *Genes and Development* **13**, 827-840.

**Royzman, I., Hayashi-Hagihara, A., Dej, K. J., Bosco, G., Lee, J. Y. and Orr-Weaver, T. L.** (2002). The E2F cell cycle regulator is required for *Drosophila* nurse cell DNA replication and apoptosis. *Mechanisms of Development* **119**, 225-237.

**Royzman, I., Whittaker, A. J. and Orr-Weaver, T. L.** (1997). Mutations in *Drosophila DP* and *E2F* distinguish G1-S progression from an associated transcriptional program. *Genes and Development* **11**, 1999-2011.

**Ryan, K. M., Ernst, M. K., Rice, N. R. and Vousden, K. H.** (2000). Role of NF- $\kappa$ B in p53-mediated programmed cell death. *Nature* **404**, 892-897.

**Ryu, J.-R., Choi, T.-Y., Kwon, E.-J., Lee, W.-H., Nishida, Y., Hayashi, Y., Matsukage, A., Yamaguchi, M. and Yoo, M.-A.** (1997). Transcriptional regulation of the *Drosophila raf* proto-oncogene by the DNA replication-related element (DRE)/DRE-binding factor (DREF) system. *Nucleic Acids Research* **25**, 794-799.

**Sambrook, J. and Russel, D. W.** (2001). Molecular Cloning: a laboratory manual. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.

**Sauer, K., Knoblich, J. A., Richardson, H. and Lehner, C. F.** (1995). Distinct modes of cyclin E/cdc2c kinase regulation and S-phase control in mitotic and endoreduplication cycles of *Drosophila* embryogenesis. *Genes and Development* **9**, 1327-1339.

**Sawado, T., Hirose, F., Takahashi, Y., Sasaki, T., Shinomiya, T., Sakaguchi, K., Matsukage, A. and Yamaguchi, M.** (1998). The DNA Replication-related Element (DRE)/DRE-binding Factor system is a transcriptional regulator of the *Drosophila E2F* gene. *Journal of Biological Chemistry* **273**, 26042-26051.

**Schnorr, J. D. and Berg, C. A.** (1996). Differential activity of *Ras1* during patterning of the *Drosophila* dorsoventral axis. *Genetics* **144**, 1545-1557.

**Schnorr, J. D., Holdcraft, R., Chevalier, B. and Berg, C. A.** (2001). *Ras1* interacts with multiple new signaling and cytoskeletal loci in *Drosophila* eggshell patterning and morphogenesis. *Genetics* **159**, 609-622.

**Schouten, G. J., Vertegaal, A. C. O., Whiteside, S. T., Israel, A., Toebe, M., Dorsman, J. C., van der Eb, A. J. and Zantema, A.** (1997).  $I\kappa B\alpha$  is a target for the mitogen-activated 90 kDa ribosomal S6 kinase. *EMBO Journal* **16**, 3133-3144.

**Scott, M. G. H., Le Rouzic, E., Perianin, A., Pierotti, V., Enslen, H., Benichou, S., Marullo, S. and Benmerah, A.** (2002). Differential nucleocytoplasmic shuttling of Beta-Arrestins. *Journal of Biological Chemistry* **277**, 37693-37701.

**Sears, R. C. and Nevins, J. R.** (2002). Signaling networks that link cell proliferation and cell fate. *Journal of Biological Chemistry* **277**, 11617-11620.

**Seher, T. C. and Leptin, M.** (2000). Tribbles, a cell-cycle brake that coordinates proliferation and morphogenesis during Drosophila gastrulation. *Current Biology* **10**, 623-629.

**Serrano, M., Lin, A. W., McCurrach, M. E., Beach, D. and Lowe, S. W.** (1997). Oncogenic *ras* provokes premature cell senescence associated with accumulation of p53 and p16<sup>INK4a</sup>. *Cell* **88**, 593-602.

**Seto, E. S., Bellen, H. J. and Lloyd, T. E.** (2002). When cell biology meets development: endocytic regulation of signaling pathways. *Genes and Development* **16**, 1314-1336.

**Shan, B. and Lee, W.-H.** (1994). Deregulated expression of E2F-1 induces S-phase entry and leads to apoptosis. *Molecular and Cellular Biology* **14**, 8166-8173.

**Shapiro, P. S., Vaisberg, E., Hunt, A. J., Tolwinski, N. S., Whalen, A. M., McIntosh, J. R. and Ahn, N. G.** (1998). Activation of the MKK/ERK pathway during somatic cell mitosis: direct interactions of active ERK with kinetochores and regulation of the mitotic 3F3/2 phosphoantigen. *Journal of Cell Biology* **142**, 1533-1545.

**Shcherbata, H. R., Althauser, C., Findley, S. D. and Ruohola-Baker, H.** (2004). The mitotic-to-endocycle switch in *Drosophila* follicle cells is executed by Notch-dependent regulation of G1/S, G2/M and M/G1 cell-cycle transitions. *Development* **131**, 3169-3181.

**Shechter, D., Costanzo, V. and Gautier, J.** (2004). ATR and ATM regulate the timing of DNA replication origin firing. *Nature Cell Biology* **6**, 648-655.

**Sherr, C. J.** (1996). Cancer cell cycles. *Science* **274**, 1672-1677.

**Sherr, C. J.** (2004). Principles of tumor suppression. *Cell* **116**, 235-246.

**Shie, J.-L. and Tseng, C.-C.** (2001). A nucleus-localization-deficient mutant serves as a dominant-negative inhibitor of gut-enriched Krüppel-like factor function. *Biochemical and Biophysical Research Communications* **283**, 205-208.

**Shih, H.-P., Hales, K. G., Pringle, J. R. and Peifer, M.** (2001). Identification of septin-interacting proteins and characterization of the Smt3/SUMO-conjugation system in *Drosophila*. *Journal of Cell Science* **115**, 1259-1271.

**Shiloh, Y. and Kastan, M. B.** (2001). ATM: genome stability, neuronal development, and cancer cross paths. *Advances in Cancer Research* **83**, 209-254.

**Sigrist, S. J. and Lehner, C. F.** (1997). *Drosophila* *fizzy-related* down regulates mitotic cyclins and is required for cell proliferation arrest and entry into endocycles. *Cell* **90**, 671-681.

**Simon, M. A., Bowtell, D. D. L., Dodson, G. S., Laverty, T. R. and Rubin, G. M.** (1991). Ras1 and a putative guanine nucleotide exchange factor perform crucial steps in signaling by the sevenless protein tyrosine kinase. *Cell* **67**, 701-716.

**Smith, M., Bhaskar, V., Fernandez, J. and Courey, A. J.** (2004). *Drosophila* Ulp1, a nuclear pore-associated SUMO protease, prevents accumulation of cytoplasmic SUMO conjugates. *Journal of Biological Chemistry* **279**, 43805-43814.

**Sparrow, J. C.** (1978). Melanotic "tumours". In *The genetics and biology of Drosophila*, vol. 2b (ed. M. Ashburner and T. R. F. Wright), pp. 277-313. London: Academic Press.

**Spradling, A. C.** (1986). P element-mediated transformation. In *Drosophila: a practical approach*, (ed. D. B. Roberts), pp. 175-198. Oxford: IRL Press Limited.

**Spradling, A. C.** (1993). Developmental genetics of oogenesis. In *The development of Drosophila melanogaster*, vol. I (ed. M. Bate and A. M. Arias), pp. 1-70. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.

**Staehling-Hampton, K., Ciampa, P. J., Brook, A. and Dyson, N. J.** (1999). A genetic screen for modifiers of E2F in *Drosophila melanogaster*. *Genetics* **153**, 275-287.

**Stapleton, M., Liao, G., Brokstein, P., Hong, L., Carninci, P., Shiraki, T., Hayashizaki, Y., Champe, M., Pacleb, J., Wan, K. et al.** (2002). The *Drosophila* gene collection: identification of putative full-length cDNAs for 70% of *D. melanogaster* genes. *Genome Research* **12**, 1294-1300.

**Stern, B., Ried, G., Clegg, N. J., Grigliatti, T. A. and Lehner, C. F.** (1993). Genetic analysis of the *Drosophila* cdc2 homolog. *Development* **117**, 219-232.

**Steavaux, O., Dimova, D., Frolov, M. V., Taylor-Harding, B., Morris, E. and Dyson, N.** (2002). Distinct mechanisms of E2F regulation by *Drosophila* RBF1 and RBF2. *EMBO Journal* **21**, 4927-4937.

**Steavaux, O. and Dyson, N. J.** (2002). A revised picture of the E2F transcriptional network and RB function. *Current Opinion in Cell Biology* **14**, 684-691.

**Stevens, C. and la Thangue, N. B.** (2003). E2F and cell cycle control: a double edged sword. *Archives of Biochemistry and Biophysics* **412**, 157-169.

**Stiffler, L. A., Ji, J.-Y., Trautmann, S., Trusty, C. and Schubiger, G.** (1999). Cyclin A and B functions in the early *Drosophila* embryo. *Development* **126**, 5505-5513.

**Stuart, J. M., Segal, E., Koller, D. and Kim, S. K.** (2003). A gene coexpression network for global discovery of conserved genetic modules. *Science* **302**, 249-255.

**Su, T. T., Parry, D. H., Donahoe, B., Chien, C.-T., O'Farrell, P. H. and Purdy, A.** (2001). Cell cycle roles for two 14-3-3 proteins during *Drosophila* development. *Journal of Cell Science* **114**, 3445-3462.

**Sundaram, M. V.** (2005). The love-hate relationship between Ras and Notch. *Genes and Development* **19**, 1825-1839.

**Suske, G., Bruford, E. and Philipsen, S.** (2005). Mammalian SP/KLF transcription factors: Bring in the family. *Genomics* **85**, 551-556.

**Tan, A. L. C., Rida, P. C. G. and Surana, U.** (2005). Essential tension and constructive destruction: the spindle checkpoint and its regulatory links with mitotic exit. *Biochemical Journal* **386**, 1-13.

**Thibault, S. T., Singer, M. A., Miyazaki, W. Y., Milash, B., Dompe, N. A., Singh, C. M., Buchholz, R., Demsky, M., Fawcett, R., Francis-Lang, H. L., et al.** (2004). A complementary transposon tool kit for *Drosophila melanogaster* using P and piggyBac. *Nature Genetics* **36**, 283-287.

**Thomas, B. J., Gunning, D. A., Cho, J. and Zipursky, S. L.** (1994). Cell cycle progression in the developing *Drosophila* eye: *roughex* encodes a novel protein required for the establishment of G1. *Cell* **77**, 1003-1014.

**Thomer, M., May, N. R., Aggarwal, B. D., Kwok, G. and Calvi, B. R.** (2004). *Drosophila double-parked* is sufficient to induce re-replication during development and is regulated by cyclin E/CDK2. *Development* **131**, 4807-4818.

**Thorson, J. A., Yu, L. W. K., Hsu, A. L., Shih, N.-Y., Graves, P. R., Tanner, J. W., Allen, P. M., Piwnica-Worms, H. and Shaw, A. S.** (1998). 14-3-3 proteins are required for maintenance of Raf-1 phosphorylation and kinase activity. *Molecular and Cellular Biology* **18**, 5229-5238.

**Tilney, L. G., Connelly, P. S., Ruggiero, L., Vranich, K. A., Guild, G. M. and DeRosier, D.** (2004). The role actin filaments play in providing the characteristic curved form of *Drosophila* bristles. *Molecular Biology of the Cell* **15**, 5481-5491.

**Timakov, B., Liu, X., Turgut, I. and Zhang, P.** (2002). Timing and targeting of P-element local transposition in the male germline cells of *Drosophila melanogaster*. *Genetics* **160**, 1011-1022.

**Tomoyasu, Y., Nakamura, M. and Ueno, N.** (1998). Role of Dpp signalling in prepattern formation of the dorsocentral mechanosensory organ in *Drosophila melanogaster*. *Development* **125**, 4215-4224.

**Tower, J., Karpen, G. H., Craig, N. and Spradling, A. C.** (1993). Preferential transposition of *Drosophila* P-elements to nearby chromosomal sites. *Genetics* **133**, 347-359.

**Tower, J. and Kurapati, R.** (1994). Preferential transposition of a *Drosophila* P-element to the corresponding region of the homologous chromosome. *Molecular and General Genetics* **244**, 484-490.

**Toyoshima-Morimoto, F., Taniguchi, E., Shinya, N., Iwamatsu, A. and Nishida, E.** (2001). Polo-like kinase 1 phosphorylates cyclin B1 and targets it to the nucleus during prophase. *Nature* **410**, 215-220.

- Tran, D. H. and Berg, C. A.** (2003). *bullwinkle* and *shark* regulate dorsal-appendage morphogenesis in *Drosophila* oogenesis. *Development* **130**, 6273-6282.
- Trieselmann, N. and Wilde, A.** (2002). Ran localizes around the microtubule spindle in vivo during mitosis in *Drosophila* embryos. *Current Biology* **12**, 1124-1129.
- Tsai, K. Y., Hu, Y., Macleod, K. F., Crowley, D., Yamasaki, L. and Jacks, T.** (1998). Mutation of *E2f-1* suppresses apoptosis and inappropriate S phase entry and extends survival of Rb-deficient mouse embryos. *Molecular Cell* **2**, 293-304.
- Twombly, V., Blackman, R. K., Jin, H., Graff, J. M., Padgett, R. W. and Gelbart, W.** (1996). The TGF-beta signaling pathway is essential for *Drosophila* oogenesis. *Development* **122**, 1555-1565.
- Tzivion, G., Luo, Z. and Avruch, J.** (1998). A dimeric 14-3-3 protein is an essential cofactor for Raf kinase activity. *Nature* **394**, 88-92.
- Uhlmann, F.** (2003). Chromosome cohesion and separation: from men and molecules. *Current Biology* **13**, R104-R114.
- Vanoosthuyse, V. and Hardwick, K. G.** (2005). Bub1 and the multilayered inhibition of Cdc20-APC/C in mitosis. *Trends in Cell Biology* **15**, 231-233.
- Vecchi, M., Polo, S., Poupon, V., van de Loo, J.-W., Benmerah, A. and Di Fiore, P.** (2001). Nucleocytoplasmic shuttling of endocytic proteins. *Journal of Cell Biology* **153**, 1511-1517.
- Vidwans, S. J. and Su, T. T.** (2001). Cycling through development in *Drosophila* and other metazoa. *Nature Cell Biology* **3**, E35-E39.
- Wang, D., Li, Z., Messing, E. M. and Wu, G.** (2002). Activation of Ras/Erk pathway by a novel MET-interacting protein RanBPM. *Journal of Biological Chemistry* **277**, 36216-36222.
- Wang, F., Zhu, Y., Huang, Y., McAvoy, S., Johnson, L. B., Cheung, T. H., Chung, T. K., Lo, K. W., Yim, S. F., Ngan, H. Y. et al.** (2005). Transcriptional repression of WEE1 by Krüppel-like factor 2 is involved in DNA damage-induced apoptosis. *Oncogene* **24**, 3875-3885.
- Wang, Y., Cortez, D., Yazdi, P., Neff, N., Elledge, S. J. and Qin, J.** (2000a). BASC, a super complex of BRCA1-associated proteins involved in the recognition and repair of aberrant DNA structures. *Genes and Development* **14**, 927-939.
- Wang, Y., Jacobs, C., Hook, K. E., Duan, H., Booher, R. N. and Sun, Y.** (2000b). Binding of 14-3-3 $\beta$  to the carboxyl terminus of Wee1 increases Wee1 stability, kinase activity, and G2-M cell population. *Cell Growth and Differentiation* **11**, 211-219.
- Weber, U., Eroglu, C. and Mlodzik, M.** (2003). Phospholipid membrane composition affects EGF Receptor and Notch signaling through effects on endocytosis during *Drosophila* development. *Developmental Cell* **5**, 559-570.

- Whalen, A. M. and Steward, R.** (1993). Dissociation of the dorsal-cactus complex and phosphorylation of the dorsal protein correlate with the nuclear localization of dorsal. *Journal of Cell Biology* **123**, 523-534.
- Wharton, K. A., Cook, J. M., Torres-Schumann, S., de Castro, K., Borod, E. and Phillips, D. A.** (1999). Genetic analysis of the Bone Morphogenetic Protein-Related gene, *gbb*, identifies multiple requirements during *Drosophila* development. *Genetics* **152**, 629-640.
- Whittaker, A. J., Royzman, I. and Orr-Weaver, T. L.** (2000). *Drosophila* Double parked: a conserved, essential replication protein that colocalizes with the origin recognition complex and links DNA replication with mitosis and the down-regulation of S phase transcripts. *Genes and Development* **14**, 1765-1776.
- Wilde, A., Beattie, E. C., Lem, L., Riethof, D. A., Liu, S.-H., Mobley, W. C., Soriano, P. and Brodsky, F. M.** (1999). EGF Receptor signaling stimulates SRC Kinase phosphorylation of clathrin, influencing clathrin redistribution and EGF uptake. *Cell* **96**, 677-687.
- Wilde, A., Lizarraga, S. B., Zhang, L., Wiese, C., Glikman, N. R., Walczak, C. E. and Zheng, Y.** (2001). Ran stimulates spindle assembly by altering microtubule dynamics and the balance of motor activities. *Nature Cell Biology* **3**, 221-227.
- Wolff, T. and Ready, D. F.** (1993). Pattern formation in the *Drosophila* retina. In *The development of Drosophila melanogaster*, vol. II (ed. M. Bate and A. M. Arias), pp. 1277-1326. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.
- Woods, D., Parry, D., Cherwinski, H., Bosch, E., Lees, E. and McMahon, M.** (1997). Raf-induced proliferation or cell cycle arrest is determined by the level of Raf activity with arrest mediated by p21<sup>CIP1</sup>. *Molecular and Cellular Biology* **17**, 5598-5611.
- Wright, J. H., Munar, E., Jameson, D. R., Andreassen, P. R., Margolis, R. L., Seger, R. and Krebs, E. G.** (1999). Mitogen-activated protein kinase kinase activity is required for the G2/M transition of the cell cycle in mammalian fibroblasts. *Proceedings of the National Academy of Sciences of the United States of America* **96**, 11335-11340.
- Wu, C.-L., Classon, M., Dyson, N. and Harlow, E.** (1996). Expression of dominant-negative mutant DP-1 blocks cell cycle progression in G1. *Molecular and Cellular Biology* **16**, 3698-3706.
- Wu, J. and Lingrel, J. B.** (2004). KLF2 inhibits Jurkat T leukemia cell growth via upregulation of cyclin-dependent kinase inhibitor p21<sup>WAF1/CIP1</sup>. *Oncogene* **23**, 8088-8096.
- Wu, L., Timmers, C., Maiti, B., Saavedra, H. I., Sang, L., Chong, G. T., Nuckolls, F., Giangrande, P., Wright, F. A., Field, S. J. et al.** (2001). The E2F1-3 transcription factors are essential for cellular proliferation. *Nature* **414**, 457-462.

**Yamaguchi, R. and Newport, J.** (2003). A role for Ran-GTP and Crm1 in blocking replication. *Cell* **113**, 115-125.

**Yoon, H. S., Chen, X. and Yang, V. W.** (2003). Krüppel-like Factor 4 mediates p53-dependent G1/S cell cycle arrest in response to DNA damage. *Journal of Biological Chemistry* **278**, 2102-2105.

**Yoshida, H., Kwon, E.-J., Hirose, F., Ortsuki, K., Yamada, M. and Yamaguchi, M.** (2004). DREF is required for EGFR signalling during *Drosophila* wing vein development. *Genes to Cells* **9**, 935-944.

**Young, A. P., Nagarajan, R. and Longmore, G. D.** (2003). Mechanisms of transcriptional regulation by Rb-E2F segregate by biological pathway. *Oncogene* **22**, 7209-7217.

**Yuan, J., Eckerdt, F., Bereiter-Hahn, J., Kurunci-Csacsko, E., Kaufmann, M. and Strehardt, K.** (2002). Cooperative phosphorylation including the activity of polo-like kinase1 regulates the subcellular localisation of cyclin B1. *Oncogene* **21**, 8282-8292.

**Zecevic, M., Catling, A. D., Eblen, S. T., Renzi, L., Hittle, J. C., Yen, T. J., Gorbsky, G. J. and Weber, M. J.** (1998). Active MAP kinase in mitosis: localization at kinetochores and association with the motor protein CENP-E. *Journal of Cell Biology* **142**, 1547-1558.

**Zeng, W., Wharton Jr., K. A., Mack, J. A., Wang, K., Gadbaw, M., Suyama, K., Klein, P. S. and Scott, M. P.** (2001). *naked cuticle* encodes an inducible antagonist of Wnt signalling. *Nature* **403**, 789-795.

**Zhang, P. and Spradling, A. C.** (1993). Efficient and dispersed local P-element transposition from *Drosophila* females. *Genetics* **133**, 361-373.

**Zhou, Y., Reddy, S., Murrey, H., Fei, H. and Levitan, I. B.** (2003). Monomeric 14-3-3 protein is sufficient to modulate the activity of the *Drosophila* slowpoke calcium-dependent potassium channel. *Journal of Biological Chemistry* **278**, 10073-10080.