

The background of the cover is a collage of three textures: dark brown soil on the left, light-colored crushed rocks in the middle, and smooth, rounded river stones on the right. The title text is centered within a white rectangular box with an orange border.

**LABORATORY
TESTING**
of
SOILS, ROCKS
and
AGGREGATES

Sivakugan | Arulrajah | Bo

References

Part E

Australian Standards:

- AS 1141.12–1996. Methods for sampling and testing aggregates. Method 12: Materials finer than 75 (m in aggregates (by washing)).
- AS 1141.15–1999. Methods for sampling and testing aggregates. Method 15: Flakiness index.
- AS 1141.5–2000. Method for sampling and testing aggregates. Method 5: Particle density and water absorption of fine aggregate.
- AS 1141.6.1–2000. Method for sampling and testing aggregates. Method 6.1: Particle density and water absorption of coarse aggregate—weighing-in-water method.
- AS 1141.23–2009. Methods for sampling and testing aggregates. Method 23: Los Angeles value.
- AS 1289.2.1.1–2005. Methods of testing soils for engineering purposes. Method 2.1.1: Soil moisture content test—determination of the moisture content of a soil—oven-drying method (standard method).
- AS 1289.2.1.4–2005. Methods of testing soils for engineering purposes. Method 2.1.4: Soil moisture content tests—determination of the moisture content of a soil—microwave oven-drying method (subsidiary method).
- AS 1289.3.1.1–2009. Methods of testing soils for engineering purposes. Method 3.1.1: Soil classification tests—determination of the liquid limit of a soil—four point Casagrande method.
- AS 1289.3.4.1–2008. Methods of testing soils for engineering purposes. Method 3.4.1: Soil classification tests—determination of the linear shrinkage of a soil—standard method.
- AS 1289.3.5.1–2006. Methods of testing soils for engineering purposes. Method 3.5.1: Soil classification tests—determination of the soil particle density of a soil—standard method.
- AS 1289.3.6.1–2009. Methods of testing soils for engineering purposes. Method 3.6.1: Soil classification tests—determination of the particle size distribution of a soil—standard method of analysis by sieving.
- AS 1289.3.6.3–2003. Methods of testing soils for engineering purposes. Method 3.6.3: Soil classification tests—determination of the particle size distribution of a soil—standard method of fine analysis using a hydrometer.

- AS 1289.3.9.1–2002. Methods of testing soils for engineering purposes. Method 3.9.1: Soil classification tests—determination of the cone liquid limit of a soil.
- AS 1289.4.3.1–1997. Methods of testing soils for engineering purposes. Method 4.3.1: Soil chemical tests—determination of the pH value of a soil—electrometric method.
- AS 1289.5.1.1–2003. Methods of testing soils for engineering purposes. Method 5.1.1: Soil compaction and density tests—determination of the dry density/moisture content relation of a soil using standard compactive effort.
- AS 1289.5.2.1–2003. Methods of testing soils for engineering purposes. Method 5.2.1: Soil compaction and density tests—determination of the dry density/moisture content relation of a soil using modified compactive effort.
- AS 1289.5.3.1–2004. Methods of testing soils for engineering purposes. Method 5.3.1: Soils compaction and density tests—determination of the field density of a soil—sand replacement method using a sand cone apparatus.
- AS 1289.5.3.2–2004. Methods of testing soils for engineering purposes. Method 5.3.2: Soil compaction and density tests—determination of the field density of a soil—sand replacement method using a sand pouring can, with or without a volume displacer.
- AS 1289.5.5.1 –2003. Methods of testing soils for engineering purposes. Method 5.5.1: Soil compaction and density tests—determination of the minimum and maximum dry density of a cohesionless material—standard method.
- AS 1289.6.1.1–1998. Methods of testing soils for engineering purposes. Method 6.1.1: Soil strength and consolidation tests—determination of the California Bearing Ratio—standard laboratory method for a remoulded specimen.
- AS 1289.6.2.2–1998. Methods of testing soils for engineering purposes. Method 6.2.2: Soil strength and consolidation tests—determination of the shear strength of a soil—direct shear test using a shear box.
- AS 1289.6.4.1–1998. Methods of testing soils for engineering purposes. Method 6.4.2: Soil strength and consolidation tests—determination of the compressive strength of a soil—compressive strength of a saturated specimen tested in undrained triaxial compression without measurement of pore water pressure.
- AS 1289.6.4.2–1998. Methods of testing soils for engineering purposes. Method 6.4.2: Soil strength and consolidation tests—determination of the compressive strength of a soil—compressive strength of a saturated specimen tested in undrained triaxial compression with measurement of pore water pressure.
- AS 1289.6.6.1–1998. Methods of testing soils for engineering purposes. Method 6.6.1: Soil strength and consolidation tests—determination of the one-dimensional consolidation properties of soil—standard method.

- AS 1289.6.7.1–2001. Methods of testing soils for engineering purposes. Method 6.7.1: Soil strength and consolidation tests—determination of permeability of a soil—constant head method for a remoulded specimen.
- AS 1289.6.7.2–2001. Methods of testing soils for engineering purposes. Method 6.7.2: Soil strength and consolidation tests—determination of permeability of a soil—falling head method for a remoulded specimen.
- AS 1289.6.7.3–1999. Methods of testing soils for engineering purposes. Method 6.7.3: Soil strength and consolidation tests—determination of permeability of a soil—constant head method using a flexible wall permeameter.
- AS 1726–1993. *Geotechnical Site Investigations*.
- AS 4133.4.1–2007. Method 4.1: Rock strength tests—determination of point load strength index. Methods of testing rocks for engineering purposes.
- AS 4133.2.1.1–2005. Method 2.1.2: Rock porosity and density tests—determination of rock porosity and dry density—saturation and buoyancy techniques. Methods of testing rocks for engineering purposes.
- AS 4133.2.1.2–2005. Method 2.1.1: Rock porosity and density tests—determination of rock porosity and dry density—saturation and calliper techniques. Methods of testing rocks for engineering purposes.
- AS 4133.4.2.1–2007. Method 4.2.1: Rock strength tests—determination of uniaxial compressive strength of 50 MPa and greater. Methods of testing rocks for engineering purposes.
- AS 4133.4.3.1–2009. Method 4.3.1: Rock strength tests—determination of deformability of rock materials in uniaxial compression—strength of 50 MPa and greater. Methods of testing rocks for engineering purposes.
- AS 4133.3.4–2005. Method 3.4: Rock swelling and slake durability tests—determination of the slake durability index of rock samples.
- AS 4439.1–1999. Wastes, sediments, and contaminated soils, Part 1: Preparation of leachates—preliminary assessment.
- AS 4439.2–1997. Wastes, sediments, and contaminated soils, Part 1: Preparation of leachates—zero headspace procedure.
- AS 4439.3–1997. Wastes, sediments, and contaminated soils, Part 1: Preparation of leachates—bottle leaching procedures.

ASTM International Standards:

- ASTM C127–07. Standard method for density, relative density (specific gravity), and absorption of coarse aggregate.

- ASTM C128–07a. Standard method for density, relative density (specific gravity), and absorption of fine aggregate.
- ASTM C131–06. Standard test method for resistance to degradation of small-size coarse aggregate by abrasion and impact in Los Angeles machine.
- ASTM C535–09. Standard test method for resistance to degradation of large-size coarse aggregate by abrasion and impact in Los Angeles machine.
- ASTM D422–63(2007). Standard test method for particle-size analysis of soils.
- ASTM D698–07. Standard test method for laboratory compaction characteristics of soil using standard effort (12400 ft-lbf/ft³ (600 kN-m/m³)).
- ASTM D1557–09. Standard test method for laboratory compaction characteristics of soil using modified effort (56,000 ft-lbf/ft³ (2,700 kN-m/m³)).
- ASTM D854–06e1. Standard test methods for specific gravity of soil solids by water pycnometer.
- ASTM D1556–07. Standard test method for density and unit weight of soil in place by sand-cone method.
- ASTM D1587–08. Standard practice for thin-walled tube sampling of soils for geotechnical purposes.
- ASTM D1883–07. Standard test method for CBR (California Bearing Ratio) of laboratory compacted soils.
- ASTM D2166–06. Standard test method for unconfined compressive strength of cohesive soil.
- ASTM D2167–08. Standard test method for density and unit weight of soil in place by the rubber balloon method.
- ASTM D2216–05. Standard test methods for laboratory determination of water (moisture) content of soil and rock by mass.
- ASTM D2434–68. Standard test method for permeability of granular soils (constant head).
- ASTM D2435–04. Standard methods for one-dimensional consolidation properties of soils using incremental loading.
- ASTM D2487–06e1. Standard practice for classification of soils for engineering purposes (Unified Soil Classification System).
- ASTM D2488–09a. Standard practice for description and identification of soils (visual-manual procedure).
- ASTM D2850–03a. Standard test method for unconsolidated-undrained triaxial compression test on cohesive soils.
- ASTM D2936–08. Standard test method for direct tensile strength of intact rock core specimens.
- ASTM D2937–04. Standard test method for density of soil in place by the drive-cylinder method

- ASTM D2974–07a. Standard test methods for moisture, ash and organic matter of peat and other organic soils.
- ASTM D3080–04. Standard test method for direct shear tests on soils under consolidated drained conditions.
- ASTM D3967–08. Standard test method for splitting tensile strength of intact rock core specimens.
- ASTM D4253–00. Standard test method for maximum index density and unit weight of soils using a vibrating table.
- ASTM D4254–00. Standard test method for minimum index density and unit weight of soils and calculation of relative density.
- ASTM D4318–10. Standard test methods for liquid limit, plastic limit and plasticity index of soils.
- ASTM D4643–08. Standard test methods for determination of water (moisture) content of soil by microwave oven heating.
- ASTM D4644–08. Standard test method for slake durability of shales and similar weak rocks.
- ASTM D4767–04. Standard test method for consolidated undrained triaxial compression test for cohesive soils.
- ASTM D4972–01. Standard test methods for pH of soils.
- ASTM D5030–04. Standard test method for density of soil and rock in place by water replacement method in a test pit.
- ASTM D5731–08. Standard test method for determination of the point load strength index and application to rock strength classifications.
- ASTM D5873–05. Standard test method for determination of rock hardness by rebound hammer method.
- ASTM D5084–03. Standard test methods for measurement of hydraulic conductivity of saturated porous materials using a flexible wall permeameter.
- ASTM D6913–04. Standard test method for particle size distribution (gradation) of soil using sieve analysis.
- ASTM D7012–07e1. Standard test method for compressive strength and elastic moduli of intact rock core specimens under varying states of stress and temperatures.

British Standards:

- BS 1377 (1990). Methods of test for soils for civil engineering purposes. British Standard Institution, London.
- BS 812–105.1:1989. Testing aggregates. Methods for determination of particle shape. Flakiness index.
- BS 812–112:1990. Testing aggregates. Method for determination of aggregate impact value.

International Society of Rock Mechanics Suggested Methods:

- ISRM (1978a). Commission on Standardisation of Laboratory and Field Tests. Suggested methods for determining tensile strength of rock materials, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 15(3), 99–103.
- ISRM (1978b). Commission on Standardisation of Laboratory and Field Tests. Suggested methods for the quantitative description of discontinuities in rock masses, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 15(6), 319–368.
- ISRM (1978c). Commission on Standardisation of Laboratory and Field Tests. Suggested methods for determining hardness and abrasiveness of rocks, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 15(3), 89–97.
- ISRM (1979a). Commission on Standardisation of Laboratory and Field Tests. Suggested methods for determination of the uniaxial compressive strength of rock materials, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 16(2), 135–140.
- ISRM (1979b). Commission on Standardisation of Laboratory and Field Tests. Suggested methods for determining water content, porosity, density, absorption and related properties and swelling and slake durability index properties. *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts*, 16 (2), 143–156.
- ISRM (1983). Commission on Testing Methods. Suggested method for determining the strength of rock materials in triaxial compression, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 20(6), 285–290.
- ISRM (1985). Commission on Testing Methods. Suggested method for determining point load strength, *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstract*, 22(2), 51–60.

Other References:

- Aydin, A. (2009). “ISRM suggested method for determination of the Schmidt hammer rebound hardness: Revised version.” *International Journal of Rock Mechanics and Mining Sciences*, 46(3), 627–634.
- Bieniawski, Z. T. (1975). “The point load test in geotechnical practice.” *Engineering Geology*, 9(1), 1–11.
- Bishop, A. W., and Henkel, D. J. (1962). *The Measurement of Soil Properties in the Triaxial Test*, 2nd ed. London: Edward Arnold, 228 pp.
- Bowles, J. E. (1986). *Engineering Properties of Soils and their Measurement*, 3rd ed. New York: McGraw-Hill.
- Broch, E., and Franklin, J. A. (1972). “The point load strength test.” *International Journal of Rock Mechanics and Mining Sciences*, 9(6), 669–697.

- Brown, E. T. (ed.) (1981). *Rock Characterization Testing and Monitoring—ISRM Suggested Methods*. Oxford, UK: Pergamon Press, 211 pp.
- Burmister, D. M. (1949). “Principles and techniques of soil identification.” *Proceedings of Annual Highway Research Board Meeting*, National Research Council, Washington, D.C., 29, 402–433.
- Casagrande, A. (1932). “Research on the Atterberg limits of soils.” *Public Roads*, 13(8), 121–136.
- Casagrande, A. (1936). “The determination of pre-consolidation load and its practical significance.” Discussion D-34, *Proceedings of the First International Conference on Soil Mechanics and Foundation Engineering*, Cambridge, III, 60–64.
- Casagrande, A. (1938). “Notes on soil mechanics—first semester.” Harvard University (unpublished), 129 pp.
- Das, B. M. (2008). *Soil Mechanics Laboratory Manual*. New York: Oxford University Press, 432 pp.
- Day, R. W. (2001). *Soil Testing Manual*. New York: McGraw-Hill, 618 pp.
- Deere, D. U. (1964). “Technical description of rock cores for engineering purposes.” *Rock Mechanics and Engineering Geology*, 1, 17–22.
- Franklin, J. A., and Chandra, J. A. (1972). “The slake durability test.” *International Journal of Rock mechanics and Mining Sciences*, 9(3), 325–341.
- Gamble, J. C. (1971). *Durability–Plasticity classification of shales and other argillaceous rocks*. PhD Thesis, University of Illinois, 159 pp.
- Germaine, J. T., and Germaine, A. V. (2009). *Geotechnical Laboratory Measurements for Engineers*. Hoboken, NJ: John Wiley & Sons, 351 pp.
- Gercek, H. (2007). “Poisson’s ratio values for rocks.” *International Journal of Rock Mechanics and Mining Sciences*, 44(1), 1–13.
- Handin, J. (1966). “Strength and ductility,” *Handbook of Physical Constants*. ed. S. P. Clark, Geological Society of America, New York, 223–289.
- Hansbo, S. (1957). “A new approach to the determination of shear strength of clay by the fall-cone test.” *Royal Swedish Geotechnical Institute Proceedings*, Stockholm, 14, 5–47.
- Harr, M. E. (1977). *Mechanics of Particulate Media*. New York: McGraw-Hill.
- Hawkes, I., and Mellor, M. (1970). “Uniaxial testing in rock mechanics laboratories.” *Engineering Geology*, 4(3), 179–285.
- Hazen, A. (1911). Discussion of “Dams on sand foundations.” by A. C. Koenig, *Transactions*, ASCE, 73, 199–203.
- Head, K. H. (2006). *Manual of Soil Laboratory Testing*, 3rd ed., vol. 1: Soil classification and compaction tests. Caithness, SCT: Whittles Publishing, 416 pp.
- Head, K. H. (1992a). *Manual of Soil Laboratory Testing*, 2nd ed., vol. 1: Soil classification and compaction tests. London: Pentech Press, 388 pp.

- Head, K. H. (1992b). *Manual of Soil Laboratory Testing*, 2nd ed., vol. 2: Permeability, shear strength and compressibility tests. London: Pentech Press, 747 pp.
- Head, K. H. (1992c). *Manual of Soil Laboratory Testing*, 2nd ed., vol. 3: Effective stress tests. London: Pentech Press, 1238 pp.
- Hilf, J. W. (1975). "Compacted Fill," Chapter 7, *Foundation Engineering Handbook*, eds. H. F. Winterkorn and H-Y. Fang, New York: Van Nostrand Reinhold.
- Hoek, E., and Brown, E. T. (1980). "Empirical strength criterion for rock masses." *Journal of Geotechnical Engineering Division*, ASCE, 106(9), 1013–1035.
- Hoek, E., and Brown, E. T. (1980). *Underground Excavations in Rocks*, rev. 2nd ed. London: The Institution of Mining and Metallurgy, 527 pp.
- Hoek, E., and Brown, E. T. (1997). "Practical estimates of rock mass strength." *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 34(8), 1165–1186.
- Holtz, R. D., and Kovacs, W.D. (1981). *An Introduction to Geotechnical Engineering*. Englewood Cliffs, NJ: Prentice-Hall.
- Hondros, G. (1959). "The evaluation of Poisson's ratio and the modulus of materials of a low tensile resistance by the Brazilian (indirect tensile) test with particular reference to concrete." *Australian Journal of Applied Science*, 10(3), 243–268.
- Hvorslev, M. J. (1949). *Subsurface exploration and sampling of soils for civil engineering purposes*, Waterways Experiment Station, U.S. Army Corps of Engineers, Vicksburg, VA.
- Lambe, T. W. (1951). *Soil Testing for Engineers*, New York: John Wiley & Sons.
- Lambe, T. W., and Whitman, R. V. (1979). *Soil Mechanics, SI Version*. New York: John Wiley & Sons.
- Leroueil, S., and Le Bihan, J-P. (1996). "Liquid limits and fall cones." *Canadian Geotechnical Journal*, 33(5), 793–798.
- McCarthy, D. F. (2007). *Essentials of Soil Mechanics and Foundations*, 7th ed. Upper Saddle River, NJ: Pearson Prentice-Hall.
- Mellor, M., and Hawkes, I. (1971). "Measurement of tensile strength by diametral compression of discs and annuli." *Engineering Geology*, 5(3), 173–225.
- Muskat, M. (1937). *The Flow of Homogeneous Fluids through Porous Media*. New York: McGraw Hill Book Company. Reprinted by J. W. Edwards, Ann Arbor, MI, 1946.
- Peck, R. B., Hanson, W. E., and Thornburn, T. H. (1974). *Foundation Engineering*, 2nd ed. New York: John Wiley & Sons.
- Rankine, K. J., Sivakugan, N., and Cowling, R. (2006). "Emplaced geotechnical characteristics of hydraulic fills in a number of Australian mines." *Geotechnical and Geological Engineering*, 24(1), 1–14.
- Russell, A. R., and Wood, D. M. (2009). "Point load tests and strength measurements for brittle spheres." *International Journal of Rock Mechanics and Mining Sciences*, 46(2), 272–280.

- Schmertmann, J. H. (1955). "The undisturbed consolidation behaviour of clay," *Transactions, ASCE*, 120, 1201–1233.
- Schmidt, E. (1951). "A non-destructive concrete tester." *Concrete*, 59(8), 34–35.
- Terzaghi, K. (1925). *Erdbaumechanik auf bodenphysikalischer grundlage*, Franz Deuticke, Leipzig und Wein, 399 pp.
- Terzaghi, K., and Peck, R. B. (1967). *Soil Mechanics in Engineering Practice*, 2nd ed. New York: John Wiley & Sons.
- Timoshenko, S. (1934). *Theory of Elasticity*. New York: McGraw-Hill.
- Ulusay, R., and Hudson, J. A. (eds.) (2007). *The Complete ISRM Suggested Methods for Rock Characterization, Testing and Monitoring: 1974–2006*, ISRM Turkish National Group, Ankara, Turkey, 628 pp.
- USACE (1986). *Laboratory Soils Testing*, EM-1110-2-1906 Washington, DC.
- US EPA (1991). *Toxicity Characteristic Leaching Procedures*. Method 1311.
- Wilson, S. D. (1970). "Suggested method of test for moisture-density relations of soils using Harvard Compaction Apparatus," *Special Procedures for Testing Soil and Rock for Engineering Purposes*, ASTM STP 479, Philadelphia, PA.
- Wyllie, D., and Mah, C. W. (2004). *Rock Slope Engineering*, 4th ed. London: Spon Press, 432 pp.

Index

A

AASHTO classification system, 20
Abrasion loss. *See* Los Angeles abrasion loss
Accuracy, 4
Aggregate impact value (AIV), 182–186
 analysis, 184–186
 datasheet, 186
 dry condition, 183–184, 184–185
 introduction, 182–183
 procedure, 183–184
 soaked condition, 184, 185–186
Aggregate testing, 167–207
 aggregate impact value (AIV), 182–186
 California bearing ratio (CBR), 187–196
 fines content, 179–181
 flakiness index, 175–178
 introduction, 167–169
 large direct shear box test, 197–203
 Los Angeles abrasion loss, 204–207
 stockpiles of aggregates, 167–169
 water absorption of aggregates, 170–174
AIV. *See* Aggregate impact value
Archimedes' principle, 38, 133, 135
AS. *See* Australian Standards
Ash content, 49, 51
ASTM standards
 for laboratory field tests, 10
 SI units and, 13
 soil testing and, 18
Atterberg limits, 3, 17, 52
Australian Standards (AS)
 aggregate testing and, 167, 207
 for laboratory field tests, 10
 rock testing and, 127
 soil testing and, 18, 20, 44, 68
Axial loading, 114, 119

B

Backpressure, 113–114

B-check, 114
Borderline symbols
 coarse grained soils, 22
 fine grained soils, 24, 25
Boreholes, 127
Brazilian tensile strength. *See* Indirect (Brazilian) tensile strength
British Standards (BS)
 aggregate testing and, 167
 for laboratory field tests, 10
 soil testing and, 18, 19, 20, 68
BS. *See* British Standards

C

California bearing ratio (CBR), 3, 187–196
 analysis, 194–196
 datasheet, 192–194
 definition of, 187
 introduction, 187–188
 load-penetration curve correction, 194–196
 penetration test, 190–191
 procedure, 188–191
 sample preparation, 188–189
 soaking (if required), 190
Casagrande's logarithm of time method, 99–101
Casagrande's percussion cup method. *See* Liquid limit -
 Casagrande's percussion cup method
CBR. *See* California bearing ratio
CD triaxial test, 112
Charge, 204, 205, 206
Circumferential strain, 140
Clayey soils, 2
Coarse grained soils, visual ID/classification, 20–22
Coefficient
 of consolidation, 91, 99
 of secondary compression, 102
of volume compressibility, 98
Compaction test, 65–71
 analysis, 70–71

datasheet, 69–70
introduction, 65–67
procedure, 68–69
Compression index, 93
Compression test. *See* Unconfined compression test
Compressive strength. *See* Uniaxial compressive strength
Consolidated undrained triaxial test, 110–117
 analysis, 116–117
 datasheet, 115–116
 introduction, 110–113
 procedure, 113–114
Constant temperature baths, 7–8
Constrained modulus, 98
Conversions. *See* Unit conversions
Core cutter method, 77, 80
CU triaxial test, 112

D

Darcy's law, 84
Density and porosity, rock testing, 133–135
Desiccator, 7–8
Deviator stress, 111
Diametric strain, 140
Dilatancy, fines and, 23
Direct shear test, 104–109
 analysis, 108–109
 datasheet, 106–108
 introduction, 104–105
 procedure, 105–106
Direct tensile strength, 165–166
Disturbed and intact samples, 1–4
Drained loading, 111
Drill cores, 127, 128
Dry density, maximum, 65
Drying equipment, 6
Dry strength, fines and, 23
Ductility, relative, 142, 143

E

Effective depth, 38

F

Failure plane, 197, 198
Fall cone method. *See* Liquid limit - fall cone method
Field density test, 77–81
 analysis, 81
 datasheet, 80–81
 introduction, 77–79

 procedure, 79–80
Fine grained soils, visual ID/classification, 23–25
Fines content, 179–181
 analysis, 180–181
 datasheet, 180
 introduction, 179
 procedure, 179–180
First-cycle slake durability index, 159
Flakiness index, 175–178
 analysis, 178
 introduction, 175
 procedure, 176–177
Flow curve, 55

G

Grain angularity, 21
Grain shape, 21–22
Granular soil, maximum/minimum densities, 72–76
 datasheet, 75–76
 introduction, 72–73
 procedure, 73–75
Greek symbols, 14, 15

H

Harvard miniature compaction device, 3
Hydraulic conductivity, coarse grained soil, 82–86
 analysis, 85–86
 datasheet, 84–85
 introduction, 82–84
 procedure, 84
Hydraulic conductivity, fine grained soil, 87–90
 analysis, 89–90
 datasheet, 88–89
 introduction, 87
 procedure, 87–88
Hydrometer analysis, 38–45
 analysis, 45
 datasheet, 45
 introduction, 38–43
 percent finer, 42–43
 procedure, 43–44
 types of hydrometers, 39
Hygroscopic water content, 34

I

Indirect (Brazilian) tensile strength, 149–152
 analysis, 152
 datasheet, 151–152

introduction, 149–150
 procedure, 150–151
 Initial void ratio, 98
 Intact rock, 129
 Intact samples, 1–4
 International Society of Rock Mechanics (ISRM), 18, 127
 ISRM. *See* International Society of Rock Mechanics

L

Laboratory devices, common, 4–9
 constant temperature baths, 9
 desiccator, 7–8
 drying equipment, 6
 length measuring devices, 5
 load measuring devices, 6, 7
 mass measuring devices, 5–6
 vacuum pump, 9
 water purification system, 9
 wax pot and wax, 9
 Laboratory report, 14, 15
 Large direct shear box test, 197–203
 analysis, 199–203
 datasheet, 199
 introduction, 197–198
 procedure, 198–199
 Length measuring devices, 5
 Lifts, 65
 Linear shrinkage, 63–64
 Linear variable differential transducer (LVDT), 197–198
 Liquid limit - Casagrande's percussion cup method,
 52–56
 analysis, 55–56
 datasheet, 54–55
 introduction, 52
 procedure, 52–54
 Liquid limit - fall cone method, 57–60
 analysis, 60
 datasheet, 59
 introduction, 57
 procedure, 57–59
 LIR. *See* Load increment ratio
 Load cells, 6, 7
 Load increment ratio (LIR), 94
 Load measuring devices, 6, 7
 Load-penetration curve correction, 194–196
 Los Angeles abrasion loss, 204–207
 charge and, 204, 205, 206
 datasheet, 207
 introduction, 204–206

 procedure, 206–207

LVDT. *See* Linear variable differential transducer

M

Manuals, 15
 Mass measuring devices, 5–6
 Maximum dry density, 65
 Mechanical disturbance, 3
 Modified Proctor compactive effort, 66
 Mohr circles, 117, 121, 136
 Mohr-Coulomb constitutive model at failure, 104
 Mohr-Coulomb failure criterion, 136, 161, 197

N

Nuclear density meters, 78, 79

O

Oedometer, 91, 92
 Oedometer modulus, 98
 One-dimensional consolidation by incremental loading,
 91–103
 analysis, 98–103
 datasheet, 95–97
 introduction, 91–93
 procedure, 93–95
 Optimum water content, 65, 68
 Organic content, soil testing and, 49–51
 analysis, 51
 datasheet, 51
 introduction, 49
 procedure, 49–50

P

Peak shear stress, 104
 Permeability, 102
 coarse grained soil, 82–86
 fine grained soil, 87–90
 pH, 46–48
 analysis, 48
 datasheet, 48
 introduction, 46
 procedure, 46–48
 Piston sampler, 3
 Plasticity, fines and, 23
 Plasticity index, 61
 Plastic limit, 61–62
 Pocket penetrometers, 124
 Pocket vane, 124

Point load test, 144–148

analysis, 146–148

datasheet, 146

introduction, 144–145

procedure, 145–146

Poisson's ratio, 137, 140, 141, 142

Precision, 4

Preconsolidation pressure, 93, 98–99

Proving rings, 6, 7

Pycnometers, 29–30

R

Reading, recommended, 14

Recompression index, 93

Reconstituted samples, 2–3

Relative density, 1, 72

Relative ductility, 142, 143

Repeatability and reproducibility, 4

Residual shear stress, 104–105

Resolution, 4

Rock classification (after AS 1726), 148

Rock mass, behavior of, 129

Rock quality designation (RQD), 127, 129

Rock/soil strengths, classification of, 141

Rock testing, 127–166

density and porosity, 133–135

direct tensile strength, 165–166

indirect (Brazilian) tensile strength, 149–152

introduction, 127–130

point load test, 144–148

Schmidt hammer rebound hardness, 153–156

slake durability test, 157–160

triaxial test on rock specimen, 161–164

uniaxial compressive strength, 136–143

water content, 131–132

RQD. *See* Rock quality designation

Rubber balloon method, 77, 78, 79–80

S

Safety, 14

Samples vs. specimens, 2

Sand cone method, 77, 78

analysis, 81

procedure, 79

Schmidt hammer rebound hardness, 153–156

analysis, 156

datasheet, 155–156

introduction, 153–154

procedure, 154–155

Second-cycle slake durability index, 158, 159

Sensitivity, measuring devices and, 4

Shear box, 105, 198. *See also* Large direct shear box test

Shear load measuring device, 105, 198

Shear strength, undrained, 112

Shear stress at failure, 104, 198

Shear test. *See* Direct shear test

Shelby tubes™, 3

Shrinkage. *See* Linear shrinkage

Sieve analysis, 33–37

analysis, 37

datasheet, 36

introduction, 33–34

procedure, 34–36

Sieves, slotted, 175

Significant digits, 4

SI units, 10, 13–14

Skempton's B-parameter, 114

Slake durability test, 157–160

analysis, 159–160

datasheet, 158–159

introduction, 157–158

procedure, 158

Slotted sieves, 175

Soil classification system, 20

Soil grains, specific gravity of, 29–32

analysis, 31–32

datasheet, 30–31

introduction, 29

procedure, 29–30

Soil/rock strengths, classification of, 141

Soil testing, 17–125

compaction test, 65–71

compression test, unconfined, 122–125

direct shear test, 104–109

field density test, 77–81

granular soil, maximum/minimum densities, 72–76

hydraulic conductivity, coarse grained soil, 82–86

hydraulic conductivity, fine grained soil, 87–90

hydrometer analysis, 38–45

introduction, 17–18

linear shrinkage, 63–64

liquid limit - Casagrande's percussion cup method, 52–56

liquid limit - fall cone method, 57–60

one-dimensional consolidation by incremental loading, 91–103

organic content, 49–51

pH, 46–48

plastic limit, 61–62

sieve analysis, 33–37

specific gravity of soil grains, 29–32
 standards, 18–19
 undrained triaxial test, consolidated, 110–117
 undrained triaxial test, unconsolidated, 118–121
 visual ID/classification, coarse grained soils, 20–22
 visual ID/classification, fine grained soils, 23–25
 water content, 26–28
 Specific gravity of soil grains, 29–32
 Specimens vs. samples, 2
 Split-spoon sampler, 3–4
 Square root of time method, Taylor's, 101–102
 Standard Proctor compactive effort, 66
 Standards, 10
 Stokes' law, 38
 Stress-relief, 3
 Stress-strain plots, 138–139
 Swelling index, 93

T

Taylor's square root of time method, 101–102
 Tensile strength. *See* Indirect (Brazilian) tensile strength
 Total core recovery (R), 127
 Toughness, fines and, 23
 Triaxial test on rock specimen, 161–164
 analysis, 163–164
 datasheet, 162–163
 introduction, 161
 procedure, 161–162

U

Ultimate shear stress, 105
 Unconfined compression test, 122–125, 130
 analysis, 124–125
 datasheet, 123
 introduction, 122
 procedure, 122–123
 Unconsolidated undrained triaxial test, 118–121
 analysis, 120–121
 datasheet, 119–120
 introduction, 118
 procedure, 119
 Uncorrected point load index, 146–148
 Undisturbed samples, 2
 Undrained loading, 111
 Undrained shear strength, 112
 Undrained triaxial test
 consolidated, 110–117
 unconsolidated, 118–121
 Uniaxial compression test, 130

Uniaxial compressive strength, 136–143
 analysis, 140–143
 datasheet, 139–140
 introduction, 136
 procedure, 136–139
 Unified Soil Classification System (USCS), 20, 23

Unit(s), 10–14
 SI units, 10
 special names, 11
 unit conversions, 11–13

Unit conversions, 11–13
 area, 11
 dynamic viscosity, 12
 force, 12
 kinematic viscosity, 13
 length, 11
 mass, 12
 pressure, 12
 SI units, 13–14
 volume, 11–12
 work or energy, 12
 USCS. *See* Unified Soil Classification System
 UU triaxial test, 112

V

Vacuum pump, 9
 Void ratio
 initial, 98
 maximum/minimum, 72

W

Water absorption of aggregates, 170–174
 analysis, 173–174
 coarse aggregates, 172, 174
 datasheet, 173
 fine aggregates, 170–172, 173
 introduction, 170
 procedure, 170–172
 Water content
 optimum, 65, 68
 rock testing and, 131–132
 soil testing and, 26–28
 Water purification system, 7–8
 Water replacement method, 77
 Wax pot and wax, 9

Y

Young's modulus, 122, 136, 137, 138–139, 141