

About the authors

Derek R. Smith

Derek R. Smith is Professor of Environmental and Occupational Health and Deputy Director (Research) at the Central Coast Campus of the University of Newcastle in New South Wales, Australia. He is active in many different research areas including environmental and occupational health, public health, epidemiology, bibliometrics and medical history. He has published over 200 scientific articles and presented at numerous domestic and international conferences.

Peter A. Leggat

Peter A. Leggat is Professor and Deputy Head at the School of Public Health, Tropical Medicine and Rehabilitation Sciences, and Associate Dean for Faculty Affairs, Faculty of Medicine, Health and Molecular Sciences at James Cook University in Townsville, Australia. He is a specialist in public health medicine and is a certified Medical Review Officer. He has published over 450 journal articles, 50 chapters and 20 monographs, and presented more than 300 papers at national and international meetings.

References

Chapter 1

1. Wipfli H, Samet JM. Global economic and health benefits of tobacco control: part 1. *Clin Pharmacol Ther* 2009; **86**: 263–71.
2. Smith DR, Leggat PA. Tobacco smoking by occupation in Australia: results from the 2004 to 2005 National Health Survey. *J Occup Environ Med* 2007; **49**: 437–45.
3. Garfinkel L. Trends in cigarette smoking in the United States. *Prev Med* 1997; **26**: 447–50.
4. Giovino GA. Epidemiology of tobacco use in the United States. *Oncogene* 2002; **21**: 7326–40.
5. Brill AA. Tobacco and the individual. *Int J Psychoanal* 1922; **3**: 430–44.
6. When “more doctors smoked Camels”: cigarette advertising in the journal. *NY State J Med* 1983; **83**: 1347–52.
7. Kawane H. When doctors advertised cigarettes. *Tob Control* 1993; **2**: 45.
8. Hammond EC, Horn D. The relationship between human smoking habits and death rates: a follow-up study of 187,766 men. *J Am Med Assoc* 1954; **155**: 1316–28.
9. Hammond EC, Horn D. Smoking and death rates: report on forty-four months of follow-up of 187,783 men. 2. Death rates by cause. *J Am Med Assoc* 1958; **166**: 1294–308.
10. Hammond EC, Horn D. Smoking and death rates; report on forty-four months of follow-up of 187,783 men. I. Total mortality. *J Am Med Assoc* 1958; **166**: 1159–72.
11. Mahaney FX, Jr. Oldtime ads tout health benefits of smoking; tobacco industry had doctors’ help. *J Natl Cancer Inst* 1994; **86**: 1048–49.
12. Gardner MN, Brandt AM. “The doctors’ choice is America’s choice”: the physician in US cigarette advertisements, 1930–1953. *Am J Public Health* 2006; **96**: 222–32.
13. Garland LH. The smoking physician. *CA Cancer J Clin* 1959; **9**: 60–61.
14. Smoking and Health. Report of the advisory committee to the surgeon general of the public health service. Washington: U.S. Department of Health, Education and Welfare, 1964.
15. Hammond EC, Van Griethuysen TH, Dibeler JB, Sneddon AM, Halligan W. Smoking habits and disease in New York State. *NY State J Med* 1965; **65**: 2557–61.

Smoking among healthcare professionals

16. Froelicher ES, Kohlman VC. Tobacco free nurses. The facts on nurses and smoking. *J Cardiopulm Rehabil* 2005; **25**: 198–99.
17. Adriaanse H, van Reek J. Physicians' smoking and its exemplary effect. *Scand J Prim Health Care* 1989; **7**: 193–96.
18. Smoking and health: A physician's responsibility. A statement of the joint committee on smoking and health. American College of Chest Physicians, American Thoracic Society, Asia Pacific Society of Respiriology, Canadian Thoracic Society, European Respiratory Society, International Union Against Tuberculosis and Lung Disease. *Eur Respir J* 1995; **8**: 1808–11.
19. Chapman S. Doctors who smoke. *Br Med J* 1995; **311**: 142–43.
20. Centers for Disease Control and Prevention (CDC). Smoking control among health-care workers – World No-Tobacco Day, 1993. *MMWR Morb Mortal Wkly Rep* 1993; **42**: 365–67.
21. Garfinkel L. Cigarette smoking among physicians and other health professionals, 1959–1972. *CA Cancer J Clin* 1976; **26**: 373–75.
22. Sachs DP. Smoking habits of pulmonary physicians. *N Engl J Med* 1983; **309**: 799.

Chapter 2

1. Melby CS. Examining the future of professional journals. *Nurs Health Sci* 2005; **7**: 219–20.
2. Rahman M, Fukui T. Biomedical publication – global profile and trend. *Public Health* 2003; **117**: 274–80.
3. United States National Library of Medicine (NLM) Webpage: International Committee of Medical Journal Editors (ICMJE) uniform requirements for manuscripts submitted to biomedical journals: sample references. Available online at: www.nlm.nih.gov/bsd/uniform_requirements.html (Accessed: 27 May 2011)
4. Patrick DL, Cheadle A, Thompson DC, Diehr P, Koepsell T, Kinne S. The validity of self-reported smoking: a review and meta-analysis. *Am J Public Health* 1994; **84**: 1086–93.
5. Vartiainen E, Seppala T, Lillsunde P, Puska P. Validation of self-reported smoking by serum cotinine measurement in a community-based study. *J Epidemiol Community Health* 2002; **56**: 167–70.
6. Soto Mas FG, Papenfuss RL, Jacobson HE, Hsu CE, Urrutia-Rojas X, Kane WM. Hispanic physicians' tobacco intervention practices: A cross-sectional survey study. *BMC Public Health* 2005; **5**: 120.
7. Doll R, Peto R, Wheatley K, Gray R, Sutherland I. Mortality in relation to smoking: 40 years' observations on male British doctors. *Br Med J* 1994; **309**: 901–11.
8. Fowler G, Mant D, Fuller A, Jones L. The “Help Your Patient Stop” initiative. Evaluation of smoking prevalence and dissemination of WHO/UICC guidelines in UK general practice. *Lancet* 1989; **1**: 1253–55.

Chapter 3

1. Uysal MA, Dilmen N, Karasulu L, Demir T. Smoking habits among physicians in Istanbul and their attitudes regarding anti-smoking legislation. *Tuberk Toraks* 2007; **55**: 350–55.
2. Jiang Y, Ong MK, Tong EK, Yang Y, Nan Y, Gan Q, Hu TW. Chinese physicians and their smoking knowledge, attitudes, and practices. *Am J Prev Med* 2007; **33**: 15–22.
3. Yaacob I, Abdullah ZA. Smoking habits and attitudes among doctors in a Malaysian hospital. *Southeast Asian J Trop Med Public Health* 1993; **24**: 28–31.
4. Soto Mas FG, Papenfuss RL, Jacobson HE, Hsu CE, Urrutia-Rojas X, Kane WM. Hispanic physicians' tobacco intervention practices: A cross-sectional survey study. *BMC Public Health* 2005; **5**: 120.
5. Doll R, Peto R, Wheatley K, Gray R, Sutherland I. Mortality in relation to smoking: 40 years' observations on male British doctors. *Br Med J* 1994; **309**: 901–11.
6. Frank E. The Women Physicians' Health Study: Background, objectives, and methods. *J Am Med Womens Assoc* 1995; **50**: 64–66.
7. Frank E, Lutz LJ. Characteristics of women US family physicians. *Arch Fam Med* 1999; **8**: 313–18.
8. Frank E, Rothenberg R, Lewis C, Belodoff BF. Correlates of physicians' prevention-related practices. Findings from the Women Physicians' Health Study. *Arch Fam Med* 2000; **9**: 359–67.
9. Hay DR. Cigarette smoking by New Zealand doctors: Results from the 1976 population census. *NZ Med J* 1980; **91**: 285–88.
10. Hay DR. Intercensal trends in cigarette smoking by New Zealand doctors and nurses. *NZ Med J* 1984; **97**: 253–55.
11. Hay DR. Cigarette smoking by New Zealand doctors and nurses: Results from the 1996 population census. *NZ Med J* 1998; **111**: 102–04.
12. Roche AM, Parle MD, Saunders JB. Managing alcohol and drug problems in general practice: A survey of trainees' knowledge, attitudes and educational requirements. *Aust NZ J Public Health* 1996; **20**: 401–08.
13. Roche AM, Parle MD, Stubbs JM, Hall W, Saunders JB. Management and treatment efficacy of drug and alcohol problems: What do doctors believe? *Addiction* 1995; **90**: 1357–66.
14. Young JM, Ward JE. Declining rates of smoking among medical practitioners. *Med J Aust* 1997; **167**: 232.
15. Edwards R, Bowler T, Atkinson J, Wilson N. Low and declining cigarette smoking rates among doctors and nurses: 2006 New Zealand Census data. *NZ Med J* 2008; **121**: 43–51.
16. Ponniah S, Bloomfield A. An update on tobacco smoking among New Zealand health care workers, the current picture, 2006. *NZ Med J* 2008; **121**: 103–05.

17. Doll R, Peto R, Boreham J, Sutherland I. Mortality in relation to smoking: 50 years' observations on male British doctors. *Br Med J* 2004; **328**: 1519–28.
18. Doll R, Peto R, Boreham J, Sutherland I. Mortality from cancer in relation to smoking: 50 years' observations on British doctors. *Br J Cancer* 2005; **92**: 426–29.
19. Josseran L, King G, Guilbert P, Davis J, Brucker G. Smoking by French general practitioners: Behaviour, attitudes and practice. *Eur J Public Health* 2005; **15**: 33–38.
20. Josseran L, King G, Velter A, Dressen C, Grizeau D. Smoking behavior and opinions of French general practitioners. *J Natl Med Assoc* 2000; **92**: 382–90.
21. Tessier JF, Rene L, Nejari C, Belougne D, Moulin J, Freour P. Attitudes and opinions of French general practitioners towards tobacco. *Tob Control* 1993; **2**: 226–30.
22. La Vecchia C, Scarpino V, Malvezzi I, Baldi G. A survey of smoking among Italian doctors. *J Epidemiol Community Health* 2000; **54**: 320.
23. Nardini S, Bertoletti R, Rastelli V, Donner CF. The influence of personal tobacco smoking on the clinical practice of Italian chest physicians. *Eur Respir J* 1998; **12**: 1450–53.
24. Nardini S, Bertoletti R, Rastelli V, Ravelli L, Donner CF. Personal smoking habit and attitude toward smoking among the health staff of a general hospital. *Monaldi Arch Chest Dis* 1998; **53**: 74–78.
25. Pizzo AM, Chellini E, Grazzini G, Cardone A, Badellino F. Italian general practitioners and smoking cessation strategies. *Tumori* 2003; **89**: 250–54.
26. Zanetti F, Gambi A, Bergamaschi A, Gentilini F, De Luca G, Monti C. Smoking habits, exposure to passive smoking and attitudes to a non-smoking policy among hospital staff. *Public Health* 1998; **112**: 57–62.
27. Kaetsu A, Fukushima T, Moriyama M, Shigematsu T. Change of the smoking behavior and related lifestyle variables among physicians in Fukuoka, Japan: A longitudinal study. *J Epidemiol* 2002; **12**: 208–16.
28. Kaetsu A, Fukushima T, Moriyama M, Shigematsu T. Smoking behavior and related lifestyle variables among physicians in Fukuoka, Japan: A cross-sectional study. *J Epidemiol* 2002; **12**: 199–207.
29. Kawane H. Smoking among older chest physicians. *Chest* 1991; **99**: 526.
30. Kawane H. The prevalence of smoking among physicians in Japan. *Am J Public Health* 1993; **83**: 1640.
31. Kawane H. Smoking among Japanese physicians. *JAMA* 2001; **286**: 917.
32. Kawane H, Soejima R. Smoking among doctors in a medical school hospital. *Kawasaki Med J* 1996; **22**: 211–16.
33. Ohida T, Sakurai H, Mochizuki Y, Kamal AM, Takemura S, Minowa M. Smoking prevalence and attitudes toward smoking among Japanese physicians. *JAMA* 2001; **285**: 2643–48.

Smoking among healthcare professionals

34. Kaneita Y, Sakurai H, Tsuchiya T, Ohida T. Changes in smoking prevalence and attitudes to smoking among Japanese physicians between 2000 and 2004. *Public Health* 2008; **122**: 882–90.
35. Kawahara K, Ohida T, Osaki Y, Mochizuki Y, Minowa M, Yamaguchi N. Study of the smoking behavior of medical doctors in Fukui, Japan and their antismoking measures. *J Epidemiol* 2000; **10**: 157–62.
36. Kawakami M, Nakamura S, Fumimoto H, Takizawa J, Baba M. Relation between smoking status of physicians and their enthusiasm to offer smoking cessation advice. *Intern Med* 1997; **36**: 162–65.
37. Hodgetts G, Broers T, Godwin M. Smoking behaviour, knowledge and attitudes among family medicine physicians and nurses in Bosnia and Herzegovina. *BMC Fam Pract* 2004; **5**: 12.
38. Parna K, Rahu K, Barengo NC, Rahu M, Sandstrom PH, Jormanainen VJ. Comparison of knowledge, attitudes and behaviour regarding smoking among Estonian and Finnish physicians. *Soz Praventivmed* 2005; **50**: 378–88.
39. Parna K, Rahu K, Rahu M. Smoking habits and attitudes towards smoking among Estonian physicians. *Public Health* 2005; **119**: 390–99.
40. Gunes G, Karaoglu L, Genc MF, Pehlivan E, Egri M. University hospital physicians' attitudes and practices for smoking cessation counseling in Malatya, Turkey. *Patient Educ Couns* 2005; **56**: 147–53.
41. An DTM, Huy NV, Phong DN. Smoking among Vietnamese health professionals: Knowledge, beliefs, attitudes, and health care practice. *Asia Pac J Public Health* 2008; **20**: 7–15.
42. Nollen NL, Adewale S, Okuyemi KS, Ahluwalia JS, Parakoyi A. Workplace tobacco policies and smoking cessation practices of physicians. *J Natl Med Assoc* 2004; **96**: 838–42.
43. de Assis Viegas CA, de Andrade AP, Silvestre Rda S. Characteristics of smoking among physicians in the Federal District of Brazil. *J Bras Pneumol* 2007; **33**: 76–80.
44. An LC, Bernhardt TS, Bluhm J, Bland P, Center B, Ahluwalia JS. Treatment of tobacco use as a chronic medical condition: Primary care physicians' self-reported practice patterns. *Prev Med* 2004; **38**: 574–85.
45. Brink SG, Gottlieb NH, McLeroy KR, Wisotzky M, Burdine JN. A community view of smoking cessation counselling in the practices of physicians and dentists. *Public Health Rep* 1994; **109**: 135–42.
46. Tong EK, Strouse R, Hall J, Kovac M, Schroeder SA. National survey of U.S. health professionals' smoking prevalence, cessation practices, and beliefs. *Nicotine Tob Res* 2010; **12**: 724–33.
47. Davies PD, Rajan K. Attitudes to smoking and smoking habit among the staff of a hospital. *Thorax* 1989; **44**: 378–81.
48. Polyzos A, Gennatas C, Veslemes M, Daskalopoulou E, Stamatiadis D, Katsilambros N. The smoking-cessation promotion practices of physician smokers in Greece. *J Cancer Educ* 1995; **10**: 78–81.
49. Li HZ, Fish D, Zhou X. Increase in cigarette smoking and decline of anti-smoking counselling among Chinese physicians: 1987–1996. *Health Prom Int* 1999; **14**: 123–31.

50. Bener A, Gomes J, Anderson JAD. Smoking habits among physicians in two gulf countries. *J R Soc Health* 1993; **113**: 298–301.
51. Sarkar D, Dhand R, Malhotra A, Malhotra S, Sharma BK. Perceptions and attitude towards tobacco smoking among doctors in Chandigarh. *Indian J Chest Dis Allied Sci* 1990; **32**: 1–9.
52. Ballal SG. Cigarette smoking and respiratory symptoms among Sudanese doctors. *East Afr Med J* 1984; **61**: 95–103.
53. Kono S, Ikeda M, Tokudome S, Nishizumi M, Kuratsune M. Smoking and mortalities from cancer, coronary heart disease and stroke in male Japanese physicians. *J Cancer Res Clin Oncol* 1985; **110**: 161–64.
54. Sotiropoulos A, Gikas A, Spanou E, Dimitrelou D, Karakostas F, Skliros E, Apostolou O, Politakis P, Pappas S. Smoking habits and associated factors among Greek physicians. *Public Health* 2007; **121**: 333–40.
55. Smith DR, Wei N, Zhang YJ, Wang RS. Tobacco smoking habits among a cross-section of rural physicians in China. *Aust J Rural Health* 2006; **14**: 66–71.
56. Cheng KK, Lam TH. Smoking among young doctors in Hong Kong: A message to medical educators. *Med Educ* 1990; **24**: 158–63.
57. Nutbeam D, Catford J. Modifiable risks for cardiovascular disease among general practitioners in Wales. *Public Health* 1990; **104**: 353–61.
58. Samuels N. Smoking among hospital doctors in Israel and their attitudes regarding anti-smoking legislation. *Public Health* 1997; **111**: 285–88.
59. Scott HD, Tierney JT, Buechner JS, Waters WJ. Smoking rates among Rhode Island physicians: Achieving a smoke-free society. *Am J Prev Med* 1992; **8**: 86–90.
60. Tapia-Conyer R, Cravioto P, de la Rosa B, Galvan F, Garcia-de la Torre G, Kuri P. Cigarette smoking; knowledge and attitudes among Mexican physicians. *Salud Publica Mex* 1997; **39**: 507–12.
61. Hill HA, Braithwaite RL. Attitudes, beliefs, and practices regarding smoking and smoking cessation among African-American physicians and dentists. *J Natl Med Assoc* 1997; **89**: 745–51.
62. Kenna GA, Wood MD. The prevalence of alcohol, cigarette and illicit drug use and problems among dentists. *J Am Dent Assoc* 2005; **136**: 1023–32.
63. Wyshak G, Lamb GA, Lawrence RS, Curran WJ. A profile of the health-promoting behaviors of physicians and lawyers. *N Engl J Med* 1980; **303**: 104–07.
64. Heloma A, Reijula K, Tikkanen J, Nykyri E. The attitudes of occupational health personnel to smoking at work. *Am J Ind Med* 1998; **34**: 73–78.
65. Davis RM. When doctors smoke. *Tob Control* 1993; **2**: 187–88.

Smoking among healthcare professionals

66. Christmas BW, Hay DR. The smoking habits of New Zealand doctors: A review after ten years. *NZ Med J* 1976; **83**: 391–94.
67. Dekker HM, Looman CWN, Adriaanse HP, Van Der Maas PJ. Prevalence of smoking in physicians and medical students, and the generation effect in the Netherlands. *Soc Sci Med* 1993; **36**: 817–22.
68. Jormanainen VJ, Myllykangas MT, Nissinen A. Decreasing the prevalence of smoking among Finnish physicians. *Eur J Public Health* 1997; **7**: 318–20.
69. Waalkens HJ, Cohen Schotanus J, Adriaanse H, Knol K. Smoking habits in medical students and physicians in Groningen, The Netherlands. *Eur Respir J* 1992; **5**: 49–52.
70. Hughes PH, Baldwin DC, Sheehan DV, Conard S, Storr CL. Resident physician substance use, by specialty. *Am J Psychiatry* 1992; **149**: 1348–54.
71. McEwen A, West R. Smoking cessation activities by general practitioners and practice nurses. *Tob Control* 2001; **10**: 27–32.
72. Audet B. When it comes to smoking, Japanese MDs do not set a good example for their patients. *CMAJ* 1994; **150**: 1673–74.
73. Stillman FA, Becker DM, Swank RT, Hantula D, Moses H, Glantz S. Ending smoking at the Johns Hopkins Medical Institutions. An evaluation of smoking prevalence and indoor air pollution. *JAMA* 1990; **264**: 1565–69.
74. Bartscherer DJ, Reichert VC, Folan P, DeGaetano C, Jacobsen DR, Miceli L, Kohn N, Talwar A. Tobacco and the health care industry. *Clin Occup Environ Med* 2006; **5**: 55–71, viii.
75. Seiler ER. Smoking habits of doctors and their spouses in south-east Scotland. *J R Coll Gen Pract* 1983; **33**: 598.
76. Hay DR, Christmas BW. The smoking habits of women doctors and doctors' wives in New Zealand. *Prev Med* 1976; **5**: 78–88.
77. Barengo NC, Sandstrom HP, Jormanainen VJ, Myllykangas M. Attitudes and behaviours in smoking cessation among general practitioners in Finland 2001. *Soz Praventivmed* 2005; **50**: 355–60.
78. Rankin DW, Gray NJ, Hill DJ, Evans DR. Attitudes and smoking habits of Australian doctors. *Med J Aust* 1975; **2**: 822–24.
79. Dodds AM, Rankin DW, Hill DJ, Gray NJ. Attitudes and smoking habits of doctors in Victoria. *Community Health Stud* 1979; **3**: 28–31.
80. Joossens L, Demedts M, Prignot J, Bartsch P, Gyselen A. Smoking habits of Belgian physicians: Effects of consonancy behaviour and of age. *Acta Clin Belg* 1987; **42**: 457–61.
81. Senior SL. Study of smoking habits in hospital and attitudes of medical staff towards smoking. *CMAJ* 1982; **126**: 131–33.

82. De Koninck M, Guay H, Bourbonnais R, Bergeron P. Physical, mental, and reproductive health of Quebec women physicians. *J Am Med Womens Assoc* 1995; **50**: 59–63.
83. Yan J, Xiao S, Ouyang D, Jiang D, He C, Yi S. Smoking behavior, knowledge, attitudes and practice among health care providers in Changsha City, China. *Nicotine Tob Res* 2008; **10**: 737–44.
84. Zhou J, Abdullah AS, Pun VC, Huang D, Lu S, Luo S. Smoking status and cessation counseling practices among physicians, Guangxi, China, 2007. *Prev Chronic Dis* 2010; **7**: 1–10.
85. Grossman DW, Knox JJ, Nash C, Jimenez JG. Smoking: Attitudes of Costa Rican physicians and opportunities for intervention. *Bull World Health Organ* 1999; **77**: 315–22.
86. Willaing I, Jorgensen T, Iversen L. How does individual smoking behaviour among hospital staff influence their knowledge of the health consequences of smoking? *Scand J Public Health* 2003; **31**: 149–55.
87. Kannegaard PN, Kreiner S, Gregersen P, Goldstein H. Smoking habits and attitudes to smoking 2001 among hospital staff at a Danish hospital – Comparison with a similar study 1999. *Prev Med* 2005; **41**: 321–27.
88. Barengo NC, Sandstrom PH, Jormanainen VJ, Myllykangas MT. Changes in smoking prevalence among Finnish physicians 1990–2001. *Eur J Public Health* 2004; **14**: 201–03.
89. Kotz D, Wagena EJ, Wesseling G. Smoking cessation practices of Dutch general practitioners, cardiologists, and lung physicians. *Respir Med* 2007; **101**: 568–73.
90. Mohan S, Pradeepkumar AS, Thresia CU, Thankappan KR, Poston WS, Haddock CK, *et al.* Tobacco use among medical professionals in Kerala, India: the need for enhanced tobacco cessation and control efforts. *Addict Behav* 2006; **31**: 2313–18.
91. Ahmadi J, Khalili H, Jooybar R, Namazi N, Aghaei PM. Cigarette smoking among Iranian medical students, resident physicians and attending physicians. *Eur J Med Res* 2001; **6**: 406–08.
92. Power B, Neilson S, Perry IJ. Perception of the risks of smoking in the general population and among general practitioners in Ireland. *Ir J Med Sci* 2004; **173**: 141–44.
93. Franceschi S, Serraino D, Talamini R, Candiani E. Personal habits and attitudes towards smoking in a sample of physicians from the north-east of Italy. *Int J Epidemiol* 1986; **15**: 584–85.
94. Ficarra MG, Gualano MR, Capizzi S, Siliquini R, Liguori G, Manzoli L, *et al.* Tobacco use prevalence, knowledge and attitudes among Italian hospital healthcare professionals. *Eur J Public Health* 2010.
95. Kaneita Y, Uchida T, Ohida T. Epidemiological study of smoking among Japanese physicians. *Prev Med* 2010; **51**: 164–67.
96. Aaro LE, Bjartveit K, Vellar OD, Berglund EL. Smoking habits among Norwegian doctors 1974. *Scand J Soc Med* 1977; **5**: 127–35.
97. Saeed AA. Attitudes and behaviour of physicians towards smoking in Riyadh city, Saudi Arabia. *Trop Geogr Med* 1991; **43**: 76–79.

Smoking among healthcare professionals

98. Sebo P, Bouvier Gallacchi M, Goehring C, Kunzi B, Bovier PA. Use of tobacco and alcohol by Swiss primary care physicians: a cross-sectional survey. *BMC Public Health* 2007; **7**: 5–8.
99. Sadowski IJ, Ruffieux C, Cornuz J. Self-reported smoking cessation activities among Swiss primary care physicians. *BMC Public Health* 2009; **10**: 1–6.
100. Akvardar Y, Demiral Y, Ergor G, Ergor A. Substance use among medical students and physicians in a medical school in Turkey. *Soc Psychiatry Psychiatr Epidemiol* 2004; **39**: 502–06.
101. Fowler G, Mant D, Fuller A, Jones L. The “Help Your Patient Stop” initiative. Evaluation of smoking prevalence and dissemination of WHO/UICC guidelines in UK general practice. *Lancet* 1989; **1**: 1253–55.
102. Hussain SF, Tjeder-Burton S, Campbell IA, Davies PD. Attitudes to smoking and smoking habits among hospital staff. *Thorax* 1993; **48**: 174–75.
103. Sachs DP. Smoking habits of pulmonary physicians. *N Engl J Med* 1983; **309**: 799.
104. Sachs DP. Treatment of cigarette dependency. What American pulmonary physicians do. *Am Rev Respir Dis* 1984; **129**: 1010–13.
105. Wells KB, Lewis CE, Leake B, Ware JE. Do physicians preach what they practice? A study of physicians' health habits and counseling practices. *JAMA* 1984; **252**: 2846–48.
106. Fortmann SP, Sallis JF, Magnus PM, Farquhar JW. Attitudes and practices of physicians regarding hypertension and smoking: The Stanford Five City Project. *Prev Med* 1985; **14**: 70–80.
107. Linn LS, Yager J, Cope D, Leake B. Health habits and coping behaviors among practicing physicians. *West J Med* 1986; **144**: 484–89.
108. Hughes PH, Brandenburg N, Baldwin DC, Storr CL, Williams KM, Anthony JC. Prevalence of substance use among US physicians. *JAMA* 1992; **267**: 2333–39.
109. Hensrud DD, Sprafka JM. The smoking habits of Minnesota physicians. *Am J Pub Health* 1993; **83**: 415–17.
110. Hepburn MJ, Johnson JM, Ward JA, Longfield JN. A survey of smoking cessation knowledge, training, and practice among U.S. Army general medical officers. *Am J Prev Med* 2000; **18**: 300–04.
111. Misra R, Vadaparampil ST. Personal cancer prevention and screening practices among Asian Indian physicians in the United States. *Cancer Detect Prev* 2004; **28**: 269–76.
112. Allard RH. Tobacco and oral health: attitudes and opinions of European dentists; a report of the EU working group on tobacco and oral health. *Int Dent J* 2000; **50**: 99–102.
113. Halling A, Uhrbom E, Bjerner B, Solen G. Tobacco habits, attitudes and participating behavior in tobacco prevention among dental personnel in Sweden. *Community Dent Oral Epidemiol* 1995; **23**: 254–55.

114. Christen AG. Survey of smoking behavior and attitudes of 630 American dentists: current trends. *J Am Dent Assoc* 1984; **109**: 271–72.
115. Rodrigues GA, Galvao V, Viegas CA. Prevalence of smoking among dentists in the Federal District of Brasilia, Brazil. *J Bras Pneumol* 2008; **34**: 288–93.
116. Laskin DM. Smoking habits and attitudes of oral and maxillofacial surgeons. *J Oral Maxillofac Surg* 1987; **45**: 493–95.
117. Mullins R. Attitudes and smoking habits of dentists in Victoria: 16 years on. *Aust Dent J* 1994; **39**: 324–26.
118. Lodi G, Bez C, Rimondini L, Zuppiroli A, Sardella A, Carrassi A. Attitude towards smoking and oral cancer prevention among northern Italian dentists. *Oral Oncol* 1997; **33**: 100–04.
119. Burgan SZ. Smoking behavior and views of Jordanian dentists: A pilot survey. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003; **95**: 163–68.
120. Leggat PA, Chohanadisai S, Kedjarune U, Kukiattrakoon B, Yapong B. Health of dentists in southern Thailand. *Int Dent J* 2001; **51**: 348–52.
121. Clover K, Hazell T, Stanbridge V, Sanson-Fisher R. Dentists' attitudes and practice regarding smoking. *Aust Dent J* 1999; **44**: 46–50.
122. Ayers KM, Thomson WM, Newton JT, Morgaine KC, Rich AM. Self-reported occupational health of general dental practitioners. *Occup Med (Lond)* 2009; **59**: 142–48.
123. Campbell HS, Macdonald JM. Tobacco counselling among Alberta dentists. *J Can Dent Assoc* 1994; **60**: 218–20, 23–26.
124. Nishio N, Kouda K, Nishio J, Nakamura H, Sonoda Y, Takeshita T. Smoking prevalence among dentists in Hyogo, Japan 2003. *Ind Health* 2009; **47**: 431–35.
125. Ghasemi H, Murtomaa H, Vehkalahti MM, Torabzadeh H. Determinants of oral health behaviour among Iranian dentists. *Int Dent J* 2007; **57**: 237–42.
126. Skegg JA, McGee RO, Stewart AW. Smoking prevention: attitudes and activities of New Zealand dentists. *NZ Dent J* 1995; **91**: 4–7.
127. Gorter RC, Eijkman MA, Hoogstraten J. Burnout and health among Dutch dentists. *Eur J Oral Sci* 2000; **108**: 261–67.
128. McCartan BE, Sadlier D, O'Mullane DM. Smoking habits and attitudes of Irish dentists and dental students. *J Ir Dent Assoc* 1993; **39**: 26–29.
129. Piedro EC, Romero SO, Sala EC. Prevalence of smoking among dentists in Catalonia – Spain (2006). Literature review of smoking cessation practices in the dental office. *Med Oral Pathol Oral Cir Bucal* 2008; **13**: 671–77.

Smoking among healthcare professionals

130. Smith DR, Leggat PA. Tobacco smoking prevalence among a cross-section of dentists in Queensland, Australia. *Kurume Med J* 2005; **52**: 147–51.
131. Fried JL, Cohen LA. Maryland dentists' attitudes regarding tobacco issues. *Clin Prev Dent* 1992; **14**: 10–16.
132. John JH, Thomas D, Richards D. Smoking cessation interventions in the Oxford region: changes in dentists' attitudes and reported practices 1996–2001. *Br Dent J* 2003; **195**: 270–75.
133. John JH, Yudkin P, Murphy M, Ziebland S, Fowler GH. Smoking cessation interventions for dental patients – attitudes and reported practices of dentists in the Oxford region. *Br Dent J* 1997; **183**: 359–64.
134. Secker-Walker RH, Solomon LJ, Hill HC. A statewide survey of dentists' smoking cessation advice. *J Am Dent Assoc* 1989; **118**: 37–40.
135. Lund M, Lund KE, Rise J. Preventing tobacco use in Norwegian dental practice. *Community Dent Oral Epidemiol* 2004; **32**: 385–94.
136. Kay EJ, Scarrott DM. A survey of dental professionals' health and well-being. *Br Dent J* 1997; **183**: 340–45.
137. O'Shea RM, Corah NL. The dentist's role in cessation of cigarette smoking. *Public Health Rep* 1984; **99**: 510–14.
138. Hastreiter RJ, Bakdash B, Roesch MH, Walseth J. Use of tobacco prevention and cessation strategies and techniques in the dental office. *J Am Dent Assoc* 1994; **125**: 1475–84.
139. Logan H, Levy S, Ferguson K, Pomrehn P, Muldoon J. Tobacco-related attitudes and counseling practices of Iowa dentists. *Clin Prev Dent* 1992; **14**: 19–22.
140. Underwood B, Fox K, Nixon PJ. Alcohol and drug use among vocational dental practitioners. *Br Dent J* 2003; **195**: 265–68; discussion 59.
141. Telivuo M, Vehkalahti M, Lahtinen A, Murtomaa H. Finnish dentists as tobacco counselors. *Community Dent Oral Epidemiol* 1991; **19**: 221–24.
142. Albert DA, Severson H, Gordon J, Ward A, Andrews J, Sadowsky D. Tobacco attitudes, practices, and behaviors: a survey of dentists participating in managed care. *Nicotine Tob Res* 2005; **7 Suppl 1**: S9–18.
143. Tomar SL. Dentistry's role in tobacco control. *J Am Dent Assoc* 2001; **132 Suppl**: 30S–35S.
144. Tomar SL, Husten CG, Manley MW. Do dentists and physicians advise tobacco users to quit? *J Am Dent Assoc* 1996; **127**: 259–65.
145. Kunzel C, Lalla E, Albert DA, Yin H, Lamster IB. On the primary care frontlines: the role of the general practitioner in smoking-cessation activities and diabetes management. *J Am Dent Assoc* 2005; **136**: 1144–53; quiz 67.
146. Glick M. Smoking cessation: no longer a choice. *J Am Dent Assoc* 2005; **136**: 1076, 1078.

147. Christen AG. Tobacco cessation, the dental profession, and the role of dental education. *J Dent Educ* 2001; **65**: 368–74.
148. Dodds AM, Gray NJ, Hill DJ, Rankin DW. Attitudes and smoking habits of dentists in Victoria. *Aust Dent J* 1979; **24**: 143–45.
149. Trotter L, Worcester P. Training for dentists in smoking cessation intervention. *Aust Dent J* 2003; **48**: 183–89.
150. Chestnutt IG, Binnie VI. Smoking cessation counselling – a role for the dental profession? *Br Dent J* 1995; **179**: 411–15.
151. Newbury-Birch D, Lowry RJ, Kamali F. The changing patterns of drinking, illicit drug use, stress, anxiety and depression in dental students in a UK dental school: a longitudinal study. *Br Dent J* 2002; **192**: 646–49.
152. Merchant A, Pitiphat W, Douglass CW, Crohin C, Joshipura K. Oral hygiene practices and periodontitis in health care professionals. *J Periodontol* 2002; **73**: 531–35.
153. Myers AH, Rosner B, Abbey H, Willet W, Stampfer MJ, Bain C, Lipnick R, Hennekens C, Speizer F. Smoking behavior among participants in the nurses' health study. *Am J Public Health* 1987; **77**: 628–30.
154. Bain C, Feskanich D, Speizer FE, Thun M, Hertzmark E, Rosner BA, Colditz GA. Lung cancer rates in men and women with comparable histories of smoking. *J Natl Cancer Inst* 2004; **96**: 826–34.
155. Harrison MB. Assessment of the smoking prevention and cessation needs of Canadian student nurses & registered nurses. *Can J Cardiovasc Nurs* 1991; **2**: 22.
156. John U, Hanke M. Tobacco-smoking prevalence among physicians and nurses in countries with different tobacco-control activities. *Eur J Cancer Prev* 2003; **12**: 235–37.
157. Steptoe A, Doherty S, Kendrick T, Rink E, Hilton S. Attitudes to cardiovascular health promotion among GPs and practice nurses. *Fam Pract* 1999; **16**: 158–63.
158. Smith DR, Wei N, Wang RS. Contemporary smoking habits among nurses in Mainland China. *Contemp Nurse* 2005; **20**: 258–66.
159. Yang MS, Yang MJ, Pan SM. Prevalence and correlates of substance use among clinical nurses in Kaohsiung city. *Kaohsiung J Med Sci* 2001; **17**: 261–69 [in Chinese].
160. Alexander LL, Beck K. The smoking behaviour of military nurses: the relationship to job stress, job satisfaction and social support. *J Adv Nurs* 1990; **15**: 843–49.
161. Petch-Levine D, Young Cureton V, Canham D, Murray M. Health practices of school nurses. *J Sch Nurs* 2003; **19**: 273–80.
162. Sekijima K, Seki N, Suzuki H. Smoking prevalence and attitudes toward tobacco among student and staff nurses in Niigata, Japan. *Tohoku J Exp Med* 2005; **206**: 187–94.
163. Alderman C. Here's looking at you. *Nurs Stand* 1997; **11**: 23–27.

Smoking among healthcare professionals

164. Gray J. Number of nurses who smoke 'extremely low'. *Nurs Stand* 1997; **11**: 5.
165. Johnston JM, Chan SS, Chan SK, Lam TH, Chi I, Leung GM. Training nurses and social workers in smoking cessation counseling: a population needs assessment in Hong Kong. *Prev Med* 2005; **40**: 389–406.
166. Ernster V, Kaufman N, Nichter M, Samet J, Yoon SY. Women and tobacco: moving from policy to action. *Bull World Health Organ* 2000; **78**: 891–901.
167. Mackay J. Women and tobacco: international issues. *J Am Med Womens Assoc* 1996; **51**: 48–51.
168. Reeve K, Adams J, Kouzekanani K. The nurse as exemplar: smoking status as a predictor of attitude toward smoking and smoking cessation. *Cancer Pract* 1996; **4**: 31–33.
169. Sarna LP, Brown JK, Lillington L, Rose M, Wewers ME, Brecht ML. Tobacco interventions by oncology nurses in clinical practice: report from a national survey. *Cancer* 2000; **89**: 881–89.
170. Yankie VM, Price HM, Nanfito ER, Jasinski DM, Crowell NA, Heath J. Providing smoking cessation counseling: a national survey among nurse anesthetists. *Crit Care Nurs Clin North Am* 2006; **18**: 123–29, xiv.
171. Beletsioti-Stika P, Scriven A. Smoking among Greek nurses and their readiness to quit. *Int Nurs Rev* 2006; **53**: 150–56.
172. Kaplan B, Yogev Y, Fisher M, Gall B, Dekel A, Sulkes J, Rabinerson D. Self-health attitudes and practices of obstetrics and gynecology nurses in Israel. *Clin Exp Obstet Gynecol* 2002; **29**: 115–16.
173. Sezer H, Guler N, Sezer RE. Smoking among nurses in Turkey: comparison with other countries. *J Health Popul Nutr* 2007; **25**: 107–11.
174. Kirkby RJ, Bashkawi EB, Drew CA, Foenander GP. Smoking in nurses. *Med J Aust* 1976; **2**: 864–65.
175. Hughes AM, Rissel C. Smoking: rates and attitudes among nursing staff in central Sydney. *Int J Nurs Pract* 1999; **5**: 147–54.
176. Chalmers K, Bramadat IJ, Cantin B, Murnaghan D, Shuttleworth E, Scott-Findlay S, Tataryn D. A smoking reduction and cessation program with registered nurses: findings and implications for community health nursing. *J Community Health Nurs* 2001; **18**: 115–34.
177. Morra ME, Knobf MK. Comparison of nurses' smoking habits: the 1975 DHEW survey and Connecticut nurses, 1981. *Public Health Rep* 1983; **98**: 553–57.
178. Nelson DE, Giovino GA, Emont SL, Brackbill R, Cameron LL, Peddicord J. Trends in cigarette smoking among US physicians and nurses. *JAMA* 1994; **271**: 1273–75.
179. Ohida T, Osaki Y, Kobayashi Y, Sekiyama M, Minowa M. Smoking prevalence of female nurses in the national hospitals of Japan. *Tob Control* 1999; **8**: 192–95.
180. Kitajima T, Ohida T, Harano S, Kamal AM, Takemura S, Nozaki N, Kawahara K, Minaowa M.

- Smoking behavior, initiating and cessation factors among Japanese nurses: a cohort study. *Public Health* 2002; **116**: 347–52.
181. Smith DR, Adachi Y, Mihashi M, Ueno C, Ishitake T. Tobacco smoking habits among a cross-section of rural Japanese nurses. *Aust J Adv Nurs* 2006; **24**: 33–37.
182. Spencer JK. Nurses' cigarette smoking in England and Wales. *Int J Nurs Stud* 1984; **21**: 69–79.
183. Blakey R, Seaton A. Smoking attitudes amongst nursing tutors and their students. *Health Bull (Edinb)* 1992; **50**: 417–21.
184. Dickens GL, Stubbs JH, Haw CM. Smoking and mental health nurses: a survey of clinical staff in a psychiatric hospital. *J Psychiatr Ment Health Nurs* 2004; **11**: 445–51.
185. Stubbs J, Haw C, Garner L. Survey of staff attitudes to smoking in a large psychiatric hospital. *Psychiatric Bull* 2004; **28**: 204–07.
186. Bloor RN, Meeson L, Crome IB. The effects of a non-smoking policy on nursing staff smoking behaviour and attitudes in a psychiatric hospital. *J Psychiatr Ment Health Nurs* 2006; **13**: 188–96.
187. Hay DR. The smoking habits of nurses in New Zealand: results from the 1976 population census. *NZ Med J* 1980; **92**: 391–93.
188. Ohida T, Kawahara K, Osaki Y, Sone T, Kamal AM, Kawaguchi T, Sekiyama M, Harita A, Minowa M. Behaviors and attitudes towards smoking among the nurses in Japan. *J Epidemiol* 2000; **10**: 344–48.
189. Group UNITEUS. A survey of coronary risk factors in a cohort of cardiac nurses from Europe: Do nurses practise what they preach? *Eur J Cardiovasc Nurs* 2002; **1**: 57–60.
190. Plant ML, Plant MA, Foster J. Alcohol, tobacco and illicit drug use amongst nurses: a Scottish study. *Drug Alcohol Depend* 1991; **28**: 195–202.
191. Fernandez D, Martin V, Molina AJ, De Luis JM. Smoking habits of students of nursing: a questionnaire survey (2004–2006). *Nurse Educ Today* 2010; **30**: 480–84.
192. Jones TE, Crocker H, Ruffin RE. Smoking habits and cessation programme in an Australian teaching hospital. *Aust NZ J Med* 1998; **28**: 446–52.
193. Nagle A, Schofield M, Redman S. Australian nurses' smoking behaviour, knowledge and attitude towards providing smoking cessation care to their patients. *Health Promot Int* 1999; **14**: 133–44.
194. Dore K, Hoey J. Smoking practices, knowledge and attitudes regarding smoking of university hospital nurses. *Can J Public Health* 1988; **79**: 170–74.
195. O'Connor AM, Harrison M. Survey of smoking prevalence among Canadian nursing students and registered nurses. *Can J Public Health* 1992; **83**: 417–21.
196. Chalmers K, Bramadat IJ, Cantin B, Shuttleworth E, Scott-Findlay S. Smoking characteristics of Manitoba nurses. *Can Nurse* 2000; **96**: 31–34.

Smoking among healthcare professionals

197. Pelkonen M, Kankkunen P. Nurses' competence in advising and supporting clients to cease smoking: a survey among Finnish nurses. *J Clin Nurs* 2001; **10**: 437–41.
198. Cooreman J, Pretet S, Levallois M, Marsac J, Perdrizet S. Smoking among hospital nurses. *Am J Public Health* 1989; **79**: 782.
199. Tselebis A, Panaghiotou A, Theotoka I, Ilias I. Nursing staff anxiety versus smoking habits. *Int J Nurs Pract* 2001; **7**: 221–23.
200. Callaghan P, Fun MK, Yee FC. Hong Kong nurses' health-related behaviours: implications for nurses' role in health promotion. *J Adv Nurs* 1997; **25**: 1276–82.
201. Ota A, Yasuda N, Okamoto Y, Kobayashi Y, Sugihara Y, Koda S, Kawakami N, Ohara H. Relationship of job stress with nicotine dependence of smokers – a cross-sectional study of female nurses in a general hospital. *J Occup Health* 2004; **46**: 220–24.
202. Retief FW, Prinsloo E, Calitz J, Barnes JM. Smoking among nursing staff at Tygerberg Hospital, Cape Town. *S Afr Med J* 2003; **93**: 661–63.
203. Hope A, Kelleher CC, O'Connor M. Lifestyle practices and the health promoting environment of hospital nurses. *J Adv Nurs* 1998; **28**: 438–47.
204. Rowe K, Clark JM. Evaluating the effectiveness of a smoking cessation intervention designed for nurses. *Int J Nurs Stud* 1999; **36**: 301–11.
205. McKenna H, Slater P, McCance T, Bunting B, Spiers A, McElwee G. The role of stress, peer influence and education levels on the smoking behaviour of nurses. *Int J Nurs Stud* 2003; **40**: 359–66.
206. Feldman R. Smoking and the psych nurse. *J Psychosoc Nurs Ment Health Serv* 1984; **22**: 13–16.
207. Becker DM, Myers AH, Sacci M, Weida S, Swank R, Levine DM, Pearson TA. Smoking behavior and attitudes toward smoking among hospital nurses. *Am J Public Health* 1986; **76**: 1449–51.
208. Brown MH, Kiss ME. Evaluation of competition as a method to recruit nurses into an employee self-help quit-smoking program. A failed experiment. *Cancer Nurs* 1987; **10**: 227–30.
209. Haughey BP, Kuhn MA, Dittmar SS, Wu YW. Health practices of critical care nurses. *Heart Lung* 1992; **21**: 203–08.
210. Stillman FA, Hantula DA, Swank R. Creating a smoke-free hospital: attitudes and smoking behaviors of nurses and physicians. *Am J Health Promot* 1994; **9**: 108–14.
211. Mundt MH, Glass LK, Michaels C. A professional challenge: nurses and smoking. *J Community Health Nurs* 1995; **12**: 139–46.
212. Blazer LK, Mansfield PK. A comparison of substance use rates among female nurses, clerical workers and blue-collar workers. *J Adv Nurs* 1995; **21**: 305–13.
213. Trinkoff AM, Storr CL. Substance use among nurses: differences between specialties. *Am J Public Health* 1998; **88**: 581–85.

214. Collins RL, Gollnisch G, Morsheimer ET. Substance use among a regional sample of female nurses. *Drug Alcohol Depend* 1999; **55**: 145–55.
215. Barrett TW, Norton VC, Busam M, Boyd J, Maron DJ, Slovis CM. Self-reported cardiac risk factors in emergency department nurses and paramedics. *Prehosp Disaster Med* 2000; **15**: 14–17.
216. Borrelli B, Hecht JP, Papandonatos GD, Emmons KM, Tatewosian LR, Abrams DB. Smoking-cessation counseling in the home. Attitudes, beliefs, and behaviors of home healthcare nurses. *Am J Prev Med* 2001; **21**: 272–77.
217. Braun BL, Fowles JB, Solberg LI, Kind EA, Lando H, Pine D. Smoking-related attitudes and clinical practices of medical personnel in Minnesota. *Am J Prev Med* 2004; **27**: 316–22.
218. Brown DE, James GD, Mills PS. Occupational differences in job strain and physiological stress: female nurses and school teachers in Hawaii. *Psychosom Med* 2006; **68**: 524–30.

Smoking among healthcare professionals

Chapter 4

1. Moreno San-Pedro E, Roales-Nieto JG, Blanco-Coronado JL. Tobacco use among Spanish physicians and medical students. *Tob Control* 2006; **15**: 272.
2. Sockrider MM, Maguire GP, Haponik E, Davis A, Boehlecke B. Attitudes of respiratory care practitioners and students regarding pulmonary prevention. *Chest* 1998; **114**: 1193–98.
3. Baldwin DC, Jr., Hughes PH, Conard SE, Storr CL, Sheehan DV. Substance use among senior medical students. A survey of 23 medical schools. *JAMA* 1991; **265**: 2074–78.
4. Huy NV, An DTM, Phong DN. Smoking among Vietnamese medical students: Prevalence, costs, and predictors. *Asia Pac J Public Health* 2008; **20**: 16–24.
5. Kocabas A, Burgut R, Bozdemir Nk, A, , Cildag O, Dagli E, Erkan L, Isik R, Turktas H. Smoking patterns at different medical schools in Turkey. *Tob Control* 1994; **3**: 228–35.
6. Rodriguez ME, Cami J. Substance use among medical students in Barcelona (Spain). A comparison with previous surveys. *Drug Alcohol Depend* 1986; **18**: 311–18.
7. Rosselli D, Rey O, Calderon C, Rodriguez MN. Smoking in Colombian medical schools: the hidden curriculum. *Prev Med* 2001; **33**: 170–74.
8. Ahmadi J, Khalili H, Jooybar R, Namazi N, Aghaei PM. Cigarette smoking among Iranian medical students, resident physicians and attending physicians. *Eur J Med Res* 2001; **6**: 406–08.
9. Jarallah JS. Smoking habits of medical students at King Saud University, Riyadh. *Saudi Med J* 1992; **13**: 510–13.
10. Kawane H. Tobacco smoking in Japan. *Med J Aust* 1987; **146**: 503–04.
11. Kawane H. Antismoking education for medical students. *Chest* 1992; **101**: 1480.
12. Kusunoki T, Hosoi S, Asai K, Harazaki M, Furusho K. Relationships between atopy and lung function: results from a sample of one hundred medical students in Japan. *Ann Allergy Asthma Immunol* 1999; **83**: 343–47.
13. Merrill JR, Madanat HN, Cox E, Merrill JM. Perceived effectiveness of counselling patients about smoking among medical students in Amman, Jordan. *East Mediterr Health J* 2009; **15**: 1180–91.
14. Roy M, Chakraborty AK. Smoking and drug-abuse among the newly admitted students of medical colleges in West Bengal. *Indian J Public Health* 1981; **25**: 30–35.
15. Webb E, Ashton CH, Kelly P, Kamah F. An update on British medical students' lifestyles. *Med Educ* 1998; **32**: 325–31.
16. Wong ML, Chen PC. Smoking behaviour, knowledge and opinion of medical students. *Med J Malaysia* 1989; **44**: 317–23.

17. Yaacob I, Abdullah ZA. Smoking behavior, knowledge and opinion of medical students. *Asia Pac J Public Health* 1994; **7**: 88–91.
18. Conard S, Hughes P, Baldwin DC, Jr., Achenbach KE, Sheehan DV. Substance use by fourth-year students at 13 U.S. medical schools. *J Med Educ* 1988; **63**: 747–58.
19. Lam TS, Tse LA, Yu IT, Griffiths S. Prevalence of smoking and environmental tobacco smoke exposure, and attitudes and beliefs towards tobacco control among Hong Kong medical students. *Public Health* 2009; **123**: 42–46.
20. Patkar AA, Hill K, Batra V, Vergare MJ, Leone FT. A comparison of smoking habits among medical and nursing students. *Chest* 2003; **124**: 1415–20.
21. Mangus RS, Hawkins CE, Miller MJ. Tobacco and alcohol use among 1996 medical school graduates. *JAMA* 1998; **280**: 1192–93, 95.
22. Richmond RL, Kehoe L. Smoking behaviour and attitudes among Australian medical students. *Med Educ* 1997; **31**: 169–76.
23. Daudt AW, Alberg AJ, Prola JC, Fialho L, Petracco A, Wilhelms A, Weiss A, Estery C. A first step incorporating smoking education into a Brazilian medical school curriculum: results of a survey to assess the cigarette smoking knowledge, attitudes, behaviour, and clinical practices of medical students. *J Addict Dis* 1999; **18**: 19–29.
24. Lei Z, Jingheng H, Jianzhong L. Smoking among Shanghai medical students and the need for comprehensive intervention strategies. *Health Promot Int* 1997; **12**: 27–32.
25. Centers for Disease Control and Prevention (CDC). Tobacco use and cessation counseling – global health professionals survey pilot study, 10 countries, 2005. *MMWR Morb Mortal Wkly Rep* 2005; **54**: 505–09.
26. Franca LR, Dautzenberg B, Falissard B, Reynaud M. Peer substance use overestimation among French university students: a cross-sectional survey. *BMC Public Health* 2010; **10**: 169.
27. Ramakrishna GS, Sankara Sarma P, Thankappan KR. Tobacco use among medical students in Orissa. *Natl Med J India* 2005; **18**: 285–89.
28. Engs RC. The drug-use patterns of helping-profession students in Brisbane, Australia. *Drug Alcohol Depend* 1980; **6**: 231–46.
29. Roche AM. Have efforts to improve medical students' drug and alcohol knowledge, skills and attitudes worked? *Drug Alcohol Rev* 1997; **16**: 157–70.
30. Roche AM, Beauchamp P. Smoking prevalence among senior medical students. *Med J Aust* 1994; **160**: 447–48.
31. Roche AM, Eccleston P, Jordan D. Smoking-related knowledge and attitudes of senior Australian medical students. *Tob Control* 1996; **5**: 271–79.

Smoking among healthcare professionals

32. Thakore S, Ismail Z, Jarvis S, Payne E, Keetbaas S, Payne R, Rothenburg L. The perceptions and habits of alcohol consumption and smoking among Canadian medical students. *Acad Psychiatry* 2009; **33**: 193–97.
33. Smith DR, Wei N, Wang RS. Tobacco smoking habits among Chinese medical students and their need for health promotion initiatives. *Health Promot J Austr* 2005; **16**: 233–35.
34. Behera D, Malik SK. Smoking habit of undergraduate medical students. *Indian J Chest Dis Allied Sci* 1987; **29**: 182–84.
35. Songkla YN, Saenghirunvattana S. Smoking among medical students. *J Med Assoc Thai* 1985; **68**: 198–200.
36. Najem GR, Passannante MR, Foster JD. Health risk factors and health promoting behavior of medical, dental and nursing students. *J Clin Epidemiol* 1995; **48**: 841–49.
37. Frisch AS, Kurtz M, Shamsuddin K. Knowledge, attitudes and preventive efforts of Malaysian medical students regarding exposure to environmental tobacco and cigarette smoking. *J Adolesc* 1999; **22**: 627–34.
38. Minhas HM, Rahman A. Prevalence, patterns and knowledge of effects on health of smoking among medical students in Pakistan. *East Mediterr Health J* 2009; **15**: 1174–79.
39. Sichletidis LT, Chloros D, Tsiotsios I, Kottakis I, Kaiafa O, Kaouri S, Karamanlidis A, Kalkanis D, Posporelis S. High prevalence of smoking in Northern Greece. *Prim Care Respir J* 2006; **15**: 92–97.
40. Sezer H, Guler N, Sezer RE. Smoking among nurses in Turkey: comparison with other countries. *J Health Popul Nutr* 2007; **25**: 107–11.
41. Piko BF. Does knowledge count? Attitudes toward smoking among medical, nursing, and pharmacy students in Hungary. *J Community Health* 2002; **27**: 269–76.
42. Kavcova E, Kocan I, Squier C. Tobacco control and the role of the medical community in the Slovak Republic. *Eur J Dent Educ* 2004; **8 Suppl 4**: 46–50.
43. Melani AS, Verponziani W, Boccoli E, Trianni GL, Federici A, Amerini R, Vichi MG, Sestini P. Tobacco smoking habits, attitudes and beliefs among nurse and medical students in Tuscany. *Eur J Epidemiol* 2000; **16**: 607–11.
44. Xiang H, Wang Z, Stallones L, Yu S, Gimbel HW, Yang P. Cigarette smoking among medical college students in Wuhan, People's Republic of China. *Prev Med* 1999; **29**: 210–15.
45. Al-Haqwi AL, Tamim H, Asery A. Knowledge, attitude and practice of tobacco smoking by medical students in Riyadh, Saudi Arabia. *Ann Thorac Med* 2010; **5**: 145–48.
46. Ernster V, Kaufman N, Nichter M, Samet J, Yoon SY. Women and tobacco: moving from policy to action. *Bull World Health Organ* 2000; **78**: 891–901.
47. Richmond R. Teaching medical students about tobacco. *Thorax* 1999; **54**: 70–78.

48. Ahmed EN, Jafarey NA. Smoking habits amongst medical students of Sind Medical College. *J Pak Med Assoc* 1983; **33**: 39–44.
49. Mubeen SM, Morrow M, Barraclough S. Smoking among future doctors in a “no-smoking” university campus in Karachi, Pakistan: issues of tobacco control. *J Pak Med Assoc* 2008; **58**: 248–53.
50. Harrabi I, Ghannem H, Kacem M, Gaha R, Ben Abdelaziz A, Tessier JF. Medical students and tobacco in 2004: a survey in Sousse, Tunisia. *Int J Tuberc Lung Dis* 2006; **10**: 328–32.
51. Singh SK, Narang RK, Chandra S, Chaturvedi PK, Dubey AL. Smoking habits of the medical students. *Indian J Chest Dis Allied Sci* 1989; **31**: 99–103.
52. Elkind AK. Changes in the smoking behaviour, knowledge and opinion of medical students, 1972–1981. *Soc Sci Med* 1982; **16**: 2137–43.
53. Vlajinac H, Adanja B, Jarebinski M. Cigarette smoking among medical students in Belgrade related to parental smoking habits. *Soc Sci Med* 1989; **29**: 891–94.
54. Venkataraman S, Mukhopadhyaya A, Muliylil J. Trends of smoking among medical students. *Indian J Med Res* 1996; **104**: 316–20.
55. Boland M, Fitzpatrick P, Scallan E, Daly L, Herity B, Horgan J, Bourke G. Trends in medical student use of tobacco, alcohol and drugs in an Irish university, 1973–2002. *Drug Alcohol Depend* 2006; **85**: 123–28.
56. Ozasa K, Shigeta M, Hayashi K, Yuge M, Watanabe Y. Smoking prevalence in Japanese medical students, 1992–2004. *Med Educ* 2005; **39**: 971–72.
57. Senol Y, Donmez L, Turkay M, Aktekin M. The incidence of smoking and risk factors for smoking initiation in medical faculty students: cohort study. *BMC Public Health* 2006; **6**: 128.
58. Vakefliu Y, Argjiri D, Peposhi I, Agron S, Melani AS. Tobacco smoking habits, beliefs, and attitudes among medical students in Tirana, Albania. *Prev Med* 2002; **34**: 370–73.
59. Roche AM, Eccleston P, Sanson-Fisher R. Teaching smoking cessation skills to senior medical students: a block-randomized controlled trial of four different approaches. *Prev Med* 1996; **25**: 251–58.
60. Roche AM, Sanson-Fisher RW, Cockburn J. Training experiences immediately after medical school. *Med Educ* 1997; **31**: 9–16.
61. Paine PA, Amaral JA, Pereira MG. Association between parental and student smoking behaviour in a Brazilian medical school. *Int J Epidemiol* 1985; **14**: 330–32.
62. Stramari LM, Kurtz M, Silva LC. Prevalence of and variables related to smoking among medical students at a university in the city of Passo Fundo, Brazil. *J Bras Pneumol* 2009; **35**: 442–48.
63. Trkulja V, Zivcec Z, Cuk M, Lackovic Z. Use of psychoactive substances among Zagreb University medical students: follow-up study. *Croat Med J* 2003; **44**: 50–58.

Smoking among healthcare professionals

64. Brenner H, Scharrer S. Smoking habits of future physicians: a survey among medical students of a south German university. *Soz Präventivmed* 1996; **41**: 150–57.
65. Kusma B, Quarcoo D, Vitzthum K, Welte T, Mache S, Meyer-Falcke A, Groneberg DA, Raupach T. Berlin's medical students' smoking habits, knowledge about smoking and attitudes toward smoking cessation counseling. *J Occup Med Toxicol* 2010; **5**: 9.
66. Mammas IN, Bertsiadis GK, Linardakis M, Tzanakis NE, Labadarios DN, Kafatos AG. Cigarette smoking, alcohol consumption, and serum lipid profile among medical students in Greece. *Eur J Public Health* 2003; **13**: 278–82.
67. Alexopoulos EC, Jelastopulu E, Aronis K, Dougenis D. Cigarette smoking among university students in Greece: a comparison between medical and other students. *Environ Health Prev Med* 2010; **15**: 115–20.
68. Waalkens HJ, Cohen Schotanus J, Adriaanse H, Knol K. Smoking habits in medical students and physicians in Groningen, The Netherlands. *Eur Respir J* 1992; **5**: 49–52.
69. Dekker HM, Looman CWN, Adriaanse HP, Van Der Maas PJ. Prevalence of smoking in physicians and medical students, and the generation effect in the Netherlands. *Soc Sci Med* 1993; **36**: 817–22.
70. Piko B, Barabas K, Markos J. Health risk behaviour of a medical student population: report on a pilot study. *J R Soc Health* 1996; **116**: 97–100.
71. Singh G, Singh R, Jindal KC. Drug use among physicians and medical students. *Indian J Med Res* 1981; **73**: 594–602.
72. Sandell J, Singh S, Sati TK, Mehrotra SK. A study of smoking habits of medical students of Uttar Pradesh. *Indian J Public Health* 1983; **27**: 96–101.
73. Sinha DN, Gupta PC. Tobacco and areca nut use in male medical students of Patna. *Natl Med J India* 2001; **14**: 176–78.
74. Mohan S, Pradeepkumar AS, Thresia CU, Thankappan KR, Poston WS, Haddock CK, *et al*. Tobacco use among medical professionals in Kerala, India: the need for enhanced tobacco cessation and control efforts. *Addict Behav* 2006; **31**: 2313–18.
75. Sinha DN, Singh G, Gupta PC, Pednekar M, Warrn CW, Asma S, Lee J. Linking India global health professions student survey data to the World Health Organization framework convention on tobacco control. *Indian J Cancer* 2010; **47 Suppl 1**: 30–34.
76. Ficarra MG, Gualano MR, Capizzi S, Siliquini R, Liguori G, Manzoli L, *et al*. Tobacco use prevalence, knowledge and attitudes among Italian hospital healthcare professionals. *Eur J Public Health* 2010.
77. Tamaki T, Kaneita Y, Ohida T, Yokoyama E, Osaki Y, Kanda H, Takemura S, Hayashi K. Prevalence of and factors associated with smoking among Japanese medical students. *J Epidemiol* 2010; **20**: 339–45.
78. Komu P, Dimba EA, Macigo FG, Ogwel AE. Cigarette smoking and oral health among healthcare students. *East Afr Med J* 2009; **86**: 178–82.

79. Hussain SF, Moid I, Khan JA. Attitudes of Asian medical students towards smoking. *Thorax* 1995; **50**: 996–97.
80. Omair A, Kazmi T, Alam SE. Smoking prevalence and awareness about tobacco related diseases among medical students of Ziauddin Medical University. *J Pak Med Assoc* 2002; **52**: 389–92.
81. Khan FM, Husain SJ, Laeeq A, Awais A, Hussain SF, Khan JA. Smoking prevalence, knowledge and attitudes among medical students in Karachi, Pakistan. *East Mediterr Health J* 2005; **11**: 952–58.
82. Khan N, Siddiqui MU, Padhiar AA, Hashmi SAH, Fatima S, Muzaffar S. Prevalence, knowledge, attitude and practice of Shisha smoking among medical and dental students of Karachi, Pakistan. *J Dow Uni Health Sci* 2008; **2**: 3–10.
83. Al-Turki YA. Smoking habits among medical students in Central Saudi Arabia. *Saudi Med J* 2006; **27**: 700–03.
84. Almerie MQ, Matar HE, Salam M, Morad A, Abdulaal M, Koudsi A, Maziak W. Cigarettes and waterpipe smoking among medical students in Syria: a cross-sectional study. *Int J Tuberc Lung Dis* 2008; **12**: 1085–91.
85. Akvardar Y, Demiral Y, Ergor G, Ergor A, Bilici M, Akil Ozer O. Substance use in a sample of Turkish medical students. *Drug Alcohol Depend* 2003; **72**: 117–21.
86. Gulec M, Bakir B, Ozer M, Ucar M, Kilic S, Hasde M. Association between cigarette smoking and depressive symptoms among military medical students in Turkey. *Psychiatry Res* 2005; **134**: 281–86.
87. Birkner FE, Kunze M. Smoking patterns at a British and at an American medical school. *Med Educ* 1978; **12**: 128–32.
88. Ashton CH, Kamali F. Personality, lifestyles, alcohol and drug consumption in a sample of British medical students. *Med Educ* 1995; **29**: 187–92.
89. Engs RC, Van Teijlingen E. Correlates of alcohol, tobacco and marijuana use among Scottish postsecondary helping-profession students. *J Stud Alcohol* 1997; **58**: 435–44.
90. Ionescu C, Mihaescu T. Smoking behaviour, knowledge and attitudes of medicine, dentistry, and pharmacy students. *Rev Med Chir Soc Med Nat Iasi* 1986; **90**: 79–85.
91. Plasschaert AJ, Hoogstraten J, van Emmerik BJ, Webster DB, Clayton RR. Substance use among Dutch dental students. *Community Dent Oral Epidemiol* 2001; **29**: 48–54.
92. Khami MR, Murtomaa H, Razeghi S, Virtanen JI. Smoking and its determinants among Iranian dental students. *Med Princ Pract* 2010; **19**: 390–94.
93. de Andrade AP, Bernardo AC, Viegas CA, Ferreira DB, Gomes TC, Sales MR. Prevalence and characteristics of smoking among youth attending the University of Brasilia in Brazil. *J Bras Pneumol* 2006; **32**: 23–28.
94. Nagy K, Barabas K, Nyari T. Attitudes of Hungarian healthcare professional students to tobacco and alcohol. *Eur J Dent Educ* 2004; **8 Suppl 4**: 32–35.

Smoking among healthcare professionals

95. Smith DR, Leggat PA, Walsh LJ. Workplace hazards among Australian dental students. *Aust Dent J* 2009; **54**: 186–88.
96. Tarlo SM, Sussman GL, Holness DL. Latex sensitivity in dental students and staff: a cross-sectional study. *J Allergy Clin Immunol* 1997; **99**: 396–401.
97. Victoroff KZ, Dankulich-Huryn T, Haque S. Attitudes of incoming dental students toward tobacco cessation promotion in the dental setting. *J Dent Educ* 2004; **68**: 563–68.
98. Barber MW, Fairclough A. A comparison of alcohol and drug use among dental undergraduates and a group of non-medical, professional undergraduates. *Br Dent J* 2006; **201**: 581–84; discussion 76.
99. Polychonopoulou A, Gatou T, Athanassouli T. Greek dental students' attitudes toward tobacco control programmes. *Int Dent J* 2004; **54**: 119–25.
100. Dumitrescu AL. Attitudes of Romanian dental students towards tobacco and alcohol. *J Contemp Dent Pract* 2007; **8**: 64–71.
101. Hennequin M, Tubert S, Devillers A, Muller M, Michalesco P, Peli JF, Pouezet J. Socio-economic and schooling status of dental undergraduates from six French universities. *Eur J Dent Educ* 2002; **6**: 95–103.
102. Olson DL, Shapiro S. Evaluation of smoking habits of dental students. *J Baltimore Coll Dent Surg* 1971; **26**: 40–44.
103. Olson DL, Shapiro S, Chellemi JS. Smoking habits of dental students. *J Baltimore Coll Dent Surg* 1970; **25**: 35–38.
104. Johansen JR. A survey of the periodontal conditions of dental students in India and Norway. *Acta Odontol Scand* 1970; **28**: 93–116.
105. Curson I, Manson JD. A study of a group of dental students, including their diet and dental health. *Br Dent J* 1965; **119**: 197–205.
106. Ashley MJ. Smoking habits, knowledge, and attitudes of final year university students in the health professions. *Prev Med* 1981; **10**: 645–54.
107. Sugiura G, Shinada K, Kawaguchi Y. Psychological well-being and perceptions of stress amongst Japanese dental students. *Eur J Dent Educ* 2005; **9**: 17–25.
108. Al-Omari Q, Barrieshi-Nusair K, Said K. Smoking prevalence and its effect on dental health attitudes and behavior among dental students. *Med Princ Pract* 2006; **15**: 195–99.
109. Al-Omari QD, Hamasha AA. Gender-specific oral health attitudes and behavior among dental students in Jordan. *J Contemp Dent Pract* 2005; **6**: 107–14.
110. Almas K, Al-Hawish A, Al-Khamis W. Oral hygiene practices, smoking habit, and self-perceived oral malodor among dental students. *J Contemp Dent Pract* 2003; **4**: 77–90.

111. Maatouk F, Maatouk W, Ghedira H, Ben Mimoun S. Effect of 5 years of dental studies on the oral health of Tunisian dental students. *East Mediterr Health J* 2006; **12**: 625–31.
112. Underwood B, Fox K. A survey of alcohol and drug use among UK based dental undergraduates. *Br Dent J* 2000; **189**: 314–17.
113. Newbury-Birch D, Lowry RJ, Kamali F. The changing patterns of drinking, illicit drug use, stress, anxiety and depression in dental students in a UK dental school: a longitudinal study. *Br Dent J* 2002; **192**: 646–49.
114. Kawamura M, Yip HK, Hu DY, Komabayashi T. A cross-cultural comparison of dental health attitudes and behaviour among freshman dental students in Japan, Hong Kong and West China. *Int Dent J* 2001; **51**: 159–63.
115. Smith DR, Leggat PA. A comparison of tobacco smoking among dentists in 15 countries. *Int Dent J* 2006; **56**: 283–88.
116. Smith DR, Leggat PA. An international review of tobacco smoking among medical students. *J Postgrad Med* 2007; **53**: 55–62.
117. Davis RM. When doctors smoke. *Tob Control* 1993; **2**: 187–88.
118. Rikard-Bell G, Groenlund C, Ward J. Australian dental students' views about smoking cessation counseling and their skills as counselors. *J Public Health Dent* 2003; **63**: 200–06.
119. Hussey DL, Burnett AC, Linden GJ. Characteristics of dental students in Ontario and Northern Ireland. *J Ir Dent Assoc* 1990; **36**: 133–35.
120. McCartan BE, Sadlier D, O'Mullane DM. Smoking habits and attitudes of Irish dentists and dental students. *J Ir Dent Assoc* 1993; **39**: 26–29.
121. Vered Y, Livny A, Zini A, Shabaita S, Sgan-Cohen HD. Dental students' attitudes and behavior toward smoking cessation as part of their professional education. *Teach Learn Med*; **22**: 268–73.
122. Gordon NA, Rayner CA. Smoking practices of dental and oral health students at the University of the Western Cape. *SADJ* 2010; **65**: 304–08.
123. Underwood B, Fox K, Manogue M. Tobacco, alcohol and drug use among dental undergraduates at one English university in 1998 and 2008. *Br Dent J* 2010; **208**: E8; discussion 164–65.
124. Yip JK, Hay JL, Ostroff JS, Stewart RK, Cruz GD. Dental students' attitudes toward smoking cessation guidelines. *J Dent Educ* 2000; **64**: 641–50.
125. Ahmadi J, Maharlooy N, Alishahi M. Substance abuse: prevalence in a sample of nursing students. *J Clin Nurs* 2004; **13**: 60–64.
126. Baron-Epel O, Josephsohn K, Ehrenfeld M. Nursing students' perceptions of smoking prevention. *Nurse Educ Today* 2004; **24**: 145–51.

Smoking among healthcare professionals

127. Krommydas G, Kotrotsiou E, Raftopoulos V, Paralikas T, Gourgoulianis KI, Molyvdas PA. Smoking in health science students with asthma. *Can Respir J* 2004; **11**: 476.
128. Sekijima K, Seki N, Suzuki H. Smoking prevalence and attitudes toward tobacco among student and staff nurses in Niigata, Japan. *Tohoku J Exp Med* 2005; **206**: 187–94.
129. Suzuki K, Ohida T, Yokoyama E, Kaneita Y, Takemura S. Smoking among Japanese nursing students: nationwide survey. *J Adv Nurs* 2005; **49**: 268–75.
130. Blakey R, Seaton A. Smoking attitudes amongst nursing tutors and their students. *Health Bull (Edinb)* 1992; **50**: 417–21.
131. Boccoli E, Federici A, Melani AS, De Paola E. Results of a questionnaire about nurse students' smoking habits and knowledges in an Italian teaching school of nursing. *Eur J Epidemiol* 1996; **12**: 1–3.
132. Melani AS, Verponziani W, Boccoli E, Federici A, Sestini P. A comparison of smoking habits, beliefs and attitudes among Tuscan student nurses in 1992 and 1999. *Eur J Epidemiol* 2001; **17**: 417–21.
133. Carmichael A, Cockcroft A. Survey of student nurses' smoking habits in a London teaching hospital. *Respir Med* 1990; **84**: 277–82.
134. Clark E, McCann TV, Rowe K, Lazenbatt A. Cognitive dissonance and undergraduate nursing students' knowledge of, and attitudes about, smoking. *J Adv Nurs* 2004; **46**: 586–94.
135. O'Connor AM, Harrison M. Survey of smoking prevalence among Canadian nursing students and registered nurses. *Can J Public Health* 1992; **83**: 417–21.
136. Jenkins K, Ahijevych K. Nursing students' beliefs about smoking, their own smoking behaviors, and use of professional tobacco treatment intervention. *Appl Nurs Res* 2003; **16**: 164–72.
137. Sone T. Frequency of contact with cigarette advertising and smoking experience among young women in Japan. *J Epidemiol* 1997; **7**: 43–47.
138. Chalmers K, Seguire M, Brown J. Health promotion and tobacco control: student nurses' perspectives. *J Nurs Educ* 2003; **42**: 106–12.
139. Adams A, Bell PF, Pelletier SD. Nurses and smoking: a comparative study of students of nursing and teaching. *Aust Health Rev* 1994; **17**: 84–101.
140. Gorin SS. Predictors of tobacco control among nursing students. *Patient Educ Couns* 2001; **44**: 251–62.
141. Ohida T, Kamal AA, Takemura S, Sone T, Minowa M, Nozaki S. Smoking behavior and related factors among Japanese nursing students: a cohort study. *Prev Med* 2001; **32**: 341–47.
142. Shriver CB, Scott-Stiles A. Health habits of nursing versus non-nursing students: a longitudinal study. *J Nurs Educ* 2000; **39**: 308–14.
143. Boccoli E, Federici A, Trianni GL, Melani AS. Changes of smoking habits and beliefs during nurse training: a longitudinal study. *Eur J Epidemiol* 1997; **13**: 899–902.

144. Clement M, Jankowski LW, Bouchard L, Perreault M, Lepage Y. Health behaviors of nursing students: a longitudinal study. *J Nurs Educ* 2002; **41**: 257–65.
145. Sejr HS, Osler M. Do smoking and health education influence student nurses' knowledge, attitudes, and professional behavior? *Prev Med* 2002; **34**: 260–65.
146. Rowe K, Clark JM. Evaluating the effectiveness of a smoking cessation intervention designed for nurses. *Int J Nurs Stud* 1999; **36**: 301–11.
147. Hope A, Kelleher CC, O'Connor M. Lifestyle practices and the health promoting environment of hospital nurses. *J Adv Nurs* 1998; **28**: 438–47.
148. Neil JV, Clark D, Muller M. The smoking patterns and attitudes of student nurses and student teachers. *Aust Nurses J* 1980; **9**: 47–48.
149. Smith DR, Leggat PA. Tobacco smoking habits among a complete cross-section of Australian nursing students. *Nurs Health Sci* 2007; **9**: 82–89.
150. Zanetti F, Bergamaschi A, De Luca G, Stampi S. Tobacco smoking among nursing students: behaviour and knowledge of the correlated risks. *Ann Ig*. 2003; **15**: 545–50.
151. Biraghi E, Tortorano AM. Tobacco smoking habits among nursing students and the influence of family and peer smoking behaviour. *J Adv Nurs* 2010; **66**: 33–39.
152. Ohida T, Sakurai A, Kamal A, Sone T, Takemura S, Fukushima F. Smoking among Japanese nursing students: a nationwide survey. *Tob Control* 2001; **10**: 397.
153. Durmaz A, Üstün B. Determination of Smoking Habits and Personality Traits Among Nursing Students. *J Nurs Educ* 2006; **48**: 328–33.
154. Booth K, Faulkner A. Links between nurses and cigarette smoking? *Nurse Educ Today* 1986; **6**: 176–82.
155. West R, Hargreaves M. Factors associated with smoking in student nurses. *Psychol Health* 1995; **10**: 195–204.
156. Charlton A, While D, Mochizuki Y. A survey into the smoking habits of nursing students. *Nurs Times* 1997; **93**: 58–60.
157. Haughey BP, O'Shea RM, Dittmar SS, Bahn P, Mathewson M, Smith S, Brasure J. Smoking behavior among student nurses: a survey. *Public Health Rep*. 1986; **101**: 652–57.

Smoking among healthcare professionals

Chapter 5

1. 4,776 answer MM smoking survey. *Mod Med Aust*. August 1964 pp. 1–4.
2. Young JM, Ward JE. Implementing guidelines for smoking cessation advice in Australian general practice: opinions, current practices, readiness to change and perceived barriers. *Fam Pract* 2001; **18**: 14–20.
3. Nyman K. The health of general practitioners. A pilot survey. *Aust Fam Physician* 1991; **20**: 637–41, 44–45.
4. Roche AM, Parle MD, Stubbs JM, Hall W, Saunders JB. Management and treatment efficacy of drug and alcohol problems: What do doctors believe? *Addiction* 1995; **90**: 1357–66.
5. Dodds AM, Rankin DW, Hill DJ, Gray NJ. Attitudes and smoking habits of doctors in Victoria. *Community Health Stud* 1979; **3**: 28–31.
6. McCall L, Maher T, Piterman L. Preventive health behaviour among general practitioners in Victoria. *Aust Fam Physician* 1999; **28**: 854–57.
7. Rankin DW, Gray NJ, Hill DJ, Evans DR. Attitudes and smoking habits of Australian doctors. *Med J Aust* 1975; **2**: 822–24.
8. Roche AM, Parle MD, Saunders JB. Managing alcohol and drug problems in general practice: A survey of trainees' knowledge, attitudes and educational requirements. *Aust NZ J Public Health* 1996; **20**: 401–08.
9. Young JM, Ward JE. Declining rates of smoking among medical practitioners. *Med J Aust* 1997; **167**: 232.
10. You're setting the pace in the fitness stakes. *Med Pract*. September 1983 pp.22–24.
11. 5,976 answer MM smoking survey. *Mod Med Aust*. August 1970 pp.1–4.
12. Hill D, Borland R. Are doctors doing enough to stop their patients smoking? *Med J Aust* 1989; **150**: 413–14.
13. Dickinson JA, Wiggers J, Leeder SR, Sanson-Fisher RW. General practitioners' detection of patients' smoking status. *Med J Aust* 1989; **150**: 420–22, 5–6.
14. Chapman S, Wong WL, Smith W. Self-exempting beliefs about smoking and health: differences between smokers and ex-smokers. *Am J Public Health* 1993; **83**: 215–19.
15. Jones TE, Crocker H, Ruffin RE. Smoking habits and cessation programme in an Australian teaching hospital. *Aust NZ J Med* 1998; **28**: 446–52.
16. Glanz K, Fiel SB, Walker LR, Levy MR. Preventive health behavior of physicians. *J Med Educ* 1982; **57**: 637–39.
17. Samp RJ. Wisconsin physicians and cigarette smoking. *Wis Med J* 1963; **62**: 229.

18. Vaillant GE, Brighton JR, McArthur C. Physicians' use of mood-altering drugs. A 20-year follow-up report. *N Engl J Med* 1970; **282**: 365–70.
19. 60,000 answer MM smoking survey: Half of physicians don't smoke; nearly quarter use cigarettes. *Mod Med* 1964; **32**: 6, 18, 22, 30.
20. Scott HD, Tierney JT, Buechner JS, Waters WJ, Jr. Smoking rates among Rhode Island physicians: achieving a smoke-free society. *Am J Prev Med* 1992; **8**: 86–90.
21. Snegireff LS, Lombard OM. Comparative study of smoking habits of physicians. *N Engl J Med* 1955; **252**: 691–96.
22. Tate CI, Fulghum JE. Seventy per cent of Florida physicians are nonsmokers. *J Fla Med Assoc* 1965; **52**: 47–48.
23. Coe RM, Brehm HP. Smoking habits of physicians and preventive care practices. *HSMHA Health Rep* 1971; **86**: 217–21.
24. Eisinger RA. Cigarette smoking and the pediatrician. Findings based on a national survey. *Clin Pediatr (Phila)* 1972; **11**: 645–47.
25. Tamerin JS, Eisinger RA. Cigarette smoking and the psychiatrist. *Am J Psychiatry* 1972; **128**: 1224–29.
26. Fulghum JE, Groover ME, Jr., Williams AC, Braatz W. Smoking habits of Florida physicians revisited. *JFMA* 1972; **59**: 23–28.
27. Sachs DP. Smoking habits of pulmonary physicians. *N Engl J Med* 1983; **309**: 799.
28. Sachs DP. Treatment of cigarette dependency. What American pulmonary physicians do. *Am Rev Respir Dis* 1984; **129**: 1010–13.
29. Challberg K. Smoking habits of Rhode Island physicians. *R I Med J* 1979; **62**: 245.
30. Marwick C. Many physicians following own advice about not smoking. *JAMA* 1984; **252**: 2804.
31. Buechner JS, Perry DK, Scott HD, Freedman BE, Tierney JT, Waters WJ. Cigarette smoking behavior among Rhode Island physicians, 1963–83. *Am J Public Health* 1986; **76**: 285–86.
32. Burgess AM, Jr., Casey DB, Tierney JT. Cigarette smoking by Rhode Island physicians, 1963–1973: comparison with lawyers and other adult males. *Am J Public Health* 1978; **68**: 63–65.
33. Burgess AM, Jr., Casey DV, Tierney JT, DePalo P. Cigarette smoking by Rhode Island physicians: a fifteen year update. Percentage of physicians who smoke continues to decrease. *R I Med J* 1980; **63**: 345–47.
34. Burgess AM, Jr., Tierney JT. Rhode Island physicians' smoking habits revisited 1963–1968. *R I Med J* 1969; **52**: 437–40.

Smoking among healthcare professionals

35. Burgess AM, Jr., Tierney JT. Bias due to nonresponse in a mail survey of Rhode Island physicians' smoking habits – 1968. *N Engl J Med* 1970; **282**: 908.
36. Murphy TH, Tierney JT. Current Status of Cigarette Smoking among Rhode Island Physicians. *R I Med J* 1963; **46**: 655–57.
37. Smith DR, Leggat PA. An international review of tobacco smoking in the medical profession: 1974–2004. *BMC Public Health* 2007; **7**: 115.
38. Greenwald P, Nelson D, Greene D. Smoking habits of physicians and their wives. *N Y State J Med* 1971; **71**: 2096–98.
39. The smoking study. A report of the attitudes and habits of California physicians with respect to cigarette smoking. *Calif Med* 1968; **109**: 339–44.
40. Wells KB, Lewis CE, Leake B, Ware JE, Jr. Do physicians preach what they practice? A study of physicians' health habits and counseling practices. *JAMA* 1984; **252**: 2846–48.
41. Fortmann SP, Sallis JF, Magnus PM, Farquhar JW. Attitudes and practices of physicians regarding hypertension and smoking: The Stanford Five City Project. *Prev Med* 1985; **14**: 70–80.
42. Linn LS, Yager J, Cope D, Leake B. Health habits and coping behaviors among practicing physicians. *West J Med* 1986; **144**: 484–89.
43. Thomas N. Smoking attitudes of New Haven county physicians: a survey. *Conn Med* 1968; **32**: 902–05.
44. Levitt EE, DeWitt KN. A survey of smoking behavior and attitudes of Indiana physicians. *J Indiana State Med Assoc* 1970; **63**: 336–39.
45. Snegireff LS, Lombard OM. Survey of smoking habits of Massachusetts physicians. *N Engl J Med* 1954; **250**: 1042–45.
46. Snegireff LS, Lombard OM. Smoking habits of Massachusetts physicians; five-year follow-up study (1954–1959). *N Engl J Med* 1959; **261**: 603–04.
47. Monson RR. Cigarette smoking by Massachusetts physicians – 1968. *N Engl J Med* 1970; **282**: 906–08.
48. Wyshak G, Lamb GA, Lawrence RS, Curran WJ. A profile of the health-promoting behaviors of physicians and lawyers. *N Engl J Med* 1980; **303**: 104–07.
49. Browning RH, Thorp D. Cigarettes. The Ohio Thoracic Society reports. *Ohio State Med J* 1969; **65**: 245–47.
50. Meighan SS, Weitman M. Smoking: habits and beliefs of Oregon physicians. *J Natl Cancer Inst* 1965; **35**: 893–98.
51. Weitman M, Meighan SS. Smoking patterns and specialty training of Oregon physicians. *Cancer* 1967; **20**: 974–82.

52. Boucot KR, Mausner JS. Smoking among the members of the Philadelphia County Medical Society. *Phila Med* 1964; **59**: 711–12.
53. Enstrom JE, Kanim LE. Smoking cessation among California physicians: an example of cancer control. *Prog Clin Biol Res* 1984; **156**: 255–64.
54. Lipp MR, Benson SG. Physician use of marijuana, alcohol, and tobacco. *Am J Psychiatry* 1972; **129**: 612–16.
55. Covey LS, Wynder EL. Smoking habits and occupational status. *J Occup Med* 1981; **23**: 537–42.
56. The impact of providing physicians with quit-smoking materials for smoking patients. *CA Cancer J Clin* 1981; **31**: 75–78.
57. National Clearinghouse for Smoking and Health: Survey conducted by the National Opinion Research Center Washington: US Public Health Service, 1968.
58. Bruce DL, Eide KA, Smith NJ, Seltzer F, Dykes MH. Characteristics of the American Society of Anesthesiologists' membership, 1967–1971. *Anesthesiology* 1974; **41**: 67–70.
59. Sterling TD, Weinkam JJ. Smoking characteristics by type of employment. *J Occup Med* 1976; **18**: 743–54.
60. Current trends: Smoking behavior and attitudes of physicians, dentists, nurses, and pharmacists, 1975. *MMWR Morb Mortal Wkly Rep* 1977; **26**: 185.
61. Survey of physicians' attitudes and practices in early cancer detection. *CA Cancer J Clin* 1985; **35**: 197–213.
62. Stellman SD, Boffetta P, Garfinkel L. Smoking habits of 800,000 American men and women in relation to their occupations. *Am J Ind Med* 1988; **13**: 43–58.
63. Brackbill R, Frazier T, Shilling S. Smoking characteristics of US workers, 1978–1980. *Am J Ind Med* 1988; **13**: 5–41.
64. Nelson DE, Giovino GA, Emont SL, Brackbill R, Cameron LL, Peddicord J, Mowery PD. Trends in cigarette smoking among US physicians and nurses. *JAMA* 1994; **271**: 1273–75.
65. Doctor, When did you have your last cigarette? *Med Tribune* 1965; **6**: 21.
66. 1966 survey results: Fewer doctors now smoke; patients often ignore advice. *Mod Med* 1966; **34**: 8, 14.
67. Special survey – How doctors take care of themselves. *Patient Care* 1976; **10**: 49–59.
68. McIlreath FJ, Cohen BM. Ventilatory performance of American physicians. *Am J Med Sci* 1966; **252**: 1–8.
69. Westling-Wikstrand H, Monk MA, Thomas CB. Some characteristics related to the career status of women physicians. *Johns Hopkins Med J* 1970; **127**: 273–86.

Smoking among healthcare professionals

Chapter 6

1. Rahman M, Fukui T. Biomedical publication – global profile and trend. *Public Health* 2003; **117**: 274–80.
2. Booth K, Faulkner A. Links between nurses and cigarette smoking? *Nurse Educ Today* 1986; **6**: 176–82.
3. Burgess AM, Jr., Tierney JT. Bias due to nonresponse in a mail survey of Rhode Island physicians' smoking habits – 1968. *N Engl J Med* 1970; **282**: 908.
4. Morra ME, Knobf MK. Comparison of nurses' smoking habits: the 1975 DHEW survey and Connecticut nurses, 1981. *Public Health Rep* 1983; **98**: 553–57.
5. Ohida T, Takemura S, Nozaki N, Kawahara K, Minowa M, Mochizuki Y. The validity of repeated mail surveys concerning smoking habits for Japanese physicians. *Nippon Koshu Eisei Zasshi* 2001; **48**: 573–83 [in Japanese].
6. Rodrigues GA, Galvao V, Viegas CA. Prevalence of smoking among dentists in the Federal District of Brasilia, Brazil. *J Bras Pneumol* 2008; **34**: 288–93.
7. Burgan SZ. Smoking behavior and views of Jordanian dentists: A pilot survey. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003; **95**: 163–68.
8. Lodi G, Bez C, Rimondini L, Zuppiroli A, Sardella A, Carrassi A. Attitude towards smoking and oral cancer prevention among northern Italian dentists. *Oral Oncol* 1997; **33**: 100–04.
9. Boyle P. Tobacco smoking and the British doctors' cohort. *Br J Cancer* 2005; **92**: 419–20.
10. Clever LH, Arsham GM. Physicians' own health – some advice for the advisors. *West J Med* 1984; **141**: 846–54.
11. Yaacob I, Abdullah ZA. Smoking habits and attitudes among doctors in a Malaysian hospital. *Southeast Asian J Trop Med Public Health* 1993; **24**: 28–31.
12. Mausner JS. Smoking in medical students. A survey of attitudes, information, and smoking habits. *Arch Environ Health* 1966; **13**: 51–60.
13. Thomas CB, Ross DC, Higinbothom CQ. Precursors of hypertension and coronary disease among healthy medical students: discriminant function analysis. I. Using smoking habits as the criterion. *Bull Johns Hopkins Hosp* 1964; **115**: 174–94.
14. Smith DR, Leggat PA. An international review of tobacco smoking among medical students. *J Postgrad Med* 2007; **53**: 55–62.
15. Smith DR, Leggat PA. An international review of tobacco smoking among dental students in 19 countries. *Int Dent J* 2007; **57**: 452–58.
16. Elkind AK. Do nurses smoke because of stress? *J Adv Nurs* 1988; **13**: 733–45.

17. Rowe K, Clark JM. Evaluating the effectiveness of a smoking cessation intervention designed for nurses. *Int J Nurs Stud* 1999; **36**: 301–11.
18. Hope A, Kelleher CC, O'Connor M. Lifestyle practices and the health promoting environment of hospital nurses. *J Adv Nurs* 1998; **28**: 438–47.
19. Strobl J, Latter S. Qualified nurse smokers' attitudes towards a hospital smoking ban and its influence on their smoking behaviour. *J Adv Nurs* 1998; **27**: 179–88.
20. Brown MH, Kiss ME. Evaluation of competition as a method to recruit nurses into an employee self-help quit-smoking program. A failed experiment. *Cancer Nurs* 1987; **10**: 227–30.
21. World Health Organization website. *Tobacco Free Initiative (TFI)*. Available online at: www.who.int/tobacco/en/ (Accessed: 21 July 2010)
22. World Health Organization website. *What in the World Works? International Consultation on Tobacco and Youth, Final Conference Report*. Available online at: whqlibdoc.who.int/hq/2000/WHO_NMH_TFI_00.1.pdf (Accessed: 21 July 2010)
23. McCartan BE, Shanley DB. Policies and practices of European dental schools in relation to smoking; a ten-year follow-up. *Br Dent J* 2005; **198**: 423–25.
24. Stacey F, Heasman PA, Heasman L, Hepburn S, McCracken GI, Preshaw PM. Smoking cessation as a dental intervention: views of the profession. *Br Dent J* 2006; **201**: 109–13; discussion 99.

Smoking among healthcare professionals

Appendices

1. Schenker MB, Samuels SJ, Green RS, Wiggins P. Adverse reproductive outcomes among female veterinarians. *Am J Epidemiol* 1990; **132**: 96–106.
2. Tielen MJ, Elbers AR, Snijdelaar M, van Gulick PJ, Preller L, Blaauw PJ. Prevalence of self-reported respiratory disease symptoms among veterinarians in the Southern Netherlands. *Am J Ind Med* 1996; **29**: 201–07.
3. Gabel CL, Gerberich SG. Risk factors for injury among veterinarians. *Epidemiology* 2002; **13**: 80–86.
4. Susitaival P, Kirk JH, Schenker MB. Atopic symptoms among California veterinarians. *Am J Ind Med* 2003; **44**: 166–71.
5. Andersen CI, Von Essen SG, Smith LM, Spencer J, Jolie R, Donham KJ. Respiratory symptoms and airway obstruction in swine veterinarians: a persistent problem. *Am J Ind Med* 2004; **46**: 386–92.
6. Wilkins MJ, Bartlett PC, Judge LJ, Erskine RJ, Boulton ML, Kaneene JB. Veterinarian injuries associated with bovine TB testing livestock in Michigan, 2001. *Prev Vet Med* 2009; **89**: 185–90.
7. Harling M, Strehmel P, Schablon A, Nienhaus A. Psychosocial stress, demoralization and the consumption of tobacco, alcohol and medical drugs by veterinarians. *J Occup Med Toxicol* 2009; **4**: 4.
8. Fritschi L, Day L, Shirangi A, Robertson I, Lucas M, Vizard A. Injury in Australian veterinarians. *Occup Med (Lond)* 2006; **56**: 199–203.
9. Shirangi A, Fritschi L, Holman CD. Prevalence of occupational exposures and protective practices in Australian female veterinarians. *Aust Vet J* 2007; **85**: 32–38.
10. Smith DR, Leggat PA. Tobacco smoking by occupation in Australia: results from the 2004 to 2005 National Health Survey. *J Occup Environ Med* 2007; **49**: 437–45.
11. Smith DR, Leggat PA, Speare R. The latest endangered species in Australia: a tobacco-smoking veterinarian. *Aust Vet J* 2010; **88**: 369–70.
12. Poole JA, LeVan TD, Slager RE, Qiu F, Severa L, Yelinek J, *et al.* Bronchodilator responsiveness in swine veterinarians. *J Agromedicine* 2007; **12**: 49–54.
13. Webb E, Ashton H, Kelly P, Kamali F. Patterns of alcohol consumption, smoking and illicit drug use in British university students: interfaculty comparisons. *Drug Alcohol Depend* 1997; **47**: 145–53.
14. Hofmeister EH, Muilenburg JL, Kogan L, Elrod SM. Over-the-counter stimulant, depressant, and nootropic use by veterinary students. *J Vet Med Educ* 2010; **37**: 403–16.

Index

A

- age and smoking rates 10, 19
- anti-smoking counselling
 - dentists, from 20
 - doctors, from 2, 11–12, 49
- anti-smoking programs 3, 11–12, 44, 49, 59–60. *See also* smoking cessation

C

- cigarette advertising 1–2, 43
- cigars, smoking of 7, 9, 19
- cultural differences and smoking 10, 12, 23

D

- dental students' smoking rates 3, 5, 38–40
 - decline in 39
- dental students' smoking rate studies 38, 40–42
- dentists' smoking rates 10, 18, 20, 22, 58
 - decline in 18
- dentists' smoking rate studies 5–6, 18–22
 - European Union (EU) Working Group on Tobacco and Oral Health 18
- doctors' smoking rates 4, 9–13, 15–18, 49–54, 57, 58, 59
 - decline in 9, 49–51
- doctors' smoking rate studies 5–7, 9, 10–14, 16–18, 49–54, 57–59
 - British Doctor's Study* 58
 - Doctor's Health Study* (UK) 9
 - Physicians Health Study* (US) 9

G

- gender and smoking rates 10, 19

H

- healthcare professionals
 - role in tobacco control 2

M

- medical databases
 - British Nursing Index (BNI) 6
 - Cumulative Index to Nursing and Allied Health Literature (CINAHL) 6
 - PubMed/Medline database (US) 5
 - Thomson Reuters Journal Citation Reports (JCR) 6
- medical specialty and smoking rates 11, 52
- medical students' smoking rates 3, 31–32, 34–38, 59
 - decline in 32–33
- medical students' smoking rate studies 5, 31–35, 37–38, 59

N

- no-smoking policy 11
- nurses' smoking rates 3, 23–24, 58
 - decline in 24
- nurses' smoking rate studies 5–6, 23–24, 26–29, 57, 59
 - British Nursing Index (BNI) 6
 - Cumulative Index to Nursing and Allied Health Literature (CINAHL) 6
 - Nurses' Health Study* (US) 23
- nursing students' smoking rates 3, 5, 43–44, 46, 47
- nursing students' smoking rate studies 6, 43, 45–47

O

- oral health and smoking 18, 20

P

- pipes, smoking of 7, 9, 19

Q

- quitting smoking. *See* smoking cessation

Smoking among healthcare professionals

S

smoker, definition of 7

smoking ban 11

smoking cessation 2, 11–12, 20, 43, 58. *See*
also anti-smoking programs

dentists, among 19

doctors, among 10–11, 20, 49

nurses, among 59

nursing students, among 44

Surgeon General's Advisory Committee on
Smoking and Health landmark report
2

V

veterinarians' smoking rates 61

veterinary students' smoking rates 63

W

World Health Organization's (WHO) To-
bacco Free Initiative 60