

JCU ePrints

This file is part of the following reference:

Cresswell, Keryn J. (2007) *Anthelmintic effects of tropical shrub legumes in ruminant animals*. PhD thesis, James Cook University.

Access to this file is available from:

<http://eprints.jcu.edu.au/2086>



REFERENCES

- Abbott E.M., Parkins J.J., Holmes P.H. (1986a) The effect of dietary protein on the pathogenesis of acute ovine haemonchosis. *Veterinary Parasitology*: 275-289.
- Abbott E.M., Parkins J.J., Holmes P.H. (1986b) The effect of dietary protein on the pathophysiology of acute ovine haemonchosis. *Veterinary Parasitology* **20**: 291-306.
- Abbott E.M., Parkins J.J., Holmes P.H. (1988) Influence of dietary protein on the pathophysiology of haemonchosis in lambs given continuous infections. *Research in Veterinary Science* **45**: 41-49.
- Ademola I.O., Fagbemi B.O., Idowu S.O. (2007) Anthelmintic activity of *Spigelia anthelmia* extract against gastrointestinal nematodes of sheep. *Parasitology Research* **101**: 63-69.
- Adjei M.B., Albrecht K., Wildeus C. (1993) Performance of *Desmanthus virgatus* accessions in the Carribean. In: *Proceedings of the XVII International Grassland Congress 8-21 February 1993, Palmerston North New Zealand, Hamilton New Zealand, Lincoln New Zealand, Rockhampton Australia*, pp. 2129-2131. New Zealand Grassland Association, Tropical Grassland Society of Australia, New Zealand Society of Animal Production, Australian Society of Animal Production - Queensland Branch, New Zealand Institute of Agricultural Science.
- Adjei M.B., Pitman W.D. (1993) Response of *Desmanthus* to clipping on a phosphatic clay mine-spoil. *Tropical Grasslands* **27**: 94-99.
- Aerts R.J., McNabb W.C., Molan A., Brand A., Barry T.N., Peters J.S. (1999) Condensed tannins from *Lotus corniculatus* and *Lotus pedunculatus* exert different effects on the in vitro rumen degradation of ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco) protein. *Journal of the Science of Food and Agriculture* **79**: 79-85.
- Agricultural Research Council (1980) *The Nutrient Requirements of Livestock*. Commonwealth Agricultural Bureaux, Farnham Royal, England.
- Ahn J.H., Elliott R., Norton B.W. (1997) Oven drying improves the nutritional value of *Calliandra calothyrsus* and *Gliricidia sepium* as supplements for sheep given low-quality straw. *Journal of the Science of Food and Agriculture* **75**: 503-510.
- Ahn J.H., Robertson B.M., Elliott R., Gutteridge R.C., Ford C.W. (1989) Quality assessment of tropical browse legumes: tannin content and protein degradation. *Animal Feed Science and Technology* **27**: 147-156.

- Al-Zubaidy A.J., Altaif K.I., Al-Qaisy H.H.K., Makkawi T.A. (1987) Gross pathology and histopathology of haemonchosis in sheep and goats in Iraq. *Veterinary Parasitology* **23**: 249-256.
- Alam M.R., Kabir A.K.M.A., Amin M.R., McNeill D.M. (2005) The effect of calcium hydroxide treatment on the nutritive and feeding value of *Albizia procera* for growing goats. *Animal Feed Science and Technology* **122**: 135-148.
- Albers G.A.A., Gray G.D., Piper L.R., Barker J.S.F., Le Jambre L.F., Barger I.A. (1987) The genetics of resistance and resilience to *Haemonchus contortus* infection in young Merino sheep. *Indian Journal of Animal Sciences* **17**: 1355-1363.
- Anderson N., Hansky J., Titchen D.A. (1985) Effects on plasma pepsinogen, gastrin and pancreatic polypeptide of *Ostertagia* species transferred directly into the abomasum of sheep. *International Journal for Parasitology* **15**: 159-165.
- Andrabi S.M., Ritchie M.M., Stimson C., Horadagoda A., Hyde M., McNeill D.M. (2005) In vivo assessment of the ability of condensed tannins to interfere with the digestibility of plant protein in sheep.
- Anya A.O. (1964) Studies on the structure of the female reproductive system and egg-shell formation in *Aspicularis tetraptera* Schulz, (Nematoda: Oxyuroidea). *Parasitology* **54**: 699-719.
- Armour J., Jarrett W.H.F., Jennings F.W. (1966) Experimental *Ostertagia circumcincta* infections in sheep: development and pathogenesis of a single infection. *American Journal of Veterinary Research* **27**: 1267-1278.
- Arthur E.J., Sanborn R.C. (1969) Osmotic and ionic regulation in nematodes. In: *Chemical Zoology* (Eds. M. Florkin & B.T. Scheer), pp. 429-464. Academic Press, New York.
- Ash C., Atkinson H.J. (1984) *Nematodirus battus*: permeability changes, calcium binding and phosphorylation of the eggshell during hatching. *Experimental Parasitology* **58**: 27-40.
- Asquith T.N., Butler L.G. (1986) Interactions of condensed tannins with selected proteins. *Phytochemistry* **25**: 1591-1593.
- Athanasiadou S., Kyriazakis I. (2004) Plant secondary metabolites: antiparasitic effects and their role in ruminant production systems. *Proceedings of the Nutrition Society* **63**: 631-639.
- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2000a) Consequences of long-term feeding with condensed tannins on sheep parasitised with *Trichostrongylus*. *International Journal for Parasitology* **30**: 1025-1033.

- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2000b) Effects of short-term exposure to condensed tannins on adult *Trichostrongylus colubriformis*. *Veterinary Record* **146**: 728-732.
- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2000c) Effects of short-term exposure to condensed tannins on adult *Trichostrongylus colubriformis*. *Veterinary Record* **146**: 728-732.
- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2000a) Effects of short-term exposure to condensed tannins on adult *Trichostrongylus colubriformis*. *Veterinary Record* **146**: 728-732.
- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2001a) Direct anthelmintic effects of condensed tannins towards different gastrointestinal nematodes of sheep: in vitro and in vivo studies. *Veterinary Parasitology* **99**: 205-219.
- Athanasiadou S., Kyriazakis I., Jackson F., Coop R.L. (2001b) The effects of condensed tannins supplementation of foods with different protein content on parasitism, food intake and performance of sheep infected with *Trichostrongylus colubriformis*. *British Journal of Nutrition* **86**: 697-706.
- Athanasiadou S., Tzamaloukas O., Kyriazakis I., Jackson F., Coop R.L. (2005) Testing for direct anthelmintic effects of bioactive forages against *Trichostrongylus colubriformis* in grazing sheep. *Veterinary Parasitology* **127**: 233-243.
- Audebert F., Cassone J., Hoste H., Durette-Desset M.C. (2000) Morphogenesis and distribution of *Trichostrongylus retortaeformis* in the intestine of the rabbit. *Journal of Helminthology* **74**: 95-107.
- Australian Agricultural Council (2003) *Report of the Working Party for the Animal Health Committee of the Standing Committee on Agriculture. Anthelmintic Resistance* (SCARM Technical Report No.28). CSIRO.
- Bae H.D., McAllister T.A., Yanke J., Cheng K.-J., Muir A.D. (1993) Effects of condensed tannins on endoglucanase activity and filter paper digestion by *Fibrobacter succinogenes* S85. *Applied and Environmental Microbiology* **59**: 2132-2138.
- Bahuaud D., Martinez-Ortiz de Montellano C., Chauveau S., Prevot F., Torres-Acosta F., Fouraste I., Hoste H. (2006) Effects of four tanniniferous plants on the in vitro exsheathment of third-stage larvae of parasitic nematodes. *Parasitology* **132**: 545-557.
- Bain R.K. (1999) Irradiated vaccines for helminth control in livestock. *International Journal for Parasitology* **29**: 185-191.
- Balogun R.O., Jones R.J., Holmes J.H.G. (1998) Digestibility of some tropical browse species varying in tannin content. *Animal Feed Science and Technology* **76**: 77-88.

- Bancroft J.D., Cook H.C. (1984) *Manual of Histological Techniques*. Churchill Livingstone, Edinburgh.
- Banks D.J.D., Singh R., Barger I.A., Pratap B., Le Jambre L.F. (1990) Development and survival of infective larvae of *Haemonchus contortus* and *Trichostrongylus colubriformis* on pasture in a tropical environment. *International Journal for Parasitology* **20**: 155-160.
- Barahona R., Lascano C.E., Cochran R., Morrill J., Titgemeyer E.C. (1997) Intake, digestion and nitrogen utilization by sheep fed tropical legumes with contrasting tannin concentration and astringency. **75**: 1633-1640.
- Barahona R., Sanchez S., Lascano C.E., Owen E., Morris P., Theodorou M.K. (2006) Effect of condensed tannins from tropical legumes on the activity of fibrolytic enzymes from the rumen fungus *Neocallimastix hurleyensis*. *Enzyme and Microbial Technology* **39**: 281-288.
- Barger I.A. (1997) Control by management. *Veterinary Parasitology* **72**: 493-506.
- Barger I.A. (1999) The role of epidemiological knowledge and grazing management for helminth control in small ruminants. *International Journal for Parasitology* **29**: 41-47.
- Barger I.A., Siale K., Banks D.J.D., Le Jambre L.F. (1994) Rotational grazing for control of gastrointestinal nematodes of goats in a wet tropical environment. *Veterinary Parasitology* **53**: 109-116.
- Barker I.K. (1973) Scanning electron microscopy of the duodenal mucosa of lambs infected with *Trichostrongylus colubriformis*. *Parasitology* **67**: 307-314.
- Barker I.K. (1974) The relationship of abnormal mucosal microtopography with distribution of *Trichostrongylus colubriformis* in the small intestines of lambs. *International Journal for Parasitology* **4**: 153-163.
- Barker I.K. (1975a) Intestinal pathology associated with *Trichostrongylus colubriformis* infection in sheep: histology. *Parasitology*: 165-171.
- Barker I.K. (1975b) Intestinal pathology associated with *Trichostrongylus colubriformis* infection in sheep: vascular permeability and ultrastructure of the mucosa. *Parasitology* **70**: 173-180.
- Barker I.K. (1975c) Location and distribution of *Trichostrongylus colubriformis* in the small intestine of sheep during the prepatent period, and the development of villus atrophy. *Journal of Comparative Pathology* **85**: 417-426.
- Barker I.K., Titchen D.A. (1982) Gastric dysfunction in sheep infected with *Trichostrongylus colubriformis*, a nematode inhabiting the small intestine. *International Journal for Parasitology* **12**: 345-356.

- Barnes E.H., Dobson R.J., Barger I.A. (1995) Worm control and anthelmintic resistance: adventures with a model. *Parasitology Today* **11**: 56-63.
- Barnes T.M., Hekimi S. (1997) The *Caenorhabditis elegans* avermectin resistance and anaesthetic response gene *unc-9* encodes a member of a protein family implicated in electrical coupling of excitable cells. *Journal of Neurochemistry* **69**: 2251-2260.
- Barrau E., Fabre N., Fouraste I., Hoste H. (2005) Effect of bioactive compounds from Sainfoin (*Onobrychis viciifolia* Scop.) on the *in vitro* larval migration of *Haemonchus contortus* : role of tannins and flavanol glycosides. *Parasitology* **131**: 531-538.
- Barry T.N. (1985) The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 3. Rates of body and wool growth. *British Journal of Nutrition* **54**: 211-217.
- Barry T.N., Allsop T.F., Redekopp C. (1986a) The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 5. Effects on the endocrine system and on adipose tissue metabolism. *British Journal of Nutrition* **54**: 211-217.
- Barry T.N., Forss D.A. (1983) The condensed tannin content of vegetative *Lotus pedunculatus*, its regulation by fertilizer application, and effect upon protein solubility. *Journal of the Science of Food and Agriculture* **34**: 1047-1056.
- Barry T.N., Manley T.R., Duncan S.J. (1986b) The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 4. Sites of carbohydrate and protein digestion as influenced by dietary reactive tannin concentration. *British Journal of Nutrition* **55**: 123-137.
- Beghelli V., Borghi G., Matscher R. (1969) Influence of nitrogenous substances in the diet on the pH of the rumen contents (Abstract only). *Nutrition Abstracts and Reviews* **29**: 511.
- Ben-Ghedalia D., Tagari H., Bondi A., Tadmor A. (1974) Protein digestion in the intestine of the sheep. *British Journal of Nutrition* **31**: 125-142.
- Bennet-Jenkins E., Bryant C. (1996) Novel sources of anthelmintics. *International Journal for Parasitology* **26**: 937-947.
- Bento M.H.L., Acamovic T., Makkar H.P.S. (2005) The influence of tannin, pectin, and polyethylene glycol an attachment of ¹⁵N-labelled rumen microorganisms to cellulose. *Animal Feed Science and Technology* **122**: 41-57.
- Betschart B., Wyss K. (1990) Analysis of the cuticular collagens of *Ascaris suum*. *Acta Tropica* **47**: 297-305.

- Beveridge I., Pullman A.L., Phillips P.H., Martin R.R., Barelds A., Grimson R. (1989) Comparison of the effects of infection with *Trichostrongylus colubriformis*, *T. vitrinus* and *T. rugatus* in merino lambs. *Veterinary Parasitology* **32**: 229-245.
- Bird A.F. (1971) *The Structure of Nematodes*. Academic Press, London.
- Bird A.F., Bird J. (1991) *The Structure of Nematodes*. Academic Press, San Diego, California.
- Blood D.C., Radostits O.M. (1989) *Veterinary Medicine*. (7th Ed.). Ballière Tindall, London.
- Bowman D.D. (1995) *Georgis' Parasitology for Veterinarians*. W.B. Saunders Company, Philadelphia.
- Bown M.D., Poppi D.D., Sykes A.R. (1991a) The effect of post-ruminal infusion of protein or energy on the pathophysiology of *Trichostrongylus colubriformis* infection and body composition in lambs. *Australian Journal of Agricultural Research* **42**: 253-267.
- Bown M.D., Poppi D.P., Sykes A.R. (1989) The effects of a concurrent infection of *Trichostrongylus colubriformis* and *Ostertagia circumcincta* on calcium, phosphorus and magnesium transactions along the digestive tract of lambs. *Journal of Comparative Pathology* **101**: 11-20.
- Bown M.D., Poppi D.P., Sykes A.R. (1991b) Nitrogen transactions along the digestive tract of lambs concurrently infected with *Trichostrongylus colubriformis* and *Ostertagia circumcincta*. *British Journal of Nutrition* **66**: 237-249.
- Broadhurst R.B., Jones W.T. (1978) Analysis of condensed tannins using acidified vanillin. *Journal of the Science of Food and Agriculture* **29**: 478-479.
- Brooker J.D. (2005) Phytochemicals in livestock production systems. *Animal Feed Science and Technology* **121**: 1-4.
- Brooker J.D., Donovan L.O., Skene I., Sellick G. (1999) Mechanisms of tannin resistance and detoxification in the rumen. In: *Tannins in Livestock and Human Nutrition: Proceedings of an International Workshop held in Adelaide, Australia, May 31-June 2, 1999* (Ed. J.D. Brooker), pp. 127-132. ACIAR Proc. No. 92.
- Brunet S., Hoste H. (2006) Monomers of condensed tannins affect the larval exsheathment of parasitic nematodes of ruminants. *Journal of Agricultural and Food Chemistry* **54**: 7481-7487.

- Buéno L., C. H., Luffau G., Fioramonti J. (1982a) Origin of the early digestive disturbances induced by *Haemonchus contortus* infection in lambs. *American Journal of Veterinary Research* **43**: 1194-1199.
- Buéno L., Dakkak A., Fioramonti J. (1982b) Gastro-duodenal motor and transit disturbances associated with *Haemonchus contortus* infection in sheep. *Parasitology*: 367-374.
- Buéno L., Fioramonti J. (1979) Rhythms of abomasal-intestinal motility. In: *Digestive Physiology and Metabolism in Ruminants*. (Eds. Y. Ruckebusch & P. Thivend). MTP Press, London.
- Burke J.M., Miller J.E. (2006) Evaluation of multiple low doses of copper oxide wire particles compared with levamisole for control of *Haemonchus contortus* in lambs. *Veterinary Parasitology* **139**: 145-149.
- Burke J.M., Miller J.E., Brauer D.K. (2005) The effectiveness of copper oxide wire particles as an anthelmintic in pregnant ewes and safety to offspring. *Veterinary Parasitology* **131**: 291-297.
- Burns R.E. (1971) Method for estimation of tannin in grain sorghum. *Agronomy Journal* **63**: 511-512.
- Butter N.L., Dawson J.M., Wakelin D., Buttery P.J. (2000) Effect of dietary tannin and protein concentration on nematode infection (*Trichostrongylus colubriformis*) in lambs. *Journal of Agricultural Science* **134**: 89-99.
- Butter N.L., Dawson J.M., Wakelin D., Buttery P.J. (2001) Effect of dietary condensed tannins on gastrointestinal nematodes. *Journal of Agricultural Science* **137**: 461-469.
- Cannas A. (2001) Tannins: fascinating but sometimes dangerous molecules. <http://www.ansci.cornell.edu/plants/toxicagents/tannin/index.html>. Accessed September 17, 2001.
- Cenci F.B., Louvandini H., McManus C.M., Dell'Porto A., Costa D.M., Araújo S.C., Minhó A.P., Abdalla A.L. (2007) Effects of condensed tannin from *Acacia mearnsii* on sheep infected naturally with gastrointestinal parasites. *Veterinary Parasitology* **144**: 132-137.
- Chaplin A.J. (1985) Tannic acid in histology: an historical perspective. *Stain Technology* **60**: 219-231.
- Charley-Poulain J., Luffau G., Pery P. (1984) Serum and abomasal antibody response of sheep to infections with *Haemonchus contortus*. *Veterinary Parasitology* **14**: 129-141.

- Chartier C., Etter E., Hoste H., Pors I., Mallereau M.-P., Broqua C., Mallet S., Koch C., A. M. (2000) Effects of the initial level of milk production and the dietary protein intake on the course of natural nematode infection in dairy goats. *Veterinary Parasitology* **92**: 1-13.
- Cheah T.S., Rajamanickam C. (1997) Epidemiology of gastrointestinal nematodes of sheep in wet tropical conditions in Malaysia. *Tropical Animal Health and Production* **29**: 165-173.
- Clark C.H., Keisel G.K., Goby C.H. (1962) Measurements of blood loss caused by *Haemonchus contortus* infection in sheep. *American Journal of Veterinary Research* **23**: 977-980.
- Clark C.J., Tucker A.M., Turton J.A. (1971) Sampling technique for estimating roundworm burdens of sheep and cattle. *Experimental Parasitology* **30**: 181-186.
- Clausen T.P., Provenza F.D., Burritt E.A., Reichardt P.B., Bryant J.P. (1990) Ecological implications of condensed tannin structure: a case study. *Journal of Chemical Ecology* **16**: 2381-2392.
- Coles G.C. (2002) Cattle nematodes resistant to anthelmintics: why so few cases? *Veterinary Research* **33**: 481-489.
- Collingborn F.M.B., Gowan S.R., Mueller-Harvey I. (2000) Investigations into the biochemical basis for nematode resistance in roots of three *Musa* cultivars in response to *Radolpholus similis* infection. *Journal of Agricultural and Food Chemistry* **48**: 5297-5301.
- Condor G.A. (1995) Chemotherapy of nematode infections of veterinary importance, with special reference to drug resistance. *Advances in Parasitology* **35**: 1-84.
- Coop R.L., Angus K.W. (1975) The effect of continuous doses of *Trichostrongylus colubriformis* larvae on the intestinal mucosa of sheep and on liver vitamin A concentration. *Parasitology* **70**: 1-9.
- Coop R.L., Angus K.W., Sykes A.R. (1979) Chronic infection with *Trichostrongylus vitrinus* in sheep. Pathological changes in the small intestine. *Research in Veterinary Science* **26**: 363-371.
- Coop R.L., Field A.C. (1983) Effect of phosphorus intake on growth rate, food intake and quality of the skeleton of growing lambs infected with *Trichostrongylus vitrinus*. *Research in Veterinary Science* **35**: 175-181.
- Coop R.L., Field A.C., Graham R.B., Angus K.W., Jackson F. (1986) Effect of concurrent infection with *Ostertagia circumcincta* and *Trichostrongylus vitrinus* on the performance of lambs. *Research in Veterinary Science* **40**: 241-245.

- Coop R.L., Huntley J.F., Smith W.D. (1995) Effect of dietary protein supplementation on the development of immunity to *Ostertagia circumcincta* in growing lambs. *Research in Veterinary Science* **59**: 24-29.
- Coop R.L., Jackson F. (2001) Sustainable control of helminths. <http://www.mri.sari.ac.uk/Parasitology/helm.htm>. Accessed 04/06/2001.
- Coop R.L., Kyriazakis I. (1999) Nutrition-parasite interaction. *Veterinary Parasitology* **84**: 187-204.
- Coop R.L., Sykes A.R., Angus K.W. (1976) Subclinical trichostrongylosis in growing lambs produced by continuous larval dosing. The effect on performance and certain plasma constituents. *Research in Veterinary Science* **21**: 253-258.
- Coop R.L., Sykes A.R., Angus K.W. (1982) The effect of three levels of intake of *Ostertagia circumcincta* larvae on growth rate, food intake and body composition of growing lambs. *Journal of Agricultural Science* **98**: 247-255.
- Cox G.N., Pratt D., Hageman R., Boisvenue R.J. (1990) Molecular cloning and primary sequence of a cysteine protease expressed by *Haemonchus contortus* adult worms. *Molecular and Biochemical Parasitology* **41**: 25-34.
- Cox G.N., Shamansky L.M., Boisvenue R.J. (1989) Identification and preliminary characterization of cuticular surface proteins of *Haemonchus contortus*. *Molecular and Biochemical Parasitology* **36**: 233-242.
- Coyne M.J., Smith C. (1992) The mortality and fecundity of *Haemonchus contortus* in parasite-naive and parasite-exposed sheep following single experimental infections. *International Journal for Parasitology* **22**: 315-325.
- Croll N.A. (1974) *Necator americanus*: Activity patterns in the egg and the mechanism of hatching. *Experimental Parasitology* **35**: 80-85.
- Croll N.A. (1976) *The Organisation of Nematodes*. Academic Press, London.
- Datta F.U., Nolan J.V., Rowe J.B., Gray G.D., Crook B.J. (1999) Long-term effects of short-term provision of protein-enriched diets on resistance to nematode infection, and liveweight gain and wool growth in sheep. *International Journal for Parasitology*: 479-488.
- Davenport G.M., Boling J.A., Schillo K.K., Aaron D.K. (1990) Nitrogen metabolism and somatotropin secretion in lambs receiving arginine and ornithine via abomasal infusion. *Journal of Animal Science* **68**: 222-232.
- Dawson J.M., Buttery P.J., Jenkins D., Wood C.D., Gill M. (1999) Effects of dietary Quebracho tannin on nutrient utilisation and tissue metabolism in sheep and rats. *Journal of the Science of Food and Agriculture* **79**: 1423-1430.

- de Jong-Brink M., Reid C.N., Tensen C.P., ter Maat A. (1999) Parasites flicking the NPY gene on the host's switchboard: why NPY? *The FASEB Journal* **13**: 1972-1984.
- Dehon L., Macheix J.J., Durand M. (2002) Regulation of growth, development and whole organism physiology. Involvement of peroxidases in the formation of the brown coloration of heartwood in *Juglans nigra*. *Journal of Experimental Botany* **53**: 303-311.
- Devendra C. (1995) Composition and nutritive value of browse legumes. In: *Tropical Legumes in Animal Nutrition* (Eds. J.P.F. D'Mello & C. Devendra). CAB International, Wallingford, Oxon, UK.
- Dietz B.A., Hagerman A.E., Barrett G.W. (1994) Role of condensed tannin on salivary tannin-binding proteins, bioenergetics and nitrogen digestibility in *Microtus pennsylvanicus*. *Journal of Mammalogy* **75**: 880-889.
- Dineen J.K., Gregg P., Lascelles A.K. (1978) The response of lambs to vaccination at weaning with irradiated *Trichostrongylus colubriformis* larvae: segregation in 'responders' and 'non-responders'. *International Journal for Parasitology* **8**: 59-63.
- Djogo A.P.Y., Siregar M.E., Gutteridge R.C. (1994) Opportunities and limitations in other MPT genera. In: *Leucaena - Opportunities and Limitations. Proceedings of a workshop held in Bogor, Indonesia 24-29 January 1994. ACIAR Proceedings No. 57* (Eds. H.M. Shelton, C.M. Piggin, & J.L. Brewbaker), pp. 39-43. Australian Centre for International Agricultural Research.
- Dobson R.J., Waller P.J., Donald A.D. (1990a) Population dynamics of *Trichostrongylus colubriformis* in sheep: the effect of infection rate on loss of adult parasites. *International Journal for Parasitology* **20**: 359-363.
- Dobson R.J., Waller P.J., Donald A.D. (1990b) Population dynamics of *Trichostrongylus colubriformis* in sheep: the effect of infection rate on the establishment of infective larvae and parasite fecundity. *International Journal for Parasitology* **20**: 347-352.
- Donaldson J., van Houtert M.F.J., Sykes A.R. (1998) The effect of nutrition on the periparturient parasite status of mature ewes. *Journal of Animal Science* **67**: 523-533.
- Dorchies P., Bergeaud J.P., Van Khanh N., Morand C. (1997) Reduced egg counts in mixed infections with *Oestrus ovis* and *Haemonchus contortus*: influence of eosinophils? *Parasitology Research* **83**: 727-730.
- Douch P. (1990) The sheep's immune response to nematode parasites and prospects for its exploitation. *Proceedings of the New Zealand Society for Animal Production* **50**: 229-236.

- Douch P.G.C., Harrison G.B.L., Buchanan L.L., Greer K.S. (1983) In vitro bioassay of sheep gastrointestinal mucus for nematode paralysing activity mediated by substances with some properties characteristic of SRS-A. *International Journal for Parasitology* **13**: 207-212.
- Douglas G.B., Wang Y., Waghorn G.C., Barry T.N., Purchas R.W., Foote A.G., Wilson G.F. (1995) Liveweight gain and wool production of sheep grazing *Lotus corniculatus* and lucerne (*Medicago sativa*). *New Zealand Journal of Agricultural Research* **38**: 95-104.
- Drudge J.H., Leland S.E., Wyant Z.N. (1957) Strain variation in the response of sheep nematodes to the action of phenothiazine. I. Studies of mixed infections in experimental animals. *American Journal of Veterinary Research* **18**: 133-141.
- Drudge J.H., Szanto J., Wyant Z.N., Elam G. (1964) Field studies on parasite control in sheep: comparison of thiabendazole, ruelene and phenothiazine. *American Journal of Veterinary Research* **25**: 1513-1518.
- Dynes R.A., Poppi D.P., Barrell G.K., Sykes A.R. (1998) Elevation of feed intake in parasite-infected lambs by central administration of a cholecystokinin receptor agonist. *British Journal of Nutrition* **79**: 47-54.
- Emery D.L., McClure S.J., Davey R.J., Bendixsen T. (1999) Induction of protective immunity to *Trichostrongylus colubriformis* in neonatal Merino lambs. *International Journal for Parasitology* **29**: 1037-1046.
- Enterocasso C.M., Parkins J.J., Armour J., Bairden K., McWilliam P.N. (1986) Production, parasitological and carcass evaluation studies in steers exposed to trichostrongyle infection and treated with a morantel bolus or fenbendazole in two consecutive grazing seasons. *Research in Veterinary Science* **40**: 76-85.
- Fairbairn D. (1957) The biochemistry of *Ascaris*. *Experimental Parasitology* **6**: 491-554.
- Fellowes R.A., Dougan P.M., Maule A.G., Marks N.J., Halton D.W. (1999) Neuromusculature of the ovjector of *Ascaris suum* (Ascaroidea, Nematoda): an ultrastructural and immunocytochemical study. *The Journal of Comparative Neurology* **415**: 518-528.
- Fellowes R.A., Maule A.G., Marks N.J., Geary T.G., Thompson D.P., Halton D.W. (2000a) Nematode neuropeptide modulation of the vagina vera of *Ascaris suum*: in vitro effects of PF1, PF2, PF4, AF3 and AF4. *Parasitology* **120**: 79-89.
- Fellowes R.A., Maule A.G., Marks N.J., Geary T.G., Thompson D.P., Shaw C., Halton D.W. (1998) Modulation of the motility of the vagina vera of *Ascaris suum* in vitro by FMRFamide-related peptides. *Parasitology* **116**: 277-287.

- Fellowes R.A., Maule A.G., Martin R.J., Geary T.G., Thompson D.P., Kimber M.J., Marks N.J., Halton D.W. (2000b) Classical neurotransmitters in the ovijector of *Ascaris suum*: localisation and modulation of muscle activity. *Parasitology* **121**: 325-336.
- Fetterer R.H. (1986) Transcuticular solute movement in parasitic nematodes: relationship between non-polar solute transport and partition coefficient. *Comparative Biochemistry and Physiology* **84A**: 461-466.
- Fetterer R.H. (1989) The cuticular proteins from free-living and parasitic stages of *Haemonchus contortus* - I. isolation and partial characterization. *Comparative Biochemistry and Physiology* **94B**: 383-388.
- Fetterer R.H., Hill D.E., Urban Jr. J.F. (1990) The cuticular biology in developmental stages of *Ascaris suum*. *Acta Tropica* **47**: 289-295.
- Fetterer R.H., Rhoads M.L. (1990) Tyrosine-derived cross-linking amino acids in the sheath of *Haemonchus contortus* infective larvae. *Journal of Parasitology* **76**: 619-624.
- Fetterer R.H., Rhoads M.L. (1993) Biochemistry of the nematode cuticle: relevance to parasitic nematodes of livestock. *Veterinary Parasitology* **46**: 103-111.
- Fetterer R.H., Rhoads M.L. (1996) The role of the sheath in resistance of *Haemonchus contortus* infective-stage larvae to proteolytic digestion. *Veterinary Parasitology* **64**: 267-276.
- Fetterer R.H., Rhoads M.L., Urban Jr. J.F. (1993) Synthesis of tyrosine-derived cross-links in *Ascaris suum* cuticular proteins. *Journal of Parasitology* **79**: 160-166.
- Fetterer R.H., Urban Jr. J.F. (1988) Developmental changes in cuticular proteins of *Ascaris suum*. *Comparative Biochemistry and Physiology* **90B**: 321-327.
- Fetterer R.H., Wasiuta M. (1987) *Ascaris suum*: partial isolation and characterisation of hypodermis from the adult female. *Experimental Parasitology* **63**: 312-318.
- Fleming M.W., Fetterer R.H. (1984) *Ascaris suum*: continuous perfusion of the pseudocoelom and nutrient absorption. *Experimental Parasitology* **57**: 142-148.
- Foor W.E. (1967) Ultrastructural aspects of oocyte development and shell formation in *Ascaris lumbricoides*. *The Journal of Parasitology* **53**: 1245-1261.
- Forbes M.R.L. (1993) Parasitism and host reproductive effort. *Oikos* **67**: 444-450.

- Fox M.T., Gerrelli D., Pitt S.R., Jacobs D.E., Hart I.C., Simmonds A.D. (1987) Endocrine effects of a single infection with *Ostertagia ostertagi* in the calf. *International Journal for Parasitology* **17**: 1181-1185.
- Fox M.T., Gerrelli D., Shivalkar P., Jacobs D.E. (1989) Effect of omeprazole treatment on feed intake and blood gastrin and pepsinogen levels in the calf. *Research in Veterinary Science* **46**: 280-282.
- Frazier R.A., Papadopoulou A., Mueller-Harvey I., Kisson D., Green R.J. (2003) Probing tannin-protein interactions by isothermal titration microcalorimetry. *Journal of Agricultural and Food Chemistry* **51**: 5189-5195.
- Fujimoto D. (1975) Occurrence of dityrosine in cuticlin, a structural protein from *Ascaris* cuticle. *Comparative Biochemistry and Physiology* **51B**: 205-207.
- Fujimoto D., Horiuchi K., Hiramama M. (1981) Isotriptyrosine, a new crosslinking amino acid isolated from *Ascaris* cuticle collagen. *Biochemical and Biophysical Research Communications* **99**: 637-643.
- Gamble H.R., Fetterer R.H., Mansfield L.S. (1996) Developmentally regulated zinc metalloproteinases from third- and fourth-stage larvae of the ovine nematode *Haemonchus contortus*. *Journal of Parasitology* **82**: 197-202.
- Gamble H.R., Lichtenfels J.R., Purcell J.P. (1989a) Light and scanning electron microscopy of the ecdysis of *Haemonchus contortus* infective larvae. *The Journal of Parasitology* **75**: 303-307.
- Gamble H.R., Mansfield L.S. (1996) Characterization of excretory-secretory products from larval stages of *Haemonchus contortus* cultured *in vitro*. *Veterinary Parasitology* **62**: 291-305.
- Gamble H.R., Purcell J.P., Fetterer R.H. (1989b) Purification of a 44 kilodalton protease which mediates the ecdysis of infective *Haemonchus contortus* larvae. *Molecular and Biochemical Parasitology* **33**: 49-58.
- Gamble H.R., Purcell J.P., Fetterer R.H. (1990) Biochemical characterization of cuticle polypeptides from the infective larvae of *Haemonchus contortus*. *Comparative Biochemistry and Physiology* **96B**: 421-429.
- Gardiner C.P., Burt R.L. (1995) Performance characteristics of *Desmanthus virgatus* in contrasting tropical environments. *Tropical Grasslands* **29**: 183-187.
- Geary T.G., Sangster N.C., Thompson D.P. (1999) Frontiers in anthelmintic pharmacology. *Veterinary Parasitology* **84**: 275-295.
- Getachew G., Makkar H.P.S., Becker K. (2000) Tannins in tropical browses: effects on *in vitro* microbial fermentation and microbial protein synthesis in media containing different amounts of nitrogen. *Journal of Agricultural and Food Chemistry* **48**: 3581-3588.

- Goh S.L., Davey K.G. (1985) Occurrence of noradrenaline in the central nervous system of *Phocanema decipiens* and its possible role in the control of ecdysis. *Canadian Journal of Zoology* **63**: 475-479.
- Goldstein J.L., Swain T. (1963) Changes in tannins in ripening fruits. *Phytochemistry* **2**: 371-388.
- Gray G.D. (1997) The use of genetically resistant sheep to control nematode parasitism. *Veterinary Parasitology* **72**: 345-366.
- Gregory P.C., Wenham G., Poppi D.P., Coop R.L., MacRae J.C., Miller S.J. (1985) The influence of a chronic subclinical infection of *Trichostrongylus colubriformis* on gastrointestinal motility and digesta flow in sheep. *Parasitology* **91**: 381-396.
- Gross S.J., Ryan W.G., Ploeger H.W. (1999) Anthelmintic treatment of dairy cows and its effect on milk production. *The Veterinary Record* **144**: 581-587.
- Gutmann M. (1993) Localization of proanthocyanidins using in situ-hydrolysis with sulphuric acid. *Biotechnic and Histochemistry* **68**: 161-165.
- Hagerman A.E., Butler L.G. (1978) Protein precipitation method for the quantitative determination of tannins. *Journal of Agricultural and Food Chemistry* **26**: 809-812.
- Hagerman A.E., Butler L.G. (1981) The specificity of proanthocyanidin-protein interactions. *The Journal of Biological Chemistry* **256**: 4494-4497.
- Hagerman A.E., Robbins C.T. (1993) Specificity of tannin-binding salivary proteins relative to diet selection by mammals. *Canadian Journal of Zoology* **71**: 628-633.
- Hammond J.A., Fielding D., Bishop S.C. (1997) Prospects for plant anthelmintics in tropical veterinary medicine. *Veterinary Research Communications* **21**: 213-228.
- Haslam E. (1996) Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *Journal of Natural Products* **59**: 205-215.
- Haslam S.M., Coles G.C., Munn E.A., Smith T.S., Smith H.F., Morris H.R., Dell A. (1996) *Haemonchus contortus* glycoproteins contain N-linked oligosaccharides with novel highly fucosylated core structures. *The Journal of Biological Chemistry* **271**: 30561-30570.
- Heckendorn F., Häring D.A., Maurer V., Senn M., Hertzberg H. (2007) Individual administration of three tanniniferous forage plants to lambs artificially infected with *Haemonchus contortus* and *Cooperia curtecei*. *Veterinary Parasitology* **146**: 123-134.

- Heckendorn F., Häring D.A., Maurer V., Zinsstag J., Langhans W., Hertzberg H. (2006) Effect of sainfoin (*Onobrychis viciifolia*) silage and hay on established populations of *Haemonchus contortus* and *Cooperia curtecei* in lambs. *Veterinary Parasitology* **142**: 293-300.
- Hemsley J.A., Reis P.J., Downes A.M. (1973) Influence of various formaldehyde treatments on the nutritional value of casein for wool growth. *Australian Journal of Biological Science* **26**: 961-972.
- Hertzberg H., Guscelli F., Lischer C., Kohler L., Neiger R., Eckert J. (2000) Evidence for a parasite-mediated inhibition of abomasal acid secretion in sheep infected with *Ostertagia leptospicularis*. *The Veterinary Journal* **159**: 238-251.
- Hervás G., Pérez V., Giráldez F.J., Mantecón A.R., Almar M.M., Frutos P. (2003) Intoxication of sheep with quebracho tannin extract. *Journal of Comparative Pathology* **129**: 44-54.
- Hinck L.W., Ivey M.H. (1976) Proteinase activity in *Ascaris suum* eggs, hatching fluid, and excretions-secretions. *The Journal of Parasitology* **62**: 771-774.
- Hodgeson J., Niezen J.H., Montossi F., Liu F., Butler B.M. (1996) Comparative studies on pasture and animal performance and parasite infestation in sheep grazing Yorkshire fog, perennial ryegrass and tall fescue pastures. *Proceedings of the New Zealand Grassland Association* **57**: 89-93.
- Holmes P.H., MacLean J.M. (1971) The pathophysiology of ovine ostertagiasis: a study of the changes in plasma protein metabolism following single infusions. *Research in Veterinary Science* **12**: 265-271.
- Hondé C., Buéno L. (1982) *Haemonchus contortus*: egg laying influenced by abomasal pH in lambs. *Experimental Parasitology* **54**: 371-378.
- Hope I.A. (2002) Embryology, developmental biology and the genome. In: *The Biology of Nematodes* (Ed. D.L. Lee), pp. 121-145. Taylor and Francis, London.
- Horak I.G., Clark R., Gray R.S. (1968) The pathological physiology of helminth infestations. III. *Trichostrongylus colubriformis*. *Onderstepoort Journal of Veterinary Research* **35**: 195-224.
- Hördegen P., Cabaret J., Hertzberg H., Langhans W., Maurer V. (2006) In vitro screening of six anthelmintic plant products against larval *Haemonchus contortus* with a modified methyl-thiazolyl-tetrazolium reduction assay. *Journal of Ethnopharmacology* **108**: 85-89.

- Horigome T., Kumar R., Okamoto K. (1988) Effects of condensed tannins prepared from leaves of fodder plants on digestive enzymes in vitro and in the intestine of rats. *British Journal of Nutrition* **60**: 275-285.
- Hoskin S.O., Barry T.N., Wilson P.R., Charleston W.A.G., Hodgeson J. (1999) Effects of reducing anthelmintic input upon growth and faecal egg counts in young farmed deer grazing chicory (*Cichorium intybus*) and perennial ryegrass (*Lolium perenne*)/white clover (*Trifolium repens*) pasture. *Journal of Agricultural Science* **132**: 335-345.
- Hoskin S.O., Wilson P.R., Barry T.N., Charleston W.A.G., Waghorn G.C. (2000) Effect of forage legumes containing condensed tannins on lungworm (*Dictyocaulus* sp) and gastrointestinal parasitism in young deer (*Cervus elaphus*). *Research in Veterinary Science* **68**: 223-230.
- Hoste H., Chartier C. (1993) Comparison of the effects on milk production of concurrent infection with *Haemonchus contortus* and *Trichostrongylus colubriformis* in high- and low-producing dairy goats. *American Journal of Veterinary Research* **54**: 1186-1193.
- Hoste H., Gaillard L., Le Frileux Y. (2005a) Consequences of the regular distribution of sainfoin hay on gastrointestinal parasitism with nematodes and milk production in dairy goats. *Small Ruminant Research* **59**: 265-271.
- Hoste H., Mallet S. (1990) Effects of size of *Trichostrongylus colubriformis* infections on histopathology of the mucosa along the whole small intestine of rabbits. *Journal of Comparative Pathology* **103**: 457-465.
- Hoste H., Torres-Acosta F., Paolini V., Aguilar-Caballero A., Etter E., Lefrileux Y., Chartier C., Broqua C. (2005b) Interactions between nutrition and gastrointestinal infections with parasitic nematodes in goats. *Small Ruminant Research* **60**: 141-151.
- Houdijk J.G.M., Jessop N.S., Kyriazakis I. (2001a) Nutrient partitioning between reproductive and immune functions in animals. *Proceedings of the Nutrition Society* **60**: 515-525.
- Houdijk J.G.M., Kyriazakis I., Coop R.L., Jackson F. (2001b) The expression of immunity to *Teladorsagia circumcincta* in ewes and its relationship to protein nutrition depend on body protein reserves. *Parasitology* **122**: 661-672.
- Houdijk J.G.M., Kyriazakis I., Jackson F., Huntly J.F., Coop R.L. (2000) Can an increased intake of metabolizable protein affect the periparturient relaxation in immunity against *Teladorsagia circumcincta* in sheep? *Veterinary Parasitology* **91**: 43-62.
- Hounzangbe-Adote M.S., Paolini V., Fouraste I., Moutairou K., Hoste H. (2005a) In vitro effects of four tropical plants on three life-cycle stages of the parasitic nematode, *Haemonchus contortus*. *Research in Veterinary Science* **78**: 155-160.

- Hounzangbe-Adote M.S., Zinsou F.E., Hounpke V., Moutairou K. (2005b) In vivo effects of fagara leaves on sheep infested with gastrointestinal nematodes. *Tropical Animal Health and Production* **37**: 205-214.
- Howells R.E. (1987) Dynamics of the filarial surface In: *Filariasis. CIBA Foundation Symposium 127*, pp. 94-106. Wiley, Chichester.
- Howells R.E., Chen S.N. (1981) *Brugia pahangi*: feeding and nutrient uptake *in vitro* and *in vivo*. *Experimental Parasitology* **51**: 42-58.
- Hunter A.R., Mackenzie G. (1982) The pathogenesis of a single challenge dose of *Haemonchus contortus* in lambs under six months of age. *Journal of Helminthology* **56**: 135-144.
- Hutchings M.R., athanasiadou S., kyriazakis I., Gordon I.J. (2003) Can animals use foraging behaviour to combat parasites? *Proceedings of the Nutrition Society* **62**: 361-370.
- Hutchings M.R., Judge J., Gordon I.J., Athanasiadou S., Kyriazakis I. (2006) Use of trade-off theory to advance understanding of herbivore-parasite interactions. *Mammal Review* **36**: 1-16.
- Jackson F., Angus K.W., Coop R.L. (1983) Development of morphological changes in the small intestine of lambs continuously infected with *Trichostrongylus vitrinus*. *Research in Veterinary Science* **34**: 301-304.
- Jackson F., Coop R.L. (2000) The development of anthelmintic resistance in sheep nematodes. *Parasitology* **120**: S95-S107.
- Jackson F.S., Barry T.N., Lascano C.E., Palmer B. (1996a) The extractable and bound condensed tannin content of leaves from tropical tree, shrub and forage legumes. *Journal of the Science of Food and Agriculture* **71**: 103-110.
- Jackson F.S., McNabb W.C., Barry T.N., Foo L.Y., Peters J.S. (1996b) The condensed tannin content of a range of subtropical and temperate forages and the reactivity of condensed tannin with ribulose-1,5-bis-phosphate carboxylase (Rubisco) protein. *Journal of the Science of Food and Agriculture* **72**: 483-493.
- Jasmer D.P., Perryman L.E., McGuire T.C. (1996) *Haemonchus contortus* GA1 antigens: related, phospholipase C-sensitive, apical gut membrane proteins encoded as a polyprotein and released from the nematode during infection. *Proceedings of the National Academy of Sciences of the United States of America* **93**: 8642-8647.
- Jelinek P.D., Ellis T., Wroth R.H., Sutherland S.S., Masters H.G., Petterson D.S. (1998) The effect of selenium supplementation on immunity, and the

- establishment of an experimental *H. contortus* infection, in weaner Merino sheep fed a low selenium diet. *Australian Veterinary Journal* **65**: 214-217.
- Jones D.G. (1982) Changes in the intestinal enzyme activity of lambs during chronic infection with *Trichostrongylus vitrinus*. *Research in Veterinary Science* **32**: 316-323.
- Jones G.A., McAllister T.A., Muir A.D., Cheng K.-J. (1994) Effects of sainfoin (*Onobrychis viciifolia* Scop.) condensed tannins on growth and proteolysis by four strains of ruminal bacteria. *Applied and Environmental Microbiology* **60**: 1374-1378.
- Jones W.O., Symons L.E.A. (1982) Protein synthesis in the whole body, liver, skeletal muscle and kidney cortex of lambs infected by the nematode *Trichostrongylus colubriformis*. *International Journal for Parasitology* **12**: 295-301.
- Jones W.T., Broadhurst R.B., Lyttleton J.W. (1976) The condensed tannins of pasture legume species. *Phytochemistry* **15**: 1407-1409.
- Jones W.T., Mangan J.L. (1977) Complexes of the condensed tannins of sainfoin (*Onobrychis viciifolia* Scop.) with Fraction 1 leaf protein and with submaxillary mucoprotein, and their reversal by polyethylene glycol and pH. *Journal of the Science of Food and Agriculture* **28**: 126-136.
- Justine J.-L. (2002) Male and female gametes and fertilisation. In: *The Biology of Nematodes* (Ed. D.L. Lee), pp. 73-119. Taylor and Francis, London.
- Kabasa J.D., Opuda-Asibo J., Ter Meullen U. (2000) The effect of oral administration of polyethylene glycol on faecal helminth egg counts in pregnant goats grazed on browse containing condensed tannins. *Tropical Animal Health and Production* **32**: 73-86.
- Kahiya C., Mukaratirwa S., Thamsborg S.M. (2003) Effects of *Acacia nilotica* and *Acacia karoo* diets on *Haemonchus contortus* infection in goats. *Veterinary Parasitology* **115**: 265-274.
- Kahn L.P., Kyriazakis I., Jackson F., Coop R.L. (2000) Temporal effects of protein nutrition on the growth and immunity of lambs infected with *Trichostrongylus colubriformis*. *International Journal for Parasitology* **30**: 193-205.
- Kermanshai R., McCarry B.E., Rosenfeld J., Summers P.S., Weretilnyk E.A., Sorger G.J. (2001) Benzyl isothiocyanate is the chief or sole anthelmintic in papaya seed extracts. *Phytochemistry* **57**: 427-435.
- Ketzis J., Vercruyse J., Stromberg B., Larsen M., Athanasiadou S., Houdijk J.G.M. (2006) Evaluation of efficacy expectations for novel and non-chemical helminth control strategies in ruminants. *Veterinary Parasitology* **139**: 321-335.

- Kimambo A.E., MacRae J.C. (1988) Measurement in vitro of a larval migration inhibitory factor in gastrointestinal mucus of sheep made resistant to the roundworm *Trichostrongylus colubriformis*. *Veterinary Parasitology* **28**: 213-222.
- Kimambo A.E., MacRae J.C., Dewey P.J.S. (1988a) The effect of daily challenge with *Trichostrongylus colubriformis* larvae on the nutrition and performance of immunologically-resistant sheep. *Veterinary Parasitology* **28**: 205-212.
- Kimambo A.E., MacRae J.C., Walker A., Watt C.F., Coop R.L. (1988b) Effect of prolonged subclinical infection with *Trichostrongylus colubriformis* on the performance and nitrogen metabolism of growing lambs. *Veterinary Parasitology* **28**: 191-203.
- Kirsch R., Schleich H. (1982) Morphological changes in trichostrongylid eggs after treatment with fenbendazole. *Veterinary Parasitology* **11**: 375-380.
- Knox M.R., Deng K., Nolan J.V. (2003) Nutritional programming of young sheep to improve later-life production and resistance to nematode parasites: a brief review. *Australian Journal of Experimental Agriculture* **43**: 1431-1435.
- Kotze A.C., O'Grady J., Gough J.M., Pearson R., Bagnall N.H., Kemp D.H., Akhurst R.J. (2005) Toxicity of *Bacillus thuringiensis* to parasitic and free-living life-stages of nematode parasites of livestock. *International Journal for Parasitology* **35**: 1013-1022.
- Kraus T.E.C., Yu Z., Preston C.M., Dahlgren R.A., Zasoski R.J. (2003) Linking chemical reactivity and protein precipitation to structural characteristics of foliar tannins. *Journal of Chemical Ecology* **29**: 703-730.
- Kumar R., Horigome T. (1986) Fractionation, characterization, and protein-precipitating capacity of the condensed tannins from *Robinia pseudo acacia* L. leaves. *Journal of Agricultural and Food Chemistry* **34**: 487-489.
- Kyriazakis I., Anderson D.H., Coop R.L., Jackson F. (1996a) The pathophysiology and development of immunity during long-term subclinical infection with *Trichostrongylus colubriformis* of sheep receiving different nutritional treatments. *Veterinary Parasitology* **65**: 41-54.
- Kyriazakis I., Anderson D.H., Oldham J.D., Coop R.L., Jackson F. (1996b) Long-term subclinical infection with *Trichostrongylus colubriformis*: effects on food intake, diet selection and performance of growing lambs. *Veterinary Parasitology* **61**: 297-313.
- Kyriazakis I., Oldham J.D., Coop R.L., Jackson F. (1994) The effect of subclinical intestinal nematode infection on the diet selection of growing sheep. *British Journal of Nutrition* **72**: 665-677.

- Kyriazakis I., Tolkamp B.J., Hutchings M.R. (1998) Towards a functional explanation for the occurrence of anorexia during parasitic infections. *Animal Behaviour* **56**: 265-274.
- Lange K.C., Olcott D.D., Miller J.E., Mosjidis J.A., Terrill T.H., Burke J.M., Kearney M.T. (2006) Effect of sericea lespedeza (*Lespedeza cuneata*) fed as hay, on natural and experimental *Haemonchus contortus* infections in lambs. *Veterinary Parasitology* **141**: 273-278.
- Larsen M. (2000) Prospects for controlling animal parasitic nematodes by predacious microfungi. *Parasitology* **120**: S121-S131.
- Lawton D.E.B., Reynolds G.W., Hodgkinson S.M., Pomroy W.E., Simpson H.V. (1996) Infection of sheep with adult and larval *Ostertagia circumcincta*: effects on abomasal pH and serum gastrin and pepsinogen. *International Journal for Parasitology* **26**: 1063-1074.
- Le Jambre L.F., Geoghegan J., Lyndal-Murphy M. (2005) Characterization of moxidectin resistant *Trichostrongylus colubriformis* and *Haemonchus contortus*. *Veterinary Parasitology* **128**: 83-90.
- Leathwick D.M., Atkinson D.S. (1995) Dagginess and flystrike in lambs grazed on *Lotus corniculatus* or ryegrass. *Proceedings of the New Zealand Society of Animal Production* **55**: 196-198.
- Leathwick D.M., Atkinson D.S. (1996) Influence of different proportions of *Lotus corniculatus* in the diet of lambs on dags, flystrike and animal performance. *Proceedings of the New Zealand Society of Animal Production* **56**: 99-102.
- Lee D.L. (2002) Cuticle, moulting and exsheathment. In: *The Biology of Nematodes* (Ed. D.L. Lee), pp. 171-209. Taylor and Francis, London.
- LeJambre L.F., Whitlock J.H. (1967) Oxygen influence on egg production by a parasitic nematode. *The Journal of Parasitology* **53**: 887.
- Lin N.K., Preston T.R., Binh D.V., Ly N.D. (2003) Effects of tree foliages compared with grasses on growth and intestinal nematode infestation in confined goats. In: *Livestock Research for Rural Development*.
- Liu S.M., Masters D.G., Adams N.R. (2003) Potential impact of nematode parasitism on nutrient partitioning for wool production, growth and reproduction in sheep. *Australian Journal of Experimental Agriculture* **43**: 1409-1417.
- López J., Tejada I., Vásquez C., de Dios Garza J., Shimada A. (2004) Condensed tannins in humid tropical fodder crops and their *in vitro* biological activity: Part 1. *Journal of the Science of Food and Agriculture* **84**: 291-294.

- Love S.C.J., Neilson F.J.A., Biddle A.J., McKinnon R. (2003) Moxidectin-resistant *Haemonchus contortus* in sheep in northern New South Wales. *Australian Veterinary Journal* **81**: 359-360.
- Machanja J. (2007) *Optimising the use of calliandra, gliricidia and kenaf proteins in ruminant feeding*. Master of Tropical Animal Science Thesis (Advisor: E. Teleni). Australian Institute of Tropical Veterinary and Animal Science, James Cook University, Townsville.
- MacKinnon B.M. (1987) An ultrastructural and histochemical study of oogenesis in the trichostrongylid nematode *Heligmosomoides polygyrus*. *Journal of Parasitology* **73**: 390-399.
- MacRae J.C. (1993) Metabolic consequences of intestinal parasitism. *Proceedings of the Nutrition Society* **52**: 121-130.
- Maizels R.M., de Savigny D., Ogilvie B.M. (1984) Characterization of surface and excretory-secretory antigens of *Toxocara canis* infective larvae. *Parasite Immunology* **6**: 23-37.
- Maizels R.M., Page A.P. (1990) Surface associated glycoproteins from *Toxocara canis* larval parasites. *Acta Tropica* **47**.
- Makkar H.P.S. (2003) *Quantification of Tannins in Tree and Shrub Foliage: A Laboratory Manual*. (first Ed.). Kluwer Academic publishers, Dordrecht, The Netherlands.
- Mangan J.L. (1988) Nutritional effects of tannins in animal feeds. *Nutrition Research Reviews* **1**: 209-231.
- Mansfield L.S., Gamble H.R., Fetterer R.H. (1992) Characterization of the eggshell of *Haemonchus contortus* - I. structural components. *Comparative Biochemistry and Physiology* **103B**: 681-686.
- Manton V.J.A., Peacock R., Poynter D., Silverman P.H., Terry R.J. (1962) The influence of age on naturally acquired resistance to *Haemonchus contortus* in lambs. *Research in Veterinary Science* **3**: 308-314.
- Marley C.L., Cook R., Barrett J., Keatinge R., Lampkin N.H. (2006a) The effects of birdsfoot trefoil (*Lotus corniculatus*) and chicory (*Cichorium intybus*) when compared with perennial ryegrass (*Lolium perenne*) on ovine gastrointestinal parasite development, survival and migration. *Veterinary Parasitology* **138**: 280-290.
- Marley C.L., Cook R., Barrett J., Keatinge R., Lampkin N.H., McBride S.D. (2003a) The effect of dietary forage on the development and survival of helminth parasites in ovine faeces. *Veterinary Parasitology* **118**: 93-107.

- Marley C.L., Cook R., Keatinge R., Barrett J., Lampkin N.H. (2003b) The effect of birdsfoot trefoil (*Lotus corniculatus*) and chicory (*Cichorium intybus*) on parasite intensities and performance of lambs naturally infected with helminth parasites. *Veterinary Parasitology* **112**: 147-155.
- Marley C.L., Fraser M.D., Fychan R., Theobald V.J., Jones R. (2005) Effect of forage legumes and anthelmintic treatment on the performance, nutritional status and nematode parasites of grazing lambs. *Veterinary Parasitology* **131**: 267-282.
- Marley C.L., Fraser M.D., Roberts J.E., Fychan R., Jones R. (2006b) Effects of legume forages on ovine gastrointestinal parasite development, migration and survival. *Veterinary Parasitology* **138**: 308-317.
- Martin M.M., Rockholm D.C., Martin J.S. (1985) Effects of surfactants, pH, and certain cations on precipitation of proteins by tannins. *Journal of Chemical Ecology* **11**: 485-494.
- Maslin B.R., McDonald M.W. (1996) *A Key to Useful Australian Acacias for the Seasonally Dry Tropics*. CSIRO Publishing, Australia.
- Max R.A., Buttery P.J., Wakelin D., Kimambo A.E., Kassuku A.A., Mtenga L.A. (2003) *The potential of controlling gastrointestinal parasitic infections in tropical small ruminants using plants high in tannins or extracts from them*. Paper presented at the Proceedings of the 3rd DFID LPP Link Project (R7798) Workshop for Small Ruminant Keepers. Izaak Walton Inn, Embu, Kenya, 4-7 February 2003.
- Max R.A., Kimambo A.E., Kassuku A.A., Mtenga L.A., Buttery P.J. (2004) *The effect of wattle tannin drench or an acacia meal supplement on faecal egg counts and total worm burdens of tropical sheep with an experimental nematode infection*. Paper presented at the Proceedings of the 4th DFID LPP Link Project (R7798) Workshop for Small Livestock Keepers, Masaka, Uganda. November 2004, Masaka, Uganda.
- Max R.A., Wakelin D., Dawson J.M., Kimambo A.E., Kassuku A.A., Mtenga L.A., Craighan J., Buttery P.J. (2005) Effect of quebracho tannin on faecal egg counts and worm burdens of temperate sheep with challenge nematode infections. *Journal of Agricultural Science* **143**: 519-527.
- McClure S.J. (2003) Mineral nutrition and its effects on gastrointestinal immune function in sheep. *Australian Journal of Experimental Agriculture* **43**: 1455-1461.
- McClure S.J., Emery D.L., Wagland B.M., Jones W.O. (1992) A serial study of rejection of *Trichostrongylus colubriformis* by immune sheep. *International Journal for Parasitology* **22**: 227-234.

- McClure S.J., McClure T.J., Emery D.L. (1999) Effects of molybdenum intake on primary infection and subsequent challenge by the nematode parasite *Trichostrongylus colubriformis* in weaned Merino lambs. *Research in Veterinary Science* **67**: 17-22.
- McDonald A.D. (1979) Effects of parasites and disease on wool growth. In: *Physiological and Environmental Limitations to Wool Growth. Proceedings of a National Workshop, Leura, New South Wales* (Eds. J.L. Black & P.J. Reis), pp. 99-114. The University of New England Publishing Unit, Australia.
- McDonald M.A., Stevens P.A., Healey J.R. (2001) *Contour hedgerows of Calliandra calothyrsus Meissn. for soil and water conservation in the Blue Mountains of Jamaica*. Paper presented at the Sustaining the Global Farm. Selected papers from the 10th International Soil Conservation Organisation Meeting, May 24-29, 1999, Purdue University and the USDA-ARS National Soil Erosion Research Laboratory.
- McDonald P., Edwards R.A., Greenhalgh J.F.D. (1981) *Animal Nutrition*. (Third Ed.). Longman, London.
- McKellar Q.A. (1993) Interactions of *Ostertagia* species with their bovine and ovine hosts. *International Journal for Parasitology* **23**: 451-462.
- McKellar Q.A., Mostofa M., Eckersall P.D. (1990) Stimulated pepsinogen secretion from dispersed abomasal glands exposed to *Ostertagia* species secretion. *Research in Veterinary Science* **48**: 6-11.
- McKellar Q.A. (1997) Ecotoxicology and residues of anthelmintic compounds. *Veterinary Parasitology*: 413-435.
- McNabb W.C., Waghorn G.C., Barry T.N., Shelton I.D. (1993) The effect of condensed tannins in *Lotus pedunculatus* on the digestion and metabolism of methionine, cystine and inorganic sulphur in sheep. *British Journal of Nutrition* **70**: 647-661.
- McNeill D.M., Osborne N.J.T., Komolong M.K., Nankervis D. (1998) Condensed tannins in the genus *Leucaena* and their nutritional significance for ruminants. In: *Leucaena - Adaptation, Quality and Farming Systems. Proceedings of a Workshop held in Hanoi, Vietnam 9-14 February 1998* (Eds. H.M. Shelton, R.C. Gutteridge, B.F. Mullen, & R.A. Bray), pp. 205-214. Australian Centre for International Agricultural Research.
- McNeill D.M., Slepetic R., Ehrhardt R.A., Smith D.M., Bell A.W. (1997) Protein requirements of sheep in late pregnancy: partitioning of nitrogen between gravid uterus and maternal tissues. *Journal of Animal Science* **75**: 809-816.
- McSweeney C.S., Palmer B., Bunch R., Krause D.O. (1999) In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion. *Animal Feed Science and Technology* **82**: 227-241.

- McSweeney C.S., Palmer B., Bunch R., Krause D.O. (2001a) Effect of the tropical forage calliandra on microbial protein synthesis and ecology in the rumen. *Journal of Applied Microbiology* **90**: 78-88.
- McSweeney C.S., Palmer B., McNeill D.M., Krause D.O. (2001b) Microbial interactions with tannins: nutritional consequences for ruminants. *Animal Feed Science and Technology* **91**: 83-93.
- Meat & Wool New Zealand (2006) Managing worms - an update on progress. *R & D Brief* **115**: 1-4.
- Merkel R.C., Pond K.R., Burns J.C., Fisher D.S. (1999a) Intake, digestibility and nitrogen utilisation of three tropical tree legumes I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*. *Animal Feed Science and Technology* **82**: 91-106.
- Merkel R.C., Pond K.R., Burns J.C., Fisher D.S. (1999b) Intake, digestibility and nitrogen utilisation of three tropical tree legumes II. As protein supplements. *Animal Feed Science and Technology* **82**: 107-120.
- Min B.R., Attwood G.T., McNabb W.C., Molan A.L., Barry T.N. (2005a) The effect of condensed tannins from *Lotus corniculatus* on the proteolytic activities and growth of rumen bacteria. *Animal Feed Science and Technology* **121**: 45-58.
- Min B.R., Barry T.N., McNabb W.C., Kemp P.D. (1998) Effect of condensed tannins on the production of wool and on its processing characteristics in sheep grazing *Lotus corniculatus*. *Australian Journal of Agricultural Research* **49**: 597-605.
- Min B.R., Hart S.P. (2003) Tannins for suppression of internal parasites. *Journal of Animal Science* **81**: E102-E109.
- Min B.R., Hart S.P., Miller D., Tomita G.M., Loetz E., Sahlu T. (2005b) The effect of grazing forage containing condensed tannins on gastrointestinal parasite infection and milk composition in Angora does. *Veterinary Parasitology* **130**: 105-113.
- Min B.R., McNabb W.C., Barry T.N., Kemp P.D., Waghorn G.C., McDonald M.F. (1999) The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in sheep during late summer and autumn. *Journal of Agricultural Science* **132**: 323-334.
- Min B.R., Pomroy W.E., Hart S.P., Sahlu T. (2004) The effect of short-term consumption of a forage containing condensed tannins on gastro-intestinal nematode parasite infections in grazing wether goats. *Small Ruminant Research* **51**: 279-283.

- Molan A., Attwood G.T., Min B.R., McNabb W.C. (2001) The effect of condensed tannins from *Lotus pedunculatus* and *Lotus corniculatus* on the growth of proteolytic rumen bacteria in vitro and their possible mode of action. *Canadian Journal of Microbiology* **47**: 626-633.
- Molan A., Duncan A., Barry T.N., McNabb W.C. (2003a) Effects of condensed tannins and crude sesquiterpene lactones extracted from chicory on the mobility of larvae of deer lungworm and gastrointestinal nematodes. *Parasitology International* **52**: 209-218.
- Molan A.L., Alexander R., Brookes I.M., McNabb W.C. (2000a) Effects of sulla condensed tannins on the viability of three sheep gastrointestinal nematodes. **Abstract only.** *Proceedings of the New Zealand Society for Animal Production* **60**: 21-25.
- Molan A.L., Hoskin S.O., Barry T.N., McNabb W.C. (2000b) Effect of condensed tannins extracted from four forages on the viability of the larvae of deer lungworms and gastrointestinal nematodes. *Veterinary Record* **147**: 44-48.
- Molan A.L., Meagher L.P., Spencer P.A., Sivakumaran S. (2003b) Effect of flavan-3-ols on in vitro egg hatching, larval development and viability of infective larvae of *Trichostrongylus colubriformis*. *International Journal for Parasitology* **33**: 1691-1698.
- Molan A.L., Waghorn G.C., McNabb W.C. (2002) Effect of condensed tannins on egg hatching and larval development of *Trichostrongylus colubriformis* in vitro. *The Veterinary Record* **150**: 65-69.
- Molan A.L., Waghorn G.C., W.C. M. (1999) Condensed tannins and gastrointestinal parasites in sheep. *Proceedings of the New Zealand Grassland Association* **61**: 57-61.
- Mole S., Waterman P.G. (1987) A critical analysis of techniques for measuring tannins in ecological studies. I. Techniques for chemically defining tannins. *Oecologia (Berlin)* **72**: 137-147.
- Muhikambe V.R.M., Mtenga L.A., Owen E., Kifaro G.C., Sendalo D.S.C., Massawe N.F., Kiango S.M., Nkungu D.R. (1994) *Effect of castration and diet on performance and feed utilisation in Saanen goats*. Paper presented at the Small Ruminant Research and Development in Africa: Proceedings of the Third Biennial Conference of the African Small Ruminant Research Network. 5-9 December, 1994, UICC, Kampala, Uganda.
- Munn E.A., Munn P.D. (2002) Feeding and digestion. In: *The Biology of Nematodes* (Ed. D.L. Lee), pp. 211-232. Taylor & Francis, London.
- Murray M., Jennings F.W., Armour J. (1970) Bovine ostertagiasis: structure, function and mode of differentiation of the bovine gastric mucosa and kinetics of the worm loss. *Research in Veterinary Science* **11**: 417-427.

- Narjisse H., Elhonsali M.A., Olsen J.D. (1995) Effects of oak (*Quercus ilex*) tannins on digestion and nitrogen balance in sheep and goats. *Small Ruminant Research* **18**: 201-206.
- National Research Council (1983) *Calliandra: A Versatile Small Tree for the Humid Tropics*. National Academy Press, Washington D.C.
- Netpana N., Wanapat M., Pongchompu O., Toburan W. (2001) *Effect of condensed tannins in cassava hay on faecal parasitic egg counts in swamp buffaloes and cattle*. Paper presented at the International Workshop on Current Research and Development on Use of Cassava as an Animal Feed., Khon Kaen University, Thailand.
- Nicholson R.L., Butler L.G., Asquith T.N. (1986) Glycoproteins from *Colletotrichum graminicola* that bind phenols: implications for survival and virulence of phytopathogenic fungi. *Phytopathology* **76**: 1315-1318.
- Niezen J.H., Charleston W.A.G., Hodgson J., MacKay A.D., Leathwick D.M. (1996) Controlling internal parasites in grazing ruminants without recourse to anthelmintics: approaches, experiences and prospects. *International Journal for Parasitology* **26**: 983-992.
- Niezen J.H., Charleston W.A.G., Hodgson J., Miller C.M., Waghorn T.S., Robertson H.A. (1998a) Effect of plant species on the larvae of gastrointestinal nematodes which parasitise sheep. *International Journal for Parasitology* **28**: 791-803.
- Niezen J.H., Charleston W.A.G., Robertson H.A., Shelton D., Waghorn G.C., Green R. (2002a) The effect of feeding sulla (*Hedysarum coronarium*) or lucerne (*Medicago sativa*) on lamb parasite burdens and development of immunity to gastrointestinal nematodes. *Veterinary Parasitology* **105**: 229-245.
- Niezen J.H., Robertson H.A., Waghorn G.C., Charleston W.A.G. (1998b) Production, faecal egg counts and worm burdens of ewe lambs which grazed six contrasting forages. *Veterinary Parasitology* **80**: 15-27.
- Niezen J.H., Waghorn G.C., Charleston W.A.G. (1998c) Establishment and fecundity of *Ostertagia circumcincta* and *Trichostrongylus colubriformis* in lambs fed lotus (*Lotus pedunculatus*) or perennial ryegrass (*Lolium perenne*). *Veterinary Parasitology* **78**: 13-21.
- Niezen J.H., Waghorn G.C., Graham T., Carter J.L., Leathwick D.M. (2002b) The effect of diet fed to lambs on subsequent development of *Trichostrongylus colubriformis* larvae in vitro and on pasture. *Veterinary Parasitology* **105**: 269-283.
- Niezen J.H., Waghorn T.S., Charleston W.A.G., Waghorn G.C. (1995) Growth and gastrointestinal nematode parasitism in lambs grazing either lucerne (*Medicago sativa*) or sulla (*Hedysarum coronarium*) which contains condensed tannins. *Journal of Agricultural Science* **J 125**: 281-289.

- Niezen J.H., Waghorn T.S., Robertson H.A., McFarlane R.G. (1994) Lamb weight gain and faecal egg count when grazing one of seven forages and dosed with larvae for six weeks. *Proceedings of the New Zealand Society of Animal Production* **54**: 15-18.
- Niezen J.H., Waghorn T.S., Waghorn G.C., Charleston W.A.G. (1993) Internal parasites and lamb production - a role for plants containing condensed tannins? *Proceedings of the New Zealand Society of Animal Production* **53**: 235-238.
- Nomara M., Hirotaka T., Ichimatsu D., Ito H., Yoshida T., Miyamoto K.-I. (2005) Inhibition of epidermal growth factor-induced cell transformation by tannins. *Phytochemistry* **66**: 2038-2046.
- Norton B.W. (1999) The significance of tannins in tropical animal production. In: *Tannins in Livestock and Human Nutrition: Proceedings of an International Workshop held in Adelaide, Australia, May 31-June 2, 1999* (Ed. J.D. Brooker), pp. 14-23. ACIAR Proc. No. 92.
- Norton B.W., Ahn J.H. (1997) A comparison of fresh and dried *Calliandra calothyrsus* supplements for sheep given a basal diet of barley straw. *Journal of Agricultural Science*: 485-494.
- Norton B.W., Lowry B., McSweeney C.S. (1994) The nutritive value of leucaena species. In: *Leucaena - Opportunities and Limitations. Proceedings of a workshop held in Bogor, Indonesia 24-29 January 1994. ACIAR Proceedings No. 57* (Eds. H.M. Shelton, C.M. Piggin, & J.L. Brewbaker), pp. 103-111. Australian Centre for International Agricultural Research.
- Norton B.W., Waterfall M.H. (2000) The nutritive value of *Tipuana tipu* and *Calliandra calothyrsus* as supplements to low quality straw for goats. *Small Ruminant Research* **38**: 175-182.
- O'Sullivan B.M., Donald A.D. (1970) A field study of nematode parasite populations in the lactating ewe. *Parasitology* **61**: 301-315.
- Odenyo A.A., Osuji P.O. (1998) Tannin-tolerant ruminal bacteria from East African ruminants. *Canadian Journal of Microbiology* **44**: 905-909.
- Oldham J.D., Hart I.C., Bines J.A. (1977) Effect of abomasal infusions of casein, arginine, methionine or phenylalanine on growth hormone, insulin, prolactin, thyroxine and some metabolites in blood from lactating goats. *British Journal of Nutrition* **37**: 8A.
- Osborne N.J.T., McNeill D.M. (2001) Characterisation of *Leucaena* condensed tannins by size and protein precipitation capacity. *Journal of the Science of Food and Agriculture* **81**: 1113-1119.

- Osoero K., Mateos-Sanz A., Frutos P., García U., Ortega-Mora L.M., Ferreira L.M.M., Celaya R., Ferre I. (2007) Anthelmintic and nutritional effects of heather supplementation on Cashmere goats grazing perennial ryegrass-white clover pastures. *Journal of Animal Science* **85**: 861-870.
- Owen J., Slocombe J.O.D. (1974) Some analyses of exsheathing fluid from infective *Haemonchus contortus* larvae from Ontario. *International Journal for Parasitology* **4**: 397-402.
- Ozerol N.H., Silverman P.H. (1969) Partial characterisation of *Haemonchus contortus* exsheathing fluid. *The Journal of Parasitology* **55**: 79-87.
- Palmer B., Jones R.J., Wina E., Tangendjaj B. (2000) The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility and PEG binding of *Calliandra calothyrsus*. *Animal Feed Science and Technology* **87**: 29-40.
- Palmer B., Schlink A.C. (1992) The effect of drying on the intake and rate of digestion of the shrub legume *Calliandra calothyrsus*. *Tropical Grasslands* **26**: 89-93.
- Panjaitan T.S.S. (2000) *Nutritive Value of Preserved Gliricidia (Gliricidia sepium) as Ruminant Feed*. Dissertation (Advisor: E. Teleni). Australian Institute of Tropical Veterinary and Animal Science, James Cook University, Townsville, Australia.
- Paolini V., Bergeaud J.P., Grisez C., Prevot F., Dorchies P., Hoste H. (2003a) Effects of condensed tannins on goats experimentally infected with *Haemonchus contortus*. *Veterinary Parasitology* **113**: 253-261.
- Paolini V., De La Farge F., Prevot F., Dorchies P., Hoste H. (2005a) Effects of the repeated distribution of sainfoin hay on the resistance and resilience of goats naturally infected with gastrointestinal parasites. *Veterinary Parasitology* **127**: 277-283.
- Paolini V., Frayssines A., De La Farge F., Dorchies P., Hoste H. (2003b) Effects of condensed tannins on established populations and incoming larvae of *Trichostrongylus colubriformis* and *Teladorsagia circumcincta* in goats. *Veterinary Research* **34**: 331-339.
- Paolini V., Prevot F., Dorchies P., Hoste H. (2005b) Lack of effects of quebracho and sainfoin hay on incoming third-stage larvae of *Haemonchus contortus* in goats. *The Veterinary Journal* **170**: 260-263.
- Paolocci F., Bovone T., Tosti N., Arcioni S., Damiani F. (2005) Light and an exogenous transcription factor qualitatively and quantitatively affect the biosynthetic pathway of condensed tannins in *Lotus corniculatus* leaves. *Journal of Experimental Botany* **56**: 1093-1103.

- Parker R.J., Palmer B. (1991) Lack of anthelmintic effect of *Calliandra calothyrsus* in sheep. *Australian Veterinary Journal* **68**: 309.
- Paterson R.T., Kiruiro E., Arimi H.K. (1999) *Calliandra calothyrsus* as a supplement for milk production in the Kenya highlands. *Tropical Animal Health and Production* **31**: 115-126.
- Perez-Maldonado R.A., Norton B.W. (1996a) Digestion of ¹⁴C-labelled condensed tannin from *Desmodium intortum* in sheep and goats. *British Journal of Nutrition* **76**: 501-513.
- Perez-Maldonado R.A., Norton B.W. (1996b) The effects of condensed tannins from *Desmodium intortum* and *Calliandra calothyrsus* on protein and carbohydrate digestion in sheep and goats. *British Journal of Nutrition* **76**: 515-533.
- Pessoa L.M., Morais S.M., Bevilaqua C.M.L., Luciano J.H.S. (2002) Anthelmintic activity of essential oil of *Ocimum gratissimum* Linn. and eugenol against *Haemonchus contortus*. *Veterinary Parasitology* **109**: 59-63.
- Pew J.C. (1951) Structural aspects of the colour reaction of lignin with phenols. *Journal of the American Chemical Society* **73**: 1678.
- Ploeger H.W., Schoenmaker G.J.W., Kloosterman A., Borgsteede F.H.M. (1989) Effect of anthelmintic treatment of dairy cattle on milk production related to some parameters estimating nematode infection. *Veterinary Parasitology* **34**: 239-253.
- Pomroy W.E., Adlington B.A. (2006) Efficacy of short-term feeding of sulla (*Hedysarum coronarium*) to young goats against a mixed burden of gastrointestinal nematodes. *Veterinary Parasitology* **136**: 363-366.
- Poppi D.P., MacRae J.C., Brewer A., RL C. (1986) Nitrogen transactions in the digestive tract of lambs exposed to the intestinal parasite, *Trichostrongylus colubriformis*. *British Journal of Nutrition* **55**: 593-602.
- Poppi D.P., MacRae J.C., Brewer A.C., Dewey P.J.S., Walker A. (1985) Calcium and phosphorus absorption in lambs exposed to *Trichostrongylus colubriformis*. *Journal of Comparative Pathology* **95**: 453-464.
- Porter L.J. (1989) Tannins. In: *Methods in Plant Biochemistry*, pp. 389-419. Academic Press.
- Prichard R.K., Hennessy D.R., Griffiths D.A. (1974) Endocrine responses of sheep to infection with *Trichostrongylus colubriformis*. *Research in Veterinary Science* **17**: 182-187.
- Prinz J.F., Lucas P.W. (2000) Saliva tannin interactions. *Journal of Oral Rehabilitation* **27**: 991-994.

- Pritchard D.A., Martin P.R., O'Rourke P.K. (1992) The role of condensed tannins in the nutritional value of mulga (*Acacia aneura*) for sheep. *Australian Journal of Agricultural Research* **43**: 1739-1746.
- Pritchard D.I., McKean P.G., Rogan M.T. (1988) Cuticular collagens - a concealed target for immune attack in hookworms. *Parasitology Today* **4**: 239-241.
- Proudfoot L., Kusel J.R., Smith H.V., Harnett W., Worms M.J., Kennedy M.W. (1990) The surface lipid of parasitic nematodes: organization, and modifications during transition to the mammalian host environment. *Acta Tropica* **47**: 323-330.
- Proudfoot L., Kusel J.R., Smith H.V., Kennedy M.W. (1991) Biophysical properties of the nematode surface. In: *Parasitic Nematodes - Antigens, Membranes and Genes* (Ed. M.W. Kennedy), pp. 1-26. Taylor and Francis, London.
- Puchala R., Min B.R., Goetsch A.L., Sahlu T. (2005) The effect of a condensed tannin-containing forage on methane emission by goats. *Journal of Animal Science* **83**: 182-186.
- Rakhmani S.I.W., Brooker J.D., Jones G.P., Palmer B. (2005) Composition of condensed tannins from *Calliandra calothyrsus* and correlation with in sacco digestibility. *Animal Feed Science and Technology* **121**: 109-124.
- Ramirez-Restrepo C.A., Barry T.N., Lopez-Villalobos N., Kemp P.D., McNabb W.C. (2004) Use of *Lotus corniculatus* containing condensed tannins to increase lamb and wool production under commercial dryland farming conditions without the use of anthelmintics. *Animal Feed Science and Technology* **117**: 85-105.
- Ramírez-Restrepo C.A., Barry T.N., Pomroy W.E., López-Villalobos N., McNabb W.C., Kemp P.D. (2005) Use of *Lotus corniculatus* containing condensed tannins to increase summer lamb growth under commercial dryland farming conditions with minimal anthelmintic drench input. *Animal Feed Science and Technology* **122**: 197-217.
- Ramirez -Restrepo C.A., Barry T.N., Lopez-Villalobos N., Kemp P.D., McNabb W.C. (2004) Use of *Lotus corniculatus* containing condensed tannins to increase lamb and wool production under commercial dryland farming conditions without the use of anthelmintics. *Animal Feed Science and Technology* **117**: 85-105.
- Ramírez R.G., Neira-Morales R.R., Ledezma-Torres R.A., Garribaldi-González C.A. (2000) Ruminant digestion characteristics and effective degradability of cell wall of browse species from northeastern Mexico. *Small Ruminant Research* **36**: 49-55.
- Reeve R.M. (1951) Histochemical tests for polyphenols in plant tissues. *Stain Technology* **26**: 91-96.

- Reeve R.M. (1959) Histological and histochemical changes in developing and ripening peaches. I. The catechol tannins. *American Journal of Botany* **46**: 210-217.
- Reveron A.E., Topps J.H., Gelman A.L. (1974) Mineral metabolism and skeletal development of lambs affected by *Trichostrongylus colubriformis*. *Research in Veterinary Science* **16**: 310-319.
- Rhoads M.L., Fetterer R.H. (1990) Biochemical and immunological characterization of ²⁵I-labelled cuticle components of *Haemonchus contortus*. *Molecular and Biochemical Parasitology* **42**: 155-164.
- Rhoads M.L., Fetterer R.H. (1995) Developmentally regulated secretion of cathepsin L-like cyteine proteases by *Haemonchus contortus*. *Journal of Parasitology* **81**: 505-512.
- Rhoads M.L., Fetterer R.H., Hill D.E., Urban Jr. J.F. (2000a) *Trichuris suis*: a secretory chymotrypsin/elastase inhibitor with potential as an immunomodulator. *Experimental Parasitology* **95**: 36-44.
- Rhoads M.L., Fetterer R.H., Romanowski R.D. (2000b) A developmentally regulated hyaluronidase of *Haemonchus contortus*. *Journal of Parasitology* **86**: 916-921.
- Rhoads M.L., Fetterer R.H., Urban Jr. J.F. (1997) Secretion of an aminopeptidase during transition of third- to fourth-stage larvae of *Ascaris suum*. *Journal of Parasitology* **83**: 780-784.
- Rhoads M.L., Fetterer R.H., Urban Jr. J.F. (1998) Effect of protease class-specific inhibitors on in vitro development of the third- to fourth-stage larvae of *Ascaris suum*. *Journal of Parasitology* **84**: 686-690.
- Rhoads M.L., Fetterer R.H., Urban Jr. J.F. (2001a) Cuticular collagen synthesis by *Ascaris suum* during development from the third to fourth larval stage: identification of a potential chemotherapeutic agent with a novel mode of action. *Journal of Parasitology* **87**: 1144-1149.
- Rhoads M.L., Fetterer R.H., Urban Jr. J.F. (2001b) Release of hyaluronidase during the in vitro development of *Ascaris suum* from the third to fourth larval stage. *Parasitology Research* **87**: 693-697.
- Riou M., Koch C., Delaleu B., Berthon P., Kerboeuf D. (2005) Immunolocalisation of an ABC transporter, P-glycoprotein, in the eggshells and cuticles of free-living and parasitic stages of *Haemonchus contortus*. *Parasitology Research* **96**: 142-148.
- Robbins C.T., Hagerman A.E., Austin P.J., McArthur C., Hanley T. (1991) Variation in mammalian physiological responses to a condensed tannin and its ecological implications. *Journal of Mammalogy* **72**: 480-486.

- Robbins C.T., Mole S., Hagerman A.E., Hanley T. (1987) Role of tannins in defending plants against ruminants: reduction in dry matter digestion? *Ecology* **68**: 1606-1615.
- Roberts H.C., Hardie L.J., Chappell L.H., Mercer J.G. (1999) Parasite-induced anorexia: leptin, insulin and corticosterone responses to infection with the nematode, *Nippostrongylus brasiliensis*. *Parasitology* **118**: 117-123.
- Roberts L.S., Janovy J.J. (2005a) Chapter 22 Phylum Nematoda: Form, function, and classification. In: *Gerald D. Schmidt and Larry S. Roberts' Foundations of Parasitology*, pp. 367-396. McGraw-Hill Higher Education, New York.
- Roberts L.S., Janovy J.J. (2005b) Chapter 25 Nematodes: Strongylida, Bursate Rhabditians. In: *Gerald D. Schmidt and Larry S. Roberts' Foundations of Parasitology*, pp. 417-430. McGraw-Hill Higher Education, New York.
- Robertson H.A., Niezen J.H., Waghorn G.C., Charleston W.A.G., Jinlong M. (1995) The effect of six herbage on liveweight gain, wool growth and faecal egg count of parasitised ewes. *Proceedings of the New Zealand Society of Animal Production* **55**: 198-199.
- Rogers W.P. (1966) Exsheathment and hatching mechanisms in helminths. In: *Biology of Parasites Emphasis on Veterinary Parasites* (Ed. E.J.L. Soulsby), pp. 33-40. Academic Press, New York.
- Rogers W.P. (1982) Enzymes in the exsheathing fluid of nematodes and their biological significance. *International Journal for Parasitology* **12**: 495-502.
- Rogers W.P., Brooks F. (1977) The mechanism of hatching of eggs of *Haemonchus contortus*. *International Journal for Parasitology* **7**: 61-65.
- Rogers W.P., Brooks F. (1978a) Leucine aminopeptidase and exsheathing activity in preparations from *Haemonchus contortus*. *International Journal for Parasitology* **8**: 449-452.
- Rogers W.P., Brooks F. (1978b) Leucine aminopeptidase in exsheathing fluid of North American and Australian *Haemonchus contortus*. *International Journal for Parasitology* **8**: 55-58.
- Rogers W.P., Sommerville R.I. (1960) The physiology of the second ecdysis of parasitic nematodes. *Parasitology* **50**: 329-348.
- Rojas D.K., López J., Tejada I., Vázquez V., Shimada A., Sánchez D., Ibarra F. (2006) Impact of condensed tannins from tropical forages on *Haemonchus contortus* burdens in Mongolian gerbils (*Meriones unguiculatus*) and Pelibuey lambs. *Animal Feed Science and Technology* **128**: 218-228.

- Roseby F.B. (1973) Effects of *Trichostrongylus colubriformis* (Nematoda) on the nutrition and metabolism of sheep. 1. Feed intake, digestion and utilization. *Australian Journal of Agricultural Research* **24**: 947-953.
- Roseby F.B. (1977) Effects of *Trichostrongylus colubriformis* (Nematoda) on the nutrition and metabolism of sheep. III Digesta flow and fermentation. *Australian Journal of Agricultural Research* **28**: 155-164.
- Roseby F.B., Leng R.A. (1974) Effects of *Trichostrongylus colubriformis* (Nematoda) on the nutrition and metabolism of sheep. II. Metabolism of urea. *Australian Journal of Agricultural Research* **25**: 363-367.
- Ross J.G., Purcell A., Dow C., Todd J.R. (1968) Experimental infections of calves with *Trichostrongylus axei*: observations on lethal infections. *Research in Veterinary Science* **9**: 314-318.
- Rowe J.B., Nolan J.V., De Chanee G., Teleni E., Holmes P.H. (1988) The effect of haemonchosis and blood loss into the abomasum on digestion in sheep. *British Journal of Nutrition* **59**: 125-139.
- Roy E.A., Hoste H., Fuller P., Tatarczuch L., Beveridge I. (1996) Development of morphological changes and ileal glucagon gene expression in the small intestine of lambs infected with *Trichostrongylus colubriformis*. *Journal of Comparative Pathology* **115**: 441-453.
- Rudin W. (1990) Comparison of the cuticular structure of parasitic nematodes recognised by immunocytochemical and lectin binding studies *Acta Tropica* **47**: 255-268.
- Salawu M.B., Acamovic T., Stewart C.S., Hvelplund T., Weisbjerg M.R. (1999) The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from Calliandra leaves. *Animal Feed Science and Technology* **79**: 289-300.
- Salman S.K., Duncan A. (1984) The abomasal histology of worm-free sheep given primary and challenge infections of *Haemonchus contortus*. *Veterinary Parasitology* **16**: 43-54.
- Sangster N.C., Gill J.H. (1999) Pharmacology of anthelmintic resistance. *Parasitology Today* **15**: 141-146.
- Santos-Buelga C., Scalbert A. (2000) Proanthocyanidins and tannin-like compounds - nature, occurrence, dietary intake and effects on nutrition and health. *Journal of the Science of Food and Agriculture* **80**: 1094-1117.
- Sarkar S.K., Howarth R.E. (1976) Specificity of the vanillin test for flavanols. *Journal of Agricultural and Food Chemistry* **24**: 317-320.

- Satrija F., Nansen P., Bjørn H., Murtini S., He S. (1994) Effect of papaya latex against *Ascaris suum* in naturally infected pigs *Journal of Helminthology* **68**: 343-346.
- Satrija F., Nansen P., Murtini S., He S. (1995) Anthelmintic activity of papaya latex against patent *Helimosomoides polygyrus* infections in mice. *Journal of Ethnopharmacology* **48**: 161-164.
- Satrija F., Retnani E.B., Ridwan Y., Tiuria R. (2001) *Potential use of herbal anthelmintics as alternative antiparasitic drugs for small holder farms in developing countries*. Paper presented at the Livestock Community and Environment. Proceedings of the 10th Conference of the Association of Institutions for Tropical Veterinary Medicine, Copenhagen, Denmark, 2001.
- Scalbert A. (1991) Antimicrobial properties of tannins. *Phytochemistry* **30**: 3875-3883.
- Schofield P., Mbugua D.M., Pell A.N. (2001) Analysis of condensed tannins: a review. *Animal Feed Science and Technology* **91**: 21-40.
- Schreurs N.M., Molan A.L., López-Villalobos N., Barry T.N., McNabb W.C. (2002) Effects of grazing undrenched weaner deer on chicory or perennial ryegrass/white clover pasture on the viability of gastrointestinal nematodes and lungworms. *The Veterinary Record* **151**: 348-353.
- Scott H.L., Silverman P.H., Mansfield M.E., Levine H.S. (1971) *Haemonchus contortus* infection in sheep: active and passive immunity in sheep given oral iron supplement. *American Journal of Veterinary Research* **32**: 249-262.
- Seaton D.S. (1989) Development of immunity to incoming radiolabelled larvae of lambs continuously infected with *Trichostrongylus vitrinus*. *Research in Veterinary Science* **46**: 22-26.
- Shaik S.A., Terrill T.H., Miller J.E., Kouakou B., Kannan G., Kaplan R.M., Burke J.M., Mosjidis J.A. (2006) *Sericea lespedeza* hay as a natural deworming agent against gastrointestinal nematode infection in goats. *Veterinary Parasitology* **139**: 150-157.
- Shelton H.M., Jones R.J. (1994) Opportunities and limitations in leucaena. In: *Leucaena - Opportunities and Limitations. Proceedings of a workshop held in Bogor, Indonesia 24-29 January 1994. ACIAR Proceedings No. 57* (Eds. H.M. Shelton, C.M. Piggin, & J.L. Brewbaker), pp. 16-23. Australian Centre for International Agricultural Research.
- Silanikove N., Perevolotsky A., Provenza F.D. (2001) Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants. *Animal Feed Science and Technology* **91**: 69-81.

- Silverman P.H., Campbell J.A. (1959) Studies on parasitic worms of sheep in Scotland. 1. Embryonic and larval development of *Haemonchus contortus* at constant conditions. *Parasitology* **49**: 23-38.
- Simpson H.V. (2000) Pathophysiology of abomasal parasitism: is the host or parasite responsible? *The Veterinary Journal* **160**: 177-191.
- Simpson H.V., Lawton D.E.B., Simcock D.C., Reynolds G.W., Pomroy W.E. (1997) Effects of adult and larval *Haemonchus contortus* on abomasal secretion. *International Journal for Parasitology* **27**: 825-831.
- Singh S., Singh Negi A., Agarwal D.K., Katiyar P.K., Singh U.P. (2000) Chemical composition, in vitro dry matter digestibility, total phenolics and proanthocyanidins in hedge lucerne (*Desmanthus virgatus*) exotic germplasm. *Indian Journal of Animal Sciences* **70**: 1246-1249.
- Skerman P.J., Cameron D.G., Riveros F. (1988) *Tropical Forage Legumes*. FAO.
- Smith J.M., Prichard R.K. (2002) Localisation of P-glycoprotein mRNA in the tissues of *Haemonchus contortus* adult worms and its relative abundance in drug-selected and susceptible strains. *Journal of Parasitology* **88**: 612-620.
- Smith T.S., Graham M., Munn E.A., Newton S., Knox D., Coadwell W.J., McMichael-Phillips D., Smith H., Smith W.D., Oliver J.J. (1997) Cloning and characterisation of a microsomal aminopeptidase from the intestine of the nematode *Haemonchus contortus*. *Biochimica et Biophysica Acta* **1338**: 295-306.
- Smith W.D. (1999) Prospects for vaccines of helminth parasites of grazing ruminants. *International Journal for Parasitology* **29**: 17-24.
- Sokerya S., Preston T.R. (2003) Effect of grass or cassava foliage on growth and nematode parasite infestation in goats fed low or high protein diets in confinement. In: *Livestock Research for Rural Development*.
- Sokerya S., Rodriguez L. (2001) Foliage from cassava, *Flemingia macrophylla* and bananas compared with grasses as forage sources for goats: effects on growth rate and intestinal nematodes. *Livestock Research for Rural Development* **13**: 1-6.
- Steel J.W. (1972) Effects of the intestinal nematode *Trichostrongylus colubriformis* on ruminal acetate metabolism in young sheep. *Proceedings of the Australian Society of Animal Production* **9**: 402-407.
- Steel J.W., Symons L.E.A. (1982) Nitrogen metabolism in nematodosis of sheep in relation to productivity. In: *Biology and Control of Endoparasites* (Ed. Symons *et al.*). Academic Press.

- Steel J.W., Symons L.E.A., Jones W.O. (1980) Effects of larval intake on the productivity and physiological and metabolic responses of lambs infected with *Trichostrongylus colubriformis*. *Australian Journal of Agricultural Research* **31**: 821-838.
- Sutherland I.A., Leathwick D.M., Brown A.E. (1999) Moxidectin: persistence and efficacy against drug-resistant *Ostertagia circumcincta*. *Journal of Veterinary Pharmacology and Therapeutics* **22**: 2-5.
- Suttle N.F., Knox D.P., Angus K.W., Jackson F., Coop R.L. (1992) The effects of dietary molybdenum on nematode and host during *Haemonchus contortus* infection in lambs. *Research in Veterinary Science* **52**: 230-235.
- Swain T. (1979) Tannins and lignins. In: *Herbivores: Their Interaction With Secondary Plant Metabolites*. (Ed. G.A. Rosenthal), pp. 657-674. Academic Press.
- Swain T., Hillis W.E. (1959) The phenolic constituents of *Prunus domestica*. 1. The quantitative analysis of phenolic constituents. *Journal of the Science of Food and Agriculture* **10**: 62-68.
- Sykes A.R., Coop R.L. (1976) Intake and utilisation of food by growing lambs with parasitic damage to the small intestine caused by daily dosing with *Trichostrongylus colubriformis* larvae. *Journal of Agricultural Science* **86**: 507-515.
- Sykes A.R., Coop R.L. (1977) Intake and utilisation of food by growing sheep with abomasal damage caused by daily dosing with *Ostertagia circumcincta*. *Journal of Agricultural Science* **88**: 671-677.
- Sykes A.R., Coop R.L., Angus K.W. (1975) Experimental production of osteoporosis in growing lambs by continuous dosing with *Trichostrongylus colubriformis* larvae. *Journal of Comparative Pathology* **85**: 549-559.
- Sykes A.R., Coop R.L., Angus K.W. (1979) Chronic infection with *Trichostrongylus vitrinus* in sheep. Some effects on food utilisation, skeletal growth and certain serum constituents. *Research in Veterinary Science* **26**: 372-377.
- Symons L.E.A., Hennessy D.R. (1981) Cholecystokinin and anorexia in sheep infected by the intestinal nematode *Trichostrongylus colubriformis*. *International Journal for Parasitology* **11**: 55-58.
- Symons L.E.A., Jones W.O. (1970) *Nematospiroides dubius*, *Nippostrongylus brasiliensis*, and *Trichostrongylus colubriformis*: protein digestion in infected mammals. *Experimental Parasitology* **27**: 496-506.
- Symons L.E.A., Jones W.O. (1975) Skeletal muscle, liver and wool protein synthesis by sheep infected by the nematode *Trichostrongylus colubriformis*. *Australian Journal of Agricultural Research* **26**: 1063-1072.

- Tavendale M.H., Meagher L.P., Pacheco D., Walker N., Attwood G.T., Sivakumaran S. (2005) Methane production from in vitro rumen incubations with *Lotus pedunculatus* and *Medicago sativa*, and effects of extractable condensed tannin fractions on methanogenesis. *Animal Feed Science and Technology* **123-124**: 403-419.
- Technicon (1977) *Technicon AutoAnalyser II Industrial Method #339-01: Urea Nitrogen*. Bran and Luebbe Analyzing Technologies.
- Terrill T.H., Douglas G.B., Foote A.G., Purchas R.W., Wilson G.F., Barry T.N. (1992a) Effect of condensed tannins upon body growth, wool growth and rumen metabolism in sheep grazing sulla (*Hedysarum coronarium*) and perennial pasture. *Journal of Agricultural Science* **119**: 265-273.
- Terrill T.H., Mosjidis J.A., Moore K.J., Shaik S.A., Miller J.E., Burke J.M., Muir J.P., Wolfe R. (2007) Effect of pelleting on efficacy of sericea lespedeza hay as a natural dewormer in goats. *Veterinary Parasitology* **146**: 117-122.
- Terrill T.H., Rowan A.M., Douglas G.B., Barry T.N. (1992b) Determination of extractable and bound condensed tannin concentrations in forage plants, protein concentrate meals and cereal grains. *Journal of the Science of Food and Agriculture* **58**: 321-329.
- Terrill T.H., Waghorn G.C., Woolley D.J., McNabb W.C., Barry T.N. (1994) Assay and digestion of ¹⁴C-labelled condensed tannins in the gastrointestinal tract of sheep. *British Journal of Nutrition* **72**: 467-477.
- Tjakradidjaja A.S., Brooker J.D., Bottema C.D.K. (1999) Characterisation of tannin-resistant bacteria from the rumen fluid of feral goats and camels with restriction analysis of amplified 16S rDNA. In: *Tannins in Livestock and Human Nutrition: Proceedings of an International Workshop held in Adelaide, Australia, May 31-June 2, 1999* (Ed. J.D. Brooker), pp. 161-165. ACIAR Proc. No. 92.
- Trace Scientific (1997) *Inorganic Phosphorus Reagent Direct UV Method Without Reduction* (P/N: PI300040.02). Trace Scientific Ltd.
- Trace Scientific (1999) *Albumin Reagent BCG Method* (P/N: PI360040.03). Trace Scientific Ltd.
- Trace Scientific (2000) *Enzymatic Glucose Reagent Glucose Oxidase Method* (P/N: PI151040.05). Trace Scientific Ltd.
- Trace Scientific (2001) *Total Protein Reagent Biuret Method* (P/N: PI340040.03). Trace Scientific Ltd.
- United States Biochemical Corporation (1991) Casein Product Information, pp. 1. United States Biochemical Corporation.

- Urquhart G.M., Armour J., Duncan J.L., Dunn A.M., Jennings F.W. (1996) *Veterinary Parasitology*. (Second Ed.). Blackwell Science.
- van Houtert M.F.J., Barger I.A., Steel J.W. (1995a) Dietary protein for young grazing sheep: interactions with gastrointestinal parasitism. *Veterinary Parasitology* **60**: 283-295.
- van Houtert M.F.J., Barger I.A., Steel J.W., Windon R.G., Emery D.L. (1995b) Effects of dietary protein intake on responses of young sheep to infection with *Trichostrongylus colubriformis*. *Veterinary Parasitology* **56**: 163-180.
- van Houtert M.F.J., Sykes A.R. (1996) Implications of nutrition for the ability of ruminants to withstand gastrointestinal nematode infections. *International Journal for Parasitology* **26**: 1151-1168.
- Van Wyk J.A., Bath G.F. (2002) The FARMACHA[®] system for managing haemonchosis in sheep and goats by clinically identifying individual animals for treatment. *Veterinary Research* **33**: 509-529.
- Veglia F. (1915) The anatomy and life history of the *Haemonchus contortus* (Rud). *Third and Fourth Reports of the Director of Veterinary Education and Research, Union of South Africa*: 31-500.
- Vitti D.M.S.S., Nozella E.F., Abdalla A.L., Buéno I.C.S., Silva Filho J.C., Costa C., Bueno M.S., Longo C., Vieira M.E.Q., Cabral Filho S.L.S., Godoy P.B., Mueller-Harvey I. (2005) The effect of drying and urea treatment on nutritional and anti-nutritional components of browses collected during wet and dry seasons. *Animal Feed Science and Technology* **122**: 123-133.
- Waghorn G.C., M.J. U., John A., Fisher M.T. (1987) The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. *British Journal of Nutrition* **57**: 115-126.
- Waghorn G.C., Shelton I.D. (1995) Effect of condensed tannins in *Lotus corniculatus* on the nutritive value of ryegrass (*Lolium perenne*) fed to sheep. *Journal of Agricultural Science* **125**: 291-297.
- Waghorn G.C., Shelton I.D. (1997) Effect of condensed tannins in *Lotus corniculatus* on the nutritive value of pasture for sheep. *Journal of Agricultural Science* **128**: 365-372.
- Waghorn G.C., Shelton I.D., McNabb W.C. (1994a) Effects of condensed tannins in *Lotus pedunculatus* on its nutritive value for sheep. 1. Non-nitrogenous aspects. *Journal of Agricultural Science* **123**: 99-107.
- Waghorn G.C., Shelton I.D., McNabb W.C., McCutcheon S.N. (1994b) Effects of condensed tannins in *Lotus pedunculatus* on its nutritive value for sheep. 2. Nitrogenous aspects. *Journal of Agricultural Science* **123**: 109-119.

- Waller P.J. (1971) Structural differences in the egg envelopes of *Haemonchus contortus* and *Trichostrongylus colubriformis* (Nematoda: Trichostrongylidae). *Parasitology* **62**: 157-160.
- Waller P.J. (1997a) Anthelmintic resistance. *Veterinary Parasitology* **72**: 391-412.
- Waller P.J. (1997b) Nematode parasite control of livestock in the tropics/subtropics: the need for novel approaches. *International Journal for Parasitology* **27**: 1193-1201.
- Waller P.J., Dash K.M., Barger I.A., Le Jambre L.F., Plant J. (1995) Anthelmintic resistance in nematode parasites of sheep: learning from the Australian experience. *The Veterinary Record* **136**: 411-413.
- Waller P.J., Thomas R.J. (1981) The natural regulation of *Trichostrongylus* spp. populations in young grazing sheep. *Veterinary Parasitology* **9**: 47-55.
- Wang G.-T. (1971) *Haemonchus contortus*: food of pre-infective larvae. *Experimental Parasitology* **29**.
- Wang Y., Douglas G.B., Waghorn G.C., Barry T.N., Foote A.G. (1996a) Effect of condensed tannins in *Lotus corniculatus* upon lactation performance in ewes. *Journal of Agricultural Science* **126**: 353-362.
- Wang Y., Waghorn G.C., Barry T.N., Shelton I.D. (1994a) The effect of condensed tannins in *Lotus corniculatus* on plasma metabolism of methionine, cystine and inorganic sulphate by sheep. *British Journal of Nutrition* **72**: 923-925.
- Wang Y., Waghorn G.C., Douglas G.B., Barry T.N., Wilson G.F. (1994b) The effects of condensed tannin in *Lotus corniculatus* upon nutrient metabolism and upon body and wool growth in grazing sheep. *Proceedings of the New Zealand Society for Animal Production* **54**: 219-222.
- Wang Y., Waghorn G.C., McNabb W.C., Barry T.N., Hedley M.J., Shelton I.D. (1996b) Effect of condensed tannins in *Lotus corniculatus* upon the digestion of methionine and cysteine in the small intestine of sheep. *Journal of Agricultural Science* **127**: 413-421.
- Weston K.M., O'Brien R.W., Prichard R.K. (1984) Respiratory metabolism and thiabendazole susceptibility in developing eggs of *Haemonchus contortus*. *International Journal for Parasitology* **14**: 159-164.
- Weston R.H., Hogan J.P. (1973) Nutrition of herbage-fed ruminants. In: *The Pastoral Industries of Australia: Practice and Technology of Sheep and Cattle Production* (Eds. G. Alexander & O.B. Williams), pp. 233-268. Sydney University Press.
- Wharton D. (1980) Nematode egg shells. *Parasitology* **81**: 447-463.

- Wharton D. (1986) *A Functional Biology of Nematodes*. Croom Helm, London.
- Wharton D.A. (1983) The production and functional morphology of helminth eggshells. *Parasitology* **86**: 85-97.
- Widiawati Y., Teleni E., Winugroho M. (2000) The nutritive value of *Gliricidia sepium*, *Leucaena leucocephala*, and *Calliandra calothyrsus* for growing sheep. *Asian-Australasian Journal of Animal Science* **13S**: C163.
- Williams J.C. (1997) Anthelmintic treatment strategies: current status and future. *Veterinary Parasitology* **72**: 461-477.
- Wilson W.D., Field A.C. (1983) Absorption and secretion of calcium and phosphorus in the alimentary tract of lambs infected with daily doses of *Trichostrongylus colubriformis* or *Ostertagia circumcincta*. *Journal of Comparative Pathology* **93**: 61-71.
- Winks R., Bremner K.C., Barger I.A. (1983) Epidemiology and control of parasitic gastroenteritis of cattle in the tropical/subtropical zone. In: *The Epidemiology and Control of Gastrointestinal Parasites of Cattle in Australia* (Eds. N. Anderson & P.J. Waller), pp. 65-72. Division of Animal Health, Commonwealth Scientific and Industrial Research Organisation, Australia.
- Witty M.J. (1999) Current strategies in the search for novel anthelmintic agents. *International Journal for Parasitology* **29**: 95-103.
- Yacob H.T., Dorchie P., Jacquet P., Bleuart C., Prevot F., Grisez C., Bergeaud J.P., Hoste H. (2004) Concurrent parasitic infections of sheep: depression of *Trichostrongylus colubriformis* populations by a subsequent infection with *Oestrus ovis*. *Veterinary Parasitology* **121**: 297-306.
- Yacob H.T., Duranton-Grisez C., Prevot F., Bergeaud J.P., Bleuart C., Jacquet P., Dorchie P., Hoste H. (2002) Experimental concurrent infection of sheep with *Oestrus ovis* and *Trichostrongylus colubriformis*: negative interactions between parasite populations and related changes in the cellular responses of nasal and digestive mucosae. *Veterinary Parasitology* **104**: 307-317.
- Yakoob A., Holmes P.H., Armour J. (1983) Pathophysiology of gastrointestinal trichostrongyles in sheep: plasma losses and changes in plasma pepsinogen levels associated with parasite challenge of immune animals. *Research in Veterinary Science* **34**: 305-309.
- Yu F., Bruce L.A., Calder A.G., Milne E., Coop R.L., Jackson F., Horgan G.W., MacRae J.C. (2000) Subclinical infection with the nematode *Trichostrongylus colubriformis* increases gastrointestinal tract leucine metabolism and reduces availability of leucine for other tissues. *Journal of Animal Science* **78**: 380.

Zucker W.V. (1983) Tannins: does structure determine function? An ecological perspective. *The American Naturalist* **121**.