



APPLIED TOPICS IN HEALTH PSYCHOLOGY

Edited by Marie L. Caltabiano
and Lina A. Ricciardelli

 WILEY-BLACKWELL



APS Australian
Psychological
Society

Index

- acamprosate 340
- acceptance and commitment therapy (ACT)
 - 236
 - diabetes management 428
 - pain management 488
 - psycho-oncology 370
 - weight-loss intervention 312
- acquired immune deficiency syndrome (AIDS)
 - 203
- action plans 10–11
- action stage of change 5, 6
 - motivational interviewing (MI) 9
- Active for Life program 63–4
- Active Living Every Day (ALED) intervention 64
- adherence to medication, enhancing 446, 455–6
 - causes of nonadherence 449–50
 - attitude to medication 451
 - clinical factors 452–3
 - cognitive skills 451–2
 - motivation 452
 - patient factors 451
 - relationship factors 453
 - treatment factors 450–1
 - defining adherence 446–7
 - explaining nonadherence 448
 - health belief model (HBM) 448–9
 - self-regulation model (SRM) 449
 - theory of planned behavior (TpB) 449
 - measuring adherence 447–8
 - nonadherence in chronic illness 447
 - quick tips 456
 - strategies 453
 - behavioral interventions 454–5
 - cognitive-behavioral interventions 455
 - psycho-educational approaches 453–4
- adjuvant psychological therapy (APT) 370
- African-style diet 87, 91
- age
 - body image 261–2
 - subjective wellbeing (SWB) 121–2
- agency 74
- aging well promotion 57–8, 67
 - healthy and successful aging concepts 59–60
 - terminology 61
 - literature review 61–2
 - interventions 61–7
 - population and individual aging 58–9
- alcohol
 - as a gender issue 76–7, 79
 - dynamic model for consumption 326
 - environmental enabling factors for consumption 324
 - migrants 91
 - predisposing factors for consumption 323
 - reinforcing factors for consumption 325

- alcohol abuse, metacognitive therapy (MCT)
 - 348
 - discussion 357–8
 - history of problem drinking behavior 348–9
 - metacognitive model 351
 - metacognitive perspective for
 - understanding SUDs 351–2
 - problem drinking behavior 349–50, 353–4
 - CBT 350
 - MI 350
 - model application case 354–7
- alcohol, reducing consumption in community
 - sports clubs 319, 329
 - evidence of problem 319–20
 - evidence-based framework for management
 - programs 322–7
 - Good Sports program 327–9
 - health behavior theory 321–2
 - PRECEDE/PROCEED model 322–7
 - risky drinking 320–1
- ALERT 337
- animal-assisted therapy (AAT) 137
- anorexia nervosa 278
- antenatal depression (AND) *see* perinatal depression (PND)
- antidepressants for perinatal depression (PND) 219–20
- anxiety
 - HIV and AIDS 204–5
 - perinatal depression (PND) 218
- Apert syndrome 244
- appetitive behavioral problems 79
- arm pain 486–7
- arthritis 391–3
 - managing and treating OA and RA 393–6
- assisted reproductive technologies (ART),
 - psychological implications 186, 194–5
 - gender differences 188–9
 - impact on sexual relationship 189–91
 - third-party donation and surrogacy 193–4
- asthma action plans (AAPs) 441
- asthma management 435–7, 438–9, 443–4
 - promoting treatment adherence 439–43
 - psychological factors 437–8
 - websites 444
- attitude to medication in nonadherence 451
- Australians, Indigenous 91–5
- automaticity 45–6

- back pain 487
- bariatric surgery 307, 310
- Beck Depression Inventory (BDI) 470
- behavioral family systems therapy:(BFST)
 - 427
- Beliefs about Medicines Questionnaire (BMQ)
 - 448
- bereavement, benefits of companion animals
 - 138
- Binder syndrome 244
- binge drinking 321
- binge eating disorder (BED) 278
 - integrated treatment 311
- biofeedback 443
 - headache treatment 471
- body image and health 259, 270–1
 - body change behaviors 259–60
 - age-related decline 261–2
 - gender differences 260–1
 - health consequences 262
 - maternal obesity 291
 - mental health 265
 - age-related influences 266–7
 - experimental longitudinal findings 265–6
 - obesity 262–3
 - improving body image 264–5
 - relationship with body image 263–4
 - relationships 267
 - interpersonal relationships 268–9
 - sexual functioning 267–8
 - treatment options 269–70
- body mass index (BMI) 303
 - subjective wellbeing (SWB) 104–5
- brainstorming 10
- breast cancer screening in migrants 90
- bulimia nervosa 278
- bupropion 340

- cancer
 - definition 364
 - exercise
 - protection from cancer 31
 - recommended daily amounts 30
 - issues facing cancer patients and families
 - 366
 - emotional and psychological issues 367
 - healthcare system issues 367
 - physical issues 366
 - social and practical concerns 366
 - spiritual and existential issues 367
 - psychological strategies for patients and families
 - psychological interventions 369–71
 - screening for distress 368–9

- resources for health professionals
 - books 371–2
 - reports 372
 - websites 372
- support for patients and families 368
- treatments and side effects 364–5
- cancer, psychological approaches assisting
 - diagnosed individuals 376, 386
- assessment 377
 - assessment as intervention 378
 - assessor and assessed 377
 - components 378
 - regularity 377–8
- Australia 376
- case formulation 378–9
 - case example 379
- psychosocial concerns 376–7
- therapist self-care 385–6
- treatment 380
 - CBT 381
 - CBT in cancer context 381
 - clinical hypnosis 382–3
 - internet-based self-help 385
 - mindfulness-based interventions 381–2
 - print self-help 384–5
 - self-help interventions 383–4
- cardiovascular disease and exercise
 - protection from 31
 - recommended daily amounts 30
- catastrophizing 482–3
- centenarians 58–9
- cervical cancer screening for migrants 90
- character strengths and virtues (CSV) model 113
- chemotherapy 364–5
- child care 163
- childhood obesity, implications of maternal
 - obesity 292–300
- Chronic Disease Self Management (CDSM)
 - program 64–5
- chronic disease, aging well interventions 64–5
- chronic fatigue syndrome 397
- Chronic Pain Acceptance Questionnaire 483
- cigarette smoking 436, 439, 440
- cleft lip/palate 243
- clinical factors in nonadherence 452–3
- clinical hypnosis 382–3
- cluster headache 463
- cognitive aging 60
- cognitive attentional syndrome (CAS) 351
- cognitive behavior therapies (CBTs) 4–5
 - alcohol abuse 350
 - assisted reproductive technologies (ART) 193
 - body image issues 269–70
 - diabetes management 427–8
 - group-based for perinatal depression (PND) 218–19
 - headaches 471–2
 - health coaching 17
 - insomnia (CBT-i) 233
 - compared with drug therapy 237
 - components 234
 - pain 484–5
 - psycho-oncology 370, 381
 - cancer context 381
 - SUDs 338–9
- cognitive impairment 66
- cognitive restructuring in weight-loss
 - interventions 309
- cognitive skills in nonadherence 451–2
- cognitive therapy 235–6
- cognitive training in aging well interventions 66
- Cognitive-Social Health Information
 - Processing (C-SHIP) 174
- collective capability 499, 502
 - enhancement by nurses 500–2
- common sense model (CSM)
 - diabetes 418–19
 - rumination 406
- communion 74
- Communities that Care (CtC) 337–8
- Community Reinforcement and Family
 - Training (CRAFT) 339
- community-based approaches for SUDs 337–8
- companion animals 134–5
 - clinical health psychology practice 137
 - animal-assisted therapy (AAT) 137
 - grief and bereavement 138
 - service animals 137–8
 - social support 138
 - health promotion 135
 - advocating importance of companion animals 136
 - cost-benefit analysis 136
 - epidemiological studies 136
 - public campaigns 135
 - health psychology research 139–40
 - interprofessional education 138–9
 - animal health workers 139
 - veterinary medicine 139

- Comprehensive Health Enhancement Support System (CHESS) program 385
- contemplation stage of change 5, 6
 motivational interviewing (MI) 9
- coronal stenosis 244
- cranial neuralgias 463
- craniofacial anomalies 148–9, 242, 252
 case studies 243
 conditions 243–4
 conditions, living with
 adulthood 247–8
 challenges for sufferers 244–6
 childhood and adolescence 247
 cognitive functioning 248–9
 positive aspects 246
 predictors of psychosocial functioning 249–50
 conditions
 common syndromes 244
 interventions 250–1
 cognitive-behavioral interventions 251–2
 social skills training 251
- Crouzon syndrome 244
- culturally and linguistically diverse (CALD) populations 89
- culture and health 84, 95
 Indigenous Australians 91–5
 infertility and infertility treatment 188–9
 migrants 84–5
 health behavior and barriers 89–91
 lifestyle factors 85–9
 subjective wellbeing (SWB) 122
- day reconstruction method (DRM) 125
- decreasing unhealthy behaviors 4
- dementia 66
- dental anxiety 149
- dental caries 144, 146
- dental phobias 149–50
- depression
see also perinatal depression (PND)
 aging well interventions 65–6
 arthritic conditions 393, 395
 exercise
 benefits from 32
 recommended daily amounts 30
 HIV and AIDS 204–5
 integrated treatment 311
 subjective wellbeing (SWB) 103, 108
 depression care management (DCM) model 65–6
- Diabetes Coping Measure (DCM) 421, 424
- diabetes management 415–16, 429–30
 cognitive processes, emotion and coping 419–23
 diabetes-specific psychological assessment 423–5
 exercise 31
 migrants 85
 psychological interventions
 counselling and psychotherapeutic approaches 426–8
 educational and self-management 425–6
 self-regulation interventions 428–9
 self-regulation, self-determination and self-management 417–19
- Diabetes Problem Solving Scale (DPSS) 424–5
- Diabetes Quality of Life Measure (DQOL) 424
- Diabetes Stress Questionnaire (DSQ) 424
- diagnosis of chronic illness 405–6
- diet
 Indigenous Australians 93
 migrants 85–7
 interventions 87–8
 obesity and overweight management 305–6, 309
- disability-adjusted life years (DALYs) for Australians 92
- disease-modifying antirheumatic drugs (DMARDs) 394
- distress 368–9
- domain satisfaction (DS) 116
- donor gametes 193–4
- Drug Abuse and Resistance Education (DARE) 336
- drug abuse in migrants 91
- Eating Disorder Diagnostic Scale (EDDS) 279
- Eating Disorder Inventory-3 279
- eating disorder not otherwise specified (EDNOS) 278
- eating disorders
see also maladaptive eating practices
 appetitive behavioral problems 79
 femininity hypothesis 77–8
 frameworks 280–4
- Edinburgh Postnatal Depression Scale (EDPS) 215, 216–17, 222
- electroencephalography (EEG) in insomnia 231
- employment health psychology 164
 changing workplace 158–60
 shift work and insomnia 230–1
 sources and effects of stress 160

- work-life balance (WLB) 162-4
- workplace health promotion 161-2
- enhanced counselling (EC) 179
- Epworth Sleepiness Scale (ESS) 229
- ergotamine 464
- establishing new healthy behaviors 4
- exercise 39-40
 - arthritis 394
 - companion animals 135
 - increasing 36
 - effective interventions 37-8
 - efficacy of interventions 36-7
 - useful interventions 38-9
 - mental benefits 44
 - depression 32
 - mood 32
 - obesity and overweight management 306
 - physiological benefits 44
 - other positive physical health outcomes 31
 - protection from specific diseases 31
 - weight loss 30-1
 - potential risks 32-3
 - prevalence 34-5
 - recommendations for specific benefits 33, 34
 - general health 33-4
 - recommended daily amounts 30
 - risks from sedentary behavior 35-6
- exercise dependence 48-50
 - evaluation criteria 49
- exercise good and bad habits 44-5, 50
 - development 47-8
 - exercise dependence 48-50
 - structure 45-7
 - training distress 48
- existential issues 367
- existential therapy 370-1
- Experience Corps[®] program 67
- experience sampling methodology (ESM) 125

- fainting 150
- familial hemiplegic migraine 464
- family therapy for SUDs 340
- family-oriented approaches for SUDs 337
- femininity 73, 74
 - appetitive behavioral problems 79
 - eating disorders 77-8
 - repression of feminine traits 77
- fibromyalgia (FM) 396-9
 - common comorbid conditions 397
 - management and treatment 399-401
- finger nail biting 148

- Flinders program 65
- flourishing scale (FS) 125
- forced expiratory volume (FEV₁) 436, 442
- Fourth Age 58
- functional relaxation (FR) 442-3

- gagging 147-8
- gender issues 72-3, 79-80
 - appetitive behavioral problems 79
 - body image 260-1
 - eating disorders and femininity 77-8
 - hegemonic masculinity 76-7
 - Indigenous Australians 94
 - infertility and infertility treatment 188-9
 - interactions between individuals 75-6
 - limitations of stereotypes 74-5
 - prescriptions and stereotypes 73-4
 - repression of feminine traits 77
 - stereotyping as control strategy 76
 - subjective wellbeing (SWB) 120-1
- general practice team 505, 514
 - future of primary healthcare in Australia 513-14
 - general practice in Australia 505-6
 - models in rural and remote Australia 511-13
 - roles within multidisciplinary team 506
 - general practitioners 506-7
 - mental health nurses 508
 - practice nurses 507-8
 - psychologists 509
- rural and remote healthcare 510
 - access 510
 - cultural safety 511
 - privacy and confidentiality 511
 - stronger multidisciplinary approach 510-11
 - useful approaches for psychologists 509-10
- generational labels and birth dates 122
- genetic risk assessment 171
 - definition 171-2
 - psychological interventions 178-80
 - psychological interventions 180
 - response understanding frameworks 174-5
- genetic testing 171-2
 - information provided 172-3
 - providers 173
 - psychosocial challenges 175-7
 - underlying factors 175
- glycemic index 86
- goal setting 9-10
 - weight-loss intervention 308

- Golden Gurus language program 67
- Goldenhar syndrome 244
- Good Life Club (GLC) project 7
- Good Sports program 327–9
 - accreditation levels 328
- grief, benefit of companion animals 138
- group-based cognitive behavior therapy for perinatal depression (PND) 218–19
- guided imagery (GI) 442–3

- happiness 101
- happy migrant effect 89–90
- Harvey model of insomnia 232–3
- Headache Disability Inventory (HDI) 470
- Headache Impact Test (HIT) 470
- headaches, psychological management 462–3, 473
 - assessment 469
 - interviewing 469
 - questionnaires and inventories 470
 - self-monitoring 469–70
 - classification 466
 - effectiveness of treatment 472–3
 - functional model 466–8
 - genetic and environmental influences 464
 - headache classification and diagnosis 463–4
 - peripheral and central mechanisms 464–5
 - treatment 470–1
 - biofeedback training 471
 - relaxation training 471
- health and illness management model 7–11
 - health behavior change phase 8–11
 - health behavior maintenance phase 11
 - health education phase 8
- health at every size (HAES) 312
- health behavior change 3
 - future directions 12
 - interdisciplinary models of care 11–12
 - maintaining change 3–4
 - models 4
 - underlying principles 4–5
 - models from health psychology 5
 - health and illness management model 7–11
 - readiness to change model 5–6
 - self-regulatory model (SRM) 6–7
- health belief model (HBM) 448–9
- Health Change Australia (HCA) Model of Health Change 22–5
 - theoretical model 24
- health change spectrum 17
- health coaching 15–16, 25
 - definition 16–17
 - efficacy 19–22
 - HCA model 22–5
 - rationale behind 18–19
- health psychology models
 - health behavior change 5
 - health and illness management model 7–11
 - readiness to change model 5–6
 - self-regulatory model (SRM) 6–7
- healthy aging 59–60
- healthy migrant effect 84
- heart rate variability (HRV) biofeedback 443
- hegemonic gender roles 74–5
 - masculinity 76–7
- hemifacial microsomia 243
- herpes simplex virus (HSV) 199
 - psychological impact 199–200
- highly active antiretroviral therapy (HAART) 203
 - medication adherence 205–6
- homeostatically protected mood (HP mood) 107
- HUGS program 221
- human immunodeficiency virus (HIV)
 - infections 199, 207
 - psychological aspects 202–3
 - coping with diagnosis 203–4
 - depression and anxiety 204–5
 - medication adherence 205–6
 - procreation/parenting decisions 206–7
- human papillomavirus (HPV) 199
 - psychological impact 199–200
- hyperventillation 435, 437, 442, 443
- hypnosis, clinical 382–3

- illness beliefs 407, 420
- Illness Perception Questionnaire-Revised (IPQ-R) 420, 423–4
- illness perceptions 420
- immigration and health issues 84–5, 95
 - health behavior and barriers 89–91
 - lifestyle factors
 - diet 85–7
 - diet interventions 87–8
 - physical activity 88
 - physical activity interventions 89
- in vitro* fertilization (IVF) 186
- income and subjective wellbeing (SWB) 104, 105–6, 114
- increasing existing healthy behaviors 4

- individual aging 58–9
- infertility, psychological implications 185–6, 194–5
 efficacy of interventions 191–3
 gender differences 188–9
 impact on sexual relationship 189–91
 psychological impact 187–8
- inhaled corticosteroids (ICS) 436, 439
- Inner Thoughts on Eating Questionnaire (ITEQ) 282–3
- insomnia (as a sleep disorder) 228–9, 238
 age-related 231
 comorbidities 230
 development and maintenance 232
 diagnosis and differentiation 229
 drug therapy 236–7
 compared with CBT-i 237
 electroencephalography 231
 etiology, proposed 232
 Harvey model 232–3
 Spielman model 232
- nonpharmacological treatment 233–4
 acceptance and commitment therapy (ACT) 236
 cognitive therapy 235–6
 mindfulness 236
 relaxation techniques 235
 sleep hygiene education 236
 sleep/bed restriction 235
 stimulus control 235
- pain conditions 231, 484
- patient education about biological clock 237
- practitioners 237–8
- shift work 230–1
- symptoms and features 229–30
- insomnia (as a symptom) 228
- interdisciplinary models of care 11–12
- internal buffers and subjective wellbeing (SWB) 106–7
- internal perceived locus of causality (I-PLOC) 417
- International Classification of Functioning, Disability and Health (ICF) 478–80
- International Physical Activity Questionnaire (IPAQ) 35
- intrauterine insemination (IUI) 186
- irritable bowel syndrome 397
- learning to cope with triggers (LCT) 472
- lesbian, gay, bisexual, transgender (LGBT)
 people and subjective wellbeing (SWB) 121
- life satisfaction (LS) 116
- long working hours 163
- losing weight, using goal setting 9–10
- loss spiral 163
- maintenance stage of change 5, 6
 motivational interviewing (MI) 9
- maladaptive cognitive patterns 406
- maladaptive eating practices 278–80, 284–5
see also eating disorders
 eating disorder frameworks 280–4
- masculinity 73, 74
 appetitive behavioral problems 79
 hegemonic 76–7
 Indigenous Australians 94
 infertility and infertility treatment 189
- maternal obesity 288
see also obesity
 future directions 300
 implications for childhood obesity 292–300
 psychosocial determinants 288–90
 body image/perceived body weight 291
 depression, anxiety and stress 290–1
 other factors 291–2
- medication overuse headache (MOH) 463–4
- Mediterranean-style diet 87
- melatonin 230
- mental benefits of exercise 44
 depression 32
 mood 32
- metacognitive therapy (MCT) for alcohol
 abuse 348
 discussion 357–8
 history of problem drinking behavior 348–9
 metacognitive model 351
 metacognitive perspective for
 understanding SUDs 351–3
 problem drinking behavior 353–4
 model application case studies 354–7
 psychological treatments problem drinking
 behavior 349–50
 CBT 350
 MI 350
- metacognitive therapy (MCT) for rumination 411
- methotrexate 393–4
- Migraine Disability Assessment (MIDAS)
 questionnaire 470
- migraine headache 462–3
 classification 466
 genetic and environmental influences 464
 peripheral and central mechanisms 464–5

- migrants 84–5
 - health behavior and barriers 89–91
 - lifestyle factors
 - diet 85–7
 - diet interventions 87–8
 - physical activity 88
 - physical activity interventions 89
- mindfulness 236
 - psycho-oncology 381–2
 - ruminantion 410
 - weight-loss intervention 312
- mindfulness-based stress reduction (MBSR) 370
- mood
 - exercise benefits 32
 - training distress 48
- motivation in nonadherence 452
- motivation to change 18
- motivational interviewing (MI) 8–9
 - alcohol abuse 350
 - enhancing adherence 455
 - five stages of change 9
 - increasing physical activity 39
 - SUDs 339
 - weight-loss intervention 312
- multidisciplinary healthcare 498–500, 502, 514
 - future of primary healthcare in Australia 513–14
 - general practice team roles 506
 - general practitioners 506–7
 - mental health nurses 508
 - practice nurses 507–8
 - psychologists 509
 - models in rural and remote Australia 511–13
 - nurses enhance collective capability 500–2
 - rural and remote healthcare 510
 - access 510
 - cultural safety 511
 - privacy and confidentiality 511
 - stronger multidisciplinary approach 510–11
 - useful approaches for psychologists 509–10
- multilevel mixed-measurement item response theory (MMM-IRT) 125–6
- multisystematic therapy (MST) in diabetes management 428
- musculoskeletal disorder management 391, 401–2
 - arthritis 391–3
 - managing and treating OA and RA 393–6
- fibromyalgia (FM) 396–9
 - common comorbid conditions 397
 - management and treatment 399–401
- mutations 172
- naltrexone 340
- negative affect (NA) 116, 119
- negative beliefs about illness 407
- negative consequences of nonperformance 45–6, 47
- neuromatrix theory of pain 478
- nociception 477–8
- nonadherence
 - causes 449–50
 - attitude to medication 451
 - clinical factors 452–3
 - cognitive skills 451–2
 - motivation 452
 - patient factors 451
 - relationship factors 453
 - treatment factors 450–1
 - explaining 448
 - health belief model (HBM) 448–9
 - self-regulation model (SRM) 449
 - theory of planned behavior (TpB) 449
 - in chronic illness 447
- nursing 502
 - definition 497–8
 - enhancement of collective capability 500–2
 - in Australia 495–6
 - mental health nurses 508
 - practice nurses 507–8
- nutrition in weight-loss intervention 308
- obesity 262–3
 - see also* maternal obesity
 - arthritis 394
 - asthma risk 437
 - improving body image 264–5
 - migrants 85
 - relationship with body image 263–4
 - obesity and overweight management 303, 312–13
 - behavioral and cognitive-behavioral approaches 307
 - components 308–9
 - enhancing weight-loss interventions 309–10
 - history of weight-loss intervention 307–8
 - comorbidities 304
 - economic consequences 305
 - physical 304

- psychological 304–5
 - social 304
- definitions and measurement 303
- future directions
 - integrated treatment for obesity and mental health 311
 - other promising approaches 312
 - supporting pharmacological and surgical interventions 310–11
- prevalence 303–4
- treatment 305
 - bariatric surgery 307
 - dietary interventions 305–6
 - exercise interventions 306
 - pharmacotherapy 306–7
- objective wellbeing (OWB) 115
- optimism and SWB 123
- oral health and wellbeing 143–4, 152–3
 - abnormal gagging 147–8
 - clinical oral health psychology 145–6
 - craniofacial anomalies 148–9
 - dental anxiety 149
 - dental phobias 149–50
 - disease 144–5
- oral health promotion and health coaching 150–2
- pain 146–7
- professional liaison 152
- stress 150
- thumb-sucking and fingernail biting 148
- oro-facial-digital syndrome 244
- osteoarthritis (OA) 391–3
 - managing and treating 393–6
- overreaching 48
- overtraining syndrome 48

- pacing 485
- Pain Catastrophizing Scale (PCS) 482–3
- pain management 477, 488
 - assessment 481–2
 - outcome measures 482–3
 - pain history 482
 - case studies
 - persistent arm pain 486–7
 - persistent back pain 487
 - experience of pain 477
 - imaging studies 478
 - neuromatrix theory of pain 478
 - nociception 477–8
 - future developments 488
 - pain, disability and function
 - international classification 478–80
 - physical rehabilitation 481
 - psychological intervention 481
 - yellow flags, blue flags and black flags 480–1
- treatment
 - CBT 484–5
 - interdisciplinary 485–6
 - setting goals 483
 - treatment plan 483–4
- pain
 - insomnia 231
 - perception of 146
- panic attacks 438
- paradigms of health 94–5
- patient factors in nonadherence 451
- patient-centred interdisciplinary collaborative care model 12
- patterning of action 45–6
- penetrance of mutations 172
- penicillamine 394
- Perceived Diabetes Self-Management Scale (PDSMS) 424
- perinatal depression (PND) 212–13, 222–3
 - see also* depression
 - definitions 213
 - emotional health assessment 216
 - anxiety 218
 - psychosocial assessment 217–18
 - screening and diagnosis 216–17
 - need for active identification 214–15
 - parent–infant intervention 221
 - prevalence 214
 - prevention 222
 - screening 215
 - acceptability 216
 - deployment 215–16
 - social support 221
 - symptoms 213–14
 - treatment 218
 - antidepressants 219–20
 - combination therapy 219
 - group-based cognitive behavior therapy 218–19
 - treatment preferences 220
- periodontal disease 144
- Personal Wellbeing Index
 - adult (PWI-A) 116, 125
 - frequency distribution 103
 - major medical conditions 108
- personality
 - headaches 468
 - subjective wellbeing (SWB) 122–3

- pessimism and SWB 123
- pets *see* companion animals
- physical activity 29, 39–40
- aging well interventions 63–4
 - benefits 30, 44
 - benefits, mental 44
 - depression 32
 - mood 32
 - benefits, physiological 44
 - other positive physical health outcomes 31
 - protection from specific diseases 31
 - weight loss 30–1
 - companion animals 135
 - increasing 36
 - effective interventions 37–8
 - efficacy of interventions 36–7
 - useful interventions 38–9
 - migrants 88
 - interventions 89
 - potential risks 32–3
 - prevalence 34–5
 - recommendations for specific benefits 33, 34
 - general health 33–4
 - recommended daily amounts 30
 - risks from sedentary behavior 35–6
 - weight-loss intervention 308, 309
- physiological benefits of exercise 44
- other positive physical health outcomes 31
 - protection from specific diseases 31
 - weight loss 30–1
- point-of-decision prompt (PODPs) 47, 48
- population aging 58–9
- positive affect (PA) 116, 119
- positive beliefs about illness 407
- positive predictive value (PPV) of a screening tool 215–16
- positive psychology 112–13
- positive health 113–14
- postnatal depression *see* perinatal depression (PND)
- PRECEDE/PROCEED model 322–7
- precontemplation stage of change 5, 6
- motivational interviewing (MI) 9
- prednisolone 393–4
- pregbalin 400
- preparation stage of change 5, 6
- motivational interviewing (MI) 9
- prevention programs for SUDs 336
- community-based approaches 337–8
 - family-oriented approaches 337
 - integration 338
 - school-based programs 336–7
- primary headaches 463
- problem solving techniques 454
- weight-loss intervention 308
- Project Alert 337
- psychological injury 160
- psychological wellbeing (PWB) 115, 116
- psycho-oncology 363–4, 365–6
- cancer treatments and side effects 364–5
 - definition of cancer 364
 - issues facing cancer patients and families 366
 - emotional and psychological issues 367
 - healthcare system issues 367
 - physical issues 366
 - social and practical concerns 366
 - spiritual and existential issues 367
 - psychological strategies for patients and families
 - psychological interventions 369–71
 - screening for distress 368–9
- resources for health professionals
- books 371–2
 - reports 372
 - websites 372
- support for patients and families 368
- therapist self-care 385–6
- psychosocial wellbeing conceptual models 112, 126
- future directions 124
- data analysis techniques 125–6
 - definitional issues 124–5
 - measurement issues 125
 - research design issues 125
- positive psychology 112–13
- positive health 113–14
- quality of life and wellbeing 114–15
- subjective wellbeing (SWB) 115–19
- subpopulations 119–20, 124
- age 121–2
 - culture 122
 - gender 120–1
 - other individual differences 124
 - personality 122–3
 - spirituality and religiosity 123
 - wellbeing conceptual diagram 115
- quality of life (QOL) 112, 114–15
- gender 120–1
- Questionnaire for Eating Disorder Diagnoses (Q-EDD) 279

- radiation treatment 365
- readiness to change model 5–6
 - motivational interviewing (MI) 9
- relapse prevention in weight-loss intervention 309
- relationship factors in nonadherence 453
- relationships and subjective wellbeing (SWB) 105
- relaxation techniques 235
 - headache treatment 471
- religion and health issues 91
 - diabetes coping mechanisms 421
 - psycho-oncology 367
 - subjective wellbeing (SWB) 123
- rheumatoid arthritis (RA) 391–3
 - managing and treating 393–6
- RICK Principle™ 23
- rites of passage 76–7
- role stereotyping 72–3, 79–80
 - appetitive behavioral problems 79
 - as a control strategy 76
 - eating disorders and femininity 77–8
 - gender 73–4
 - hegemonic masculinity 76–7
 - Indigenous Australians 94
 - interactions between individuals 75–6
 - limitations 74–5
 - repression of feminine traits 77
- ruminating as a cognitive process 405–11
 - ruminating on the future 411–12
 - thinking about thinking 411
- rural and remote healthcare 510
 - access 510
 - cultural safety 511
 - privacy and confidentiality 511
 - stronger multidisciplinary approach 510–11
- Saethre–Chotzen syndrome 244
- scale of positive and negative experiences (SPANES) 125
- school-based SUD programs 336–7
- secondary headaches 463
- sedentary behavior risks 35–6
- selective serotonin reuptake inhibitors (SSRIs)
 - fibromyalgia (FM) 400
 - perinatal depression (PND) 220
- self-determination theory (SDT) 417–18
- self-efficacy 18, 483
- self-help interventions in cancer 383–4
 - internet-based 385
 - print formats 384–5
- self-monitoring in weight-loss intervention 308
- self-regulation model (SRM) 449
- self-regulatory executive function model (S-REF) 351
- self-regulatory model (SRM) 6–7
- seniors as mentors 66–7
- service animals 137–8
- sexual dysfunction 190
- sexual health
 - body image 267–8
 - infertility and infertility treatment 189–91
 - migrants 90
- sexually transmitted infections (STIs) 199, 207
 - disclosure to sexual partners 200–1
 - genital herpes and genital HPV 199–200
 - psychological interventions 201–2
- sleep 228–9, 238
 - age-related insomnia 231
 - aging well interventions 64
 - comorbidity and insomnia 230
 - development and maintenance of insomnia 232
 - drug therapy for insomnia 236–7
 - compared with CBT-i 237
 - electroencephalography and insomnia 231
 - etiology of insomnia, proposed 232
 - Harvey model 232–3
 - Spielman model 232
 - nonpharmacological treatment of insomnia 233–4
 - acceptance and commitment therapy (ACT) 236
 - cognitive therapy 235–6
 - mindfulness 236
 - relaxation techniques 235
 - sleep hygiene education 236
 - sleep/bed restriction 235
 - stimulus control 235
 - pain conditions and insomnia 231, 484
 - patient education about biological clock 237
 - practitioners 237–8
 - shift work and insomnia 230–1
 - symptoms and features of insomnia 229–30
- social control theory (SCT) 335
- social learning theory (SLT) 334–5
- social wellbeing 115
- spectrum of health change 17
- Spielman model of insomnia 232
- spirituality
 - psycho-oncology 367
 - subjective wellbeing (SWB) 123

- staleness 48
- stimulus control in weight-loss intervention 308
- stimulus-response (SR) bonding 45–6
- strategies for increasing exercise habits 47
- stress
- dental procedures 150
 - sources and effects in workplace 160
- stress and coping theory 378
- subjective wellbeing (SWB) 101–2, 112, 114–15, 126
- conceptual diagram 115
 - health and depression 108
 - homeostasis 102
 - BMI 104–5
 - buffers 105–7
 - genetic control 103–4
 - income 104
 - normally stable and positive 102–3
 - object of defence 107
 - protection 104–5
 - implications for practice 108–9
 - models and measures 117–18
 - structure, proposed 120
 - subpopulations 119–20, 124
 - age 121–2
 - culture 122
 - gender 120–1
 - other individual differences 124
 - personality 122–3
 - spirituality and religiosity 123
- substance-use disorders (SUDs) and MCT 352–3
- substance-use disorders (SUDs) in young people 333–4, 341
- conceptual and theoretical bases 334
 - social control theory (SCT) 335
 - social learning theory (SLT) 334–5
 - integration 340–1
 - prevention and clinical change models 335–6
 - prevention programs 336–8
 - treatment programs 338–40
- successful aging 59–60
- supportive psychotherapy 369–70
- surrogacy 193–4
- Survey of Pain Attitudes (SOPA) 482
- targeted cancer therapies 365
- team working 495, 502
- clinical practice settings 496
 - multidisciplinary healthcare 498–500
 - nurses enhance collective capability 500–2
- nursing
- definition 497–8
 - in Australia 495–6
- Teen Adjustment to Diabetes Scale (TADS) 424
- tension-type headache 463
- classification 466
 - peripheral and central mechanisms 464–5
- test, operate, test, exist (TOTE) 417
- theory of planned behavior (TpB) 449
- therapeutic alliances 453
- therapist self-care 385–6
- thinking about illness 406–7
- Third Age 58
- thumb-sucking 148
- tobacco addiction 439
- training distress 48
- tramadol 400
- transtheoretical model (TTM) for increasing physical activity 38
- Treacher Collis syndrome 244
- treatment factors in nonadherence 450–1
- Treatment Self-Regulation Questionnaire (TSRQ) 423
- tricyclic antidepressants (TCAs) for fibromyalgia (FM) 400
- triggers of headaches 468
- learning to cope with triggers (LCT) 472
- unemployment
- health effects 159
 - migrants 91
- U-shaped happiness curve 121
- varenicline 340
- vasovagal syncope 150
- Waardenberg syndrome 244
- weight gain in immigrants 86
- weight loss
- exercise 30–1
 - recommended daily amounts 30
 - goal setting 9–10
 - obesity and overweight management 307–8
 - enhancing 309–10
- weight maintenance, recommended daily exercise amounts 30
- wellbeing conceptual diagram 115
- work–life balance (WLB) 159–60, 162–4
- workplace psychology 158–60, 164
- health promotion 161–2
 - shift work and insomnia 230–1
 - sources and effects of stress 160
 - work–life balance (WLB) 162–4