


Brenda HAPPELL, Leanne COWIN,
Cath ROPER, Kim FOSTER & Rose McMASTER



Introducing
**mental health
nursing**

A CONSUMER-ORIENTED APPROACH

INDEX

- adjustment disorders 197, 233
- Adler, Alfred 33
- adolescent mental health 326–8
- advance directives/agreements 49, 143
- age and mental health 299–300, 344
- aged person and mental health 332–4
- aggression
 - assessment 118–19
 - see also* violence
- Ainsworth, Mary 32
- akathisia 242, 243, 246, 255
- alcohol 16, 54, 57, 61, 76, 115, 116, 118, 119, 121, 162, 165, 167, 202, 250, 278, 285, 295, 304, 308–11, 338, 339, 345, 349, 350, 357, 358
- alternative medicines *see*
 - complimentary and alternative medicines/therapies (CAM/CAT)
- anorexia nervosa 329–31
- anosognosia 225–6
- anticholinergic medications 244, 250, 251, 255–6
- antidepressants 92, 242, 244, 250–2, 283
- antiparkinsonian medication 244, 255–7
- antipsychotics 242, 244, 253–5
- anxiety disorders 56, 191, 195, 197, 229–31, 233, 234, 273, 324, 327, 332, 343
- Australian College of Mental Health Nurses (ACMHN) 19, 93, 355
- Australian Nursing Federation 16
- autonomy and ethics 86, 90, 91, 92
- Bandura, Albert 32
- Beck, Aaron 32
- behaviour
 - symptoms relating to 231–3
 - symptoms relating to social 237
- behavioural psychology 192–3
- beneficence and ethics 86, 90, 92
- Benner Carson, V. 50, 131, 136, 149
- benzodiazepines 256–7, 309, 339
- beyondblue 62, 66, 337, 338
- bioethics 86–90
 - and health care 88–90
- biopsychosocial model 41–3, 195
- Blumer, Herbert 32
- boarding houses 14, 311
- Bowen, Murray 32
- Bowlby, John 32
- brain, organic changes to the 190

- bulimia 199, 329–31
- Burdekin Report 15, 55
- Canada 261
- carers
 - and consumers 141–3
 - family 144–5
- case manager 20, 54, 67–8, 115
- Castle Hill Asylum 13
- child abuse 234, 292, 294, 295, 304–7
- childhood trauma 48, 119, 306
- children's mental health 323–6
- clinical placement 6, 22–5, 82, 322, 340
- Clinical Supervision 96, 134, 150, 158, 159, 174–81
- clinical trials 369
- closed questions 107
- cognition 106, 108, 110, 116, 213, 216–18, 234, 270, 334
- cognitive disturbances 218
- cognitive psychology 193–4
- cognitive-behaviour therapy (CBT) 270–2
- College of Nursing Australia 16
- Comcare 160
- communication 29, 45, 65, 67, 101, 103, 104, 118, 132, 134, 137, 146, 151, 169, 211, 238, 250, 264, 266, 278, 280, 287, 294, 304, 335, 352, 358, 359
- open 107–8
- therapeutic 47, 112–13, 127, 129, 130, 138–40, 154, 155, 172, 266
- community-based
 - care 14, 68
 - program 4, 14
 - services 14, 15, 56, 142
- community treatment orders (CTO) 79–81
- community (official) visitors 82
- co-morbidity 337, 342, 343, 344–5
- complimentary and alternative medicines/therapies (CAM/CAT) 115, 264, 265, 279–88
- conceptual framework 33–4
- conceptual models 28, 34–5, 43
- confidentiality 152–4
- consultation-liaison (C-L) nursing 354–8
- consumer participation in mental health services 7
- consumers, mental health 3, 6–9, 101–2, 103, 141–4, 168–70, 352–4
- contemporary theories 46–7
- Council of Australian Governments (COAG) 55, 62, 104
- counselling 164, 264, 265, 266–7, 278, 279, 339, 357
- crisis intervention 67, 69–70, 270
- cultural considerations 210–11
- cultural safety 164–5
- decision making, supported 91–3
- defence mechanisms and mental illness 192
- deinstitutionalisation 4, 14, 66, 68, 69, 78, 144
- delirium 197, 217, 221, 237, 251, 256, 333, 357
- delusions 57, 75, 109–10, 135, 213, 217, 218, 219–21, 222, 223, 227, 237, 246, 249, 253, 234, 337
- dementia 108, 116, 197, 217, 220, 221, 235, 237, 300, 332–4, 344, 348, 357
- denial 192
- Descartes, Rene 32

- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR) 196–7, 198, 203–4, 214
- disability
 medical model of 36
 social model of 41–3
- discrimination and mental illness 187, 209–10
- disorder
 grouping of 197
 multi-axial assessment 198–202
 multiple diagnoses 202
 severity of 197–8
- displacement 192
- distributive justice 88
- domestic violence 48, 306
- drug abuse 115, 167, 199, 285
- drug assessment 115
- drug misuse/dependence 115, 292, 295, 298, 304, 306, 307–10, 313, 343
- drug trials 369, 381
- drug use 55, 114–15, 165
- drugs 16, 54, 55, 57, 61, 76, 114–15, 116, 118, 119, 121, 165, 167–8, 235, 242, 243–6, 250–6, 259, 278, 285, 308, 310, 321, 338, 349, 357, 358, 369, 381
- dual diagnoses 115, 119, 202, 244, 310, 322
 definition 321, 337
 mental illness and substance abuse 337–9
 and psychopharmacology 249–57
- dual disability 321
- duty of care 87
- dystonia 242, 243, 254–5
- early intervention 47, 53, 55, 63–4, 65, 67, 130, 142, 245, 328, 339, 340, 343
- Early Psychosis and Prevention Intervention Centre (EPPIC) 64, 65
- eating disorders 57, 121, 197, 199, 273, 321, 322, 329–32, 353, 379
- electroconvulsive therapy (ECT) 83–4, 242, 243, 257–60, 265, 357
- emotional safety 161–4
- Erickson, Erik 32
- ethical issues 73
- ethical principles 86
 individual and professional views 92
 and mental health nursing practice 91
- ethics
 and mental health nursing 85–93
see also bioethics
- ethnicity 300–2
- extra-pyramidal side effects (EPSE) 242, 246, 253
- families and carers 144–5
- Florence Nightingale Committee 16
- forensic nursing 321, 334–6
- Freud, Anna 32
- Freud, Sigmund 32
- Fromm, Eric 33, 45
- gender and mental health 297–8
- general health care population and mental illness 345–9
- Gilligan, Carol 32
- group therapy 277–9
- hallucinations 75, 110, 213, 216, 217, 218, 221–3, 224, 227, 232, 237, 249, 253, 256, 257, 306, 334, 337
- harm minimisation 118, 158, 165–8, 181

- health and wellbeing 5, 10, 23, 40–1, 42, 116, 140, 145, 160, 164, 168, 198, 208, 246, 270, 283, 287, 301, 304, 336, 338, 343, 349, 383
- health care
 and bioethics 88–90
 budget 88
 and mental health problems 350–2
 models 44
 system 5, 15, 19–20
- health promotion 44
- hereditary/genetic factors and mental illness 29, 190
- holism 4–5, 43, 44
- Home and Community Care Program 68
- homelessness 144, 292, 294, 295, 304, 310–12, 313
- homosexuality 188–9
- Horney, Karen 33
- hospitals, general 4, 14, 15
- humanistic psychology 194–5
- individual resilience 293–4
- information
 gathering 101, 103
 privacy and confidentiality 152–4
- informed consent 83–4, 86
- informed decisions 91, 248, 327
- in-patient units (general hospitals) 4, 14, 15, 66–7
- insight, concept of 110, 133, 225–6
- intellectualisation 192
- interpersonal relationships 29, 131, 152, 168, 176, 273
- interpersonal psychotherapy (IPT) 267, 272–3
- interviewing skills in assessment 106–7
- intimacy and the mental health nurse 145–8
- involuntary admission/detention 76, 78–9, 81
- Jung, Carl 32
- justice and ethics 87–8, 90, 92
- Kanter, J. 67–8
- Kohlberg, Lawrence 32
- Kraepelin, Emil 32
- labelling and mental illness 187, 204–7
- language in mental health care 6–7, 9
- iatrogenic 101
- legal issues 73, 74–9
- legislation 7, 13–14, 17, 54, 73–8, 81, 83, 85, 91, 96, 103, 153, 160, 208, 210, 357
- Leininger, Madeleine 32
- Lemon Tree Learning Project 8
- mainstreaming 4, 15, 53, 55, 57–8, 60, 66, 342
- marginalisation 58, 101, 103, 141, 297, 311
- Maslow, Abraham 32, 35, 194
- Mead, Margaret 32
- medical assessment 102, 116–18
- Medical Model 36–9, 41, 44, 47, 48, 131, 168, 169–70, 188, 189, 190–1, 196
 limitations 37–9
- mental disorder 19, 56, 63–4, 74–7, 95, 141, 196–204, 214, 233, 234, 339, 344–5, 349
- mental health
 accessing treatment 349
 adolescent 326–8
 and age 299–300, 344
 and aged person 332–4

- assessment 101, 323–6
- and child abuse 234, 292, 294, 295, 304–7
- children's 323–6
- consumers 3, 6–9, 101–2, 103, 141–4, 168–70, 352–4
- disciplines 20
- education 7
- forensic nursing 321, 334–6
- and gender 297–9
- and homelessness 144, 292, 294, 295, 304, 310–12, 313
- multiculturalism/ethnicity 300–2
- nurses's role 20–1, 23
- and physical health 343, 349–50
- practice settings 53–70
- problems 214–15
- recovery 9–12
- and social issues 304–13
- socioeconomic status 302–3
- survivor 6, 7–9
- settings 20–1
- statistics 5
- substance misuse/dependence 115, 292, 295, 298, 304, 306, 307–10, 313, 343
- theories 28–9, 43–50
- therapeutic partnership 19, 53–4
- Mental Health Act 73, 74, 76–85, 91
- treatment under 82–4
- mental health and nursing care 127–55
 - advance directives 143
 - building on existing strengths 151–2
 - confidentiality 152–4
 - getting assistance 150–1
 - and intimacy 145–8
 - mentorship 150, 158, 159, 178–81
 - nurse–client relationship 33, 47, 127, 129, 131, 134, 214, 270
 - preceptorship 150, 158, 159, 178–81
 - privacy 152–4
 - professional development 173–4
 - safety 160–1
 - therapeutic relationship 14, 29, 45, 50, 94, 104, 113, 125, 127, 128, 130–9, 146, 147, 151, 154, 155, 171, 178, 181, 243, 269–70, 350
 - working collaboratively with consumers and carers 141–3
 - working with families and carers 144–5
- mental health assessment
 - aggression/violence assessment 118–19
 - and building of strengths 113–14
 - children 323–6
 - and communication 107–8
 - construction of 104
 - content of 103–4
 - context of 102–3
 - definition 101
 - elements of 104
 - interviewing skills 106–7
 - mental health team notes 124
 - and mental status 105–6
 - nursing notes 122–4
 - physical and medical assessment 102, 116–18
 - recording 122–4
 - subjectivity 102
 - suicide risk 118–19
 - tools for 106–8
 - trauma assessment 119–22
 - and treatment
 - diagnosis/development 102
 - see also* mental state examination; psychosocial assessment; substance use assessment

392 INTRODUCING MENTAL HEALTH NURSING

- mental health care 20, 28–9
 - budget 88
 - Clinical Supervision 96, 134, 150, 158, 159, 174–81
 - contemporary theories 46–7
 - holistic model 43, 131
 - language 6–7, 9
 - mentorship 150, 158, 159, 178–81
 - nurse as environmental manager 171–2
 - policy 54, 61
 - preceptorship 150, 158, 159, 178–81
 - professional development 173–4
 - psychosocial approach 131
 - safety 160–1, 158–81
 - service delivery 59–62
 - service provision 56–7
 - settings 4, 20–1, 53–70, 160–1
 - Solution Focused Nursing Practice 48
 - special needs groups 58–9
 - terminology 6–7, 9–10, 12
 - theories 28–9, 43–50
 - Tidal Model 31, 46–7, 50
 - trauma-informed models 48–9
- Mental Health Case Management 67
- mental health consumer 3, 6–9
- Mental Health Council of Australia (MHCA) 62–4, 70, 142, 153–4
- mental health nurses 3–4, 14, 16–25, 29, 33, 34, 45, 49, 54, 59, 79, 94, 113, 125, 127, 129, 130, 132, 147, 150, 176, 243, 245, 248, 264, 266, 321, 324–5, 326, 329, 332, 334, 335, 336, 353–9, 373–5, 376–8, 385
- mental health nursing 207–9, 358–9
 - Australia 12–14
 - career pathways 326
 - characteristics 21–2
 - Clinical Supervision 96, 134, 150, 158, 159, 174–81
 - consultation-liaison (C-L) nursing 354–8
 - credentials 96
 - definition 3, 18–19
 - delivery 4, 14
 - and ethics 85–93
 - function 128–30
 - historical overview 12–14
 - and interpersonal relationship 29, 131, 152, 168, 176, 273
 - and intimacy 145–8
 - and the law 74
 - nurse qualities 21–2
 - nurse–client relationship 33, 47, 127, 129, 131, 134, 151, 214, 270
 - nurses’s role 20–1, 23, 128–30
 - origins 12–14, 129
 - and professional regulation 93–5, 96
 - qualifications 96
 - research 365–85
 - studying 3–4
 - theories 31, 43–50
 - use of self as therapeutic agent 24
- mental health nursing education
 - Australia 16–18
 - career pathways 326
 - clinical placement 22–5, 322–3
 - comprehensive 17–18
 - historical perspective 16–17
 - tertiary sector 16–17
 - Victoria 16–17
- mental health nursing practice,
 - speciality areas 321–40
- Mental Health Review Body 81–2
- mental health services 3, 4, 56–7
 - Australia 15–16
 - case management 67–8
 - community-based 14, 15, 67
 - consumer participation 7

- crisis intervention 67, 69–70
- in-patient facilities 4, 14, 15, 66–7
- mainstreaming 4, 15, 53, 55, 57–8, 60, 66, 342
- reforms 15
- rural/remote communities 55, 59, 64–6, 295, 303–4, 313
- Victoria 15
- web-based service delivery 66
- mental health symptomatology 213–40
 - behaviour 231–3
 - cognition and perception 216–18
 - content of thought 219–23
 - form of thought 218–19
 - personality 233–9
- mental illness ix, x–xi, 3, 4, 9–14, 15, 23, 28, 29, 36, 38, 46, 50, 55–7, 60–1, 63, 69, 88, 91, 104, 116, 119, 125, 127–8, 129, 130–2, 140–2, 154, 214, 217, 218, 223, 225, 242, 243–7, 250, 268, 294, 301, 321, 322, 326, 342–3, 352–5, 357, 358–9, 374
 - and age 344
 - altered psychological functioning 190–1
 - biopsychosocial model 195
 - causation 189, 372
 - classification of 189, 196–7
 - cultural considerations 210–11
 - defence mechanisms 192
 - definitions 74–7, 348
 - diagnosing 187–211, 214, 328, 334–5, 348, 369–70
 - discrimination 187, 209–10
 - disease approach 190–1
 - disorders, grouping of 197
 - and general health care population 345–9
 - in the general community 343–4
 - hereditary/genetic factors 29, 190
 - implications for nursing practice 208–9
 - insight 110, 133, 225–6
 - labelling 187, 204–7
 - limitations of DSM 203–4
 - medical model 190–1
 - multiaxial assessment 198–202
 - multiple diagnoses 202
 - nervous system disorders 190–1
 - organic changes to the brain 190
 - and practitioners 207–8
 - prejudice 9, 42, 187, 189, 208, 209, 211, 382
 - prevalence 345–9
 - psychological theories 191–5
 - severity of disorder 197–8
 - sociological models 195
 - and substance abuse 337–9
 - symptoms 190, 191, 192, 200, 203, 246, 301, 321, 348, 352
 - working thought the diagnostic manual 197
- mental impairment 14
- mental state examination (MSE) 101, 102, 105, 106, 108, 109–10, 123, 124, 323
- mental status 102, 104, 105–6, 118, 122, 323, 355
- mentorship 150, 158, 159, 178–81
- Meyer, Adolf 33
- mood disorders 38, 171, 197, 199, 213, 226–9, 250, 273
- mood stabilisers 242, 244, 250, 252–3
- MoodGym 62, 66
- morbidity 140, 245, 302, 310, 337, 342, 344–5, 348
- mortality 140, 245, 302, 329
- multiaxial assessment 198–202

- multiculturalism 300–2
- multiple-choice questions 107
- narrative therapy 273–5
- National Action Plan 55, 62, 67, 104
- National Inquiry into Human Rights and Mental Illness 15, 55
- National Mental Health Consumer Network 9
- National Mental Health Policy 15, 53, 54, 63
- National Mental Health Strategy 8, 53, 54–6, 57, 59, 68, 141
- National Practice Standards for the Mental Health Workforce 95
- National Rural Health Alliance 65
- National Standards for Mental Health Services 7, 60
- negative symptoms 213, 217, 237, 238, 253
- nervous system disorders 190–1
- neuroleptic malignant syndrome (NMS) 254
- neuroleptics 242, 244, 250, 253–5, 259
- New Zealand 18–19, 93, 339, 381
- non-government organisations (NGOs) 53, 54–5, 60, 61, 62, 153
- non-maleficence and ethics 87, 90, 92
- non-therapeutic relationships 148–9, 150
- nurse–client relationship 33, 47, 127, 129, 131, 134, 151, 214, 270
- Nurses Act, Victoria 17, 150, 153
- nursing 14, 16–17, 20, 29, 54
 - care in mental health 127–55
 - forensic 321, 334–6
 - and intimacy 145–8
 - medical model 37
 - notes 122–3
 - theories 28, 29, 30–3, 37, 45, 47, 49–50
 - see also* mental health nursing
- nursing education
 - comprehensive 17–18
 - Internet-based 17
 - postgraduate 17, 18
 - see also* mental health nursing education
- obsessive-compulsive disorder 231, 233, 239, 327, 330
- occupational health and safety 160–1
- occupational therapy 20, 94
- open questions 106–7
- Orem's Self Care Model 48
- Parkinsonism 254, 255
- partnerships and service delivery 59–62
- patient rights 81
- Pavlov, Ivan 32
- Peplau, Hildegard 33, 43–5, 46–7, 50, 130, 131, 134, 136
- perception 75, 110, 138, 170, 213, 216–18, 221–2, 230, 238, 244
- perceptual disturbances 213, 216, 218, 221–2, 223, 333
- personality disorder 197, 198, 199, 201, 233–9, 278, 299, 306, 354
- pharmaceutical efficacy (clinical trials) 369
- physical assessment 102, 116–18
- physical disorders 116, 196, 197, 350
- physical health care 140–1, 343
- physical illness 13, 19, 57, 112, 113, 244, 259, 333, 342, 348, 350
- physical movements, symptoms related to 235
- physical restraint 84–5

- physical safety 161–4
 Piaget, Jean 32
 planned short-term psychotherapies 267–76
 policy 15, 53, 54, 61, 63
 polypharmacy 242
 positive symptoms 213, 217, 253
 post-natal depression (PND) 336–7, 338
 postpartum disorders 321
 preceptorship 150, 158, 159, 178–81
 prejudice 9, 42, 187, 189, 208, 209, 211, 382
 prevalence 342, 345–9
 privacy 152–4
 PRN medication 248–9
 professional development 173–4
 professional issues 73, 95–6
 professional regulation 93–5
 projection 192
 psychiatric hospitals 14
 psychiatry 20, 29, 34, 94, 191–5, 354–8, 385
 psychoanalytic theory 191–2
 psychological theories of mental illness 191–5
 psychology 20, 29, 30, 34, 45, 94, 151, 191, 385
 behavioural 192–3
 cognitive 193–4
 humanistic 194–5
 psychopharmacology 32, 115, 131, 141, 242, 243–9, 258, 259
 and dual diagnoses 249–57
 education 244–5, 246
 psychosis 47, 64, 116, 192, 198, 213, 215, 221, 223–4, 231, 242, 253, 257, 299, 306, 321, 324, 334, 336–7, 349, 357, 369
 psychosocial approach to mental health care 131
 psychosocial assessment 102, 104, 110–13
 psychosocial history 106, 108–10
 psychosocial model 41–3
 psychosocial stressors scale 113
 psychosocial theory 40–1
 psychosurgery 83, 84
 psychotherapy 261, 264, 266, 267, 268, 330
 interpersonal (IPT) 272–3
 psychotropic medication 131, 242, 264, 265, 278, 280, 282
 rationalisation 192
 reaction formation 192
 recovery, mental health 9–12
 recovery movement 10, 12, 131, 151
 regression 192
 relationships
 family 69, 112, 124
 interpersonal 29, 131, 152, 168, 176, 273
 non-therapeutic 148–9, 150
 nurse–client 33, 47, 127, 129, 131, 134, 214, 270
 see also therapeutic relationship
 remote communities 55, 59, 64–6, 295, 303–4, 313
 repression 192
 research
 action 371–2
 biological 372
 centres in Australia 383–4
 consumer perspective 381–3
 epidemiological 368–9
 evidence-based practice 372–4
 mental health 368–81
 mental health nursing 365–85

- outcome measurement 369–70
- pharmaceutical efficacy (clinical trials) 369
- qualitative methods 370–1
- resilience 293–4
- restraint 84–5
- risk 101
 - assessment 101, 102, 114, 118–19, 120, 163, 328
- Rogers, Carl 46–7, 132
- Rosenhan, David 204
- Royal College of Nursing Australia 16, 93
- Roy's Adaptation Model 47–8
- rural communities 64–6
- rural mental health care 55, 59, 64–6, 295, 303–4, 313
- safety
 - clinical supervision 96, 134, 150, 158, 159, 174–81
 - cultural 164–5
 - emotional 161–4
 - harm minimisation 118, 158, 165–8, 181
 - in the mental health care setting 160–1
 - nurse as environmental manager 171–2
 - physical 161–4
 - professional development 173–4
 - sexual 161–4
 - stress and coping 172–3
 - therapeutic environment 168–70
 - zero tolerance 158, 165–8, 181
- schizoaffective disorder 218, 219, 223
- schizophrenia 9, 38, 57, 61, 140, 190–1, 197, 199, 202, 215, 216, 217, 218, 219, 221, 223, 225, 235, 237, 244, 245, 250, 253, 257, 259, 268, 270, 277, 278, 301, 310, 327, 332, 344, 353, 356–7
- Second World War veterans 48
- seclusion 84, 85
- self-determination 86
- service delivery 59–62
- service provision 56–7
- sexual abuse 113, 198, 295, 305–7
- sexual disinhibition 158, 161–2, 163
- sexual safety 161–4
- Skinner, B.F. 32, 193
- social behaviour, symptoms related to 237
- social determinants 292, 293, 295, 296
- social issues 292, 294–6, 304–13
- social model of disability 41–3
- social work 20, 94, 124, 170, 332
- socioeconomic status 302–3
- sociological models 195
- Solution Focused Nursing Practice 48
- solution-focused therapy (SFT) 267–70
- somatoform disorders 57, 197, 357
- special accommodation 14
- special needs groups 58–9
- speciality areas in mental health 321–40
- stress and coping 172–3
- sublimation 192
- substance misuse/dependence 115, 292, 295, 298, 304, 306, 307–10, 313, 337–40, 343
- substance use assessment 64, 114–15
- suicide risk 55, 64, 77, 92, 118–19, 120, 148, 163, 172, 201, 219, 224, 227–8, 231, 237, 250, 260, 294, 295, 296, 297, 304, 306, 312–13, 314, 328, 344, 349, 358
- Sullivan, Harry Stack 33, 45

- supported decision making 91–3
 - survivor, mental health 6, 7–9
 - Szasz, Thomas 32, 207–8

 - telemedicine 65, 66
 - terminology, mental health 6–7, 9–10, 12
 - theories
 - contemporary 46–7
 - mental health 28–9, 43–50
 - in practice 49–50
 - Solution Focused Nursing Practice 48
 - Tidal Model 31, 46–7, 50
 - trauma-informed models 48–9
 - theory 28, 30–3, 43–50
 - therapeutic
 - communication 47, 112–13, 127, 129, 130, 138–40, 154, 155, 172, 266
 - environment 168–70
 - partnership 19, 53–4
 - techniques and examples 137
 - therapeutic relationship 14, 29, 45, 50, 94, 104, 113, 125, 127, 128, 130–9, 146, 147, 151, 154, 155, 168–70, 171, 178, 181, 243, 269–70, 350
 - boundaries 149–50
 - creating a 134–8
 - definition 131–2, 135
 - non-therapeutic relationships 148–9
 - phases 135, 136
 - skills required for developing a 133–4
 - theory 130–8
 - use of self 24, 127, 130, 132–3, 146, 154, 155
 - Thomas Embling Hospital 15
 - thought disorder 108, 214, 218–21
 - Tidal Model 31, 46–7, 50
 - transcranial magnetic stimulation (TMS) 242, 243, 258, 260–1
 - trauma
 - assessment 49, 119–22
 - childhood 48, 119, 306
 - trauma-informed models 48–9
 - treatment
 - electroconvulsive therapy (ECT) 83–4, 242, 243, 257–60, 265, 357
 - under the Mental Health Act 82–4
 - Treatment Protocol Project 152, 154, 170, 218, 219, 226, 227, 233, 234, 245, 252, 257, 259
 - United Kingdom 143, 261, 381
 - United States 11, 45, 121, 143, 196, 282, 354, 381
 - use of self as therapeutic agent 24, 127, 130, 132–3, 146, 154, 155
 - Victorian Nursing Council 17
 - videoconferencing 66
 - violence
 - assessment 118–19
 - domestic 48, 306
 - workplace 236, 165–7
 - and zero tolerance 165–7
 - voluntary admission 77–8
 - web-based service delivery 66
 - wellbeing 5, 10, 23, 40–1, 42, 116, 140, 145, 160, 164, 168, 198, 208, 246, 270, 283, 287, 301, 304, 336, 338, 343, 349, 383
 - workplace stress 172–3
 - workplace violence 236, 165–7
 - World Health Organisation 63, 196
 - Yarra Bend Asylum 13
 - zero tolerance 158, 165–8, 181
- Index compiled by Russell Brooks.