



# *The Pearl Oyster*

*Paul C. Southgate  
John S. Lucas*

---

---

## INDEX

### A

#### Absorption

of dissolved organic matter (DOM), 104, 107  
efficiency, 114, 117, 119–121

Adductor muscle *see also* Musculature  
in gametogenesis, 152, 153, 154

#### Aerial exposure

tolerance, 213–214, 544

#### Akoya pearl oyster

distribution, 51, 52–54  
exploitation history, 304  
genetic structuring, 52–54, 442–444  
habitat, 52, 105–106  
shell morphology, 42, 43–45  
soft anatomy, 45–51  
taxonomic status, 52–54

#### Akoya pearl oyster farming

China, 307–308, 310–311, 313  
India, 308–309  
Japan, 310, 312–313  
Vietnam, 309

#### Akoya pearl oyster fisheries

Central America, 31  
Indian Ocean, 12–13, 19, 20  
Indian/Pacific Ocean, 22–23  
Pacific Ocean, 27

#### Anaerobic metabolism

in low dissolved oxygen, 209

#### Antibiotics

accumulation, 512  
use during nucleation, 229, 513  
use in hatcheries, 513

#### Anoxia

recovery from, 214  
tolerance of, 207–209

### B

#### Bacterial infections

of larvae, 372  
of mantle, 374

#### Barnacle

fouling, 529, 535–537

#### 'Bastard shell'

fouling pearl oysters, 536

Bead insertion *see* Nucleation

#### Biodeposition and sedimentation

environmental impacts, 508–510, 516–517  
rates, 112, 510

#### Biofouling

adverse effects, 209, 265–266, 489, 535–539  
and shell size, 535  
by other bivalves, 529, 536  
organisms involved, 529, 530

#### Biofouling control

biocide coatings, 545–547  
biological, 545  
cleaning frequency, 543  
manual methods, 266, 511, 516, 539–545  
natural defences, 539

#### Biofouling effects

biological competition for resources, 530, 537  
environmental modification, 537–538  
increased friction and drag on equipment, 538–539  
mechanical interference with shell function, 530,  
535–537  
physical damage, 530–535

Black-lip pearl oyster *see Pinctada margaritifera*

#### Blister pearls

natural, 276  
cultured (mabe), 280, 298, 325

#### Blisters

as adverse condition, 533–534  
formation, 276, 277, 533

Blood vessels *see* Circulatory system

#### Boring organisms

adverse impacts, 530–535  
micro-organisms, 530  
mudworm (*Polydora* spp.), 211–212, 312, 531, 532–533  
sponges (*Cliona* spp., etc.), 531–532, 534  
treatments, 202, 544

#### Broodstock

conditioning, 160–161, 235–236, 286  
spawning, 503  
spawning induction, 236–238  
strip spawning, 239

#### Byssus and byssal gland

anatomy, 39, 40, 47, 86, 87  
bacterial infection, 387

**C**

- Chaplets
  - farming method, 262, 263
- Ciona* spp. *see* boring organisms
- Circulatory system
  - anatomy, 49, 88
  - functioning, 49
  - pathology, 384–385, 402
- Clearance rate (CR), effects of
  - food quality, 190–193
  - and particle concentration, 113, 114
  - pearl oyster size, 110, 124–126
  - temperature, 193–196
- Clearance rates (CRs)
  - compared with other bivalves, 109, 126
- Conchiolin
  - and shell disease, 369–370, 374, 419
  - composition, 91–92
  - in blister formation, 533
  - in pearl formation, 274, 276, 388
  - in pearl structure, 277–279
  - in periostracum, 91–92
- Ctenidia *see* Gills
- Culture methods *see* Farming methods and Nursery culture
- Currents
  - effects, 210–211

**D**

- Depth
  - and spatfall, 213
  - related effects on growth and survival, 211–213
- Diatoms
  - as food, 115, 189–190, 217
  - blooms, 104, 190, 217
  - for culturing larvae, 244, 245, 246
  - nanoplankton component, 103, 105
- Digestive gland (diverticula) *see also* Digestive system
  - role in gametogenesis, 136, 137, 153–156
  - pathology, 380–384
- Digestive system
  - anatomy, 48–49, 82–85, 117–119
  - functioning, 114, 117–121
  - pathology, 380–384, 397, 406, 415
- Dinoflagellate blooms *see* Mass mortalities
- Diseases
  - clinical signs, 368–370
  - bacterial, 400–405
  - cestode, 377, 379, 412–415
  - crustacean, 415–416
  - ‘double-back’ shell, 369
  - nematode, 411
  - of uncertain cause, 417–423
  - protozoal, 405–411

- red adductor muscle, 200
- trematode, 411–412
- tumours, 417
- viral, 394–400
- Dissolved organic matter (DOM)
  - as food source, 104, 107
- Diving
  - free, 13–14, 340–341
  - ‘hard hat’, 316–318, 341
- DNA (anDNA, cDNA, mtDNA, rDNA) and microsatellites
  - in population genetic studies, 438–448, 558–559

**E**

- Ear-hanging
  - farming method, 262, 263
- Ecological modelling
  - of farm environments, 218–221
- Economic modelling
  - for Pacific islands, 481–484
- Economics of scale
  - bipolar nature of industry, 488, 493
  - farm size, 477–478, 479–480, 482, 490
  - large producers, 488–489, 493
  - small producers, 492, 493–494
- Egg
  - incubation, 240–241
- Electroma*
  - current standing of genus, 38–39
  - habitats of species, 41, 63
  - phylogeny, 63, 65
- Embryos
  - development, 161–163
- Excretory system
  - anatomy, 49–50, 89
  - functioning, 122–124
- Extrapallial space
  - mantle-shell morphology, 90, 92

**F**

- Farming intensity *see* Stocking density
- Farming methods
  - ear-hanging, 262, 263
  - for juveniles, 262–264, 310
  - longlines, 258–260, 311, 511, 515
  - nets, box, panel (pocket) and pearl, 260–262
  - racks, trestles, fence-lines, 260, 517
  - rafts (pontoons), 257–258, 259
- Fecal pollution *see also* Biodeposition and sedimentation
  - effects of, 216, 508–510
- Feces
  - defecation rate, 114, 120–121
  - expulsion, 109

- Feeding mechanisms  
 morphology and functioning, 106–117  
 capture efficiency, 111–112  
 Filter feeding *see* Clearance rate and Feeding mechanisms
- Fisheries  
 Central America, 31–35  
 Indian Ocean, 11–21  
 Indian/Pacific Ocean, 21–24, 313–321  
 Pacific Ocean, 27–31  
 Southeast Asia, 22, 24–27
- Flagellates  
 in nanoplankton, 103  
 food for larval culture, 174, 245  
 nutritional value, 119, 190–192
- Food sources  
 field, 103–106, 188–189, 218  
 in culture *see* Micro-algae
- Foot  
 anatomy, 47, 86, 87  
 pathology, 387–388
- Fossil record  
 outline, 64–65
- Fouling *see* Biofouling
- Freshwater pearls  
 market impacts, 555–557  
 production data, 360–361, 485, 486, 494, 556  
 production methods, 283, 361, 556
- G**
- Gametogenesis  
 energetics of, 149–150, 157–158  
 non-germinal (auxiliary) cells, 139, 140 –  
 nourishment, 139, 151–156  
 oogenesis, 145–146  
 sex reversal, 139, 141–142  
 spermatogenesis, 146–147  
 stages, 137–138, 147–149
- Gametes  
 cryopreservation, 240  
 fertilisation, 239
- Genetic diversity *see also* Selective breeding  
 impact of culture, 446–448, 502–504  
 impact of translocations, 448
- Genetic structuring *see topic within each species*
- Genome mapping  
 potential, 462–463
- Gills (ctenidia)  
 anatomy, 47–48, 81–82, 108  
 particle capture, 109, 111–112  
 pathology, 375–376  
 symbionts, 376  
 ventilation rate, 207–208
- Gold-lip pearl oyster *see P. maxima*
- Gonads *see also* Reproductive system  
 pathology, 388
- Gonoducts  
 anatomy and functioning, 85, 136, 145, 146
- Grading *see* Pearl quality
- Grafting *see* Nucleation
- Growth  
 measurement, 167–169  
 modelling, 169–172  
 morphometrics, 173  
 von Bertalanffy parameters, 171
- Growth rate, effects of  
 farm site, 175–176  
 food, 173–174, 188–193  
 temperature, 188, 197–198  
 salinity, 175, 205–206
- H**
- Habitats  
 of pearl oysters, 41
- Handicrafts *see* Pearl handicrafts
- Hatchery rearing technology *see also* Larval culture  
 embryos and larvae, 239–254, 310–311  
 hygiene, 372, 513  
 settlement, 249–254  
 spat, 254–256
- Heart *see* Circulatory system
- Heavy metals  
 affecting growth, 215  
 biosequestration, 215, 512, 559–560  
 in anti-fouling, 540, 546–547  
 monitoring, 512, 560
- Heritability  
 of commercial traits, 449–451
- Hermaphroditism  
 occurrence, 139, 141–142
- Heterocapsa circularisquama* *see also* Mass mortalities  
 toxicity, 392–393
- I**
- Immunity  
 cellular, 371  
 humoral, 371  
 wound healing, 370–371
- In vitro* culture of pearls  
 preliminary studies, 557–559
- Indigenous communities *see also* Pearl handicrafts  
 involvement, 478, 514–515
- Inbreeding *see* Selective breeding
- Ingestion  
 pre-ingestive sorting, 113, 105  
 process, 107, 117  
 rate, 108, 114–115, 120

- Interstitial tissue  
inflammation, 388
- Intestine *see also* Digestive system  
anatomy, 48, 79, 83–84  
pathology, 384  
typhlosole, 56, 83
- J**
- Jewelery  
historic, 5–7, 8–10, 15  
value adding to local pearl production, 479, 480, 481  
world markets, 485
- K**
- Kidney *see* Excretory system
- L**
- Labial palps *see also* Digestive system  
anatomy, 47, 114–116  
pathology, 376–377, 398
- Larvae *see also* Embryos and Hatchery rearing technology  
development and growth, 163, 165–167, 250, 251  
diseases, 372, 400  
energetics, 167, 177  
food and nutrition, 243–248  
mortality, 372  
salinity ranges, 203  
temperature ranges, 199
- Life-cycle  
generalised scheme, 250
- Longlines  
technology, 258–260, 311  
and marine mammals, 506–508
- M**
- Mabe (composite) pearls  
production, 281–283
- Management of industries  
*Pinctada margaritifera*, 476–478, 488–489  
*Pinctada maxima*, 319–321
- Mantle  
anatomy, 45–46, 80–81, 90–91  
natural pearl formation, 273–277  
pathology, 372–375  
shell secretion, 90–93, 97
- Marine mammals *see* Longlines
- Marketing  
Akoya pearls, 359–360  
black South Sea pearls, 334–335, 358–359  
brand recognition, 361, 487  
consumer market, 361–362  
international organisation, 362, 363, 554  
white/gold South Sea pearls, 326–328, 359
- Markets for pearls  
current, 355–356, 485, 553–554  
future developments, 362–363  
global share, 485  
late entrants into, 488, 554
- Mass mortalities of Akoya pearl oysters in Japan  
cyanobacterium blooms, 394  
diatom blooms, 190, 217  
dinoflagellate blooms (red tides), 391–392  
occurrences, 187–188, 211–212, 216–217, 312–313, 417–418  
viral disease, 394–396, 417–418
- Mass mortalities of *Pinctada margaritifera*  
Cook Islands, 333, 422, 489  
French Polynesia, 406, 418–419, 489  
Red Sea, 419–420
- Mass mortalities of *Pinctada maxima*  
northern Australia, 420–423
- Metabolic rate  
and Scope for Growth, 121–124
- Metamorphosis  
energetics, 167, 177
- Micro-algae  
culture, 244  
nutritional value, 189–190, 243–246, 254–257  
substitutes, 248  
toxic, 216–217, 312, 380, 392
- Mikimoto, Kokichi  
cultured pearl industry pioneer, 284–286
- Mother-of-Pearl (MOP)  
fisheries *see within Species*  
structure *see* Nacre
- Mouth *see also* Digestive system  
anatomy, 46, 48, 79, 82, 83, 85  
pathology, 378–379
- Mud worm *see* Boring organisms
- Muscle scars  
on inner shell surface, 55
- Musculature  
accessory pedo-byssal retractors, 47  
adductor, 39, 40, 45, 78, 86  
general, 86  
gill, 81  
levators, 79, 86  
pathology, 385–286, 396  
pedo-byssal retractors, 39, 40, 47, 85, 86, 87  
radial pallial retractors, 47, 80, 90
- N**
- Nacre  
biomedical applications, 560–561  
fine structure, 92–95, 279  
formation, 95–98, 277–279, 558–559

- matrix proteins, 558–559
- thickness in mabe, 282
- thickness in spherical pearls, 308, 327, 336
- Natural pearls
  - final era of dominance, 9–10
  - formation, 273–277
- Nervous system
  - anatomy, 50, 89
- Nucleation operation
  - origins of technique, 284–286
  - pearl nucleus (bead) source and manufacture, 286–288
  - pearl nucleus implantation, 288–291, 513–514
  - post-operation survival and care, 266–267, 291–292, 389–390, 402
  - pre-operation conditioning, 286–287
  - saibo (mantle) donor, 288–290, 452–454
- Nursery (spat/small juvenile) culture
  - in field, 262–264, 310
  - in hatchery, 254–257
- Nutritional requirements
  - adults, 188–189
  - larvae, 243–245, 248
- O**
- Oil spills
  - adverse effects, 215–216, 421
- Oogenesis *see also* Gametogenesis
  - process, 145–146
- Osmoconforming
  - condition, 201
- Oxygen consumption *see* Respiration rate
- Over-exploitation, 13, 26, 30–31, 32, 303, 304, 329, 339, 340, 349
- Over-fishing *see* Over-exploitation
- Oxygen partial pressure (PO<sub>2</sub>) and dissolved oxygen (DO)
  - influencing ventilation rate, 207–208
  - influencing % oxygen uptake, 206–208
- P**
- Pallial organ
  - structure and function, 107–108, 113
- Pallial zone
  - of mantle, 45, 80, 90–91
- Panamanian or Calafia pearl oyster *see* *Pinctada mazatlanica*
- Panel (pocket) nets
  - farming method, 261, 262
- Parasites *see also* Diseases
  - various, 412–415, 418–419, 422–423
- Pearl
  - chemical composition, 279–280
  - formation, 273–277
  - in vitro* culture, 557–559
  - layers, 277–279
  - nacre *see* Nacre
  - physical properties, 280
- Pearl handicrafts
  - income generation, 479, 484
- Pearl harvest
  - techniques, 293
- Pearl nets
  - farming method, 261
- 'Pearl pocket' *see* Pearl sac
- Pearl production and trade
  - country share of exports, 486
  - country share of pearl jewelry market, 485
  - country share of production, 485, 554–555
  - Global statistics, 484–487
- Pearl quality
  - control of, 335–336, 357, 488
  - criteria, 293–295
  - enhancement, 296–297
  - grading, 293–294, 309
- Pearl quality, factors effecting
  - environment, 175, 220–221
  - genetics, 449
  - growth rate, 296
  - husbandry, 296
  - infections, 388–389, 396, 412
  - saibo donor, 295
  - surgical technique, 295, 388–389
- Pearl value
  - grading, 293–294, 309
  - unit value of Australian exports, 323
  - vs demand, 476–477, 491–492
  - vs supply, 323, 477, 491
- Pearl yield
  - effects of boring organisms, 527, 529, 531
- Pearl sac
  - anatomy and functioning, 78, 79, 87–88, 274–276, 291, 390
  - pathology, 388–390
- Pearls in history
  - Antiquity, 1–3, 11
  - Medieval times, 3–5
  - the early modern ages, 5–6
  - the modern ages, 8–10
- Pediveliger larvae *see also* Larvae
  - anatomy and behaviour, 164, 177, 465
- Periostracum
  - formation and composition, 90–92
  - role in fouling protection, 539
- Phylogeny
  - Pterioidea, 63–65
  - species-level, 53, 63–64
- Phytoplankton *see* Food sources and Micro-algae

- Pinctada*  
 generic description, 40, 46  
 soft anatomy, 46  
 species-level relationships, 53, 64
- Pinctada albina*  
 Neighbour-joining tree, 53  
 proposed evolution, 64
- Pinctada cumingii*  
 status, 57
- Pinctada fucata* *see* Akoya pearl oyster
- Pinctada galtsoffi*  
 status, 57
- Pinctada imbricata* *see* Akoya pearl oyster
- Pinctada maculata*  
 as a pest, 111, 427  
 'Pipi pearls', 31  
 Neighbour-joining tree, 53  
 trial culture, 332
- Pinctada margaritifera*  
 distribution, 56  
 exports, 477  
 genetic structuring, 439–442  
 habitat, 56–57, 105–106  
 industry structure in French Polynesia, 477–478  
 shell morphology, 42, 54–55  
 soft anatomy, 55–56, 78–89  
 translocations, 442, 501–502
- Pinctada margaritifera* pearl production  
 French Polynesia, 328–332  
 Japan, 328  
 production trends, 328–338, 358–359, 476–477
- Pinctada margaritifera* fisheries  
 French Polynesia, 328–329  
 Indian Ocean, 13, 15, 16  
 Southeast Asia, 26  
 Pacific Ocean, 27, 30
- Pinctada martensii* *see* Akoya pearl oyster
- Pinctada maxima*  
 distribution, 58–59  
 genetic structuring, 438–439, 440  
 habitats, 59, 105–106  
 shell morphology, 42, 57–58  
 soft anatomy, 58
- Pinctada maxima* fisheries  
 Australia, 23–24, 314–321  
 Indonesia, 25–26  
 Myanmar, 24–25  
 Philippines, 25
- Pinctada maxima* pearl production  
 Australia, 321–324, 474–476  
 general, 314, 326  
 Indonesia, 324–325  
 Philippines, 325–326
- Pinctada mazatlanica*  
 distribution, 56, 60–61  
 genetic structuring, 444–446  
 historical farming, 34–35, 342–344  
 pearls, 31  
 shell morphology, 42, 60  
 soft anatomy, 60
- Pinctada mazatlanica* fisheries  
 Colombia and Venezuela, 32–33  
 Mexico, 34, 338–342  
 Panama, 33–34
- Pinctada nigra* *see* *Pinctada albina*
- Pinctada radiata* *see* Akoya pearl oyster
- Pinctada sugillata* *see* *Pinctada albina sugillata*
- Plankton *see* Suspended particulate matter
- Plantigrade *see also* Larvae  
 anatomy, 164, 165, 250
- Pollution  
 and morbidity, 417, 418, 421  
 sources and effects, 215–216, 559  
 from pearl oyster farms, 516
- Prismatic (ostracum) layer  
 formation, 92–93  
 structure, 90, 91
- Polyculture of pearl oysters  
 with red alga, 538  
 with sea urchin, 545
- Polydora* spp. *see* Boring organisms
- Predation  
 on spat and juveniles, 257, 423  
 protective measures, 423
- Predators  
 crustaceans, 426, 427, 428  
 fishes, sharks, rays, 424, 426  
 flatworms, 426, 427  
 gastropods, 425–427  
 octopus, 427
- Pseudofaeces  
 production, 108–109, 114–115, 116–117
- Pterelectroma*  
 habitat of *Pt. zebra*, 41  
 taxonomic status, 38
- Pteria*  
 generic description, 39–40, 46
- Pteria colymbus*  
 potential for pearl culture, 345, 349
- Pteria penguin*  
 culture, 347–348, 517  
 distribution, 60–61, 62  
 habitat, 62  
 pearl production trends, 345–347, 347–348  
 shell morphology, 42, 61–62  
 soft anatomy, 46 (c.f. Fig. 2.3B)



*Pteria sterna*

- culture and pearl production trends, 346, 348–349
- distribution, 62–63

## Pteriidae

- genera, 38
- habitats of species, 41
- shell characteristics, 37–38
- species and distribution, 40–41
- taxonomic studies, 37–38, 39, 63
- unnatural taxon, 63

## Pterioidea

- crown-group, 63
- phylogeny, 65
- taxonomic position, 38

## Q

Q<sub>10</sub>

- of metabolic functions, 195–197

## Quotas

- Australia, 475–476
- French Polynesia, 477

## R

## Rafts

- farming methods, 257–259

'Red arse' *see* Boring organisms, spongesRed tides *see* Mass mortalities of Akoya pearl oysters

## Reproduction

- energetics, 149–156, 157–158
- gonad stages, 137–138, 147–149
- neuroendocrine control, 158, 160
- seasonality, 132–134, 143–145, 149–156, 160–161
- strategies, 156–157

Reproductive system *see also* Gametogenesis and Sex

- acini, 135
- gonads, 50–51, 84–85, 135–140
- gonoducts, 85, 136
- pathology, 388
- sexual maturity, 132–134

## Respiration rate

- and metabolic rate, 121–122
- and Q<sub>10</sub>, 196

## Rickettsia

- infections, 403–405

## Risk Assessment

- modelling, 482–484

## RNA (rRNA)

- in population genetic studies, 52–53, 444, 559

## S

Saibo *see also* Nucleation

- selection studies, 452–453
- tissue, 288–290

## Salinity

- effects, 205–206, 212
- tolerances, 202–205

## Saville-Kent, W.

- pioneer pearl production, 285

## Scope for Growth (SFG)

- calculation, 124–126, 149, 219–220
- negative, 125, 197
- relative to size, 125

Sedimentation *see* Biodeposition and SedimentationSeeding operation *see* Nucleation

## Selective breeding

- and pearl weight, 453–454
- for shell traits, 450–453
- inbreeding from, 454–456
- pedigree identification, 460–461

## Sensory receptors

- anatomy, 50

Seston *see* Suspended particulate matter

## Settlement and metamorphosis

- processes, 165–167, 213, 249–254

## Sex

- differentiation and reversal, 139–142
- ratios, 142–143

Shell *see also* Genus and Species descriptions

- general morphology, 42, 44

## Shell layers

- morphology, 90
- secretion, 91–92, 95–98

## Shell abnormalities

- disease, 374–375
- disrupted secretion of layers, 369, 370, 375, 419
- fouling and boring organisms, 529–535

Silver-lip pearl oyster *see* *Pinctada maxima*

## Socio-economics

- benefits for rural communities, 478–484, 517–518

## Soft anatomy

- general figures, 46
- see also* Genus and Species descriptions

## South Sea cultured pearls

- Black *see* *Pinctada margaritifera* pearl production
- White/Golden *see* *Pinctada maxima* pearl production

## Spat

- collectors, 232–235, 310
- morphology, 165–166
- spatfall and depth, 213
- genetic impact, 448

Spawning *see also* Broodstock

- process, 143–144, 161

Spermatogenesis *see also* Gametogenesis

- process, 145–146

Sponges *see* Boring organisms



- Starvation  
 effects of, 193
- Stomach *see also* Digestive system  
 anatomy, 48, 83  
 pathology, 379
- Stock for farms  
 sources, 231–234
- Stocking density  
 and biodeposition, 509  
 comparative, 509  
 high-density (intensive), 489, 518, 519
- Suspended particulate matter (SPM)  
 and feeding, 114  
 and food uptake, 190–193  
 composition, 103–106, 190
- T**
- Tahitian pearls *see Pinctada margaritifera* pearl production
- Temperature optima  
 and metabolic rate, 193–196
- Temperature affects on  
 broodstock conditioning, 236  
 clearance rate, 194  
 growth rate, 188, 197–198  
 health, 390–391  
 metabolic rate, 194–197  
 reproductive periodicity, 160–161  
 survival, 189, 198–200
- Tetraploids  
 induction, 457
- Translocations  
 genetic effects, 442, 500–502  
 history, 501  
 spreading disease, parasites and pests, 504–505
- Triploids  
 growth, 458–459  
 maturation, 458  
 production, 456–457
- Tochophore larvae *see* Larvae
- Turbidity  
 effects of, 214–215  
 from cleaning biofouling, 516–517
- V**
- Vascular system *see* Circulatory system
- Veliger larvae *see* Larvae
- Vibrio* spp. *see also* Diseases  
 infections, 400–402
- Vives, Gaston  
 pioneer culturist, 342–343
- von Bertalanffy Growth Functions  
 fitted, 169–171
- W**
- Water currents  
 effects, 210–211
- Winged pearl oyster *see* *Pteria* spp.

*Pteria sterna*

- culture and pearl production trends, 346, 348–349
- distribution, 62–63

## Pteriidae

- genera, 38
- habitats of species, 41
- shell characteristics, 37–38
- species and distribution, 40–41
- taxonomic studies, 37–38, 39, 63
- unnatural taxon, 63

## Pterioidea

- crown-group, 63
- phylogeny, 65
- taxonomic position, 38

## Q

Q<sub>10</sub>

- of metabolic functions, 195–197

## Quotas

- Australia, 475–476
- French Polynesia, 477

## R

## Rafts

- farming methods, 257–259

'Red arse' *see* Boring organisms, spongesRed tides *see* Mass mortalities of Akoya pearl oysters

## Reproduction

- energetics, 149–156, 157–158
- gonad stages, 137–138, 147–149
- neuroendocrine control, 158, 160
- seasonality, 132–134, 143–145, 149–156, 160–161
- strategies, 156–157

Reproductive system *see also* Gametogenesis and Sex

- acini, 135
- gonads, 50–51, 84–85, 135–140
- gonoducts, 85, 136
- pathology, 388
- sexual maturity, 132–134

## Respiration rate

- and metabolic rate, 121–122
- and Q<sub>10</sub>, 196

## Rickettsia

- infections, 403–405

## Risk Assessment

- modelling, 482–484

## RNA (rRNA)

- in population genetic studies, 52–53, 444, 559

## S

Saibo *see also* Nucleation

- selection studies, 452–453
- tissue, 288–290

## Salinity

- effects, 205–206, 212
- tolerances, 202–205

## Saville-Kent, W.

- pioneer pearl production, 285

## Scope for Growth (SFG)

- calculation, 124–126, 149, 219–220
- negative, 125, 197
- relative to size, 125

Sedimentation *see* Biodeposition and SedimentationSeeding operation *see* Nucleation

## Selective breeding

- and pearl weight, 453–454
- for shell traits, 450–453
- inbreeding from, 454–456
- pedigree identification, 460–461

## Sensory receptors

- anatomy, 50

Seston *see* Suspended particulate matter

## Settlement and metamorphosis

- processes, 165–167, 213, 249–254

## Sex

- differentiation and reversal, 139–142
- ratios, 142–143

Shell *see also* Genus and Species descriptions

- general morphology, 42, 44

## Shell layers

- morphology, 90
- secretion, 91–92, 95–98

## Shell abnormalities

- disease, 374–375
- disrupted secretion of layers, 369, 370, 375, 419
- fouling and boring organisms, 529–535

Silver-lip pearl oyster *see* *Pinctada maxima*

## Socio-economics

- benefits for rural communities, 478–484, 517–518

## Soft anatomy

- general figures, 46
- see also* Genus and Species descriptions

## South Sea cultured pearls

- Black *see* *Pinctada margaritifera* pearl production
- White/Golden *see* *Pinctada maxima* pearl production

## Spat

- collectors, 232–235, 310
- morphology, 165–166
- spatfall and depth, 213
- genetic impact, 448

Spawning *see also* Broodstock

- process, 143–144, 161

Spermatogenesis *see also* Gametogenesis

- process, 145–146

Sponges *see* Boring organisms