



Index

Page numbers in italics refer to figures.

- abbreviations, xiii–xv
- abdominal examination, 5, 7–8, 60
- abdominal pain, 213–16, 222–5
 - bleeding in early pregnancy, 226–9
 - ectopic pregnancies, 230–3
 - upper, during labour, 182
- abdominal swelling, 81–5
- abortion, induced, *see* termination of pregnancy
- abortion, spontaneous, *see* miscarriage
- ACE inhibitors, in pregnancy, 147
- acne, 39–42
- acute pelvic infection, 213–16
- adenocarcinomas, 103, 217–21
- adolescents, *see* teenagers
- amniocentesis, 70
- amniotic fluid index (AFI), 62–3, 171
- amphetamines, 207
- anaemia, 36
- analgesia, 215, 225
- androgen excess, 39–42
- antenatal care, 56–63, *see also* pregnancy
 - day pregnancy units, 149–50
 - shared care, 56, 58–9
- antepartum haemorrhage, 157–61, 226–9
- anti-D prophylaxis, 60, 62, 198, 201
- antibiotics, 200–1, 215–16
- anticoagulation, 203–4
- anticonvulsants, 144–5
- antidepressants, 113–14
- antihypertensives, 142–3
- anxiety
 - abnormal Pap smear reports, 24–6
 - climacteric and, 95, 98–9
- appendicitis, vs acute pelvic infection, 216
- arterial blood flow, 171
- atrophic vaginitis, 21–2, 46, 218
- 'baby blues', 113
- β -human chorionic gonadotrophin (β -HCG) tests, 68, 93
- betamethasone, 154
- bimanual examination, 6–7, 31
- birth, *see* labour
- bladder habits, 235, 237
- bleeding, *see also* postpartum haemorrhage
 - antepartum, 157–61, 226–9
 - ectopic pregnancy, 230–2
 - intermenstrual, 31
 - irregular, 97–8, 101–4
 - miscarriage vs pregnancy, 232
 - molar pregnancy, 91
 - postmenopausal, 217–21
- blood coagulation, 36–7
- blood pressure control, 142–3
- blood sugar levels, 64–7, *see also* diabetes
- breastfeeding (lactation), 111–12, 114
- breasts
 - lumps in, 82–3
 - pain from mastitis, 195–6
- breech presentation, 190–7, 193, 198–205
- caesarean section
 - breech presentation, 191–6, 200–1, 204
 - calf compressors in, 200
 - diabetes and, 166–7
 - feelings of failure after, 110–11, 114–15
 - herpes in pregnancy, 178–80
 - placenta praevia, 159
 - placental abruption, 183
 - risks of, 167, 195
 - severe pre-eclampsia, 143–4
 - tubal ligation at time of, 160
- calf compressors, 200, 202, 204
- cancer, *see* cervical cancer; endometrial cancer; vulval cancer
- Candida* infection, 108

INDEX

- cannabis, 207
- cardiotocographic (CTG) traces, 62–3
- cases, *see* clinical cases
- cervical cancer, 11, *see also* Pap smears
 - HPV and, 14–15, 17, 28
 - irregular bleeding, 101–4
 - Pap smear registers, 17–18
 - smoking and, 102, 104
- cervical ectopy (ectropion), 117–19
- cervical polyps, 117–19
- childbirth, *see* labour
- chlamydial infection, 213–16, 231
 - screening tests, 15, 87, 89–90
- choriocarcinoma, 92
- chorion villous sampling (CVS), 70
- chromosomal defects, 170, 228
 - Down syndrome screening, 70, 71, 169–70, 173
- chronic hypertension, *see* essential hypertension
- cigarette smoking
 - cervical cancer and, 102, 104
 - pregnancy and, 180, 206–10
- climacteric (approach to menopause), 95
- clinical cases, xi
 - general practice, 11–120
 - gynaecology, 213–39
 - obstetrics, 123–210
- coagulation screens, 36–7
- cocaine, 207
- colposcopy, 25–6, 25
- combined oral contraceptive pill (COCP), 12–13
 - acne, 39–42
 - cervical ectopy associated with, 117–18
 - contraindicated with hypertension, 51
 - menstrual loss and, 29, 32, 37–8, 116
 - precautions when taking, 87–8
 - safety of, 13–14
 - teenagers, 86–90
- conception, 79, *see also* infertility; pregnancy
 - after abnormal Pap smear, 24, 26
 - difficulty achieving, 116–20
- condom use, 86–7, 108–9
- cone biopsy, 26, 28
- constipation, 81
- continuous CTG monitoring, 128–9, 132
- contraception, *see also* combined oral contraceptive pill; condom use; IUCDs; progestogen-only pill
 - emergency, 106
 - essential hypertension and, 51–5
 - hormonal alternatives to COCP, 108
 - natural family planning, 72
 - postnatal checks, 20–3
 - teenagers, 86–90
 - while breastfeeding, 180
- cord prolapse, 191, 199–201
- counselling
 - debriefing after unexpected events, 201–2
 - prior to sterilisation, 54
- cystocele, 236
- cysts, ovarian, 81–5, 222–5
- day pregnancy units, 149–50
- deep venous thrombosis (DVT), 203–4
- delay in labour, *see* prolonged labour
- delayed labour, *see* prolonged pregnancy
- delivery, *see also* labour
 - as cure for pre-eclampsia, 140
 - options for place of, 56, 58–9, 190–7
 - twins, 174–5
 - vacuum extraction, 184, 185, 186
- depot medroxyprogesterone acetate (DMPA), 23
- depression, postnatal, 110–15
- detrusor overactivity, 235, 238
- diabetes
 - gestational, 162–8, 164
 - male infertility and, 76
 - PCOS and, 40–1
 - postmenopausal bleeding and, 217–18
 - pregnancy and, 64–7, 169–72
- diet, 163
- dizygotic twins, 69
- Down syndrome screening, 70, 71, 169–70, 173
- drug use, recreational, 206–10
- dysmenorrhoea, 14, 43–5, 116
- dyspareunia, 116, 120
- eclampsia (seizure disorder), 144, 148
- ectopic pregnancies, 227, 230–3
- edema, in pre-eclampsia, 140
- emergency contraception, 106
- endometrial ablation, 32–3
- endometrial adenocarcinoma, 217–21
- endometriosis, 116
- endometritis, 96, 216
- epidurals, 125, 128, 129, 130
- episiotomy, 131, 134, 135
- essential hypertension, 147
 - contraception and, 51–5

- pre-eclampsia and, 145, 148–50
- etonogestrel implants, 22
- examinations
 - adult gynaecological patients, 5–7
 - pregnant women, 7–8
- expected date of delivery (EDD), 57
- external cephalic version (ECV), 191–2, 194
- fallopian tubes, 78–9
 - ectopic pregnancies in, 231–2
- family history, in antenatal care, 57
- family members, speaking for patients, 222
- fertility, *see* infertility
- fetal assessment
 - diabetic mothers, 65–6
 - growth, 165, 166
 - prolonged pregnancy, 62–3
- fetal fibronectin (fFN) test, 153
- fetal hypoxia, 184
- fetal lung maturation, 153–4
- fetal monitoring
 - continuous CTG monitoring, 128–9, 132
 - intrauterine growth restriction, 148–50
 - placental abruption, 182–4
- fetal nuchal translucency (FNT), 70, 170
- fetal presentation and lie, 60, 61
 - breech, 190–7, 193, 198–205
 - occipito-posterior, 131
 - twins, 175
- fever, 195–6, 202
- fibroadenomas, 83–4
- flushes, *see* hot flushes
- foetal..., *see entries starting with fetal...*
- folate (folic acid) supplementation, 37
- forceps, in placental abruption, 186
- fundal height, 60, 61
- general practice, clinical cases in, 11–120
- genetic screening for *BRCA* gene, 84
- genital warts, 89
- gestational diabetes mellitus (GDM), 162–8, 164, *see also* diabetes
- gestational hypertension, 147
- gestational trophoblastic disease, 91–2
- glucometers, 163
- glucose tolerance testing, 60, 162, 164
- gonorrhoea screening, 87, 89
- group B *Streptococcus* (GBS), 198–201
- gynaecology
 - clinical cases, 213–39
 - history taking, 3–4
- haemorrhage, *see* bleeding; postpartum haemorrhage
- hand-held patient record, *see* shared care card
- heavy periods, *see* menorrhagia
- HELLP syndrome, in pre-eclampsia, 142
- heparin, in DVT, 203–4
- hepatitis C virus (HCV), 208–9
- heroin, 207
- herpes genitalis (HSV-2) infection, 177–81
- herpes simplex, 89
- high blood pressure, *see* hypertensive disorders in pregnancy
- hirsutism, 39
- history taking, xi, 3–4
 - antenatal care, 57
 - infertility, 76
- HIV (human immunodeficiency virus), 89–90
- home birth planned, 190–7
- hormonal changes, *see* infertility; menopause; polycystic ovarian syndrome
- hormone replacement therapy, 98–100
- hot flushes, 95–100
- HSV-2, 177–81
- β -human chorionic gonadotrophin (β -HCG) tests, 68, 93
- human papillomavirus (HPV) infection, 14–15, 17, 28
 - vaccines against, 28, 49
- hydatidiform mole, 91–2
- hydralazine, 142–5
- hyperemesis, 71, 187–9
- hypertensive disorders in pregnancy, 147–8, *see also* essential hypertension; pre-eclampsia
- hysterectomy, 33, 104, 238–9
- hysterosalpingogram (HSG), 78–9
- hysteroscopy, 118, 119
- in-vitro fertilisation (IVF), 74, 79
- incontinence, *see* urinary incontinence
- induced abortion, *see* termination of pregnancy
- induction of labour, 62, 140, 141
 - diabetic mothers, 172
- infections, mastitis, 195–6
- infertility, 74–80, 116–20
- insulin
 - in pregnancy, 166–7, 171–2
 - insulin resistance in PCOS, 40

INDEX

- intercourse, *see* sexual intercourse
intermenstrual bleeding, 31
intraoperative haemorrhage, 232
intrauterine contraceptive devices, *see*
IUCDs
intrauterine growth restriction (IUGR),
208–9
invasive mole, 92
iron supplementation, 37, 188–9
irregular bleeding, 97–8, 101–4
itching, vulval, 46–50
IUCDs (intrauterine contraceptive devices),
23, 97
as emergency contraception, 107
for menstrual loss, 32
removal of forgotten, 96–8
IVF, 74, 79
- labour (childbirth), *see also* delivery;
postnatal checks; pregnancy
acceleration using oxytocin, 130, 130
‘big baby’ expected, 125, 137
delayed onset of, 62–3
delivery of placenta, 133, 185–6
induction of, 62, 140, 141, 172
preterm, 152–6, 177–81
prolonged, 123–37
lactation consultants, 111–12
laparoscopy and laparotomy
ectopic pregnancy, 231–2
ovarian cyst removal, 84
sterilisation, 52–4
tubal patency assessment, 79
large loop excision of the transformation
zone (LLETZ), 25–6, 28
legal requirements for induced abortion,
52–3
levonorgestrel contraception, 23, 106
lichen sclerosus, 49–50
lie of the fetus, *see* fetal presentation and lie
lifestyle factors, 95, 98–100
long labour, *see* prolonged labour
‘low-lying’ placenta, 157–8
low molecular weight heparin (LMWH),
203–4
- macrosomia, 65–6
magnesium sulfate, 144–5
mastitis, 195–6
MCQs, 240–50
McRoberts’ manoeuvre, 131, 133
menopause, 95–100
postmenopausal bleeding, 217–21
menorrhagia (heavy periods), 29–34, 35–8
menstrual cycles, *see also* dysmenorrhoea
climacteric, 95–6
irregular, 40, 42, 91
methotrexate, 55
in ectopic pregnancy, 232–3
methyldopa, 148
metoclopramide, 188–9
midwife home birth planned, 190–7
mifepristone, 55
miscarriage (spontaneous abortion), 228–9
distinguished from ectopic pregnancy,
232
threatened, 227
twins, 70–1
misoprostol, 55
molar pregnancies, 91–4
monozygotic twins, 69
moodiness, 95
morning sickness, 71, 187
multiple choice questions, 240–50
multiple pregnancies, 68–73, 173–6
- Naegle’s rule, 57
natural family planning, 72
nausea, in pregnancy, 71, 187–8
neonatal herpes, 178–80
neonatal intensive care, 155
nifedipine, 154–5
NSAIDs, 32, 44
- obesity, 217–18
obstetrics
clinical cases, 123–210
history taking, 3–4
oedema, in pre-eclampsia, 140
oncology, *see* cervical cancer; endometrial
cancer; vulval cancer
oral contraceptive pill, *see* combined oral
contraceptive pill; progestogen-only pill
ovarian cysts, 81–5, 222–5
ovarian volume, 79
overflow incontinence, 235
ovulation, 75, 78
oxytocin infusion
to accelerate labour, 130, 130
to contract uterus, 134
- pain, *see* abdominal pain; breast pain;
dysmenorrhoea; pelvic pain
pain relief in labour, *see* epidurals

- Pap smears, 208, *see also* cervical cancer
 abnormal reports, 24–8, 27
 after hysterectomy, 239
 cervical examination and, 102
 procedure for taking, 17–18
 teenagers, 87
 terminology in reporting results of, 21
 well-woman checks, 11–12, 14–15, 17–19
- partograms, 125, 126–7
- PCOS, 39–42
- pelvis
 causes of pelvic masses, 82, 84
 chronic infection of, 231
 pain in, 96, 116, 120
 pelvic floor strengthening, 237–9
 pelvic inflammatory disease (PID), 213–16
- penicillin prophylaxis for GBS, 199–201
- perimenopause, 95–100
- perineal tears, 134, 135
- period pain (dysmenorrhoea), 14, 43–5, 116
- periods, *see* menstrual cycles
- pessaries, ring, 237
- physical examinations, *see* examinations
- placenta
 delivery of, 133, 185–6
 'low-lying', 157–8
- placenta accreta, 159
- placenta praevia, 157–61, 195
- placental abruption, 182–6
- polycystic ovarian syndrome (PCOS), 39–42
- postmenopausal bleeding, 217–21
- postnatal checks, 20–3
- postnatal depression, 110–15
- postoperative pyrexia, 202
- postpartum haemorrhage, 134, 136–7
 placenta praevia, 160–1
 placental abruption, 185–6
 risk with twins, 175
- postpartum pyrexia, 195–6
- pre-eclampsia, 138–46, 148
 essential hypertension and, 51–2, 148–50
- pregnancy, 56–63, *see also* antenatal care;
 conception; infertility; labour; twin
 pregnancies
 abdominal palpation, 60, 61
 antepartum haemorrhage, 157–61, 226–9
 commercial tests for, 214
 descent of the head, 60, 61
 diabetes and, 64–7
 expected date of delivery, 57
 herpes in, 177–81
 large-for-dates uterus, 69, 92, 94
 minor discomforts of, 71–2
 persistent vomiting in, 187–9
 physical examination, 7–8
 small-for-dates babies, 206–10
 unplanned, 51–5, 105–9, 187, 206–10
- presentation, *see* fetal presentation and lie
- preterm labour, 152–6
 infections and, 177–81
- primary dysmenorrhoea, 14, 43–5, 116
- problem-based learning (PBL), xi
- progestogen-only pill (mini-pill), 20, 22–3, 108
- progestogen-releasing IUCD, 32
- prolapse, 234–9
- prolonged labour, 123–37
- prolonged pregnancy, 62–3
- prostaglandin synthetase inhibitors, 44
- prostaglandins, in period pain, 43–5
- proteinuria (with hypertension), *see* pre-eclampsia
- pruritis vulvae, 46–50
- psychiatric treatment for postnatal
 depression, 113
- psychological aspects of morning sickness, 187
- pyrexia, 195–6, 202
- recreational drug use in pregnancy, 206–10
- rehydration, for morning sickness, 188
- respiratory distress syndrome, 179
- Rhesus antibody, anti-D prophylaxis, 60, 62, 198, 201
- ring pessaries, 237
- safe sex, 86–90, 108–9
- salpingectomy, 231
- screening tests, 16, 170, *see also* Down
 syndrome screening; Pap smears
 sexually transmitted infections, 87–90, 108
- seizures, in pre-eclampsia, 141, 144
- semen analysis, 77–8
- sexual intercourse
 discussing with minors, 35, 42, 223
 emergency contraception, 106
 infertility and, 74
 safe sex, 86–90, 108–9
- sexually transmitted infections, 105–9, *see also* chlamydia; herpes
 acute pelvic infection, 213–16
 screening tests, 87–90, 108
- shared care card (patient hand-held record),
 59, 123, 124, 138, 157, 190

INDEX

- shock, from miscarriage, 227–8
- shoulder dystocia
 fetal macrosomia and, 66
 prolonged labour, 131, 133, 137
- smoking
 cervical cancer and, 102, 104
 during pregnancy, 180, 206–10
- social workers, 180
 unplanned pregnancies and, 188–9, 208–9
- speculum examination, 6
- spontaneous abortion, *see* miscarriage
- squamous cell carcinoma
 cervical cancer, 11, 15, 24–8, 103
 vulval, 46–50
- sterilisation, 52–5
 at time of caesarean section, 160
- stillbirth, diabetic mothers and, 65–6
- stress incontinence, 235–6, 238
- sub-fertility, *see* infertility
- suction curettage of the uterus, 53, 55
 after miscarriage, 228
 molar pregnancy, 93
- surgical sterilisation, *see* sterilisation
- syphilis, 89
- tape operation, for incontinence, 234, 238
- teenagers
 acne, 39–42
 dysmenorrhoea, 43–5
 herpes in pregnancy, 178–80
 menorrhagia, 35–8
 ovarian cysts, 222–5
 privacy of, 35, 41–2, 222–3
 safe sex, 86–90
 small-for-dates babies, 206–10
- Term Breech Trial, 191
- termination of pregnancy (abortion), 52–5
 acute pelvic infection, 213, 216
 Down syndrome screening, 70
 legal requirements for, 52–3
 threatened miscarriage, 227
- threatened preterm labour (TPL), 153
- thrombophilia, 149, 203
- thrush (candidiasis), 108
- tiredness, postnatal depression and, 110
- tocolysis (stopping uterine contractions), 153–5
- topical oestrogen, 21, 46, 237
- tranexamic acid, 32
- transvaginal ultrasound scans (TVUSS), 58
- trichomoniasis, 89
- trophoblastic disease, 91–2
- tubal pregnancies, *see* ectopic pregnancies
- tubal sterilisation, *see* sterilisation
- tumour markers, for ovarian cancer, 83
- twin pregnancies, 68–73, 173–6
- ultrasound scans, 58, 60
 diabetic mothers, 65–6
 molar pregnancies, 92–3
 twin pregnancies, 68–70
- umbilical arterial blood flow, 171
- unplanned pregnancies, *see under* pregnancy
- urinary incontinence, 234–9
- urinary tract infections (UTIs), 178–9
- uterine contractions, stopping, 153–5
- uterovaginal prolapse, 234–9
- uterus, 31, *see also* endometrial...
- vaccines against HPV, 28, 49
- vacuum extraction, 184, 185, 186
- vaginal atrophy, 21–2, 46, 218
- vaginal birth after caesarean section (VBAC), 194
- vaginal bleeding, *see* bleeding
- vaginal discharge, 105–9, 117–19
- vaginal examination, 5–6
 abdominal swelling, 82–3
 acute abdominal pain, 214
 antenatal care, 58
 avoided in placenta praevia, 158
 infertility, 76
 molar pregnancies, 91–2
 not performed on virgins, 36, 44, 223
 placental abruption, 183–4
 prolapse and incontinence, 236
 teenagers after unprotected sex, 87
- venous thromboembolism (VTE), 203–4
- virgins, vaginal examination not performed on, 36, 44, 223
- vomiting, in pregnancy, 71, 187–9
- von Willebrand's factor, screening for, 36–7
- vulval cancer, 46–50
- vulval pruritis (itch), 46–50
- warfarin, in DVT, 203–4
- well-woman checks, 11–19
 normal pregnancies, 56–63
 postnatal, 20–3
 twin pregnancies, 68–73
- Yuzpe method of emergency contraception, 107