## Index

accuracy criterion, 150 ambipolar diffusion, 39 attachment cooling and heating, 110beam experiments, 8 BGK model, 44, 137 Boltzmann "stosszahlansatz", 31 collision integral, 33 equation, 6, 42H-theorem, 35 Ludwig, 3 boundary effects, 85, 125 bulk drift velocity model calculation, 114 Burnett function representation basis temperature, 151, 156 expansion coefficients, 152 matrix elements, 157 of Boltzmann equation, 153 truncation and convergence, 156Burnett functions, 152, 178 central force potential, 24 centre-of-mass velocity, 23 Chapman-Enskog procedure, 120, 138charge exchange, 42

idealized model, 44 cold gas approximation, 75 collision matrix, 155 collisions transfer of a property in, 42 attachment, 106 Coulomb, 38 elastic vs inelastic, 24 fractional energy exchange, 45 inelastic transfer rate, 55 inverse, 27 reactive, 14 viscosity transfer, 47 configuration space, 13 constant collision frequency model, 62, 122 cross sections, 6 differential, 26 from swarm experiments, 8 momentum transfer, 47, 69 partial, 28, 155 total, 95

Davydov distribution, 122 Debye length, 38 density gradient expansion, 80, 139 diffusion coefficients, 81 ratio of longitudinal and transverse, 82

## Index

diffusion cooling eigenvalue problem, 130 energy modes, 130 model calculation, 134 physical origin, 128 diffusion equation, 83, 139 solution, 170 solution in 1D, 88 validity, 147 diffusion heating, 135 diffusion tensor, 81, 140, 145 drift tube experiment, 6, 8 effective temperature, 98 energy balance equation exact, 70with inelastic processes, 96 equation of continuity, 13, 66 equilibrium, 15 experiment quantities measured, 84 role of the diffusion equation, 86 Townsend-Huxley, Cavalleri, 125Fick's law, 82, 137, 139 Fokker-Planck equation, 38, 47 Fourier transformation in phase space, 141 Franck-Hertz experiment, 5, 8, 85 generalized Einstein relations, 81, 100H-theorem and second law, 36 heat flux, 77 hot atom chemistry, 109

hydrodynamic regime, 83, 121 hydrodynamic vs nonhydrodynamic regime, 147 impact parameter, 25 interaction integrals, 155 interaction potential, 8, 62 polarization force, 60 ionization, 14 ions in parent gas, 42 kinetic equation analytic solution, 137 generic, 21, 117 relaxation time model, 137 Laguerre polynomial, 151 light particles, 48 Lorentz gas, 48, 122 low temperature plasma, 9 Mark boundary condition, 127 Mason-Schamp model, 76 Maxwell-Boltzmann distribution, 54, 92 Maxwellian, 4, 17, 36, 41, 138 mobility coefficient, 74 model cross sections, 76 real interaction potential, 76 reduced, 85 moment equations constant collision frequency, 70inelastic collisions, 100 linearized, 80 with reactive effects, 106 momentum balance equation, 67 momentum transfer theory, 72

## 180

## Index

muliterm expansion, 54 negative absolute mobility, 10 negative differential conductivity, 100criterion, 101 model calculations, 102 nonhydrodynamic regime, 85, 145 number density, 13 Ohm's law, 74 particle flux, 13 phase space distribution function, 15plasma dispersion function, 142 polarization limit, 63 positron annihilation, 110 pulsed radiolysis experiment, 171 Rayleigh gas, 47 reactive effects, 86 collision terms, 107 heating and cooling, 108 reduced field, 84 reduced mass, 24 relative velocity, 23 relaxation time model, 44, 122 runaway, 170 scattering angle, 25, 29 smoothing factor, 98 sperical harmonics, 149 strong field limit, 75 summational invariants, 34 superelastic collisions, 174 swarm vs plasma, 39

symmetries, 19

velocity space vs configuration space, 16 Talmi coefficient, 178 Talmi transformation, 155 temperature tensor, 78 tensor structure, 79 time-of-flight experiment, 8, 85, 86, 144 time-reversal invariance, 27 Tonks' theorem, 169 transport coefficients. 9 bulk and flux, 113 travelling pulse, 89 moments, 88 two-term approximation, 48, 53, 126, 150temperature tensor, 79 variational principle, 132 trial function, 133 velocity averages, 16, 152 velocity distribution function, 3, 8

electrons in methane, 16 velocity space, 15 polar plot, 16

Wang-Chang, Uhlenbeck, de Boer, 56 Wannier energy relation, 73 weak field limit, 75