

Editorial

Organic Semiconductors: Past, Present and Future

Mohan V. Jacob

Electronic Materials Research Laboratory, College of Science, Technology and Engineering,
James Cook University, Townsville 4811, Australia; E-Mail: mohan.jacob@jcu.edu.au;
Tel.: +61-7-4781-4379

External Editor: Mostafa Bassiouni

*Received: 16 September 2014; in revised form: 17 September 2014 / Accepted: 17 September 2014 /
Published: 30 September 2014*

1. Introduction

Organic electronics, such as displays, photovoltaics and electronics circuits and components, offer several advantages over the conventional inorganic-based electronics because they are inexpensive, flexible, unbreakable, optically transparent, lightweight and have low power consumption. In particular, organic displays exhibit high brightness, fast response time, wide viewing angle, and low operating voltage.

The past few years have seen a significant and rapid growth of research and development of OSC and Organic Field Effect Transistor (OFET) devices, with promising results [1–3] and diverse range of applications. Organic Field Effect Transistors and Organic Light Emitting Diodes (OLEDs) are the fundamental electronic building blocks of organic electronic circuits. Every display has millions of transistors used for switching the pixels on/off. OFETs are used in displays, human-machine interfaces, electronic artificial skin, and smart digital gadgets. OFETs have been successfully employed in e-inks. One of the main technological advantages of OFET is that all the layers of an OFET can be fabricated and patterned at room temperature by a combination of low-cost solution processing and direct-write printing.

One very exciting prospect of developing devices based on organic materials is the power savings in OLED displays compared to back-light LCDs and plasma displays. Enhancement in applications and the miniaturization of electronics has led to the exploration of many advanced materials including quantum dots [4], organic molecules [5], carbon nanotubes [6], nanowires [7], and single atoms [8] or molecules [9–12].

2. The Present Issue

This special issue consists of 13 papers especially covering many important topics including seven reviews in the field of organic semiconductors; Organic Semiconductors [13,14], material fabrication and properties [15–18], OFET [19,20], Sensor [19], OLED [21,22], solar Cells [23,24], Transport Property [17], and Bio-organic electronics [25].

The properties of organic material in strong coupling with plasmon, and delocalized and localized plasmon coupled to aggregated dyes and the material properties in strong coupling is described in [13]. The design constraints of OLEDs and OPDs required to achieve fully organic electronic optical bio-detection systems and lab-on-a-chip (LoC) technologies is described in manuscript [14]. The charge transport properties of materials are critical to optimize organic electronic devices. The importance of charge transport layers in the development of inverted bulk heterojunction polymer solar cells is the focus of [24] and the intrinsic bulk electron-phonon interaction and the behavior of mobility in the coherent regime of many systems, such as naphthalene, rubrene, and pentacene, is the focus of [17]. Properties of materials that can be used organic semiconductors are reported in references [15–18].

An overview of OFET-based biosensors, pressure sensors and e-nose/vapour sensors is presented in [19]. The charge transport properties of dinaphtho[2,3-*b*:2',3'-*f*]thieno[3,2-*b*]thiophene single crystals in OFET is studied and its nonmonotonic pressure response is demonstrated [20]. The review “Emerging Transparent Conducting Electrodes for Organic Light Emitting Diodes” focuses on the emerging alternative transparent conducting electrodes materials for OLED applications, including carbon nanotubes, metallic nanowires, conductive polymers, and graphene [21]. Improvement in the lifetime of organic photovoltaic cells by using MoO₃ in conjunction with tris-(8-hydroxyquinoline) aluminum as a cathode buffer layer is analysed [22]. The concept of bandgap science of organic semiconductor films for use in photovoltaic cells, charge control by doping and design of the built-in potential based on precisely-evaluated doping parameters is summarized in the manuscript [23]. The use of electron and hole transport layers in the inverted bulk heterojunction polymer solar cells is the goal of the article [24].

Bio-electronic devices can be used for developing OLEDs, OFETs and organic solar cells and such components have many advantages especially the biodegradable property. The potential opportunities of bio-organic electronics are reviewed in [25].

3. Future

New applications are likely to be in areas of biomedicine, lab-on-a-chip biomedical application, optics, OFETs, OLEDs, displays, information technology, smartcards/RFID tags, and sensors for environmental monitoring. The organic electronic devices will be very promising in niche applications, especially due to the cheap manufacturing cost, flexibility, and ease to integrate with other systems. OFETs prove to be important in applications ranging from sophisticated medical diagnostics to “smart” clothes that can display changing images. OFET-based sensors have many advantages over other types of sensors, such as signal amplification, high sensitivity, ease of fabrication, and miniaturisation for multisensory arrays. Organic semiconductors can interact with different

chemicals and it is possible to convert the chemical information to electronic information, creating an “electronic nose”.

Acknowledgments

First of all I would like to thank all researchers who published articles to this special issue for their excellent contributions. I am also grateful to all reviewers who helped in the evaluation of the manuscripts and made very valuable suggestions to improve the quality of contributions. I would like to acknowledge Mostafa Bassiouni, the Editor-in-Chief, who invited me to guest edit this special issue. I am also grateful to the Electronics Editorial Office staff who worked thoroughly to maintain the rigorous peer-review schedule and timely publication.

Conflicts of Interest

The author declares no conflicts of interest.

References

1. He, Z.; Zhong, C.; Huang, X.; Wong, W.Y.; Wu, H.; Chen, L.; Su, S.; Cao, Y. Simultaneous Enhancement of Open, Circuit Voltage, Short, Circuit Current Density, and Fill Factor in Polymer Solar Cells. *Adv. Mater.* **2011**, *23*, 4636–4643.
2. Jorgensen, M.; Norrman, K.; Krebs, F.C. Stability/degradation of polymer solar cells. *Sol. Energy Mater. Sol. Cells* **2008**, *92*, 686–714.
3. Jacob, M.V.; Bazaka, K.; Weis, M.; Taguchi, D.; Manaka, T.; Iwamoto, M. Fabrication and characterization of polyterpenol as an insulating layer and incorporated organic field effect transistor. *Thin Solid Films* **2010**, *518*, 6123–6129.
4. Schreiber, R.; Do, J.; Roller, E.-M.; Zhang, T.; Schüller, V.J.; Nickels, P.C.; Feldmann, J.; Liedl, T. Hierarchical assembly of metal nanoparticles, quantum dots and organic dyes using DNA origami scaffolds. *Nat. Nanotechnol.* **2014**, *9*, 74–78.
5. Lee, C.H.; Schiros, T.; Santos, E.J.; Kim, B.; Yager, K.G.; Kang, S.J.; Sunwoo Lee, S.; Yu, J.; Watanabe, K.; Taniguchi, T.; *et al.* Epitaxial Growth of Molecular Crystals on van der Waals Substrates for High-Performance Organic Electronics. *Adv. Mater.* **2014**, *26*, 2812–2817.
6. Takahashi, T.; Yu, Z.; Chen, K.; Kiriya, D.; Wang, C.; Takei, K.; Shiraki, H.; Chen, T.; Ma, B.; Javey, A. Carbon Nanotube Active-Matrix Backplanes for Mechanically Flexible Visible Light and X-ray Imagers. *Nano Lett.* **2013**, *13*, 5425–5430.
7. Park, K.S.; Cho, B.; Baek, J.; Hwang, J.K.; Lee, H.; Sung, M.M. Single-Crystal Organic Nanowire Electronics by Direct Printing from Molecular Solutions. *Adv. Funct. Mater.* **2013**, *23*, 4776–4784.
8. Rolin, C.; Forrest, S.R. Diffusion coefficients of fluorescent organic molecules in inert gases. *Appl. Phys. Lett.* **2013**, *103*, 041911.
9. Robb, M.J.; Ku, S.Y.; Brunetti, F.G.; Hawker, C.J. A renaissance of color: New structures and building blocks for organic electronics. *J. Polym. Sci. Part A Polym. Chem.* **2013**, *51*, 1263–1271.
10. Hanggi, P. Organic electronics: Harvesting randomness. *Nat. Mater.* **2011**, *10*, 6–7.

11. Shinar, J. Organic electronics: Organic thin-film magnetometers. *Nat. Mater.* **2012**, *11*, 663–664.
12. Zhou, Y.; Fuentes-Hernandez, C.; Shim, J.; Meyer, J.; Giordano, A.J.; Li, H.; Winget, P.; Papadopoulos, T.; Cheun, H.; Kim, J.; *et al.* A Universal Method to Produce Low, ÅiWork Function Electrodes for Organic Electronics. *Science* **2012**, *336*, 327–332.
13. Bellessa, J.; Symonds, C.; Laverdant, J.; Benoit, J.-M.; Plenet, J.C.; Vignoli, S. Strong Coupling between Plasmons and Organic Semiconductors. *Electronics* **2014**, *3*, 303–313.
14. Williams, G.; Backhouse, C.; Aziz, H. Integration of Organic Light Emitting Diodes and Organic Photodetectors for Lab-on-a-Chip Bio-Detection Systems. *Electronics* **2014**, *3*, 43–75.
15. Ahmad, J.; Bazaka, K.; Jacob, M. Optical and Surface Characterization of Radio Frequency Plasma Polymerized 1-Isopropyl-4-Methyl-1,4-Cyclohexadiene Thin Films. *Electronics* **2014**, *3*, 266–281.
16. Chiarella, F.; Barra, M.; Ricciotti, L.; Aloisio, A.; Cassinese, A. Morphology, Electrical Performance and Potentiometry of PDIF-CN2 Thin-Film Transistors on HMDS-Treated and Bare Silicon Dioxide. *Electronics* **2014**, *3*, 76–86.
17. Perroni, C.; Gargiulo, F.; Nocera, A.; Ramaglia, V.; Cataudella, V. The Effects of Different Electron-Phonon Couplings on the Spectral and Transport Properties of Small Molecule Single-Crystal Organic Semiconductors. *Electronics* **2014**, *3*, 165–189.
18. Suzuki, A.; Nishimura, K.; Oku, T. Effects of Germanium Tetrabromide Addition to Zinc Tetraphenyl Porphyrin/Fullerene Bulk Heterojunction Solar Cells. *Electronics* **2014**, *3*, 112–121.
19. Elkington, D.; Cooling, N.; Belcher, W.; Dastoor, P.; Zhou, X. Organic Thin-Film Transistor (OTFT)-Based Sensors. *Electronics* **2014**, *3*, 234–254.
20. Sakai, K.-I.; Takeya, J. Anomalous Response in Heteroacene-Based Organic Field Effect Transistors under High Pressure. *Electronics* **2014**, *3*, 255–265.
21. Song, T.-B.; Li, N. Emerging Transparent Conducting Electrodes for Organic Light Emitting Diodes. *Electronics* **2014**, *3*, 190–204.
22. Cattin, L.; Morsli, M.; Bernède, J. Improvement In the Lifetime of Planar Organic Photovoltaic Cells through the Introduction of MoO₃ into Their Cathode Buffer Layers. *Electronics* **2014**, *3*, 122–131.
23. Hiramoto, M.; Kubo, M.; Shinmura, Y.; Ishiyama, N.; Kaji, T.; Sakai, K.; Ohno, T.; Izaki, M. Bandgap Science for Organic Solar Cells. *Electronics* **2014**, *3*, 351–380.
24. Lattante, S. Electron and Hole Transport Layers: Their Use in Inverted Bulk Heterojunction Polymer Solar Cells. *Electronics* **2014**, *3*, 132–164.
25. Mühl, S.; Beyer, B. Bio-Organic Electronics—Overview and Prospects for the Future. *Electronics* **2014**, *3*, 444–461.